

Packet Capturing Using Wireshark

HTTP packet with details

Home X

kal-linux-2024.4-vmware-a...

1 2 3 4

(genmon)XXX

11:39

elevate.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	dst.port	Protocol	Length	Info
30	5.057955489	192.168.232.128	44.228.249.3	80	HTTP	427	[TCP Previous segment not captured] GET / HTTP/1.1
39	5.383528232	44.228.249.3	192.168.232.128	36826	HTTP	2613	HTTP/1.1 200 OK (text/html)
82	11.372629976	192.168.232.128	44.228.249.3	80	HTTP	440	GET /login.php HTTP/1.1
84	11.698193969	44.228.249.3	192.168.232.128	36826	HTTP	2802	HTTP/1.1 200 OK (text/html)
131	26.029724148	192.168.232.128	44.228.249.3	80	HTTP	578	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
133	26.344556532	44.228.249.3	192.168.232.128	36826	HTTP	2958	HTTP/1.1 200 OK (text/html)
399	55.064560319	192.168.232.128	44.228.249.3	80	HTTP	605	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
403	55.370348238	44.228.249.3	192.168.232.128	36826	HTTP	366	HTTP/1.1 200 OK (text/html)
418	60.833049951	192.168.232.128	44.228.249.3	80	HTTP	476	GET /login.php HTTP/1.1
423	61.144690021	44.228.249.3	192.168.232.128	36826	HTTP	1527	HTTP/1.1 200 OK (text/html)
425	62.581263093	192.168.232.128	44.228.249.3	80	HTTP	479	GET /userinfo.php HTTP/1.1
427	62.894732863	44.228.249.3	192.168.232.128	36826	HTTP	2935	HTTP/1.1 200 OK (text/html)

Header Checksum: 0x8c1b [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.232.128
Destination Address: 44.228.249.3
[Stream index: 0]
Transmission Control Protocol, Src Port: 36826, Dst Port: 80, Seq: 2, Ack: 1, Len: 373
Hypertext Transfer Protocol
GET / HTTP/1.1
Host: testphp.vulnweb.com
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:128.0) Gecko/20100101 Firefox/128.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
Referer: https://www.google.com/
Connection: keep-alive
Upgrade-Insecure-Requests: 1
Priority: u=0, i
[Response in frame: 39]
[Full request URI: http://testphp.vulnweb.com/]

Source
Type
Internet Protocol Version 4
Version Header ... Differentiated Services ... Total Length
Identification Flags Fragment Offset
Time to Live Protocol Header Checksum
Transmission Control Protocol
Packets: 468

Source Address (ip.src), 4 bytes

the mouse pointer inside or press Ctrl+G.

Gold +1.26% ENG IN 21:09 29-09-2025

Http packet 02.

Home X

kal-linux-2024.4-vmware-a...

1 2 3 4

(genmon)XXX

11:10

elevate.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	dst.port	Protocol	Length	Info
30	5.057955489	192.168.232.128	44.228.249.3	80	HTTP	427	[TCP Previous segment not captured] GET / HTTP/1.1
39	5.383528232	44.228.249.3	192.168.232.128	36826	HTTP	2613	HTTP/1.1 200 OK (text/html)
82	11.372629976	192.168.232.128	44.228.249.3	80	HTTP	440	GET /login.php HTTP/1.1
84	11.698193969	44.228.249.3	192.168.232.128	36826	HTTP	2802	HTTP/1.1 200 OK (text/html)
131	26.029724148	192.168.232.128	44.228.249.3	80	HTTP	578	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
133	26.344556532	44.228.249.3	192.168.232.128	36826	HTTP	2958	HTTP/1.1 200 OK (text/html)
399	55.064560319	192.168.232.128	44.228.249.3	80	HTTP	605	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
403	55.370348238	44.228.249.3	192.168.232.128	36826	HTTP	366	HTTP/1.1 200 OK (text/html)
418	60.833049951	192.168.232.128	44.228.249.3	80	HTTP	476	GET /login.php HTTP/1.1
423	61.144690021	44.228.249.3	192.168.232.128	36826	HTTP	1527	HTTP/1.1 200 OK (text/html)
425	62.581263093	192.168.232.128	44.228.249.3	80	HTTP	479	GET /userinfo.php HTTP/1.1
427	62.894732863	44.228.249.3	192.168.232.128	36826	HTTP	2935	HTTP/1.1 200 OK (text/html)

Frame 82: 440 bytes on wire (3520 bits), 440 bytes captured (3520 bits) on interface eth0
Ethernet II, Src: VMware_b0:6e:68 (00:0c:29:bc:6e:68), Dst: VMware_f0:da:ba (08:50:56:f0:da:ba)
Internet Protocol Version 4, Src: 192.168.232.128, Dst: 44.228.249.3
Transmission Control Protocol, Src Port: 36826, Dst Port: 80, Seq: 375, Ack: 2560, Len: 386
Hypertext Transfer Protocol
GET /login.php HTTP/1.1
Host: testphp.vulnweb.com
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:128.0) Gecko/20100101 Firefox/128.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://testphp.vulnweb.com/
Upgrade-Insecure-Requests: 1
Priority: u=0, i
[Response in frame: 84]
[Full request URI: http://testphp.vulnweb.com/login.php]

Ethernet
Destination
Source
Type
Internet Protocol Version 4
Version Header ... Differentiated Services ... Identification
Time to Live Protocol
Packets: 468

Frame (frame), 440 bytes

the mouse pointer inside or press Ctrl+G.

ENG IN 20:40 29-09-2025

Home | kali-linux-2024.4-vmware-a... | (genmon)XXX | 11:44 | elevate.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http mydst_filter

No.	Time	Source	Destination	dst.port	Protocol	Length	Info
39	5.057955489	192.168.232.128	44.228.249.3	80	HTTP	427	[TCP Previous segment not captured] GET / HTTP/1.1
39	5.38528232	44.228.249.3	192.168.232.128	36826	HTTP	2513	HTTP/1.1 200 OK (text/html)
82	11.372629976	192.168.232.128	44.228.249.3	80	HTTP	449	GET /login.php HTTP/1.1
84	11.698193960	44.228.249.3	192.168.232.128	36826	HTTP	2892	HTTP/1.1 200 OK (text/html)
131	26.029724148	192.168.232.128	44.228.249.3	80	HTTP	578	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
133	26.344556532	44.228.249.3	192.168.232.128	36826	HTTP	2958	HTTP/1.1 200 OK (text/html)
399	55.064560319	192.168.232.128	44.228.249.3	80	HTTP	605	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
403	55.376348238	44.228.249.3	192.168.232.128	36826	HTTP	366	HTTP/1.1 200 OK (text/html)
418	60.833049951	192.168.232.128	44.228.249.3	80	HTTP	476	GET /login.php HTTP/1.1
423	61.144690021	44.228.249.3	192.168.232.128	36826	HTTP	1527	HTTP/1.1 200 OK (text/html)
425	62.581263093	192.168.232.128	44.228.249.3	80	HTTP	479	GET /userinfo.php HTTP/1.1
427	62.894732863	44.228.249.3	192.168.232.128	36826	HTTP	2935	HTTP/1.1 200 OK (text/html)

[Stream index: 0]
Transmission Control Protocol, Src Port: 80, Dst Port: 36826, Seq: 1, Ack: 375, Len: 2559
Hypertext Transfer Protocol, has 2 chunks (including last chunk)
HTTP/1.1 200 OK\r\nServer: nginx/1.19.0\r\nDate: Mon, 29 Sep 2025 15:06:28 GMT\r\nContent-Type: text/html; charset=UTF-8\r\nTransfer-Encoding: chunked\r\nConnection: keep-alive\r\nX-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1\r\nContent-Encoding: gzip\r\n\r\n[Request in frame: 30]
[Time since request: 0.325572743 seconds]
[Request URI: /]
[Full request URI: http://testphp.vulnweb.com/]
HTTP chunked response
Content-encoded entity body (gzip): 2295 bytes -> 4958 bytes
File data: 4958 bytes
Line-based text data: text/html (109 lines)

Total Length (ip.len), 2 bytes

Source
Type
Internet Protocol Version 4
Version Header ... Differentiated Services ... Total Length
Identification Flags Fragment Offset
Time to Live Protocol Header Checksum
Transmission Control Protocol
Packets: 468

Profile: Default

21:14 29-09-2025

DNS packet.

Home | kali-linux-2024.4-vmware-a... | (genmon)XXX | 11:45 | elevate.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

dns mydst_filter

No.	Time	Source	Destination	dst.port	Protocol	Length	Info
135	26.372717887	192.168.232.128	192.168.232.2	53	DNS	77	Standard query 0x53fe A sjs1.onrender.com
136	26.372820170	192.168.232.128	192.168.232.2	53	DNS	77	Standard query 0x1fff AAAA sjs1.onrender.com
137	26.379347512	192.168.232.128	192.168.232.2	53	DNS	87	Standard query 0x0c76 A safebrowsing.googleapis.com
139	26.383738782	192.168.232.2	192.168.232.128	46575	DNS	103	Standard query response 0x0c76 A safebrowsing.googleapis.com A 142.251.223.138
140	26.421686889	192.168.232.2	192.168.232.128	56150	DNS	212	Standard query response 0x53fe A sjs1.onrender.com CNAME gcp-us-west1-1.origin.onrender.com CNAME ...
149	26.471694137	192.168.232.2	192.168.232.128	56150	DNS	235	Standard query response 0x1fff AAAA sjs1.onrender.com CNAME gcp-us-west1-1.origin.onrender.com CNA...
369	52.007675511	192.168.232.128	192.168.232.2	53	DNS	76	Standard query 0xf8df A www.acunetix.com
370	52.007846998	192.168.232.128	192.168.232.2	53	DNS	76	Standard query 0xb7dd AAAA www.acunetix.com
371	53.007555316	192.168.232.2	192.168.232.128	42657	DNS	108	Standard query response 0xf8df A www.acunetix.com A 104.18.11.224 A 104.18.10.224
372	53.038567096	192.168.232.2	192.168.232.128	42657	DNS	104	Standard query response 0xb7dd AAAA www.acunetix.com AAAA 2606:4700:8390:c82b:d939:5c2:909a:db82

Source: VMware_bc:6e:68 (00:0c:29:bc:6e:68)
Type: IPv4 (0x0000)
[Stream index: 0]
Internet Protocol Version 4, Src: 192.168.232.128, Dst: 192.168.232.2
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 63
Identification: 0x5d89 (23945)
010... .. = Flags: 0x2, Don't fragment
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 64
Protocol: UDP (17)
Header Checksum: 0x8b50 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.232.128
Destination Address: 192.168.232.2
[Stream index: 10]
User Datagram Protocol, Src Port: 56150, Dst Port: 53
Domain Name System (query)

Domain Name System: Protocol

Source
Type
Internet Protocol Version 4
Version Header ... Differentiated Services ... Total Length
Identification Flags Fragment Offset
Time to Live Protocol Header Checksum
User Datagram Protocol
Packets: 468

Profile: Default

21:15 29-09-2025

Home

kal-linux-2024.4-vmware-a...

1234

(genmon)XXX

11:50

elevate.pcapng

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

tcp

No.	Time	Source	Destination	dst.port	Protocol	Length	Info
116	23.553318900	142.251.223.195	192.168.232.128	45834	TCP	60	[TCP Dup ACK 8#2] 80 → 45834 [ACK] Seq=1 Ack=2 Win=64240 Len=0
117	23.808054795	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 9#2] 45806 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
118	23.808482488	142.251.223.195	192.168.232.128	45806	TCP	60	[TCP Dup ACK 10#2] 80 → 45806 [ACK] Seq=1 Ack=2 Win=64240 Len=0
119	24.063978335	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 11#2] 43616 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
120	24.064409976	142.251.223.195	192.168.232.128	43616	TCP	60	[TCP Dup ACK 12#2] 80 → 43616 [ACK] Seq=1 Ack=2 Win=64240 Len=0
121	24.576033301	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 13#2] 43612 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
122	24.576246591	142.251.223.195	192.168.232.128	43612	TCP	60	[TCP Dup ACK 14#2] 80 → 43612 [ACK] Seq=1 Ack=2 Win=64240 Len=0
123	24.832205577	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 15#2] 43600 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
124	24.832488017	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 16#2] 45792 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
125	24.832611407	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 17#2] 43596 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
126	24.833071051	142.251.223.195	192.168.232.128	43600	TCP	60	[TCP Dup ACK 18#2] 80 → 43600 [ACK] Seq=1 Ack=2 Win=64240 Len=0
127	24.833072489	142.251.223.195	192.168.232.128	45792	TCP	60	[TCP Dup ACK 19#2] 80 → 45792 [ACK] Seq=1 Ack=2 Win=64240 Len=0
128	24.833072769	142.251.223.195	192.168.232.128	43596	TCP	60	[TCP Dup ACK 20#2] 80 → 43596 [ACK] Seq=1 Ack=2 Win=64240 Len=0
129	25.088048096	192.168.232.128	34.107.221.82	80	TCP	54	[TCP Dup ACK 21#2] 57928 → 80 [ACK] Seq=1 Ack=1 Win=64024 Len=0
130	25.088281755	34.107.221.82	192.168.232.128	57928	TCP	60	[TCP Dup ACK 22#2] 80 → 57928 [ACK] Seq=1 Ack=2 Win=64240 Len=0
131	26.029724148	192.168.232.128	44.228.249.3	80	HTTP	578	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
132	26.030165654	44.228.249.3	192.168.232.128	36826	TCP	60	80 → 36826 [ACK] Seq=5308 Ack=1285 Win=64240 Len=0

Frame 119: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface eth0, id 0

Ethernet II, Src: VMware_b0:6e:68 (00:0c:29:bc:6e:68), Dst: VMware_f0:da:ba (00:50:56:f0:da:ba)

Destination: VMware_f0:da:ba (00:50:56:f0:da:ba)

Source: VMware_b0:6e:68 (00:0c:29:bc:6e:68)

Type: IPv4 (0x0800)

[Stream index: 0]

Internet Protocol Version 4, Src: 192.168.232.128, Dst: 142.251.223.195

0100 = Version: 4

... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 40

Identification: 0x9592 (38290)

010. = Flags: 0x2, Don't fragment

... 0000 0000 0000 = Fragment Offset: 0

Time to Live: 64

Protocol: TCP (6)

Header Checksum: 0x8d55 [validation disabled]

[Header checksum status: Unverified]

Source Address: 192.168.232.128

Destination Address: 142.251.223.195

[Stream index: 1]

Transmission Control Protocol: Protocol

Source

Type

Internet Protocol Version 4

Version	Header ...	Differentiated Services ...	Total Length
0	15	16	31

Identification	Flags	Fragment Offset
0	15	31

Time to Live	Protocol	Header Checksum
0	15	31

Transmission Control Protocol

Packets: 468 ·

Profile: Default

the mouse pointer inside or press Ctrl+G.

19°C Clear

ENG IN

21:20 29-09-2025

Home

kal-linux-2024.4-vmware-a...

1234

(genmon)XXX

11:50

elevate.pcapng

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

tcp

No.	Time	Source	Destination	dst.port	Protocol	Length	Info
116	23.553318900	142.251.223.195	192.168.232.128	45834	TCP	60	[TCP Dup ACK 8#2] 80 → 45834 [ACK] Seq=1 Ack=2 Win=64240 Len=0
117	23.808054795	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 9#2] 45806 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
118	23.808482488	142.251.223.195	192.168.232.128	45806	TCP	60	[TCP Dup ACK 10#2] 80 → 45806 [ACK] Seq=1 Ack=2 Win=64240 Len=0
119	24.063978335	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 11#2] 43616 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
120	24.064409976	142.251.223.195	192.168.232.128	43616	TCP	60	[TCP Dup ACK 12#2] 80 → 43616 [ACK] Seq=1 Ack=2 Win=64240 Len=0
121	24.576033301	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 13#2] 43612 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
122	24.576246591	142.251.223.195	192.168.232.128	43612	TCP	60	[TCP Dup ACK 14#2] 80 → 43612 [ACK] Seq=1 Ack=2 Win=64240 Len=0
123	24.832205577	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 15#2] 43600 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
124	24.832488017	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 16#2] 45792 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
125	24.832611407	192.168.232.128	142.251.223.195	80	TCP	54	[TCP Dup ACK 17#2] 43596 → 80 [ACK] Seq=1 Ack=1 Win=64240 Len=0
126	24.833071051	142.251.223.195	192.168.232.128	43600	TCP	60	[TCP Dup ACK 18#2] 80 → 43600 [ACK] Seq=1 Ack=2 Win=64240 Len=0
127	24.833072489	142.251.223.195	192.168.232.128	45792	TCP	60	[TCP Dup ACK 19#2] 80 → 45792 [ACK] Seq=1 Ack=2 Win=64240 Len=0
128	24.833072769	142.251.223.195	192.168.232.128	43596	TCP	60	[TCP Dup ACK 20#2] 80 → 43596 [ACK] Seq=1 Ack=2 Win=64240 Len=0
129	25.088048096	192.168.232.128	34.107.221.82	80	TCP	54	[TCP Dup ACK 21#2] 57928 → 80 [ACK] Seq=1 Ack=1 Win=64024 Len=0
130	25.088281755	34.107.221.82	192.168.232.128	57928	TCP	60	[TCP Dup ACK 22#2] 80 → 57928 [ACK] Seq=1 Ack=2 Win=64240 Len=0
131	26.029724148	192.168.232.128	44.228.249.3	80	HTTP	578	POST /userinfo.php HTTP/1.1 (application/x-www-form-urlencoded)
132	26.030165654	44.228.249.3	192.168.232.128	36826	TCP	60	80 → 36826 [ACK] Seq=5308 Ack=1285 Win=64240 Len=0
133	26.341555532	44.228.249.3	192.168.232.128	36826	HTTP	2058	HTTP/1.1 200 OK (text/html)

[Conversation completeness: Incomplete (20)]

[TCP Segment Len: 0]

Sequence Number: 1 (relative sequence number)

Sequence Number (raw): 3098653082

[Next Sequence Number: 1 (relative sequence number)]

Acknowledgment Number: 1 (relative ack number)

Acknowledgment number (raw): 1364399658

0101 = Header Length: 20 bytes (5)

Flags: 0x010 (ACK)

0000 = Reserved: Not set

... 0 = Accurate ECN: Not set

... 0 = Congestion Window Reduced: Not set

... 0 = ECN-Echo: Not set

... 0 = Urgent: Not set

... 1 = Acknowledgment: Set

... 0 = Push: Not set

... 0 = Reset: Not set

... 0 = Syn: Not set

... 0 = Fin: Not set

[TCP Flags:A....]

Window: 64240

Text item (text)

Source

Type

Internet Protocol Version 4

Version	Header ...	Differentiated Services ...	Total Length
0	15	16	31

Identification	Flags	Fragment Offset
0	15	31

Time to Live	Protocol	Header Checksum
0	15	31

Transmission Control Protocol

Packets: 468 ·

Profile: Default

the mouse pointer inside or press Ctrl+G.

19°C Clear

ENG IN

21:20 29-09-2025