



NOTES

1. TO BE FABRICATED BY FIELD AND DO NOT INSTALL THIS PIECE ON GALVANIZED CS LINES.

2. IF PIPE MAT'L IS NOT CS OR ALLOY, AN ISOLATOR SHALL BE INSERTED BETWEEN PIPE AND U-BOLT.

3. ALTERNATIVE IS INSTALLED AS BELLOW

(TYP.) 3 SIDES

EXISTING STEEL REF. EL

45 MIN.

45 MIN.

50

"L"

(ADJUSTED BY FIELD)

ALTERNATIVE ELEVATION

C100x50x5x7.5

SAME BOP

REFERENCE

NO	DWG NO	DESCRIPTION

HEIN

GLOBAL UTAMA

HEIN

GLOBAL UTAMA

PT. KOKOH SEMESTA

ENGINEERING-MANUFACTURING-CONSTRUCTION

00	I F A	02/10/2023	SAEPUL	SALEH	ADI. Y
ISSUE	DESCRIPTION	DATE	DRN	CHKD	APVD

REVISION

BA4-GE\_STD-224  
UTILITY LINE SUPPORT

UNIT NO	PROJ. NO	SCALE	SHEET
-	-	NTS	1
KS-HEIN-N6573			REV 00

BA4-GE	STD-224	N6573	UTILITY LINE SUPPORT																1	6.55	0.69
BA4-GE	STD-224A	N6573	UTILITY LINE SUPPORT																		
BA4-GE	STD-224A-1	N6573	UTILITY LINE SUPPORT	CHANNEL	CS				100	x	50	x	5	x	7.5	x	700	L	1	6.55	0.28