43 ms

Collapse | Expand

trigTest 43 ms

arccos() failed 27 ms

org.opentest4j.AssertionFailedError:

Expected:

1.4478399758532319

Actual:

0.12264677061634988

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:86)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:81)

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.arccos(trigTest.java:92)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

 $at\ org. junit. jupiter. engine. execution. Method Invocation. proceed (Method Invocation. java: 60)$

at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

at

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java at

org. junit. jupiter. engine. extension. Timeout Extension. intercept Test Method (Timeout Extension. java: 81) at

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the following of the following properties of the fol

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105) at

org. junit. jupiter. engine. execution. Invocation Interceptor Chain\$Intercepted Invocation. proceed (Invocation at the content of the cont

org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed (InvocationInterceptorChain.javaste) at the contract of the contract o

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. chain And Invoke (Invocation Interceptor Chain. chain And Invocation Interceptor Chain. chain And Invocation Interceptor (Interceptor Chain. chain And Invocation Interceptor Chain. chain And Invocation Interceptor (Interceptor Chain. chain And Interceptor (Interceptor Chain. chain And Intercep

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method \$6 (Test Method Test Method

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. at the contract of th

43 ms

Collapse | Expand

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Annual Node Test Task. lambda \$execute Recursively \$8 (Node Test Task. lambda \$8 (Node

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alastonia del control del co

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursiv

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alastor at the control of the c

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Annual Control of Control of

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-organical and a support of the collector o

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

org.junit.platform.engine.support.hierarchical.Same Thread Hierarchical Test Executor Service.submit (Same Thread Hierarchical Test) at the following the support of the

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

43 ms

Collapse | Expand

at

com.intellij.rt.execution.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:47 at com.intellij.rt.execution.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:242)

at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImplat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

arcsin() failed 2 ms

org.opentest4j.AssertionFailedError:

Expected:

-1.2062409751950856

Actual:

-0.9342823857483504

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

 $at\ org.junit.jupiter.api. Assert Equals. assert Equals (Assert Equals.java: 86)$

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:81)

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.arcsin(trigTest.java:79)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImplat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at

org. junit. jupiter. engine. execution. Invocation Interceptor Chain \$Validating Invocation. proceed (Invocatio at org. junit. jupiter. engine. extension. Timeout Extension. intercept (Timeout Extension. java: 139)

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java at

org. junit. jupiter. engine. extension. Timeout Extension. intercept Test Method (Timeout Extension. java: 81)

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the following of the following stress of the following s

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105) at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(Invocation)

org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.jav at

org.junit.jupiter.engine.execution.InvocationInterceptor Chain.chainAndInvoke (InvocationInterceptor ChainAndInterceptor ChainAndInterceptor

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

43 ms

Collapse | Expand

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. invoke Test Test Descr

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the following properties of the fo

org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute (TestMethodTestDescriptor.java: at the following of the context of the

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.lambda\$executeRecu

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. junit. engine. engine.

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAl at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1000 and 1000 and 100

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$7 (Node Test at org. junit. platform. engine. support. hierarchical. Node. around (Node. java: 135)

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. junit

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alata to the control of the con

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursiv

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. junit

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lam

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1000 and 1000 and 100

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:

43 ms

Collapse | Expand

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248) at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132) at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:69) at com.intellij.rt.execution.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:47 at com.intellij.rt.execution.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:242) at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.invoke (DelegatingMetho

arctan() failed 1 ms

org.opentest4j.AssertionFailedError:

Expected:

1.5586447362631475

Actual:

82.28970327124489

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:86)

 $at\ org. junit. jupiter.api. Assert Equals. assert Equals (Assert Equals. java: 81)$

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.arctan(trigTest.java:105)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImplat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

at

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java at

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:81)

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the following and the following properties of the fo

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)

43 ms

Collapse | Expand

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104) at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method\$ 6 (Test Method\$ at

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. invoke Test Test Descriptor. Invok

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the following properties of the fo

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-2000). Throwable Collector. Throwable C

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTest at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lam

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alattic at the control of the c

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursiv

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. engine. engine

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTest at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lam

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. junit

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alattic at the control of the c

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$5 (Node Test Task. lambda \$6 (Node Test Task. lambda \$6

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-2000) and the collector of the collector o

43 ms

Collapse | Expand

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at

org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit (SameThreadHierarchicalTestExecutorService.submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorServic

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)

org. junit. platform. launcher. core. De fault Launcher. with Intercepted Streams (De fault Launcher. java: 226)

 $at\ org. junit.platform.launcher.core.DefaultLauncher.execute (DefaultLauncher.java: 199)$

 $at\ org. junit.platform.launcher.core.DefaultLauncher.execute (DefaultLauncher.java: 132)$

at com.intellij.junit5.JUnit5ldeaTestRunner.startRunnerWithArgs(JUnit5ldeaTestRunner.java:69)

com. intellij.rt. execution. junit. Idea TestRunner \$Repeater. startRunner With Args (Idea TestRunner. java: 47-at-com. intellij.rt. execution. junit. JUnit Starter. prepare Streams And Start (JUnit Starter. java: 242)

at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invokeu(Native Method at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImp at java.base/java.lang.reflect.Method.invoke(Method.java:567)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

factorial()	passed	2 ms
abs()	passed	3 ms
cos()	failed	2 ms

org.opentest4j.AssertionFailedError:

Expected:

0.3425804416302457

Actual:

-1.2211341546451635

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

 $at\ org.junit.jupiter.api. Assert Equals. assert Equals (Assert Equals.java: 86)$

 $at\ org.junit.jupiter.api. Assert Equals. assert Equals (Assert Equals.java: 81)$

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.cos(trigTest.java:45)

at java.base/jdk.internal.reflect.Native Method Accessor Impl. invoke 0 (Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpat java.base/java.lang.reflect.Method.invoke(Method.java:567)

 $at\ org. junit.platform.commons.util. Reflection Utils. invoke Method (Reflection Utils. java: 675)$

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at

43 ms

Collapse | Expand

at

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the following of the following properties of the fol

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105) at

org. junit. jupiter. engine. execution. Invocation Interceptor Chain\$ Intercepted Invocation. proceed (Invocation) at the control of the co

org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.jav at

org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorCat

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

 $at\ org. junit. jupiter. engine. execution. Executable Invoker. invoke (Executable Invoker. java: 98)$

at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method\$ 6 (Test Method\$ at the following of the fo

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. at the contract of th

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the following properties of the fo

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test at

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$8 (Node Test Task. lambda \$8 (Node Test T

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alastonical Same Thread Hierarchical Same Thread Hierarchica

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test at

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute (ThrowableCollector.java: 7-at-2-1000) and the collector of the co

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTest at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Atlant Bound Recursively \$ 8) (Node Test Atla

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7

43 ms

Collapse | Expand

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Control of the Contro

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$8 (Node Test Task. lambda \$8 (Node Test Task. l

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-2000) and the collector of the collector o

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at

org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit (SameThreadHierarchicalTestExecutorService.submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorService).submit (SameThreadHierarchicalTestExecutorServic

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at

org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

 $at\ com. intellij. junit5. JUnit5ldea TestRunner. startRunnerWithArgs (JUnit5ldea TestRunner. java: 69)$

com.intellij.rt.execution.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:47 at com.intellij.rt.execution.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:242)

at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImp at java.base/java.lang.reflect.Method.invoke(Method.java:567)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

cot() failed 1 ms

org.opentest4j.AssertionFailedError:

Expected:

-0.34223191429468824

Actual:

1.9005341112443048

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:86)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:81)

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.cot(trigTest.java:169)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

43 ms

Collapse | Expand

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60) at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

org. junit. jupiter. engine. extension. Timeout Extension. intercept Testable Method (Timeout Extension. java at the context of the context

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:81) at

org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethoc at

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105) at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(Invocatiat

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. proceed (Invocation Interceptor Chain. javant at the control of the c

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. chain And Invoke (Invocation Interceptor Chain. chain And Invocation Interceptor Chain. chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Inter

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104) at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

aι

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method\$ 6 (Test Method\$ at

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-2000) and the collector of the collector o

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test at

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1000 and 1000 and 100

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTest at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1000 and 1000 and 100

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alattic at the control of the c

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursiv

43 ms

Collapse | Expand

at

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alastor at the control of the c

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. submit (Same Thread Hierarchical Test) at the contract of the contract

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at

org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:69) at

com.intellij.rt.execution.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:47 at com.intellij.rt.execution.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:242)

at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImp at java.base/java.lang.reflect.Method.invoke(Method.java:567) at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

csc() failed 1 ms

org. opentest 4j. Assertion Failed Error:

Expected:

-1.3571878616434516

Actual:

43 ms

Collapse | Expand

at V2.trigTest.csc(trigTest.java:148)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

at

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java at

org. junit. jupiter. engine. extension. Timeout Extension. intercept Test Method (Timeout Extension. java: 81)

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the following and the following properties of the fo

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105) at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(Invocation)

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. proceed (Invocation Interceptor Chain. javatte at the control of the

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. chain And Invoke (Invocation Interceptor Chain. chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocati

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method \$ 6 (Test Method Test Metho

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1000 and 1000 and 100

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Annual Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test Task. lambda

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-200.) at the context of the

43 ms

Collapse | Expand

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org.junit.platform.engine.support.hierarchical.Same Thread Hierarchical Test Executor Service.invoke Alate to the following and the following the followin

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org.) at the context of the context of

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$8 (Node Test at the following the followin

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. submit (Same Thread Hierarchical Test) at the support of the support

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at

org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

 $at\ com. intellij. junit 5. JUnit 5Idea Test Runner. start Runner With Args (JUnit 5Idea Test Runner. java: 69) \\at$

com.intellij.rt.execution.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:47 at com.intellij.rt.execution.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:242) at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImp

at

43 ms

Collapse | Expand

Expected:

-1.076132674748294

Actual:

-2.7631832609459153

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:86)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:81)

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.sec(trigTest.java:127)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImplat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

 $at\ org. junit. jupiter. engine. execution. Method Invocation. proceed (Method Invocation. java: 60)$

at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java at

org. junit. jupiter. engine. extension. Timeout Extension. intercept Test Method (Timeout Extension. java: 81)

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the control of the cont

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)

org. junit. jupiter. engine. execution. Invocation Interceptor Chain\$Intercepted Invocation. proceed (Invocation) at the context of the con

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. proceed (Invocation Interceptor Chain. javant at the control of the c

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. chain And Invoke (Invocation Interceptor Chain. chain And Invocation Interceptor Chain. chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Inter

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method \$6 (Test Method at Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6) and

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. invoke Test Method (Test Method Test Descriptor. at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the following test of the following test

org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java: at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ execute Recursively \$ execute Recursively Re

43 ms

Collapse | Expand

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$8 (Node Test Task. lambda \$8 (Node Test T

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alattic at the control of the c

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursively \$ 6 (Node Test Task. lambda \$ execute Recursiv

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1998). The context of th

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 8 (Node Test at the following the follow

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1998). The context of th

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAl at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Annual Node Test Task. lambda \$execute Recursively \$5 (Node Test Task. lambda \$6 (Node Test

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$7 (Node Test at org. junit. platform. engine. support. hierarchical. Node. around (Node. java: 135)

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. submit (Same Thread Hierarchical Test) at the contract of the contract

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at

org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

43 ms

Collapse | Expand

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

sin() failed 1 ms

org.opentest4j.AssertionFailedError:

Expected:

0.7832921738344275

Actual:

0.8999441216004911

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:86)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:81)

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.sin(trigTest.java:25)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImplat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

at

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java at

org. junit. jupiter. engine. extension. Timeout Extension. intercept Test Method (Timeout Extension. java: 81)

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the control of the cont

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105) at

org. junit. jupiter. engine. execution. Invocation Interceptor Chain\$Intercepted Invocation. proceed (Invocation) at the context of the con

org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.jav at

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. chain And Invoke (Invocation Interceptor Chain. chain And Invocation Interceptor Chain. chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Interceptor Chain And Invocation Inter

org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. lambda\$ invoke Test Method \$6 (Test Method at Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6) and the first Method \$6 (Test Method \$6) and the first Method \$6) and

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7

43 ms

Collapse | Expand

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-2000) and the collector of the collector o

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. invoke Alattic at the control of the c

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. engi

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAl at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org. java: 7-at-

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1998). The context of th

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

org. junit. platform. engine. support. hierarchical. Same Thread Hierarchical Test Executor Service. submit (Same Thread Hierarchical Test) at the contract of the contract

org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExec

43 ms

Collapse | Expand

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:69)

at

com.intellij.rt.execution.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:47 at com.intellij.rt.execution.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:242)

at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImp at java.base/java.lang.reflect.Method.invoke(Method.java:567)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

tan() failed 1 ms

org.opentest4j.AssertionFailedError:

Expected:

0.8353350335131983

Actual:

-2.44567420849652

at org.junit.jupiter.api.AssertionUtils.fail(AssertionUtils.java:55)

at org.junit.jupiter.api.AssertionUtils.failNotEqual(AssertionUtils.java:62)

at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:86)

 $at\ org.junit.jupiter.api. Assert Equals. assert Equals (Assert Equals.java: 81)$

at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:993)

at V2.trigTest.tan(trigTest.java:66)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImplat java.base/java.lang.reflect.Method.invoke(Method.java:567)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:675)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at

org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(Invocatio at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:139)

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java

org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:81) at

org. junit. jupiter. engine. execution. Executable Invoker \$Reflective Interceptor Call. lambda \$of Void Methoda to the following of the following stress of the following s

org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)

org. junit. jupiter. engine. execution. Invocation Interceptor Chain\$Intercepted Invocation. proceed (Invocation) at the context of the con

org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed (InvocationInterceptorChain.javatte) at the control of the control of

org. junit. jupiter. engine. execution. Invocation Interceptor Chain. chain And Invoke (Invocation Interceptor Chain. chain And Invocation Interceptor Chain And Invocation Interceptor Chain And In

43 ms

Collapse | Expand

at

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.at

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the fo

org. junit. jupiter. engine. descriptor. Test Method Test Descriptor. execute (Test Method Test Descriptor. java: at the following of the following properties of the fo

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$ execute Recursively \$ 5 (Node Test Annual Control of Control of

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-org.) and the collector of the collector o

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

at

org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAl at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7 at

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestatorg.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestat

org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:7

org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java: at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80) at java.base/java.util.ArrayList.forEach(ArrayList.java:1507)

 $\label{lem:condition} {\it org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAlc.} \\$

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$5 (Node Test at the following the followin

org. junit. platform. engine. support. hierarchical. Throwable Collector. execute (Throwable Collector. java: 7-at-1000 and 1000 and 100

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$7 (Node Test at org. junit. platform. engine. support. hierarchical. Node. around (Node. java: 135)

org. junit. platform. engine. support. hierarchical. Node Test Task. lambda \$execute Recursively \$8 (Node Test Strand Francisco Franci

43 ms

Collapse | Expand

at

org. junit. platform. engine. support. hierarchical. Hierarchical Test Executor. execute (Hierarchical Test Executor. ex

org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211) at

org. junit.platform.launcher.core.Default Launcher.with Intercepted Streams (Default Launcher.java: 226)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5ldeaTestRunner.startRunnerWithArgs(JUnit5ldeaTestRunner.java:69)

at

com.intellij.rt.execution.junit.Idea TestRunner \$Repeater.startRunner With Args (Idea TestRunner.java: 47-at-com.intellij.rt.execution.junit.JUnit Starter.prepare Streams And Start (JUnit Starter.java: 242)

at com.intellij.rt.execution.junit.JUnitStarter.main(JUnitStarter.java:70)

at java.base/jdk.internal.reflect.Native Method Accessor Impl. invoke 0 (Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImp at java.base/java.lang.reflect.Method.invoke(Method.java:567)

at com.intellij.rt.execution.application.AppMainV2.main(AppMainV2.java:131)

Generated by IntelliJ IDEA on 11/14/19 12:30 PM