



Rating - Package

XML Developer Guide

October 10, 2022



Important Information

UPS Developer Kit APIs

Your development of an application using UPS Developer Kit APIs is governed by the UPS Technology Agreement you entered into with UPS. The following are key legal requirements from these agreements for the UPS Developer Kit APIs. For more information on all requirements for the UPS Developer Kit APIs, please refer to the UPS Technology Agreement.

Defined terms used but not defined in this document have the meaning set forth in the UPS Technology Agreement.

Key Legal Requirements for UPS Developer APIs

Permitted Territories

This document can only be used in the countries of the Permitted Territory as defined in the UPS Technology Agreement, as applicable.

Use

The application must not be designed to allow distribution of information received through the UPS Developer Kit APIs to third parties, other than to persons having a bona fide interest in such information (e.g., the shipper, receiver, or the third party payer, or to your service providers authorized by UPS).

Consent to Use of UPS Mark

- All screens or forms generated by your application including information received through the UPS Developer Kit APIs must include (1) the UPS Mark positioned in reasonable proximity to the Information and of an appropriate size to readily identify the source of the Information as UPS and (2) the following language at the bottom of every screen that displays the UPS Mark: "UPS, the UPS brand mark, and the Color Brown are trademarks of United Parcel Service of America, Inc. All Rights Reserved." Except as set forth in the preceding sentence, you have no right to use the UPS Mark without the prior written approval of UPS.
- You shall not use the UPS Mark in association with any third party trademarks in a manner that might suggest co-branding or otherwise create potential confusion as to source or sponsorship of the application, or ownership of the UPS Mark.
- The UPS Mark shall be used only as provided by UPS electronically or in hard copy form. The UPS Mark may not be altered in any manner, including proportions, colors, elements, etc., or animated, morphed or otherwise distorted in perspective or dimensional appearance.
- The UPS Mark may not be combined with any other symbols, including words, logos, icons, graphics, photos, slogans, numbers, or other design elements. A minimum amount of empty space must surround the UPS Mark separating it from any other object, such as type, photography, borders, edges, etc. The required area of empty space around the UPS Mark must be $1/3x$, where x equals the height of the UPS Mark.

Copyright and Proprietary Notice

In your application and any POD Letters you prepare, you must include a prominent reproduction of UPS's copyright and proprietary notices in a form and format specified by UPS (See the [Copyright](#) section of this document).

Display of Information

The application must not display information concerning any other provider of shipping services or such other shipping services on any page, whether comprising one or more frames, displaying information your application receives from the UPS Developer Kit APIs. Your application must present all data within each field received through the UPS Developer Kit APIs without amendment, deletion, or modification of any type.

Notice

In all communications with UPS concerning this document, please refer to the document date located on the cover.

Copyright

© 2022 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of United Parcel Service is strictly prohibited.

Trademarks

Some of the UPS corporate applications use United States city, state, and postal code information obtained by United Parcel Service of America, Inc. under a non-exclusive license from the United States Postal Service.

Disclaimer

UPS Freight Less-than-Truckload (“LTL”) transportation services are offered by TFI International Inc., its affiliates or divisions (including without limitation TForce Freight), which are not affiliated with United Parcel Service, Inc. or any of its affiliates, subsidiaries or related entities (“UPS”). UPS assumes no liability in connection with UPS Freight LTL transportation services or any other services offered or provided by TFI International Inc. or its affiliates, divisions, subsidiaries or related entities.

Table of Contents

| | |
|--|-----------|
| Chapter 1: Introduction | 7 |
| Release Features | 8 |
| Chapter 2: Understanding the Rating API | 10 |
| Business Process and Rules | 10 |
| Negotiated Rates | 10 |
| Rate Types Table | 11 |
| User Level Promotion Business Processes and rules | 11 |
| Saturday Delivery | 12 |
| UPS Simple Rate Business Processes and Rules | 12 |
| Chapter 3: Customer Integration Environment (CIE) | 14 |
| System Availability | 14 |
| Using Negotiated Rates in CIE | 14 |
| User Level and Transactional Promotions in CIE | 14 |
| Integration Testing | 15 |
| Production | 15 |
| Server Availability Check | 15 |
| Chapter 4: Rating API Elements and Details | 16 |
| Element Constraints | 16 |
| RatingServiceSelectionRequest Top Level Containers | 17 |
| RatingServiceSelectionRequest | 18 |
| Request | 18 |
| RequestAction | 18 |
| RequestOption | 18 |
| TransactionReference | 19 |
| PickupType | 20 |
| CustomerClassification | 20 |
| Shipment | 21 |
| OriginRecordTransactionTimestamp | 21 |
| Shipper | 21 |
| ShipTo | 23 |
| ShipmentServiceOptions | 49 |
| MasterCartonIndicator | 58 |
| WWEShipmentIndicator | 59 |
| RatingServiceSelectionResponse Top Level Containers | 60 |
| RatingServiceSelectionResponse XPath Tables | 61 |
| RatingServiceSelectionResponse | 61 |
| Response | 61 |
| TransactionReference | 61 |

| | |
|--|------------|
| ResponseStatusCode..... | 61 |
| ResponseStatusDescription..... | 61 |
| Error | 62 |
| RatedShipment..... | 63 |
| Disclaimer..... | 63 |
| Service..... | 64 |
| RateChart | 64 |
| RatedShipmentWarning | 65 |
| BillableWeightCalculationMethod..... | 65 |
| RatingMethod..... | 65 |
| BillingWeight | 66 |
| TransportationCharges | 66 |
| BaseServiceCharge..... | 67 |
| ItemizedCharges..... | 67 |
| ServiceOptionsCharges | 68 |
| TaxCharges | 68 |
| TotalCharges..... | 69 |
| TotalChargesWithTaxes..... | 69 |
| RatedPackage..... | 70 |
| Chapter 5: Rating XML API Examples..... | 83 |
| Published Rates XML Request Example..... | 83 |
| Published Rates XML Response Example..... | 84 |
| Negotiated Rates XML Request Example..... | 86 |
| Negotiated Rates XML Response Example | 87 |
| Chapter 6: Rating Package API FAQs..... | 89 |
| Appendices..... | 93 |
| Common Error Codes..... | 93 |
| Rating Package XML Error Codes | 95 |
| Accessorial / Surcharge Codes..... | 125 |
| Accessorial & Surcharge Subtypes | 128 |
| COD Supported Countries or Territories..... | 130 |
| Country or Territory Codes..... | 131 |
| Currency Codes..... | 140 |
| Delivery Confirmation Origin-Destination Pairs..... | 148 |
| Disclaimer Codes and Messages | 149 |
| HazMat Accessorial Code and SubType | 150 |
| Service Codes | 151 |
| United States..... | 151 |
| Canada | 152 |
| European Union..... | 152 |

| | |
|---|------------|
| Mexico | 152 |
| Poland..... | 153 |
| Puerto Rico | 153 |
| Germany..... | 153 |
| Undefined Countries or Territories | 153 |
| All Countries or Territories | 154 |
| Tax Type Values / Abbreviations..... | 155 |
| SubVersion Details | 156 |
| Rate Request Elements | 156 |
| Rate Response Elements..... | 157 |

Chapter 1: Introduction

In this document, you will find guidance and instructions for integrating the Rating Package XML API into your application, service, or system.

In this guide, you will find:

- New release features
- Rating Package XML API functionality and business rules
- XML API request and response schema
- FAQs for the Rating API
- Rating error response code descriptions
- Service code references

This guide applies to the following API:

- Rating Package XML API

This guide does not apply to the following APIs:

- Rating Package Web Service API
- Rating Ground Freight or Air Freight API

Intended Audience

This guide is intended for developers who will be integrating the Rating Package XML API into their application, service, or system.

Required Knowledge & Skills

This guide assumes you have a basic understanding of the following:

- Concepts and instructions in the *Introduction to the UPS Developer Kit* guide.
- XML syntax and structure
- Software development

How to Use this Guide

- If this is your first time working with the UPS Developer Kit, begin with the *Introduction to the UPS Developer Kit* guide. This guide serves as the foundation for all API-specific developer guides.
- If you are experienced with the UPS Developer Kit but have not yet worked with the Rating API, continue with [Chapter 2: Understanding the Rating API](#). There you will find an overview of the Rating functionality and business rules.
- [Chapter 3: Customer Integration Environment \(CIE\)](#) contains information on UPS integration environments.
- [Chapter 4: Rating API Elements and Details](#) contains an overview of the top-level containers and elements that comprise the Rating request and response.
- Request and response examples are located in [Chapter 5: Rating XML API Examples](#).
- Reference tables, services codes, and error codes are located in the [Appendices](#).

Release Features

October 2022

Description

New subversion 2205 is being introduced to support the following Rate Request Containers/Elements

Updated Request Containers/Elements

- /RatingServiceSelectionRequest/Request/SubVersion

New Response Containers/Elements

- /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier
- /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier/ModifierType
- /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier/ModifierDesc
- /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier/Amount

New Error Codes - Please refer to the Appendix for error codes.

Rate Types Table Update

- If negotiated rates are requested then the published rate returned will be those associated to the account number, regardless of the CustomerClassification requested.

January 2022

Description

- Within the Extended Area Surcharge group, Congested is updated to Remote Area.
- Surcharge category of Peak Season Surcharge is updated to Peak/Demand Surcharge, and Subtypes have been updated.

September 2021

Description

Beginning January 1, 2022 Delivery Confirmation type 01 will no longer be supported. Any submissions will not fail but the accessorial will not be available.

International Special Commodities (ISC) enhancements

Two new categories added: E-Cigarettes and Hemp/CBD

New Request Containers/Elements

/Shipment/ShipmentServiceOptions/RestrictedArticles

- ECigarettesIndicator
- HempCBDIndicator

Worldwide Economy Enhancements

- Responses will now include rates for both Worldwide Economy DDP and DDU services.
- Two new indicators have been added for Worldwide Economy DDU type shipments: oversize accessorial and minimum billable weight. These indicators are only valid with UPS Service type 17 for DDU.

New Request Containers/Elements

- Shipment/Package/OversizeIndicator
- Shipment/Package/MinimumBillableWeightIndicator
- Shipment/ShipmentRatingOptions/TPFCNegotiatedRatesIndicator
- Ounces will now be accepted with Subversion 2108 for DDU shipments.

New Error Codes - Please refer to the Appendix for error codes.

March 2021

Description

- Shipper Release functionality added in the API.

New Request Containers/Elements

/Shipment/Package/PackageServiceOptions/ShipperReleaseIndicator

Chapter 2: Understanding the Rating API

The Rating API is used when rating or shopping a shipment. The Rating API for packages allows you to submit two types of rate requests to UPS:

- A rate request to return the rate for a specific UPS service, for example, UPS Next Day Air
- A shop request to return all available services and their rates for a shipment

In this way, you and your customers are able to estimate their shipping costs prior to requesting a specific shipping service or service option.



WARNING: UPS restricts the usage of the Rating API to users who plan to ship packages manifested, tendered, and delivered by UPS. Any customers or developers abusing the API or data mining the API will have their access revoked.

Business Process and Rules

General

- UPS expects schema elements/tags as defined in the XPath and presented in the schema structure without spelling or structural deviations. Elements/tags that are not defined in the schema or do not conform to the schema structure will be ignored by UPS.
- Only users that plan to ship packages manifested, tendered, and delivered by UPS can use the Rating API.
- Any customers/developers abusing or data mining the Rating API will have their access revoked.
- To access API documentation the user must have or create a My UPS profile.
- To access testing and production sites the user must have an Access Key. To get an Access Key you must have a My UPS profile and an associated shipping account. For additional information, refer to the [UPS Developer Kit User Guide](#).
- The Rating Package API provides published and negotiated rates.
- For shipments with Ground Freight Pricing, Ground Freight Pricing's grand total can be calculated by adding NetCharge from FRSShipmentData container with ServiceOptionsCharges from ShipmentCharges container.

Negotiated Rates

The Rating API provides access to Published Rates as well as Negotiated Rates. A negotiated rate is established by contract between the customer and UPS.

If you have a pricing contract with UPS please contact your sales representative for proper setup.

Once your UPS sales rep has verified your setup you need to do the following:

1. Add your account to your My UPS profile using one of your most recent three invoices.
 - If you have never generated an invoice or have not generated an invoice in the past 90 days add the account using the pickup location postal code for the account.
 - Since you have not generated an invoice you will need to contact your sales representative a second time to enable negotiated rates in UPS systems.
2. When transacting with UPS API servers include the correct My UPS ID/PW + Account + Access Key.
3. Include the 'NegotiatedRatesIndicator' element within your XML request. The element is an empty tag.



IMPORTANT NOTES:

- ▲ Negotiated rates in the CIE are for test purposes only and are not representative of actual negotiated rates. A 1% discount is applied when requested.
- ▲ Post-shipment charges, such as address corrections, dimensional weight adjustments, and other adjustments will affect the actual rate billed which may differ from the rates returned by the Rating API.
- ▲ Make sure that all requests are identical when comparing shipping charges between applications and APIs that provide UPS Negotiated Rates.

- ▲ Working through discrepancies requires knowledge of all parameters posted, defaults, numeric rounding, and the rate table used by the applications being compared.

You can check your results against the UPS Calculate Time and Cost program: <https://wwwapps.ups.com/ctc>

Rate Types Table

The following table displays the Rate Chart that is returned by the Rating API based on the combination of CustomerClassification code, Pickup Type code, and Account Number.

| Customer Classification | Pickup Type | Account Number | Rate Returned * |
|-------------------------|----------------|---|---|
| 00 | Valid /Invalid | Valid | Rate associated with account number |
| 00 | Valid /Invalid | Missing/Invalid | Rate Type based on the shipper's country or territory |
| 01 | Valid /Invalid | Valid/Missing/Invalid | Daily Rates |
| 04 | Valid /Invalid | Valid/Missing/Invalid | Retail Rates |
| 53 | Valid /Invalid | Valid/Missing/Invalid | Standard List Rates |
| 06 | Valid /Invalid | Valid/Missing/Invalid | General List Rates |
| 07 | Valid /Invalid | Valid/Missing/Invalid | Alternative Zoning |
| 08 | Valid /Invalid | Valid/Missing/Invalid | General List Rates II |
| 09 | Valid /Invalid | Valid/Missing/Invalid | SMB Loyalty |
| 10 | Valid /Invalid | Valid/Missing/Invalid | All Inclusive |
| 11 | Valid /Invalid | Valid/Missing/Invalid | Value Bundle I |
| Missing | 01 | Valid/Missing/Invalid | Rates based on shipper's country or territory |
| Missing | 03/06/07/19/20 | Valid/Missing/Invalid | Rate Type based on Retail Rates |
| Missing | Invalid | Valid | Rate associated with account number |
| Missing | Invalid | Container provided but account number Invalid/Missing | Rate Type based on the shipper's country or territory |
| Missing | Invalid | Not Provided | Rate Type based on the shipper's country or territory |

* If negotiated rates are requested then the published rate returned will be those associated to the account number, regardless of the Customer Classification requested.

User Level Promotion Business Processes and rules

User level promotion is for the customers who do not have a UPS shipper account. The following conditions need to be met to use user level promotions: UserLevelDiscountIndicator in request, do not pass shipper number, Username should be present and user should be eligible for a user level promotion.



If User level promotion is requested with a UPS shipper account (Shipper/ShipperNumber), User level promotion will not be requested for a given shipment.

Saturday Delivery

UPS offers Saturday Delivery options, for an additional charge, for many service levels. When requesting Time In Transit information with the Rating API, services that are eligible for Saturday Delivery may be returned. Services that are available for Saturday Delivery will have an Estimated Delivery day of week (/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/DayOfWeek) of "SAT" (Saturday). In addition, if there is a charge for the service, there will be a Saturday Delivery indicator with a value of "1" (/RatedShipment/TimeInTransit/ServiceSummary/SaturdayDelivery) along with a disclaimer that the service is available for an additional charge (/RatedShipment/TimeInTransit/ServiceSummary/SaturdayDeliveryDisclaimer).



Saturday Delivery is available in select cities for the non-premium services of UPS Three Day Select and UPS Ground. There is no additional charge for eligible residential destinations but a fee will apply for eligible commercial destinations. To return 'SaturdayDelivery' in the response you must send a 'Ratetimetranst' or 'Shoptimetranst' request. For commercial destinations you may send a 'Shoptimetranst' without the 'SaturdayDelivery' element. For Ratetimetranst requests shipping to commercial addresses to return a service level resulting in a Saturday Delivery, please add the 'SaturdayDeliveryIndicator' to the request.

UPS Simple Rate Business Processes and Rules

UPS Simple Rate enables shippers to use their own packaging to ship anywhere in the U.S. for a flat rate. UPS Simple Rate offers five different rate options based on package size and is available for UPS Ground, UPS 2nd Day Air, UPS 3 Day Select and Next Day Air Saver services. It includes guaranteed delivery complete with UPS tracking and visibility.

UPS Simple Rate rates are exempt from residential, delivery area extended, delivery area, and fuel surcharge fees. All other surcharges and value added accessories apply.

- The following information describes business rules for UPS Simple Rate:
 - Must not contain dangerous goods
 - Shipment is prepaid
 - Not valid for freight collect or third party shipments
 - Only valid for a single piece shipment
 - Up to 50 lbs.
- Simple Rate Box Descriptions:
 - XS (Extra Small)
 - Size Range: 1 to 100 cu in³
 - S (Small)
 - Size Range: 101 to 250 cu in³
 - M (Medium)
 - Size Range: 251 to 650 cu in³
 - L (Large)
 - Size Range: 651 to 1050 cu in³
 - XL (Extra Large)
 - Size Range: 1051 to 1728 cu in³
- Simple Rate is available within the U.S. 50 States
- Only Valid for the following services (code):
 - UPS Ground (03)
 - UPS 3 Day Select (12)
 - UPS 2nd Day Air (02)
 - UPS Next Day Air Saver (13)

Chapter 3: Customer Integration Environment (CIE)

The Customer Integration Environment allows customers to test their application prior to launch. This environment is intended for integration testing of customer applications with the UPS servers.

Once your application has been thoroughly tested, you should redirect the application to the UPS Production Environment.

No stress testing should ever be performed by customers against any UPS systems.

To access testing and production sites the user must have an Access Key. You can request an Access Key after establishing a UPS profile and associating your shipping account.

Test your Rate and Service selections using valid and invalid data elements including postal codes, weights, and package types. This will ensure that your application has the ability to process success and error responses correctly.

System Availability

The Customer Integration Environment is available 24 hours a day, 7 days a week. Note, the system is occasionally down for server maintenance.



All URLs are case sensitive.

Using Negotiated Rates in CIE

Negotiated rates are available in the UPS Customer Integration Environment (CIE) and are returned when the Negotiated Rate indicator is provided in the rate request.

- The negotiated rates returned do not reflect the contractual rate and may vary. Typically, they are 1% off the published rate.
- Also in the Customer Integration Environment, the shipper eligibility for negotiated rates is not fully verified.
- Negotiated Itemized Charges for UPS Worldwide Express Freight are not returned in CIE.
- 1% of tax charges and total charges with taxes are returned as negotiated rates in CIE mode if the TaxInformationIndicator is present in the request and if taxes are applicable.

User Level and Transactional Promotions in CIE

Discounted rates are available in the UPS Customer Integration Environment (CIE) and are returned when either the transactional promotion is valid or the User Level Discount Indicator is provided in the rate request.

- The negotiated rates returned do not reflect the contractual rate and may vary. Typically, they are 1% off the published rate.
- For Transactional Promotions, the promotion code is not validated. There is also no check as to whether or not the applied promotion is valid for the service or shipping lane in the request.
- For User Level Promotions, the UserID is still validated to see if a valid promotion is tied to it. However, there is no check as to whether or not the applied promotion is valid for the service or shipping lane in the request.

Integration Testing



All URLs are case sensitive.

For integration testing, direct your test Rating Package XML to:

<https://wwwcie.ups.com/ups.app/xml/Rate>

Production



All URLs are case sensitive.

Once testing is complete, direct your Rating Package XML to the production URL:

<https://onlinetools.ups.com/ups.app/xml/Rate>

Server Availability Check

All of the UPS services work using HTTPS POST. If the server is available, it will reply with the service name, remote user, server port, server name, and servlet path.

To see this in action, type the following URL in your web browser: <https://wwwcie.ups.com/ups.app/xml/Rate>

| | |
|----------------------|----------------|
| Service Name: | Rate |
| Remote User: | null |
| Server Port: | 443 |
| Server Name: | wwwcie.ups.com |
| Servlet Path: | /Rate |

Chapter 4: Rating API Elements and Details

Element Constraints

The Request and Response XPath tables contain the full hierarchy of the API elements.



UPS expects schema elements/tags as defined in the XPath and presented in the schema structure i.e., no spelling or structural deviations. Elements/tags that are not defined in the schema or do not conform to the schema structure will be ignored by UPS.

Element constraints are defined as follows:

Required

- Yes - indicates the element must be present in the request or response.
- Yes* - indicates the element must be present in the request if the parent container is present in the request.
- No - indicates the element is optional and may be used if it applies to the request.
- Cond – indicates the element is required under certain conditions.

Type

- Container - holds a group of related elements.
- String - consists of alphanumeric characters, spaces, and decimals.


Length

- The maximum number of characters that can be present in a String. Length is not applicable (N/A) to Containers.

Max Allowed

- The maximum number of elements or containers that can be present in the parent container.

RatingServiceSelectionRequest Top Level Containers



RatingServiceSelectionRequest

| Name | Constraint | Description | Validation |
|--|---|---|------------|
| /RatingServiceSelectionRequest | | | |
| RatingServiceSelectionRequest | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Rating Service Selection Request container. | N/A |

Request

| Name | Constraint | Description | Validation |
|--|---|-------------------|------------|
| /RatingServiceSelectionRequest/Request | | | |
| Request | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Request Container | N/A |

RequestAction

| Name | Constraint | Description | Validation |
|--|---|--|---|
| /RatingServiceSelectionRequest/Request/RequestAction | | | |
| RequestAction | Required: Yes Type: String Max Allowed: 1 Length: 15 | The action to be taken by the Rating and Service Selection tool. | It must contain Rate to execute rating and service selection. |

RequestOption

| Name | Constraint | Description | Validation |
|--|------------|-------------|------------|
| /RatingServiceSelectionRequest/Request/RequestOption | | | |

| Name | Constraint | Description | Validation |
|---------------|--|----------------------------------|--|
| RequestOption | Required: No Type: String Max Allowed: 1 Length: 15 | Used to define the request type. | <p>Valid Values:</p> <p>Rate = The server rates (The default Request option is Rate if a Request Option is not provided).</p> <p>Shop = The server validates the shipment, and returns rates for all UPS products from the ShipFrom to the ShipTo addresses.</p> <p>Ratetimeintransit = The server rates with transit time information</p> <p>Shoptimeintransit = The server validates the shipment, and returns rates and transit times for all UPS products from the ShipFrom to the ShipTo addresses.</p> <p>Rate is the only valid request option for Ground Freight Pricing requests.</p> |

SubVersion

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionRequest/Request/SubVersion | | | |
| SubVersion | Required: No Type: String Max Allowed: 1 Length: 4 | Indicates Rate API to display the new release features in Rate API response based on Rate release. See the Release Features section for the latest release date. Supported values: 1601, 1607, 1701, 1707, 1801, 2108, 2201, 2205 Format: YYMM = Year and month of the release. | |

TransactionReference

| Name | Constraint | Description | Validation |
|---|--|---|------------|
| /RatingServiceSelectionRequest/Request/TransactionReference | | | |
| TransactionReference | Required: No Type: Container Max Allowed: 1 Length: N/A | TransactionReference identifies transactions between client and server. | |

| Name | Constraint | Description | Validation |
|---|--|--|------------|
| /RatingServiceSelectionRequest/Request/TransactionReference/CustomerContext | | | |
| CustomerContext | Required: No Type: String Max Allowed: 1 Length: 1..512 | The client uses CustomerContext to synchronize request/response pairs. CustomerContext can contain any information the client requires. As long as it is valid XML it is echoed back by the server. | |

PickupType

| Name | Constraint | Description | Validation |
|--|--|---------------------------|---|
| /RatingServiceSelectionRequest/PickupType | | | |
| PickupType | Required: No Type: Container Max Allowed: 1 Length: N/A | Pickup Type container tag | |
| /RatingServiceSelectionRequest/PickupType/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Pickup Type Code. | Valid values: 01 - Daily Pickup (Default - used when an invalid pickup type code is provided) 03 - Customer Counter 06 - One Time Pickup 19 - Letter Center 20 - Air Service Center Length is not validated. When negotiated rates are requested, 07 (onCallAir) will be ignored. Refer to the Rate Types Table in the Appendix for rate type based on Pickup Type and Customer Classification Code. |

CustomerClassification

| Name | Constraint | Description | Validation |
|---|--|--|------------|
| /RatingServiceSelectionRequest/CustomerClassification | | | |
| CustomerClassification | Required: No Type: Container Max Allowed: 1 Length: N/A | Customer classification container. Valid if ShipFrom country or territory is US. | |

| Name | Constraint | Description | Validation |
|--|---|-------------------------------|--|
| /RatingServiceSelectionRequest/CustomerClassification/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Customer classification code. | Valid values: 00 - Rates Associated with Shipper Number 01 - Daily Rates 04 - Retail Rates 05 - Regional Rates 06 - General List Rates 07 - Alternative Zoning 08 - General List Rates II 09 - SMB Loyalty 10 - All Inclusive 11 - Value Bundle I 53 - Standard List Rates Length is not validated. If customer classification code is not a valid value please refer to Rate Types Table on page 11. |

Shipment

| Name | Constraint | Description | Validation |
|---|---|---------------------|------------|
| /RatingServiceSelectionRequest/Shipment | | | |
| Shipment | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Shipment container. | |

OriginRecordTransactionTimestamp

| Name | Constraint | Description | Validation |
|--|---|--|---|
| /RatingServiceSelectionRequest/Shipment/OriginRecordTransactionTimestamp | | | |
| OriginRecordTransactionTimestamp | Required: No Type: String Max Allowed: 1 Length: N/A | The time that the request was made from the originating system. UTC time down to milliseconds. Example - 2016-07-14T12:01:33.999 | Applicable only for HazMat request and with subversion greater than or equal to 1701. |

Shipper

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionRequest/Shipment/Shipper | | | |
| Shipper | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Shipper details are included in this container. | N/A |

| Name | Constraint | Description | Validation |
|---|---|--|---|
| /RatingServiceSelectionRequest/Shipment/Shipper/Name | | | |
| Name | Required: No Type: String Max Allowed: 1 Length: 35 | The shipper's name or shipper's company name. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/AttentionName | | | |
| AttentionName | Required: No Type: String Max Allowed: 1 Length: 35 | The shipper's Attention name. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/ShipperNumber | | | |
| ShipperNumber | Required: Cond Type: String Max Allowed: 1 Length: 6 | The shipper's UPS account number. Note: A shipper number is required when requesting to receive the negotiated rates. The shipper number is optional when requesting to receive the published rates. | Value must match a commissioned shipper number. Cannot be present when requesting UserLevelDiscount. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address | | | |
| Address | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Contains the address details of shipper | If the ShipFrom container is not present then this address will be used as the ShipFrom. If this address is used as the ShipFrom the shipment will be rated from this origin address. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/AddressLine1 | | | |
| AddressLine1 | Required: No Type: String Max Allowed: 1 Length: 35 | The shipper's street address, including name and number (when applicable). | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/AddressLine2 | | | |
| AddressLine2 | Required: No Type: String Max Allowed: 1 Length: 35 | Additional shipper address information, preferably room or floor. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/AddressLine3 | | | |
| AddressLine3 | Required: No Type: String Max Allowed: 1 Length: 35 | Additional shipper address information, preferably department name. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/City | | | |
| City | Required: Cond Type: String Max Allowed: 1 Length: 30 | Shipper's City | Required if country or territory does not utilize postal codes. Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/StateProvinceCode | | | |

| Name | Constraint | Description | Validation |
|---|---|---|---|
| StateProvinceCode | Required: No Type: String Max Allowed: 1 Length: 2 | Shipper's state code. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/PostalCode | | | |
| PostalCode | Required: Cond Type: String Max Allowed: 1 Length: 9 | Shipper's postal code. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/CountryCode | | | |
| CountryCode | Required: Yes Type: String Max Allowed: 1 Length: 2 | Shipper CountryCode. | Required, but default to US. For additional information, refer to Country or Territory Codes in the Appendix. |
| /RatingServiceSelectionRequest/Shipment/Shipper/Address/ResidentialAddressIndicator | | | |
| ResidentialAddressIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | A flag indicating if the shipper's address is a residential location. True if tag exists; false otherwise. Note: When requesting TimeInTransit information, this indicator must be passed to determine if Three Day Select or Ground shipment is eligible for Saturday Delivery at no charge. | Empty Tag |

ShipTo

| Name | Constraint | Description | Validation |
|---|---|---|--------------------------|
| /RatingServiceSelectionRequest/Shipment/ShipTo | | | |
| ShipTo | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container stores the details of ShipTo | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipTo/CompanyName | | | |
| CompanyName | Required: No Type: String Max Allowed: 1 Length: 35 | Receiver's name or Company Name. When using the Rating API in conjunction with the Shipping API, this field should be the same as the Ship To name of the Shipping API request. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/AttentionName | | | |
| AttentionName | Required: No Type: String Max Allowed: 1 Length: 35 | Receiver's Attention Name. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address | | | |
| Address | Required: Yes Type: Container Max Allowed: 1 Length: N/A | ShipTo Address container contains the details of ShipTo address | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/AddressLine1 | | | |

| Name | Constraint | Description | Validation |
|--|--|---|--|
| AddressLine1 | Required: No Type: String Max Allowed: 1 Length: 35 | The receiver's street address including name and number (when applicable). | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/AddressLine2 | | | |
| AddressLine2 | Required: No Type: String Max Allowed: 1 Length: 35 | Additional receiver address information, preferably room or floor. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/AddressLine3 | | | |
| AddressLine3 | Required: No Type: String Max Allowed: 1 Length: 35 | Additional receiver address information, preferably department name. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/City | | | |
| City | Required: Cond Type: String Max Allowed: 1 Length: 30 | Receiver's city. | Required if country or territory does not utilize postal codes. Length is not validated. Note: City is suggested when using Ratetimeintransit or Shoptimeintransit request to ensure system accuracy. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/StateProvinceCode | | | |
| StateProvinceCode | Required: Cond Type: String Max Allowed: 1 Length: 2 | Receiver's state code. Note: A State/Province Code is required when requesting to receive the negotiated rates. The State/Province code is optional when requesting to receive the published rates. | |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/PostalCode | | | |

| Name | Constraint | Description | Validation |
|--|---|--|--|
| PostalCode | Required: Cond Type: String Max Allowed: 1 Length: 9 | Receiver's postal code. | Required if country or territory utilizes postal codes (i.e. US and PR). |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/CountryCode | | | |
| CountryCode | Required: Yes Type: String Max Allowed: 1 Length: 2 | The IATA OR UPS BILLING code representing the receiver's country or territory. | For additional information, refer to the Country or Territory Codes in the Appendix. |
| /RatingServiceSelectionRequest/Shipment/ShipTo/Address/ResidentialAddressIndicator | | | |
| ResidentialAddressIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | A flag indicating if the shipper's address is a residential location. True if tag exists; false otherwise. | Empty Tag |

ShipFrom

| Name | Constraint | Description | Validation |
|--|--|--|--------------------------|
| /RatingServiceSelectionRequest/Shipment/ShipFrom | | | |
| ShipFrom | Required: No Type: Container Max Allowed: 1 Length: N/A | ShipFrom Container. | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/CompanyName | | | |
| CompanyName | Required: No Type: String Max Allowed: 1 Length: 35 | ShipFrom locations name or company name. | Length is not validated. |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| /RatingServiceSelectionRequest/Shipment/ShipFrom/AttentionName | | | |
| AttentionName | Required: No Type: String Max Allowed: 1 Length: 35 | Attention Name. | Required: No Type: String Max Allowed: 1 Length: 35 |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address | | | |
| Address | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Contains ShipFrom address elements | The shipment will be rated from this origin address to the destination ShipTo address. |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/AddressLine1 | | | |
| AddressLine1 | Required: No Type: String Max Allowed: 1 Length: 35 | ShipFrom locations street address including name and number (when applicable). | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/AddressLine2 | | | |
| AddressLine2 | Required: No Type: String Max Allowed: 1 Length: 35 | Additional ShipFrom location address information, preferably room or floor. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/AddressLine3 | | | |
| AddressLine3 | Required: No Type: String Max Allowed: 1 Length: 35 | Additional ShipFrom location address information, preferably department name. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/City | | | |
| City | Required: Yes Type: String Max Allowed: 1 Length: 30 | ShipFrom locations city. | Required if country or territory does not utilize postal codes. Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/StateProvinceCode | | | |
| StateProvinceCode | Required: Cond Type: String Max Allowed: 1 Length: 2 | ShipFrom locations state code. Note: A State/Province Code is required when requesting to receive the negotiated rates. The State/Province code is optional when requesting to receive the published rates. | |
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/PostalCode | | | |
| PostalCode | Required: Yes* Type: String Max Allowed: 1 Length: 9 | ShipFrom locations postal code. | Required if country or territory utilizes postal codes (i.e. US and PR) |

| Name | Constraint | Description | Validation |
|--|---|-----------------------|---|
| /RatingServiceSelectionRequest/Shipment/ShipFrom/Address/CountryCode | | | |
| CountryCode | Required: No Type: String Max Allowed: 1 Length: 2 | ShipFrom CountryCode. | Required, but default to US. For additional information, refer to Country or Territory Codes in the Appendix. |

AlternateDeliveryAddress

| Name | Constraint | Description | Validation |
|---|--|---|---|
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress | | | |
| AlternateDeliveryAddress | Required: Cond Type: Container Max Allowed: 1 Length: N/A | AlternateDeliveryAddress container address information for UPS Access Point. | AlternateDeliveryAddress is required if: 01 Hold for Pickup at UPS Access Point 02 UPS Access Point™ Delivery |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Name | | | |
| Name | Required: No Type: String Max Allowed: 1 Length: 1...35 | The name of UPS Access Point. | |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address | | | |
| Address | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Address Container for Alternate Delivery Address. | |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine1 | | | |
| AddressLine1 | Required: No Type: String Max Allowed: 1 Length: 1...35 | The UPS Access Point's street address, including name and number (when applicable). | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine2 | | | |
| AddressLine2 | Required: No Type: String Max Allowed: 1 Length: 1...35 | The UPS Access Point's street address, including name and number (when applicable). | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine3 | | | |
| AddressLine3 | Required: No Type: String Max Allowed: 1 Length: 1...35 | The UPS Access Point's street address, including name and number (when applicable). | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/City | | | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| City | Required: Cond Type: String Max Allowed: 1 Length: 1...30 | UPS Access Point city. | |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/StateProvinceCode | | | |
| StateProvinceCode | Required: Cond Type: String Max Allowed: 1 Length: 2 | UPS Access Point State or Province code. | |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/PostalCode | | | |
| PostalCode | Required: Cond Type: String Max Allowed: 1 Length: 1...9 | UPS Access Point Postal code. | |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/CountryCode | | | |
| CountryCode | Required: Yes* Type: String Max Allowed: 1 Length: 2 | UPS Access Point country or territory code. | |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/ResidentialAddressIndicator | | | |
| ResidentialAddressIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. A flag indicating if the shipper's address is a residential location. True if tag exists; false otherwise | Empty Tag |
| /RatingServiceSelectionRequest/Shipment/AlternateDeliveryAddress/Address/POBoxIndicator | | | |
| POBoxIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. This field is a flag to indicate if the receiver address has PO box indicator. True if POBoxIndicator tag exists. | Not valid with Shipment Indication Types: 01 Hold for Pickup at UPS Access Point 02 UPS Access Point™ Delivery |

ShipmentIndicationType

| Name | Constraint | Description | Validation |
|---|--|---|---|
| /RatingServiceSelectionRequest/Shipment/ShipmentIndicationType | | | |
| ShipmentIndicationType | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold shipment indication type. | Currently only one Shipment Indication Type is allowed. |
| /RatingServiceSelectionRequest/Shipment/ShipmentIndicationType/Code | | | |

| Name | Constraint | Description | Validation |
|--|--|--|--------------------------|
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Code for Shipment Indication Type. Valid values: 01 = Hold for Pickup at UPS Access Point 02 = UPS Access Point™ Delivery | |
| /RatingServiceSelectionRequest/Shipment/ShipmentIndicationType/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description for Shipment Indication Type. | Length is not Validated. |

PaymentDetails

| Name | Constraint | Description | Validation |
|---|--|---|---|
| /RatingServiceSelectionRequest/Shipment/PaymentDetails | | | |
| PaymentDetails | Required: No Type: Container Max Allowed: 1 Length: N/A | Payment details container for detailed shipment charges. The two shipment charges that are available for specification are Transportation charges and Duties and Taxes. | This container is used for Who Pays What functionality. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge | | | |
| ShipmentCharge | Required: Yes* Type: Container Max Allowed: 2 Length: N/A | If Duty and Tax charges are applicable to a shipment and a payer is not specified, the default payer of Duty and Tax charges is Bill to Receiver. There will be no default payer of Duty and Tax charges for DDU and DDP service. | |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/Type | | | |
| Type | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Valid values: 01 = Transportation 02 = Duties and Taxes | |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillShipper | | | |
| BillShipper | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container for the BillShipper billing option. | This element or its sibling element, BillReceiver, BillThirdParty or ConsigneeBilledIndicator, must be present but no more than one can be present. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillShipper/AccountNumber | | | |
| AccountNumber | Required: Yes* Type: String Max Allowed: 1 Length: 6 | UPS account number | Must be the same UPS account number as the one provided in Shipper/ShipperNumber. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillReceiver | | | |

| Name | Constraint | Description | Validation |
|---|--|---|---|
| BillReceiver | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container for the BillReceiver billing option. | This element or its sibling element, BillShipper, BillThirdParty or Consignee Billed, must be present but no more than one can be present. For a return shipment, Bill Receiver is invalid for Transportation charges. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillReceiver/AccountNumber | | | |
| AccountNumber | Required: Yes* Type: String Max Allowed: 1 Length: 6 | The UPS account number. | The account must be a valid UPS account number that is active. For US, PR and CA accounts, the account must be a daily pickup account, an occasional account, a customer B.I.N account, or a dropper shipper account. All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillReceiver/Address | | | |
| Address | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container for additional information for the bill receiver's UPS accounts address. | |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillReceiver/Address/PostalCode | | | |
| PostalCode | Required: Yes* Type: String Max Allowed: 1 Length: 1...9 | The postal code for the UPS account's pickup address. The pickup postal code was entered in the UPS system when the account was set-up. | |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillThirdParty | | | |
| BillThirdParty | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container for the third party billing option. | This element or its sibling element, BillShipper, BillReceiver or Consignee Billed, must be present but no more than one can be present. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillThirdParty/AccountNumber | | | |

| Name | Constraint | Description | Validation |
|--|--|---|--|
| AccountNumber | Required: Yes* Type: String Max Allowed: 1 Length: 6 | The UPS account number of the third party shipper. | The account must be a valid UPS account number that is active. For US, PR and CA accounts, the account must be either a daily pickup account, an occasional account, or a customer B.I.N account, or a drop shipper account. All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillThirdParty/Address | | | |
| Address | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for additional information for the third party UPS accounts address. | |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillThirdParty/Address/PostalCode | | | |
| PostalCode | Required: Yes* Type: String Max Allowed: 1 Length: 1...9 | Origin postal code. | The postal code must be the same as the UPS account pickup address postal code. Required for United States and Canadian UPS accounts and/or if the UPS account pickup address has a postal code. If the UPS account's pickup country or territory is US or Puerto Rico, the postal code is 5 or 9 digits. The character '-' may be used to separate the first five digits and the last four digits. If the UPS account's pickup country or territory is CA, the postal code is 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/BillThirdParty/Address/CountryCode | | | |
| CountryCode | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Origin country or territory code. Refer to the Supported Country or Territory Tables located in the Appendix. | |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/ShipmentCharge/ConsigneeBilledIndicator | | | |

| Name | Constraint | Description | Validation |
|--|---|--|---|
| ConsigneeBilledIndicator | Required: Cond Type: String Max Allowed: 1 Length: 0 | Consignee Billing payment option indicator. The presence indicates consignee billing option is selected. The absence indicates one of the other payment options is selected. | Empty Tag. This element or its sibling element, BillShipper, BillReceiver or BillThirdParty, must be present but no more than one can be present. This billing option is valid for a shipment charge type of Transportation only. Only applies to US/PR and PR/US shipment origins and destination. |
| /RatingServiceSelectionRequest/Shipment/PaymentDetails/SplitDutyVATIndicator | | | |
| SplitDutyVATIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Split Duty VAT Indicator. The presence indicates the payer specified for Transportation Charges will pay transportation charges and any duties that apply to the shipment. The payer specified for Duties and Taxes will pay the VAT (Value-Added Tax) only. | Empty Tag. The payment method for Transportation charges must be UPS account. The UPS account must be a daily pickup account or an occasional account. |

GoodsNotInFreeCirculationIndicator

| Name | Constraint | Description | Validation |
|--|---|--|--|
| /RatingServiceSelectionRequest/Shipment/GoodsNotInFreeCirculationIndicator | | | |
| GoodsNotInFreeCirculationIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Goods Not In Free Circulation indicator. | This is an empty tag, any value inside is ignored. This indicator is invalid for a package type of UPS Letter and DocumentsOnly. |

Service

| Name | Constraint | Description | Validation |
|--|--|------------------------|------------|
| /RatingServiceSelectionRequest/Shipment/Service | | | |
| Service | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for Service. | N/A |
| /RatingServiceSelectionRequest/Shipment/Service/Code | | | |

| Name | Constraint | Description | Validation |
|---|---|--|--------------------------|
| Code | Required: Cond Type: String Max Allowed: 1 Length: 2 | <p>The code for the UPS Service associated with the shipment.</p> <p>NOTE: For a complete listing of values, refer to Service Codes in the Appendix.</p> <p>Valid domestic values: 01 = Next Day Air 02 = 2nd Day Air 03 = Ground 12 = 3 Day Select 13 = Next Day Air Saver 14 = UPS Next Day Air Early 59 = 2nd Day Air A.M. Valid international values: 07 = Worldwide Express 08 = Worldwide Expedited 11= Standard 54 = Worldwide Express Plus 65 = Saver 96 = UPS Worldwide Express Freight 71 = UPS Worldwide Express Freight Midday</p> <p>Required for Rating and ignored for Shopping.</p> | |
| /RatingServiceSelectionRequest/Shipment/Service/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 35 | A text description of the UPS Service associated with the shipment. | Length is not validated. |

DocumentsOnly

| Name | Constraint | Description | Validation |
|---|---|--|------------|
| /RatingServiceSelectionRequest/Shipment/DocumentsOnly | | | |
| DocumentsOnly | Required: No Type: String Max Allowed: 1 Length: 0 | Indicates that the shipment contains only documents. | |

NumOfPieces

| Name | Constraint | Description | Validation |
|---|------------|-------------|------------|
| /RatingServiceSelectionRequest/Shipment/NumOfPieces | | | |

| Name | Constraint | Description | Validation |
|-------------|---|---|------------|
| NumOfPieces | Required: No Type: String Max Allowed: 1 Length: 1...5 | Total number of pieces in all pallets. Required for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday shipments. | |

ShipmentTotalWeight

| Name | Constraint | Description | Validation |
|---|--|---|--|
| /RatingServiceSelectionRequest/Shipment/ShipmentTotalWeight | | | |
| ShipmentTotalWeight | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Shipment Total Weight Container. This container is only applicable for "ratetimeintransit" and "shoptimeintransit" request options. | Required for all international shipments when retrieving time in transit information, including letters and documents shipments. |
| /RatingServiceSelectionRequest/Shipment/ShipmentTotalWeight/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: Yes* Type: Container Max Allowed: Length: N/A | UnitOfMeasurement Container. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentTotalWeight/UnitOfMeasurement/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: Length: 3 | Code representing the unit of measure associated with the shipment weight. Codes are: LBS = Pounds, KGS = Kilograms. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentTotalWeight/UnitOfMeasurement/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1..35 | Text description of the code representing the unit of measure associated with the shipment weight. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentTotalWeight/Weight | | | |
| Weight | Required: Yes* Type: String Max Allowed: Length: 1..3 | Non-zero total weight of all packages in the shipment. | |

Package

| Name | Constraint | Description | Validation |
|---|------------|-------------|------------|
| /RatingServiceSelectionRequest/Shipment/Package | | | |

| Name | Constraint | Description | Validation |
|--|--|--|---|
| Package | Required: No Type: Container Max Allowed: 200 Length: N/A | Container for Package. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackagingType | | | |
| PackagingType | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Packaging Type information. | If no container is specified, RAVE assumes UPS Package, i.e., type 02 |
| /RatingServiceSelectionRequest/Shipment/Package/PackagingType/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | The code for the UPS packaging type associated with the package. | Valid values: 00 = UNKNOWN 01 = UPS Letter 02 = Package 03 = Tube 04 = Pak 21 = Express Box 24 = 25KG Box 25 = 10KG Box 30 = Pallet 2a = Small Express Box 2b = Medium Express Box 2c = Large Express Box |
| /RatingServiceSelectionRequest/Shipment/Package/PackagingType/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 35 | A text description of the code for the UPS packaging type associated with the shipment. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions | | | |
| Dimensions | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Dimensions of Package. | |
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Unit of Measurement of Package. | Required if Packaging Type is not Letter, Express Tube, or Express Box. Required for GB to GB and Poland to Poland shipments |
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Code | | | |
| Code | Required: No Type: String Max Allowed: 1 Length: 2 | Package dimensions unit of measurement code. | Valid codes: IN = Inches CM = Centimeters |
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 35 | A text description of the code for the unit of measure associated with the package dimensions. | Length is not validated. |

| Name | Constraint | Description | Validation |
|---|--|---|---|
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions/Length | | | |
| Length | Required: Cond Type: String Max Allowed: 1 Length: 6 | The length of the package used to determine dimensional weight. | Required if Packaging Type is not Letter, Express Tube, or Express Box. Required for GB to GB and Poland to Poland shipments. |
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions/Width | | | |
| Width | Required: Cond Type: String Max Allowed: 1 Length: 6 | The width of the package used to determine dimensional weight. | Required if Packaging Type is not Letter, Express Tube, or Express Box. Required for GB to GB and Poland to Poland shipments. |
| /RatingServiceSelectionRequest/Shipment/Package/Dimensions/Height | | | |
| Height | Required: Cond Type: String Max Allowed: 1 Length: 6 | The height of the package used to determine dimensional weight. | Required if Packaging Type is not Letter, Express Tube, or Express Box. Required for GB to GB and Poland to Poland shipments. |
| /RatingServiceSelectionRequest/Shipment/Package/DimWeight | | | |
| DimWeight | Required: No Type: Container Max Allowed: 1 Length: N/A | Package Dimensional Weight container. Values in this container are ignored when package dimensions are provided. Please visit ups.com for instructions on calculating this value. | Only used for non-US/CA/PR shipments. |
| /RatingServiceSelectionRequest/Shipment/Package/DimWeight/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: No Type: Container Max Allowed: 1 Length: N/A | UnitOfMeasurement Container. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/DimWeight/UnitOfMeasurement/Code | | | |
| Code | Required: No Type: String Max Allowed: 1 Length: 3 | Code representing the unit of measure associated with the package weight. Codes are: LBS = Pounds, KGS = Kilograms. | Valid values: "LBS" = Pounds (default) and "KGS" = Kilograms. |
| /RatingServiceSelectionRequest/Shipment/Package/DimWeight/UnitOfMeasurement/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...35 | Text description of the code representing the unit of measure associated with the package weight. | Length and value are not validated. |
| /RatingServiceSelectionRequest/Shipment/Package/DimWeight/Weight | | | |

| Name | Constraint | Description | Validation |
|---|--|--|--|
| Weight | Required: No Type: String Max Allowed: 1 Length: 6 | Dimensional weight of the package. Decimal values are not accepted, however there is one implied decimal place for values in this field (i.e. 115 = 11.5). | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageWeight | | | |
| PackageWeight | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Package Weight information. | Weight allowed for letters/envelopes. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageWeight/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Unit of Measurement of Package Weight. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Code | | | |
| Code | Required: No Type: String Max Allowed: 1 Length: 3 | Code representing the unit of measure associated with the package weight. "OZS" is the only valid UOM for Worldwide Economy DDU Shipments. | Valid values: LBS = Pounds (default) KGS = Kilograms OZS = Ounces |
| /RatingServiceSelectionRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 35 | Text description of the code representing the unit of measure associated with the package weight. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageWeight/Weight | | | |
| Weight | Required: Yes* Type: String Max Allowed: 1 Length: 6 | Value of the package weight. | Valid values: 0.1 - 150.0 |
| /RatingServiceSelectionRequest/Shipment/Package/LargePackageIndicator | | | |
| LargePackageIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence of LargePackageIndicator specifies that the package is a Large package. | |
| /RatingServiceSelectionRequest/Shipment/Package/SimpleRate | | | |
| SimpleRate | Required: No Type: Container Max Allowed: 1 Length: 0 | SimpleRate Container | |
| /RatingServiceSelectionRequest/Shipment/Package/SimpleRate/Code | | | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | SimpleRate code. | Valid Values XS = Extra Small S = Small M = Medium L = Large XL = Extra Large |
| /RatingServiceSelectionRequest/Shipment/Package/SimpleRate/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...35 | Simple Rate description of the code above. | |

PackageServiceOptions

| Name | Constraint | Description | Validation |
|---|---|--|--|
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions | | | |
| PackageServiceOptions | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for Package Service Options. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/InsuredValue | | | |
| InsuredValue | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for Insured Value Type. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/InsuredValue/CurrencyCode | | | |
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | Declared value amount currency type. The IATA currency code associated with the declared value amount for the package. | Code must represent a currency that is a valid for Shipper country or territory. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/InsuredValue/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..19 | Declared value amount. | Declared value amount. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD | | | |
| AccessPointCOD | Required: No Type: Container Max Allowed: 1 Length: N/A | Access Point COD indicates Package COD is requested for a shipment. | Valid only for "01 - Hold For Pickup At UPS Access Point" Shipment Indication type. Package Access Point COD is valid only for shipment without return service from US/PR to US/PR and CA to CA. Not valid with (Package) COD. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD/CurrencyCode | | | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Access Point COD Currency Code. | Required if AccessPointCOD container is present. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 8 | Access Point COD Monetary Value. | Required if AccessPointCOD container is present. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD | | | |
| COD | Required: No Type: Container Max Allowed: 1 Length: N/A | COD container | Indicates COD is requested. Package level COD is available for US/PR to US/PR, CA to CA, and CA to US. CA to US COD is not allowed for package Letter/ Envelope. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODFundsCode | | | |
| CODFundsCode | Required: Cond Type: String Max Allowed: 1 Length: 1 | Indicates the type of funds that can be used for the C.O.D. payment. | For valid values, refer to COD Supported Countries or Territories in the Appendix. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount | | | |
| CODAmount | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold COD Amount. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/CurrencyCode | | | |
| CurrencyCode | Required: Cond Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the COD amount for the package. | Required if a value for the COD amount exists in the MonetaryValue tag. Must match one of the IATA currency codes. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/MonetaryValue | | | |
| MonetaryValue | Required: Cond Type: String Max Allowed: 1 Length: 8 | The COD value for the package. | Required if COD option is present. The maximum amount allowed is 50,000USD. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation | | | |
| DeliveryConfirmation | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Delivery Confirmation information. | For list of allowed origin/destinations, please refer to Appendix D. DeliveryConfirmation and COD cannot coexist on a single Package. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation/DCIType | | | |

| Name | Constraint | Description | Validation |
|---|---|---|--|
| DCISType | Required: Yes* Type: String Max Allowed: 1 Length: 1 | Type of delivery confirmation | Valid values: 1 - Unsupported 2 - Delivery Confirmation Signature Required 3 - Delivery Confirmation Adult Signature Required |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/ShipperDeclaredValue | | | |
| ShipperDeclaredValue | Required: No Type: Container Max Allowed: 1 Length: N/A | Shipper Paid Declared Value Charge at Package level. Required for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday Shipments. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/ShipperDeclaredValue/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the amount for the package. | Length is not validated. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/ShipperDeclaredValue/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..19 | The monetary value for the amount associated with the package. | N/A |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/ShipperReleaseIndicator | | | |
| ShipperReleaseIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | The presence indicates that the package may be released by driver without a signature from the consignee. | Empty Tag. Only available for US50/PR to US50/PR packages without return service. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/RefrigerationIndicator | | | |
| RefrigerationIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value is ignored. If present, indicates that the package contains an item that needs refrigeration. | Shippers account needs to have a valid contract for Refrigeration. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance | | | |
| Insurance | Required: No Type: Container Max Allowed: 1 Length: N/A | Insurance Accesorial. Valid for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday Shipments. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/BasicFlexibleParcelIndicator | | | |
| BasicFlexibleParcelIndicator | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Basic Flexible Parcel Indicator information. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/BasicFlexibleParcelIndicator/CurrencyCode | | | |

| Name | Constraint | Description | Validation |
|--|--|--|------------|
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the amount for the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/BasicFlexibleParcelIndicator/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..9 | The monetary value for the amount associated with the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/ExtendedFlexibleParcelIndicator | | | |
| ExtendedFlexibleParcelIndicator | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Extended Flexible Parcel Indicator information. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/ExtendedFlexibleParcelIndicator/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the amount for the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/ExtendedFlexibleParcelIndicator/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..9 | The monetary value for the amount associated with the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/TimeInTransitFlexibleParcelIndicator | | | |
| TimeInTransitFlexibleParcelIndicator | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Time In Transit Flexible Parcel Indicator information. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/TimeInTransitFlexibleParcelIndicator/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the amount for the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/Insurance/TimeInTransitFlexibleParcelIndicator/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..9 | The monetary value for the amount associated with the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/UPSPremiumCareIndicator | | | |

| Name | Constraint | Description | Validation |
|--|---|---|---|
| UPSPremiumCareIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | UPSPremiumCareIndicator indicates that special handling is required for shipments of controlled substances. | <p>Empty Tag means indicator is present.</p> <p>The UPSPremiumCareIndicator cannot be requested for package with:</p> <ul style="list-style-type: none"> - Delivery Confirmation - Adult Signature Required - Delivery Confirmation-Signature Required <p>UPS Premium Care is valid for following Return services: - Returns Exchange (available with a contract)</p> <ul style="list-style-type: none"> - Print Return Label - Electronic Return Label - Return Service Three Attempt <p>The UPS Premium Care can be requested with following UPS services:</p> <ul style="list-style-type: none"> - UPS Express® Early - UPS Express - UPS Express Saver - UPS Standard. <p>Valid only for Canada to Canada movements.</p> |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat | | | |
| HazMat | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold HazMat information. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/PackageIdentifier | | | |
| PackageIdentifier | Required: Cond Type: String Max Allowed: 1 Length: 1...5 | Identifies the package containing Dangerous Goods. | Required if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/QValue | | | |
| QValue | Required: Cond Type: String Max Allowed: 1 Length: 3 | QValue is required when a HazMat shipment specifies AllPackedInOneIndicator and the regulation set for that shipment is IATA. | Applies only if SubVersion is greater than or equal to 1701. Valid values are : 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 0.9; 1.0 |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/OverPackedIndicator | | | |
| OverPackedIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value is ignored. Presence indicates that shipment is overpack. | Applies only if SubVersion is greater than or equal to 1701. |

| Name | Constraint | Description | Validation |
|--|--|--|---|
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/AllPackedInOneIndicator | | | |
| AllPackedInOneIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value is ignored. Indicates the hazmat shipment/package is all packed in one. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord | | | |
| HazMatChemicalRecord | Required: Yes* Type: Container Max Allowed: 3 Length: N/A | Container to hold HazMat Chemical Records. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ChemicalRecordIdentifier | | | |
| ChemicalRecordIdentifier | Required: Cond Type: String Max Allowed: 1 Length: 1...3 | Identifies the Chemical Record. | Required if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ClassDivisionNumber | | | |
| ClassDivisionNumber | Required: Cond Type: String Max Allowed: 1 Length: 1...7 | This is the hazard class associated to the specified commodity. Required if CommodityRegulatedLevelCode is 'LQ' or 'FR' | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/IDNumber | | | |
| IDNumber | Required: Cond Type: String Max Allowed: 1 Length: 1...6 | This is the ID number (UN/NA/ID) for the specified commodity. Required if CommodityRegulatedLevelCode = LR, LQ or FR and if the field applies to the material by regulation. UN/NA/ID Identification Number assigned to the specified regulated good. (Include the UN/NA/ID as part of the entry). | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/TransportationMode | | | |
| TransportationMode | Required: Yes* Type: String Max Allowed: 1 Length: 2 | The method of transport by which a shipment is approved to move and the regulations associated with that method. Only required when the CommodityRegulatedLevelCode is FR or LQ. Valid values: 01 - Highway 02 - Ground 03 - Passenger Aircraft 04 - Cargo Aircraft Only | Applies only if SubVersion is greater than or equal to 1701. For multiple ChemicalRecords per package having different TransportationMode, TransportationMode of first ChemicalRecord would be considered for validating and rating the package. All TransportationMode except for '04' are general service offering. If any chemical record contains '04' as TransportationMode, ShipperNumber needs to be authorized to use '04' as TransportationMode. |

| Name | Constraint | Description | Validation |
|--|--|--|---|
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/RegulationSet | | | |
| RegulationSet | Required: Yes* Type: String Max Allowed: 1 Length: 3...4 | The Regulatory set associated with every regulated shipment. It must be the same across the shipment. Valid values: ADR - For Europe to Europe Ground Movement CFR - For HazMat regulated by US Dept. of Transportation within the U.S. or ground shipments to Canada, IATA - For Worldwide Air movement TDG - For Canada to Canada ground movement or Canada to U.S. standard movement | Applies only if SubVersion is greater than or equal to 1701. For multiple ChemicalRecords per package or multiple packages containing different RegulationSet, RegulationSet of first ChemicalRecord would be considered for validating and rating the entire shipment. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/EmergencyPhone | | | |
| EmergencyPhone | Required: No Type: String Max Allowed: 1 Length: 1...25 | 24 Hour Emergency Phone Number of the shipper. Valid values for this field are (0) through (9) with trailing blanks. For numbers within the U.S., the layout is '1', area code, 7-digit number. For all other countries or territories the layout is country or territory code, area code, number. | Applies only if SubVersion is greater than or equal to 1701. The following are restricted in the phone number "period ".", dash "-", plus sign "+", and conventional parentheses "(" and ")", "EXT or OPT" |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/EmergencyContact | | | |
| EmergencyContact | Required: Cond Type: String Max Allowed: 1 Length: 1...35 | The emergency information, contact name and/or contact number, required to be communicated when a call is placed to the EmergencyPhoneNumber. The information is required if there is a value in the EmergencyPhoneNumber field above and the shipment is with a US50 or PR origin and/or destination and the RegulationSet is IATA. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ReportableQuantity | | | |
| ReportableQuantity | Required: Cond Type: String Max Allowed: 1 Length: 1...2 | Required if CommodityRegulatedLevelCode = LQ or FR and if the field applies to the material by regulation. If reportable quantity is met, 'RQ' should be entered. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/SubRiskClass | | | |

| Name | Constraint | Description | Validation |
|--|---|---|--|
| SubRiskClass | Required: Cond Type: String Max Allowed: 1 Length: 1...100 | Required if CommodityRegulatedLevelCode = LQ or FR and if the field applies to the material by regulation. Secondary hazardous characteristics of a package. (There can be more than one – separate each with a comma). | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingGroupType | | | |
| PackagingGroupType | Required: Cond Type: String Max Allowed: 1 Length: 1...10 | This is the packing group category associated to the specified commodity. Required if CommodityRegulatedLevelCode = LQ or FR and if the field applies to the material by regulation. Must be shown in Roman Numerals. Valid values are: I, II, III, blank. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/Quantity | | | |
| Quantity | Required: Cond Type: String Max Allowed: 1 Length: 15 | Required if CommodityRegulatedLevelCode = LQ or FR. The numerical value of the mass capacity of the regulated good. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/UOM | | | |
| UOM | Required: Cond Type: String Max Allowed: 1 Length: 1...10 | Required if CommodityRegulatedLevelCode = LQ or FR. The unit of measure used for the mass capacity of the regulated good. For Example: ml, L, g, mg, kg, cylinder, pound, pint, quart, gallon, ounce etc. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingInstructionCode | | | |
| PackagingInstructionCode | Required: Cond Type: String Max Allowed: 1 Length: 1...353 | The packing instructions related to the chemical record. Required if CommodityRegulatedLevelCode = LQ or FR and if the field applies to the material by regulation. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ProperShippingName | | | |
| ProperShippingName | Required: Cond Type: String Max Allowed: 1 Length: 1...250 | The Proper Shipping Name assigned by ADR, CFR or IATA. Required if CommodityRegulatedLevelCode = LR, LQ or FR. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/TechnicalName | | | |

| Name | Constraint | Description | Validation |
|---|---|--|--|
| TechnicalName | Required: Cond Type: String Max Allowed: 1 Length: 1...300 | The technical name (when required) for the specified commodity. Required if CommodityRegulatedLevelCode = LQ or FR and if the field applies to the material by regulation. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/AdditionalDescription | | | |
| AdditionalDescription | Required: Cond Type: String Max Allowed: 1 Length: 1...75 | Additional remarks or special provision information. Required if CommodityRegulatedLevelCode = LQ or FR and if the field applies to the material by regulation. Additional information that may be required by regulation about a hazardous material, such as, "Limited Quantity", DOT-SP numbers, EX numbers. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingType | | | |
| PackagingType | Required: Cond Type: String Max Allowed: 1 Length: 1...255 | The package type code identifying the type of packaging used for the commodity. (Ex: Fiberboard Box). Required if CommodityRegulatedLevelCode = LQ or FR. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/HazardLabelRequired | | | |
| HazardLabelRequired | Required: Cond Type: String Max Allowed: 1 Length: 1...50 | Defines the type of label that is required on the package for the commodity. Not applicable if CommodityRegulatedLevelCode = LR or EQ. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingTypeQuantity | | | |
| PackagingTypeQuantity | Required: Cond Type: String Max Allowed: 1 Length: 1...3 | The number of pieces of the specific commodity. Required if CommodityRegulatedLevelCode = LQ or FR. Valid values are 1 to 999. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/CommodityRegulatedLevelCode | | | |
| CommodityRegulatedLevelCode | Required: Cond Type: String Max Allowed: 1 Length: 2 | Indicates the type of commodity - Fully Regulated (FR), Limited Quantity (LQ), Excepted Quantity (EQ), Lightly Regulated (LR). Default value is FR. Valid values are LR, FR, LQ, EQ. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/TransportCategory | | | |

| Name | Constraint | Description | Validation |
|---|--|---|--|
| TransportCategory | Required: No Type: String Max Allowed: 1 Length: 1 | Transport Category. Valid values are 0 to 4. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/TunnelRestrictionCode | | | |
| TunnelRestrictionCode | Required: No Type: String Max Allowed: 1 Length: 1...10 | Defines what is restricted to pass through a tunnel. | Applies only if SubVersion is greater than or equal to 1701. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce | | | |
| DryIce | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for Dry Ice. One Dry Ice container is allowed. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/RegulationSet | | | |
| RegulationSet | Required: Yes* Type: String Max Allowed: 1 Length: 3...4 | Regulation set for DryIce Shipment. Valid values: CFR = For HazMat regulated by US Dept. of Transportation within the U.S. or ground shipments to Canada IATA = For Worldwide Air movement | The following values are valid: CFR and IATA. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight | | | |
| DryIceWeight | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for Weight information for Dry Ice. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for Unit Of Measurement for Dry Ice. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | DryIce weight unit of measurement code. Valid values are: 00 = KG (Metric Unit of Measurements) or KGS 01 = LB (English Unit of Measurements) or LBS | Valid values: 00, 01 |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...20 | Text description of the code representing the unit of measure associated with the package. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/Weight | | | |

| Name | Constraint | Description | Validation |
|--|---|---|---|
| Weight | Required: Yes* Type: String Max Allowed: 1 Length: 1...5 | Weight for Dry Ice. | Cannot be more than package weight. Should be more than 0.0. Valid characters are 0-9 and "." (Decimal point). Limit to 1 digit after the decimal. The maximum length of the field is 5 including "." and can hold up to 1 decimal place. |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/MedicalUseIndicator | | | |
| MedicalUseIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. Relevant only in CFR regulation set. If present, it is used to designate that Dry Ice is for any medical use and rates are adjusted for Dry Ice weight more than 2.5 KGS or 5.7 LBS. | |
| /RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DryIce/AuditRequired | | | |
| AuditRequired | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. Indicates a Dry Ice audit will be performed per the Regulation Set requirements. Empty tag means indicator is present. | |
| /RatingServiceSelectionRequest/Shipment/Package/AdditionalHandling | | | |
| AdditionalHandling | Required: No Type: String Max Allowed: 1 Length: 0 | A flag indicating if the packages require additional handling. True if AdditionalHandlingIndicator tag exists; false otherwise. Additional Handling indicator indicates it's a non-corrugated package. | Empty Tag. |
| /RatingServiceSelectionRequest/Shipment/Package/UPSPremier | | | |
| UPSPremier | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold UPS Premier information. | |
| /RatingServiceSelectionRequest/Shipment/Package/UPSPremier/Category | | | |
| Category | Required: Yes* Type: String Max Allowed: 1 Length: 2 | UPS Premier Category | Valid values are 01,02,03 UPS Premier Silver - 01 UPS Premier Gold - 02 UPS Premier Platinum - 03 |
| /RatingServiceSelectionRequest/Shipment/Package/OversizeIndicator | | | |
| OversizeIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. It indicates if package is oversized. | Applicable for UPS Worldwide Economy DDU service |
| /RatingServiceSelectionRequest/Shipment/Package/MinimumBillableWeightIndicator | | | |

| Name | Constraint | Description | Validation |
|--------------------------------|---|--|--|
| MinimumBillableWeightIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. It indicates if package is qualified for minimum billable weight. | Applicable for UPS Worldwide Economy DDU service |

ShipmentServiceOptions

| Name | Constraint | Description | Validation |
|--|--|--|--|
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions | | | |
| ShipmentServiceOptions | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Shipment Service Options. | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/SaturdayPickup | | | |
| SaturdayPickup | Required: No Type: String Max Allowed: 1 Length: 0 | A flag indicating if the shipment requires a Saturday pickup. True if tag exists; false otherwise | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/SaturdayDelivery | | | |
| SaturdayDelivery | Required: No Type: String Max Allowed: 1 Length: 0 | A flag indicating if a shipment must be delivered on a Saturday. True if tag exists; false otherwise | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/AccessPointCOD | | | |
| AccessPointCOD | Required: No Type: Container Max Allowed: 1 Length: N/A | Access Point COD indicates Shipment level Access Point COD is requested for a shipment. | Valid only for "01 - Hold For Pickup At UPS Access Point" Shipment Indication type. Shipment COD is valid only for countries or territories within E.U. Not valid with (Shipment) COD. Not available to shipment with return service. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/AccessPointCOD/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Access Point COD Currency Code. | Required if AccessPointCOD container is present. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/AccessPointCOD/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 8 | Access Point COD Currency Code. | Required if AccessPointCOD container is present. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliverToAddresseeOnlyIndicator | | | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| DeliverToAddresseeOnlyIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. DeliverToAddresseeOnlyIndicator is shipper specified restriction that requires the addressee to be the one who takes final delivery of the "Hold For Pickup at UPS Access Point" package. Presence of indicator means shipper restriction will apply to the shipment. | Only valid for Shipment Indication type "01 - Hold For Pickup at UPS Access Point". |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DirectDeliveryOnlyIndicator | | | |
| DirectDeliveryOnlyIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. Direct Delivery Only (DDO) accessorial in a request would ensure that delivery is made only to the ship to address on the shipping label. | This accessorial is not valid with Shipment Indication Type "01 - Hold For Pickup At UPS Access Point" and "02 - UPS Access Point™ Delivery". |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD | | | |
| COD | Required: No Type: Container Max Allowed: 1 Length: N/A | COD container. | Indicates COD is requested. Shipment COD is only available for EU origin countries or territories and for shipper's account type Daily Pickup and Drop Shipping. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODFundsCode | | | |
| CODFundsCode | Required: No Type: String Max Allowed: 1 Length: 1 | For valid values, refer to Rating and Shipping COD Supported Countries or Territories in the Appendix. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODAmount | | | |
| CODAmount | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container to hold COD Amount. | N/A |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/CurrencyCode | | | |
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | COD amount currency code type. Defaults to the currency used in the destination country or territory. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..8 | COD Amount. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ReturnOfDocumentIndicator | | | |

| Name | Constraint | Description | Validation |
|--|--|--|---|
| ReturnOfDocumentIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Return of Documents Indicator. If the flag is present, the shipper has requested the ReturnOfDocument accessorial be added to the shipment. | Valid For Poland to Poland shipment only. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation | | | |
| DeliveryConfirmation | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for Delivery Confirmation. | For list of allowed origin/destinations please refer to Appendix. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation/DCIStype | | | |
| DCIStype | Required: Yes* Type: String Max Allowed: 1 Length: 1 | Type of delivery confirmation. | Valid values: 1 - Delivery Confirmation. Signature Required 2 - Delivery Confirmation. Adult Signature Required |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/UPSCarbonNeutralIndicator | | | |
| UPSCarbonNeutralIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | UPS carbon neutral indicator - Required to rate carbon neutral shipments at the shipment level. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/CertificateOfOriginIndicator | | | |
| CertificateOfOriginIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Valid for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday shipments. The empty tag in request indicates that the customer would be using UPS prepared SED form. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/PickupOptions | | | |
| PickupOptions | Required: No Type: Container Max Allowed: 1 Length: N/A | Shipment Service Pickup Options Container. Valid for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday shipments. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/PickupOptions/LiftGateAtPickupIndicator | | | |
| LiftGateAtPickupIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | The presence of the tag LiftGatePickupRequiredIndicator indicates that the shipment requires a lift gate for pickup. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/PickupOptions/HoldForPickupIndicator | | | |
| HoldForPickupIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | The presence of the this fields indicates that the user opted to hold the shipment for pickup. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryOptions | | | |

| Name | Constraint | Description | Validation |
|--|--|--|------------|
| DeliveryOptions | Required: No Type: Container Max Allowed: 1 Length: N/A | Shipment Service Delivery Options Container. Valid for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday shipments. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryOptions/LiftGateAtDeliveryIndicator | | | |
| LiftGateAtDeliveryIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | The presence of the tag LiftGateDeliveryRequiredIndicator indicates that the shipment requires a lift gate for delivery. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryOptions/DropOffAtUPSFacilityIndicator | | | |
| DropOffAtUPSFacilityIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | The presence of the this field indicates that the user selected drop off at facility. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles | | | |
| RestrictedArticles | Required: No Type: Container Max Allowed: 1 Length: N/A | Valid for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday shipments. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/AlcoholicBeveragesIndicator | | | |
| AlcoholicBeveragesIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Alcohol. True if present; false otherwise | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/DiagnosticSpecimensIndicator | | | |
| DiagnosticSpecimensIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Biological substances. True if present; false otherwise | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/PerishablesIndicator | | | |
| PerishablesIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Perishables. True if present; false otherwise | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/PlantsIndicator | | | |
| PlantsIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Plants. True if present; false otherwise | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/SeedsIndicator | | | |
| SeedsIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Seeds. True if present; false otherwise | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/SpecialExceptionsIndicator | | | |
| SpecialExceptionsIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Special Exceptions Restricted Materials. True if present; false otherwise | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/TobaccoIndicator | | | |
| TobaccoIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Tobacco. True if present; false otherwise | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/ECigarettesIndicator | | | |
| ECigarettesIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has E-Cigarettes. True if present; false otherwise. | Valid for UPS Worldwide Express Freight shipments. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/HempCBDIndicator | | | |
| HempCBDIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | This field is a flag to indicate if the package has Hemp/CBD. True if present; false otherwise. | Valid for UPS Worldwide Express Freight shipments. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ShipperExportDeclarationIndicator | | | |
| ShipperExportDeclarationIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Valid for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday shipments. The empty tag in request indicates that customer would be using UPS prepared SED form. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/CommercialInvoiceRemovalIndicator | | | |
| CommercialInvoiceRemovalIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. CommercialInvoiceRemovalIndicator - empty tag means indicator is present. CommercialInvoiceRemovalIndicator allows a shipper to dictate UPS to remove the Commercial Invoice from the user's shipment before the shipment is delivered to the ultimate consignee. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ImportControl | | | |
| ImportControl | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for type of Import Control shipments. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ImportControl/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Code for type of Import Control shipment. Valid values are: '02' = ImportControl One-Attempt '03' = ImportControl Three-Attempt '04' = ImportControl Electronic Label '05' = ImportControl Print Label. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ImportControl/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description for type of Import Control. | |

| Name | Constraint | Description | Validation |
|--|--|---|---|
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ReturnService | | | |
| ReturnService | Required: No Type: Container Max Allowed: 1 Length: N/A | Container for type of Return Services. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ReturnService/Code | | | |
| Code | Required: Yes Type: String Max Allowed: 1 Length: 1...2 | Code for type of Return shipment. Valid values are: '3' = UPS One-Attempt Return Label '5' = UPS Three Attempt Return Label '8' = UPS Electronic Return Label '9' = UPS Print Return Label '10' = UPS Exchange Print Return Label '11' = UPS Pack & Collect Service 1-Attempt Box 1 '12' = UPS Pack & Collect Service 1-Attempt Box 2 '13' = UPS Pack & Collect Service 1-Attempt Box 3 '14' = UPS Pack & Collect Service 1-Attempt Box 4 '15' = UPS Pack & Collect Service 1-Attempt Box 5 '16' = UPS Pack & Collect Service 3-Attempt Box 1 '17' = UPS Pack & Collect Service 3-Attempt Box 2 '18' = UPS Pack & Collect Service 3-Attempt Box 3 '19' = UPS Pack & Collect Service 3-Attempt Box 4 '20' = UPS Pack & Collect Service 3-Attempt Box 5 | 10 = UPS Exchange Print Return Label and 5 = UPS Three Attempt Return Label are not valid for UPS WorldWide Express Freight and UPS Worldwide Express Freight Midday Services. 3 = UPS One-Attempt Return Label is not valid return service with UPS Premium Care accessorial. |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ReturnService/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description for type of Return Service. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/SDLShipmentIndicator | | | |
| SDLShipmentIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Empty Tag means the indicator is present. This field is a flag to indicate if the receiver needs SDL rates in response. True if SDLShipmentIndicator tag exists; false otherwise. | |
| /RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/EPRAIndicator | | | |

| Name | Constraint | Description | Validation |
|--------------|---|--|------------|
| EPRIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. This field is a flag to indicate Package Release Code is requested for shipment. This accessorial is only valid with ShipmentIndicationType '01' - Hold for Pickup at UPS Access Point™. | |

RateInformation

| Name | Constraint | Description | Validation |
|--|--|--|--|
| /RatingServiceSelectionRequest/Shipment/RateInformation | | | |
| RateInformation | Required: No Type: Container Max Allowed: 1 Length: N/A | Rate Information container. | |
| /RatingServiceSelectionRequest/Shipment/RateInformation/NegotiatedRatesIndicator | | | |
| NegotiatedRatesIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | NegotiatedRatesIndicator is required to display two types of discounts: 1) Bids or Account Based Rates 2) Web/Promotional Discounts Bids Account Based Rates - If the indicator is present in the XML Request the response will contain negotiated rates for an authorized account. Web/Promotional Discounts - If the indicator is present, the Web/Promotional Discounts will be reflected in the negotiated rates returned in the XML response for an authorized account. | |
| /RatingServiceSelectionRequest/Shipment/RateInformation/RateChartIndicator | | | |
| RateChartIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | RateChartIndicator, if present in request, response will contain RateChart element. | |
| /RatingServiceSelectionRequest/Shipment/RateInformation/UserLevelDiscountIndicator | | | |
| UserLevelDiscountIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | UserLevelDiscountIndicator - required to obtain rates for User Level Promotions. | This is required to obtain User Level Discounts. There must also be no ShipperNumber in the Shipper container. |
| /RatingServiceSelectionRequest/Shipment/RateInformation/TPFCNegotiatedRatesIndicator | | | |

| Name | Constraint | Description | Validation |
|------------------------------|---|--|------------|
| TPFCNegotiatedRatesIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | <p>This indicator applies for a third party (3P) / Freight collect (FC) shipment only.</p> <p>For 3P/FC shipment if the shipper wishes to request for the negotiated rates of the third party then this indicator should be included in the request.</p> <p>If authorized the 3P/FC negotiated rates will be applied to the shipment and rates will be returned in response.</p> | |

InvoiceLineTotal

| Name | Constraint | Description | Validation |
|--|--|--|--|
| /RatingServiceSelectionRequest/Shipment/InvoiceLineTotal | | | |
| InvoiceLineTotal | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Invoice Line Total Information. | <p>Required if the shipment is from US/PR Outbound to non US/PR destination with the PackagingType of UPS PAK(04).</p> <p>Required for international shipments when using request option "ratetimeintransit" or "shoptimeintransit".</p> |
| /RatingServiceSelectionRequest/Shipment/InvoiceLineTotal/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Invoice Line Total currency type. The Currency code should match the origin country's or territory's currency code, otherwise the currency code entered will be ignored. | Note: UPS doesn't support all international currency codes. Please check the developer guides for Supported Currency codes. |
| /RatingServiceSelectionRequest/Shipment/InvoiceLineTotal/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..19 | Invoice Line Total amount for the shipment. | Valid values are from 1 to 99999999 |

RatingMethodRequestedIndicator

| Name | Constraint | Description | Validation |
|--|------------|-------------|------------|
| /RatingServiceSelectionRequest/Shipment/RatingMethodRequestedIndicator | | | |

| Name | Constraint | Description | Validation |
|--------------------------------|---|--|------------|
| RatingMethodRequestedIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. RatingMethodRequestedIndicator is an indicator. If present, Billable Weight Calculation method information and Rating Method information would be returned in response. | |

TaxInformationIndicator

| Name | Constraint | Description | Validation |
|---|---|--|--|
| /RatingServiceSelectionRequest/Shipment/TaxInformationIndicator | | | |
| TaxInformationIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | <p>Presence/Absence Indicator. Any value inside is ignored. TaxInformationIndicator is an indicator.</p> <p>The Tax related information includes any type of Taxes, corresponding Monetary Values, Total Charges with Taxes and disclaimers (if applicable) would be returned in response.</p> | <p>If present, any taxes that may be applicable to a shipment would be returned in response.</p> <p>If this indicator is requested with NegotiatedRatesIndicator, Tax related information, if applicable, would be returned only for Negotiated Rates and not for Published Rates.</p> |

PromotionalDiscountInformation

| Name | Constraint | Description | Validation |
|---|--|---|--|
| /RatingServiceSelectionRequest/Shipment/PromotionalDiscountInformation | | | |
| PromotionalDiscountInformation | Required: No Type: Container Max Allowed: 1 Length: N/A | PromotionalDiscountInformation container. This container contains discount information that the customer wants to request each time while placing a shipment. | |
| /RatingServiceSelectionRequest/Shipment/PromotionalDiscountInformation/PromoCode | | | |
| PromoCode | Required: Yes* Type: String Max Allowed: 1 Length: 9 | Promotion Code. A discount that is applied to the user. | Required if PromotionalDiscountInformation container is present. |
| /RatingServiceSelectionRequest/Shipment/PromotionalDiscountInformation/PromoAliasCode | | | |
| PromoAliasCode | Required: Yes* Type: String Max Allowed: 1 Length: 20 | Promotion Alias code | Required if PromotionalDiscountInformation container is present. |

DeliveryTimeInformation

| Name | Constraint | Description | Validation |
|---|--|--|---|
| /RatingServiceSelectionRequest/Shipment/DeliveryTimeInformation | | | |
| DeliveryTimeInformation | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container for requesting Time In Transit Information. | Required to view any time in transit information. |
| /RatingServiceSelectionRequest/Shipment/DeliveryTimeInformation/PackageBillType | | | |
| PackageBillType | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Valid values: 02 - Document only 03 - Non-Document 04 - WWEB Pallet 07 - Domestic Pallet If 04 is included, Worldwide Express Freight and UPS Worldwide Express Freight Midday services (if applicable) will be included in the response. | If DocumentsOnlyIndicator is selected, then PackageBillType must be "02". |
| /RatingServiceSelectionRequest/Shipment/DeliveryTimeInformation/Pickup | | | |
| Pickup | Required: No Type: Container Max Allowed: 1 Length: N/A | Pickup container. | |
| /RatingServiceSelectionRequest/Shipment/DeliveryTimeInformation/Pickup/Date | | | |
| Date | Required: No Type: String Max Allowed: 1 Length: 8 | Shipment Date; The Pickup date is a Shipment Date and it is a required input field. The user is allowed to query up to 35 days into the past and 60 days into the future. Format: YYYYMMDD | If a date is not provided, it will be defaulted to the current system date. |
| /RatingServiceSelectionRequest/Shipment/DeliveryTimeInformation/Pickup/Time | | | |
| Time | Required: No Type: String Max Allowed: 1 Length: 4...6 | Reflects the time the package is tendered to UPS for shipping (can be dropped off at UPS or picked up by UPS). Military Time Format HHMMSS or HHMM. | Invalid pickup time will not be validated. |

MasterCartonIndicator

| Name | Constraint | Description | Validation |
|--|------------|-------------|------------|
| /RatingServiceSelectionRequest/Shipment/ MasterCartonIndicator | | | |


| Name | Constraint | Description | Validation |
|---------------------------------------|---|--|------------|
| MasterCartonIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. MasterCartonIndicator is an indicator and presence implies that shipment is Master Carton type. | |

WWEShipmentIndicator

Note: In order get rates for Worldwide Economy shipments the Subversion 2108 must be present in the request.

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionRequest/Shipment/ WWEShipmentIndicator | | | |
| WWEShipmentIndicator | Required: No Type: String Max Allowed: 1 Length: 0 | Presence/Absence Indicator. Any value inside is ignored. WWEShipmentIndicator is an indicator and presence implies that WWE service details requested for RequestOption=Shop or RequestOption=Shoptimeintransit | |

RatingServiceSelectionResponse Top Level Containers



RatingServiceSelectionResponse XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents.

RatingServiceSelectionResponse

| Name | Constraint | Description | Validation |
|---|---|--|------------|
| /RatingServiceSelectionResponse | | | |
| RatingServiceSelectionResponse | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Rating Service Selection Response container. | |

Response

| Name | Constraint | Description | Validation |
|--|---|---------------------|------------|
| /RatingServiceSelectionResponse/Response | | | |
| Response | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Response container. | |

TransactionReference

| Name | Constraint | Description | Validation |
|---|---|--|------------|
| /RatingServiceSelectionResponse/Response/TransactionReference | | | |
| TransactionReference | Required: No Type: Container Max Allowed: 1 Length: N/A | Transaction Reference container. | |
| /RatingServiceSelectionResponse/Response/TransactionReference/CustomerContext | | | |
| CustomerContext | Required: No Type: String Max Allowed: 1 Length: 0...512 | Customer provided data. If this data is present in the request, it is echoed back to the customer. | |

ResponseStatusCode

| Name | Constraint | Description | Validation |
|---|--|---|------------|
| /RatingServiceSelectionResponse/Response/ResponseStatusCode | | | |
| ResponseStatusCode | Required: Yes Type: String Max Allowed: 1 Length: 1 | Identifies the success or failure of the interchange. 1 = Success; 0 = Failure | |

ResponseStatusDescription

| Name | Constraint | Description | Validation |
|--|------------|-------------|------------|
| /RatingServiceSelectionResponse/Response/ResponseStatusDescription | | | |

| Name | Constraint | Description | Validation |
|---------------------------|--|-------------------------------------|------------|
| ResponseStatusDescription | Required: No Type: String Max Allowed: 1 Length: 1...15 | Describes the Response Status Code. | |

Error

| Name | Constraint | Description | Validation |
|--|---|--|--|
| /RatingServiceSelectionResponse/Response/Error | | | |
| Error | Required: No Type: Container Max Allowed: UNB Length: N/A | If an error is encountered during the interchange, the Response contains an error. If the error is present, then the ErrorSeverity and ErrorCode are required. | |
| /RatingServiceSelectionResponse/Response/Error/ErrorSeverity | | | |
| ErrorSeverity | Required: Yes* Type: String Max Allowed: 1 Length: 1...15 | Describes the severity of the error. (Hard or Transient) | |
| /RatingServiceSelectionResponse/Response/Error/ErrorCode | | | |
| ErrorCode | Required: Yes* Type: String Max Allowed: 1 Length: 1...15 | A numeric value that describes the error. Each tool defines a range of error codes. Based on the current functionality only the first error is returned and processing terminates. | |
| /RatingServiceSelectionResponse/Response/Error/ErrorDescription | | | |
| ErrorDescription | Required: No Type: String Max Allowed: 1 Length: 1...50 | Describes the error code. | |
| /RatingServiceSelectionResponse/Response/Error/ElementLevelInformation | | | |
| ElementLevelInformation | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Provides more information about the element that represents the alert. | Currently applies to and returned only for request containing HazMat and SubVersion greater than or equal to 1701. |
| /RatingServiceSelectionResponse/Response/Error/ElementLevelInformation/Level | | | |
| Level | Required: Yes* Type: String Max Allowed: 1 Length: 1 | Define type of element in request. | Possible values: 'H' = header details level 'S' = shipment level 'P' = package level 'C' = commodity level |
| /RatingServiceSelectionResponse/Response/Error/ElementLevelInformation/ElementIdentifier | | | |
| ElementIdentifier | Required: Cond Type: Container Max Allowed: UNB Length: N/A | Contains more information about the type of element. | Returned if Level is 'P' or 'C'. |

| Name | Constraint | Description | Validation |
|--|--|---|----------------------------------|
| /RatingServiceSelectionResponse/Response/Error/ElementLevelInformation/ElementIdentifier/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 1 | Represents the type of element. | Possible values are 'P' and 'C'. |
| /RatingServiceSelectionResponse/Response/Error/ElementLevelInformation/ElementIdentifier/Value | | | |
| Value | Required: Yes* Type: String Max Allowed: 1 Length: 1...5 | Represents the value of element. | |
| /RatingServiceSelectionResponse/Response/Error/ErrorLocation | | | |
| ErrorLocation | Required: No Type: Container Max Allowed: UNB Length: N/A | Identifies the element in error. | |
| /RatingServiceSelectionResponse/Response/Error/ErrorLocation/ErrorLocationElementName | | | |
| ErrorLocationElementName | Required: No Type: String Max Allowed: 1 Length: 1...512 | The Xpath name of the element in error. This is a valid Xpath pointing to an element in the request document. | |

RatedShipment

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionResponse/RatedShipment | | | |
| RatedShipment | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container to hold Rated Shipment information. | |

Disclaimer

| Name | Constraint | Description | Validation |
|--|------------|-------------|------------|
| /RatingServiceSelectionResponse/RatedShipment/Disclaimer | | | |

| Name | Constraint | Description | Validation |
|--|---|--|------------|
| Disclaimer | Required: Cond Type: Container Max Allowed: UNB Length: UNB | Disclaimer would be used to provide more information to shipper regarding the processed shipment. This would be used to notify shipper about possible taxes and duties that might have been added or might apply to the shipment. Refer to Disclaimer Codes and Messages in the Appendix for valid values. This field would be returned only if TaxInformationIndicator is present in a request. | |
| /RatingServiceSelectionResponse/RatedShipment/Disclaimer/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Code representing type of Disclaimer. Refer to Disclaimer Codes and Messages in the Appendix for valid values. | |
| /RatingServiceSelectionResponse/RatedShipment/Disclaimer/Description | | | |
| Description | Required: Yes* Type: String Max Allowed: 1 Length: UNB | Disclaimer description. Refer to Disclaimer Codes and Messages in the Appendix for valid values. | |

Service

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionResponse/RatedShipment/Service | | | |
| Service | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container to hold UPS Service information that was rated. | |
| /RatingServiceSelectionResponse/RatedShipment/Service/Code | | | |
| Code | Required: Yes Type: String Max Allowed: 1 Length: 2 | Rated shipment's UPS service. | |
| /RatingServiceSelectionResponse/RatedShipment/Service/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 35 | Rated shipment's UPS service Description. | |

RateChart

| Name | Constraint | Description | Validation |
|---|------------|-------------|------------|
| /RatingServiceSelectionResponse/RatedShipment/RateChart | | | |

| Name | Constraint | Description | Validation |
|-----------|---|--|------------|
| RateChart | Required: Cond Type: String Max Allowed: 1 Length: 1 | Rate Type With which Shipment is rated. Possible RateChart values for different regions will be: US 48 origin: 1 – Daily Rates 3 – Standard List Rates 4 – Retail Rates Alaska/Hawaii origin: 1 – Daily Rates 3 – Daily Rates 4 – Retail Rates All Other origins: 1 – Rates 5 - Regional Rates 6 - General List Rates 3 and 4 do not apply. | |

RatedShipmentWarning

| Name | Constraint | Description | Validation |
|--|---|-------------------------------|------------|
| /RatingServiceSelectionResponse/RatedShipment/RatedShipmentWarning | | | |
| RatedShipmentWarning | Required: No Type: String Max Allowed: 1 Length: 150 | Location of warning messages. | |

BillableWeightCalculationMethod

| Name | Constraint | Description | Validation |
|---|---|--|---|
| /RatingServiceSelectionResponse/RatedShipment/BillableWeightCalculationMethod | | | |
| BillableWeightCalculationMethod | Required: Cond Type: String Max Allowed: 1 Length: 2 | BillableWeightCalculationMethod is to indicate whether the billable weight calculation method utilized was - the package or shipment level. This information would be returned only if RatingMethodRequestedIndicator is present in the request. | Valid values: 01 = Shipment Billable Weight 02 = Package Billable Weight. |

RatingMethod

| Name | Constraint | Description | Validation |
|--|---|---|---|
| /RatingServiceSelectionResponse/RatedShipment/RatingMethod | | | |
| RatingMethod | Required: Cond Type: String Max Allowed: 1 Length: 2 | RatingMethod is to indicate whether the Shipment was rated as shipment level or package level. This information would be returned only if RatingMethodRequestedIndicator is present in the request. | Valid values: 01 = Shipment Billable Weight 02 = Package Billable Weight. |

BillingWeight

| Name | Constraint | Description | Validation |
|---|---|---|---|
| /RatingServiceSelectionResponse/RatedShipment/BillingWeight | | | |
| BillingWeight | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container for Billable Weight information. | |
| /RatingServiceSelectionResponse/RatedShipment/BillingWeight/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container to hold Unit of measurement for Billing Weight. | |
| /RatingServiceSelectionResponse/RatedShipment/BillingWeight/UnitOfMeasurement/Code | | | |
| Code | Required: Yes Type: String Max Allowed: 1 Length: 3 | Code associated with the unit of measure for the billable weight of a shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/BillingWeight/UnitOfMeasurement/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 35 | Description for the billable weight associated with the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/BillingWeight/Weight | | | |
| Weight | Required: Yes Type: String Max Allowed: 1 Length: 5 | Value for the billable weight associated with the shipment. | When using a negotiated divisor different from the published UPS divisor (139 for inches and 5,000 for cm), the weight returned is based on the published divisor. Rates, however, are based on the negotiated divisor. |

TransportationCharges

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionResponse/RatedShipment/TransportationCharges | | | |
| TransportationCharges | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container to hold Transportaion Charges. | |
| /RatingServiceSelectionResponse/RatedShipment/TransportationCharges/CurrencyCode | | | |
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the transportation costs for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/TransportationCharges/MonetaryValue | | | |

| Name | Constraint | Description | Validation |
|---------------|---|--|------------|
| MonetaryValue | Required: Yes Type: String Max Allowed: 1 Length: 16 | The value for the transportation costs associated with the shipment. | |

BaseServiceCharge

| Name | Constraint | Description | Validation |
|---|--|---|---|
| /RatingServiceSelectionResponse/RatedShipment/BaseServiceCharge | | | |
| BaseServiceCharge | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Base Service Charge Container. | These charges would be returned only when subversion is greater than or equal to 1701 |
| /RatingServiceSelectionResponse/RatedShipment/BaseServiceCharge/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the base service charge costs for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/BaseServiceCharge/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The base value of the specific service for the shipment. This is equal to transportation charges - fuel surcharges. | |

ItemizedCharges

| Name | Constraint | Description | Validation |
|--|--|--|---|
| /RatingServiceSelectionResponse/RatedShipment/ItemizedCharges | | | |
| ItemizedCharges | Required: Cond Type: Container Max Allowed: UNB Length: N/A | Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'. | These charges would be returned only when subversion is greater than or equal to 1601 |
| /RatingServiceSelectionResponse/RatedShipment/ItemizedCharges/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Identification code for itemized charge. | |
| /RatingServiceSelectionResponse/RatedShipment/ItemizedCharges/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description of Itemized Charge that had been charged. | |
| /RatingServiceSelectionResponse/RatedShipment/ItemizedCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the Itemized Charge costs for the shipment. | |

| Name | Constraint | Description | Validation |
|---|--|---|------------|
| /RatingServiceSelectionResponse/RatedShipment/ItemizedCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for Itemized Charge costs associated with the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/ItemizedCharges/SubType | | | |
| SubType | Required: No Type: String Max Allowed: 1 Length: 1...50 | The sub-type of Itemized Charge type. | |

ServiceOptionsCharges

| Name | Constraint | Description | Validation |
|---|---|---|------------|
| /RatingServiceSelectionResponse/RatedShipment/ServiceOptionsCharges | | | |
| ServiceOptionsCharges | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container to hold Service Options charges. | |
| /RatingServiceSelectionResponse/RatedShipment/ServiceOptionsCharges/CurrencyCode | | | |
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the accessoril charges for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/ServiceOptionsCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes Type: String Max Allowed: 1 Length: 16 | The value for the accessoril charges associated with the shipment. | |

TaxCharges

| Name | Constraint | Description | Validation |
|---|--|---|------------|
| /RatingServiceSelectionResponse/RatedShipment/TaxCharges | | | |
| TaxCharges | Required: Cond Type: Container Max Allowed: UNB Length: N/A | TaxCharges container are returned only when TaxInformationIndicator is present in request and when Negotiated Rates are not applicable. TaxCharges container contains Tax information for a given shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/TaxCharges/Type | | | |
| Type | Required: Yes* Type: String Max Allowed: 1 Length: 1...9 | Tax Type code. The code represents the type of Tax applied to a shipment. Refer to Tax Type Values / Abbreviations in the Appendix for valid values. | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| /RatingServiceSelectionResponse/RatedShipment/TaxCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | Tax Monetary Value represent the Tax amount. | Valid values are from 0 to 99999999999999.99 |

TotalCharges

| Name | Constraint | Description | Validation |
|--|---|--|------------|
| /RatingServiceSelectionResponse/RatedShipment/TotalCharges | | | |
| TotalCharges | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Container to hold Total Charges. | |
| /RatingServiceSelectionResponse/RatedShipment/TotalCharges/CurrencyCode | | | |
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the total charges for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/TotalCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes Type: String Max Allowed: 1 Length: 16 | The value for the total charges associated with the shipment. | |

TotalChargesWithTaxes

| Name | Constraint | Description | Validation |
|---|--|---|--|
| /RatingServiceSelectionResponse/RatedShipment/TotalChargesWithTaxes | | | |
| TotalChargesWithTaxes | Required: Cond Type: Container Max Allowed: 1 Length: N/A | TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in request and when Negotiated Rates are not applicable. TotalChargesWithTaxes contains total charges including total taxes applied to a shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/TotalChargesWithTaxes/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | TotalChargesWithTaxes currency code type. The currency code used in the Shipment request is returned. | |
| /RatingServiceSelectionResponse/RatedShipment/TotalChargesWithTaxes/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | TotalChargesWithTaxes monetary value amount. | Valid values are from 0 to 99999999999999.99 |

RatedPackage

| Name | Constraint | Description | Validation |
|--|---|---|---|
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage | | | |
| RatedPackage | Required: Yes Type: Container Max Allowed: 200 Length: N/A | Container to hold Package information. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/TransportationCharges | | | |
| TransportationCharges | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Transportaion Charges. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/TransportationCharges/CurrencyCode | | | |
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the transportation costs for the package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/TransportationCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for the transportation costs associated with the package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BaseServiceCharge | | | |
| BaseServiceCharge | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Base Service Charge Container. | These charges would be returned only when subversion is greater than or equal to 1701 |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BaseServiceCharge/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the base service charge costs for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BaseServiceCharge/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The base value of the specific service for the shipment. This is equal to transportation charges - fuel surcharges. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ServiceOptionsCharges | | | |
| ServiceOptionsCharges | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Service Options charges. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ServiceOptionsCharges/CurrencyCode | | | |

| Name | Constraint | Description | Validation |
|--|--|--|---|
| CurrencyCode | Required: No Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the accessorial charges for the package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ServiceOptionsCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for the accessorial charges associated with the package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ItemizedCharges | | | |
| ItemizedCharges | Required: Cond Type: Container Max Allowed: UNB Length: N/A | Itemized Charges are returned only when the subversion element is present and greater than or equal to '1607'. | These charges would be returned only when subversion is greater than or equal to 1601 |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ItemizedCharges/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Identification code for itemized charge. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ItemizedCharges/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description of Itemized Charge that had been charged. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ItemizedCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the Itemized Charge costs for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ItemizedCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for Itemized Charge costs associated with the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/ItemizedCharges/SubType | | | |
| SubType | Required: No Type: String Max Allowed: 1 Length: 1...50 | The sub-type of Itemized Charge type. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/TotalCharges | | | |
| TotalCharges | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Total Charges. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/TotalCharges/CurrencyCode | | | |

| Name | Constraint | Description | Validation |
|--|--|---|--|
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the total charges for the package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/TotalCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for the total charges associated with the package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges | | | |
| NegotiatedCharges | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Negotiated Rates container. | These charges would be returned only when - 1) subversion is greater than or equal to 1607 2) if negotiated rates were requested for GFP shipments and account number is eligible to receive negotiated rates. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/BaseServiceCharge | | | |
| BaseServiceCharge | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Negotiated base service charge container. | These charges would be returned only when subversion is greater than or equal to 2201. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/BaseServiceCharge/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the base service charge. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/BaseServiceCharge/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for base service charge. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/TransportationCharges | | | |
| TransportationCharges | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Negotiated transportation charge container. | These charges would be returned only when subversion is greater than or equal to 2201. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/TransportationCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the transportation charge. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/TransportationCharges/MonetaryValue | | | |

| Name | Constraint | Description | Validation |
|--|---|---|--|
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for transportation Charge. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ServiceOptionsCharges | | | |
| ServiceOptionsCharges | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Negotiated service options charge container. | These charges would be returned only when subversion is greater than or equal to 2201. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ServiceOptionsCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the service options Charge | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ServiceOptionsCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for service options charge. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/TotalCharges | | | |
| TotalCharge | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Negotiated total charge container. | These charges would be returned only when subversion is greater than or equal to 2201. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/TotalCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the total charge | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/TotalCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for total Charge | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges | | | |
| ItemizedCharges | Required: Cond Type: Container Max Allowed: UNB Length: N/A | Negotiated Itemized Accessorial and Sur Charges. | These charges would be returned only when subversion is greater than or equal to 1601 |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Identification code for itemized charge. | |

| Name | Constraint | Description | Validation |
|--|--|---|------------|
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description of Itemized Charge that had been charged. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the Itemized Charge costs for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for Itemized Charge costs associated with the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/SubType | | | |
| SubType | Required: No Type: String Max Allowed: 1 Length: 1...50 | The sub-type of Itemized Charge type. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/Weight | | | |
| Weight | Required: No Type: String Max Allowed: 1 Length: 5 | Weight of the package in the rated shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BillingWeight | | | |
| BillingWeight | Required: No Type: Container Max Allowed: 1 Length: N/A | Container to hold Billing Weight information. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BillingWeight/UnitOfMeasurement | | | |
| UnitOfMeasurement | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container to hold Unit of measurement for Billing Weight. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BillingWeight/UnitOfMeasurement/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Code associated with the unit of measure for the billable weight of a package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BillingWeight/UnitOfMeasurement/Description | | | |
| Description | Required: Yes* Type: String Max Allowed: 1 Length: 1..35 | Description associated with the unit of measure for the billable weight of a package. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/BillingWeight/Weight | | | |

| Name | Constraint | Description | Validation |
|--|---|---|---|
| Weight | Required: Yes* Type: String Max Allowed: 1 Length: 5 | Value for the billable weight associated with the package. | When using a negotiated divisor different from the published UPS divisor (139 for inches and 5,000 for cm), the weight returned is based on the published divisor. Rates, however, are based on the negotiated divisor. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/Accessorial | | | |
| Accessorial | Required: Cond Type: Container Max Allowed: UNB Length: N/A | The container for Accessorial indicators. This information would be returned only if ItemizedChargesRequested was present during Rate request. This is valid only for UPS Worldwide Express Freight and UPS Worldwide Express Freight Mid-day service request with Dry Ice or Oversize Pallet and SubVersion greater than or equal to 1707. | This is valid only for UPS Worldwide Express Freight and UPS Worldwide Express Freight Midday Service. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/Accessorial/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Code for Accessorial Indicator. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/Accessorial/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description for Accessorial Indicator. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/SimpleRate | | | |
| SimpleRate | Required: No Type: Container Max Allowed: 1 Length: 0 | SimpleRate Container. | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/SimpleRate/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 2 | Simple Rate Code XS = Extra Small S = Small M = Medium L = Large XL = Extra Large | |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier | | | |
| RateModifier | Required: No Type: Container Max Allowed: UNB Length: N/A | Container for Rate Modifier information. | Applies only if SubVersion is 2205 or greater. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier/ModifierType | | | |

| Name | Constraint | Description | Validation |
|--|--|--|--|
| ModifierType | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Rate Modifier Type. Example- "ORM" | Applies only if SubVersion is 2205 or greater. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier/ModifierDesc | | | |
| ModifierDesc | Required: Yes* Type: String Max Allowed: 1 Length: 50 | Rate Modifier Description. Example- "Origin Modifier" | Applies only if SubVersion is 2205 or greater. |
| /RatingServiceSelectionResponse/RatedShipment/RatedPackage/RateModifier/Amount | | | |
| Amount | Required: Yes* Type: String Max Allowed: 1 Length: 16 | Amount Example- "-1.00","0.25". It contains positive or negative values. | Applies only if SubVersion is 2205 or greater. |

NegotiatedRates

| Name | Constraint | Description | Validation |
|---|--|--|---|
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates | | | |
| NegotiatedRates | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Negotiated Rates. | For tiered rates and promotional discounts, if a particular shipment based on zone, origin, destination or even shipment size doesn't qualify for the existing discount then no negotiated rates container will be returned. Published rates will be the applicable rate. |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/BaseServiceCharge | | | |
| BaseServiceCharge | Required: Yes Type: Container Max Allowed: 1 Length: N/A | Negotiated base service charge container. | These charges would be returned only when subversion is greater than or equal to 2201 |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/BaseServiceCharge/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the base service Charge | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/BaseServiceCharge/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for base service charge | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/ItemizedCharges | | | |

| Name | Constraint | Description | Validation |
|---|---|--|---|
| ItemizedCharges | Required: Cond Type: Container Max Allowed: UNB Length: N/A | Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'. | These charges would be returned only when subversion is greater than or equal to 1601 |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/ItemizedCharges/Code | | | |
| Code | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Identification code for itemized charge. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/ItemizedCharges/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1...50 | Description of Itemized Charge that had been charged. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/ItemizedCharges/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | The IATA currency code associated with the Itemized Charge costs for the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/ItemizedCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | The value for Itemized Charge costs associated with the shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/ItemizedCharges/SubType | | | |
| SubType | Required: No Type: String Max Allowed: 1 Length: 1...50 | The sub-type of Itemized Charge type. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/TaxCharges | | | |
| TaxCharges | Required: Cond Type: Container Max Allowed: UNB Length: N/A | TaxCharges container are returned only when TaxInformationIndicator is present in request. TaxCharges container contains Tax information for a given shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/TaxCharges/Type | | | |
| Type | Required: Yes* Type: String Max Allowed: 1 Length: 1...9 | Tax Type code. The code represents the type of Tax applied to a shipment. Refer to Tax Type Values / Abbreviations in the Appendix for valid values. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/TaxCharges/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | Tax Monetary Value represent the Tax amount. | Valid values are from 0 to 99999999999999.99 |

| Name | Constraint | Description | Validation |
|---|--|---|--|
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges | | | |
| NetSummaryCharges | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Net Summary charges. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges/GrandTotal | | | |
| GrandTotal | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container to hold Grand Total charges. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges/GrandTotal/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | Net Summary charges currency code type. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges/GrandTotal/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 1..19 | Net Summary Grand Total Charges for Account Based Rating. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes | | | |
| TotalChargesWithTaxes | Required: Cond Type: Container Max Allowed: 1 Length: N/A | TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in request. TotalChargesWithTaxes contains total charges including total taxes applied to a shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes/CurrencyCode | | | |
| CurrencyCode | Required: Yes* Type: String Max Allowed: 1 Length: 3 | TotalChargesWithTaxes currency code type. The currency code used in the Shipment request is returned. | |
| /RatingServiceSelectionResponse/RatedShipment/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes/MonetaryValue | | | |
| MonetaryValue | Required: Yes* Type: String Max Allowed: 1 Length: 16 | TotalChargesWithTaxes value amount. | Valid values are from 0 to 99999999999999.99 |

TimeInTransit

| Name | Constraint | Description | Validation |
|---|------------|-------------|------------|
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit | | | |

| Name | Constraint | Description | Validation |
|--|--|---|---|
| TimeInTransit | Required: Cond Type: Container Max Allowed: 1 Length: N/A | Container for returned Time in Transit information. | Will only be returned if request option was either "ratetimeintransit" or "shoptimeintransit" and DeliveryTimeInformation container was present in request. |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/PickupDate | | | |
| PickupDate | Required: Yes* Type: String Max Allowed: 1 Length: 8 | The date the user requests UPS to pickup the package from the origin. Format: YYYYMMDD. | In the event this Pickup date differs from the Pickup date in the Estimated Arrival Container, a warning will be returned. |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/DocumentsOnlyIndicator | | | |
| DocumentsOnlyIndicator | Required: Cond Type: String Max Allowed: 1 Length: 0 | This is an Non-document. If the indicator is present then the shipment was processed as Document Only. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/PackageBillType | | | |
| PackageBillType | Required: Cond Type: String Max Allowed: 1 Length: 2 | Package bill type for the shipment. Valid values: 02 - Document only 03 - Non-Document 04 - Pallet | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary | | | |
| ServiceSummary | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for all available service information. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/Service | | | |
| Service | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for the the UPS service selected for a shipment. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/Service/Description | | | |
| Description | Required: No Type: String Max Allowed: 1 Length: 1..35 | Optional. Description of service. Example, UPS Next Day Air, UPS Ground etc, as referenced by the Service Code. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/GuaranteedIndicator | | | |
| GuaranteedIndicator | Required: Cond Type: String Max Allowed: 1 Length: 0 | Empty Tag. Indicates whether the service will be guaranteed or not. Required for International Requests. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/Disclaimer | | | |

| Name | Constraint | Description | Validation |
|---|--|---|--|
| Disclaimer | Required: Cond Type: String Max Allowed: 1 Length: UNB | The Disclaimer is provided based upon the Origin and Destination country or territory codes provided in the request document. The disclaimer is returned as a conditional statement to the validity of the service being guaranteed. The possible disclaimers that can be returned are available in the Service Guaranteed Disclaimers table. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival | | | |
| EstimatedArrival | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for the Time-In-Transit arrival information by service. This is the most accurate delivery information available via the Rating API and will reflect changes in delivery schedules due to peak business seasons or holidays. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/Arrival | | | |
| Arrival | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | Container for date and time of arrival. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/Arrival/Date | | | |
| Date | Required: Yes* Type: String Max Allowed: 1 Length: 8 | Scheduled Local Delivery Date. Format: YYYYMMDD | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/Arrival/Time | | | |
| Time | Required: Cond Type: String Max Allowed: 1 Length: 4...6 | The time UPS will pick up the shipment. This is commit Time. Military Time Format HHMMSS or HHMM | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/BusinessDaysInTransit | | | |
| BusinessDaysInTransit | Required: Yes* Type: String Max Allowed: 1 Length: 1...5 | Number of business days from Origin to Destination Locations. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/Pickup | | | |
| Pickup | Required: Yes* Type: Container Max Allowed: 1 Length: N/A | The date and pick up time container. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/Pickup/Date | | | |
| Date | Required: Yes* Type: String Max Allowed: 1 Length: 8 | The date UPS picks up the package from the origin. Format: YYYYMMDD. | In the event the Pickup date differs from the Ship On Date, provided in the request, a warning message will be returned. |

| Name | Constraint | Description | Validation |
|--|---|--|------------|
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/Pickup/Time | | | |
| Time | Required: Cond Type: String Max Allowed: 1 Length: 4...6 | The time UPS will pick up the shipment. Military Time Format HHMMSS or HHMM | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/DayOfWeek | | | |
| DayOfWeek | Required: Yes* Type: String Max Allowed: 1 Length: 1...9 | Day of week for arrival. Valid values are: MON TUE WED THUR FRI SAT | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/CustomerCenterCutoff | | | |
| CustomerCenterCutoff | Required: Cond Type: String Max Allowed: 1 Length: 1...6 | Customer Service call time. Returned for domestic as well as international requests. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/DelayCount | | | |
| DelayCount | Required: Cond Type: String Max Allowed: 1 Length: 1...3 | Number of days delayed at customs. Returned for International requests. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/HolidayCount | | | |
| HolidayCount | Required: Cond Type: String Max Allowed: 1 Length: 1...2 | Number of National holidays during transit. Returned for International requests. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/RestDays | | | |
| RestDays | Required: Cond Type: String Max Allowed: 1 Length: 1...2 | Number of rest days, i.e. non movement. Returned for International requests. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/EstimatedArrival/TotalTransitDays | | | |
| TotalTransitDays | Required: Cond Type: String Max Allowed: 1 Length: 1...5 | The total number of days in transit from one location to the next. Returned for International requests. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/SaturdayDelivery | | | |
| SaturdayDelivery | Required: No Type: String Max Allowed: 1 Length: 1 | Saturday delivery information for a service. Values are 1 - Saturday Delivery Available with additional charges 0 - Saturday Delivery not available or available with no additional charge for eligible addresses, please check Delivery Date to confirm if the Delivery will be Saturday Please see Saturday Delivery business rules section for more information. | |

| Name | Constraint | Description | Validation |
|---|---|--|---|
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/ServiceSummary/SaturdayDeliveryDisclaimer | | | |
| SaturdayDeliveryDisclaimer | Required: No Type: String Max Allowed: 1 Length: UNB | Saturday delivery disclaimer message. | |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/AutoDutyCode | | | |
| AutoDutyCode | Required: Cond Type: String Max Allowed: 1 Length: 2 | Required output for International requests. If Documents indicator is set for Non-document a duty is automatically calculated. | The possible values to be returned are: 01 - Dutiable 02 - Non-Dutiable 03 - Low-value 04 - Courier Remission 05 - Gift 06 - Military 07 - Exception 08 - Line Release 09 - Section 321 low value. |
| /RatingServiceSelectionResponse/RatedShipment/TimeInTransit/Disclaimer | | | |
| Disclaimer | Required: Cond Type: String Max Allowed: 1 Length: N/A | The Disclaimer is provided based upon the Origin and Destination country or territory Codes provided in the request document. The possible disclaimers that can be returned are available in the Service Guaranteed Disclaimers table. | |

Chapter 5: Rating XML API Examples

Published Rates XML Request Example

```

<?xml version="1.0"?>
<AccessRequest xml:lang="en-US">
  <AccessLicenseNumber>Your Access License</AccessLicenseNumber>
  <UserId>Your User Id</UserId>
  <Password>Your Password</Password>
</AccessRequest>
<?xml version="1.0"?>
<RatingServiceSelectionRequest xml:lang="en-US">
  <Request>
    <TransactionReference>
      <CustomerContext>Your Customer Context</CustomerContext>
    </TransactionReference>
    <RequestAction>Rate</RequestAction>
    <RequestOption>Rate</RequestOption>
  </Request>
  <Shipment>
    <Shipper>
      <Name>Shipper Name</Name>
      <AttentionName>Shipper Attention Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <FaxNumber>1234567890</FaxNumber>
      <ShipperNumber>Your Shipper Number</ShipperNumber>
      <Address>
        <AddressLine1>Address Line 1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
      </Address>
    </Shipper>
    <ShipTo>
      <CompanyName>Ship To Company Name</CompanyName>
      <AttentionName>Ship To Attention Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <FaxNumber>1234567890</FaxNumber>
      <Address>
        <AddressLine1>Address Line 1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
      </Address>
    </ShipTo>
    <ShipFrom>
      <CompanyName>Ship From Company Name</CompanyName>
      <AttentionName>Ship From Attention Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <FaxNumber>1234567890</FaxNumber>
      <Address>

```

```

        <AddressLine1>Address Line 1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
    </Address>
</ShipFrom>
<Service>
    <Code>59</Code>
    <Description>2nd Day Air AM</Description>
</Service>
<Package>
    <PackagingType>
        <Code>02</Code>
        <Description>UPS Package</Description>
    </PackagingType>
    <PackageWeight>
        <UnitOfMeasurement>
            <Code>LBS</Code>
        </UnitOfMeasurement>
        <Weight>5</Weight>
    </PackageWeight>
    <Dimensions>
        <Length>10</Length>
        <Width>5</Width>
        <Height>7</Height>
    </Dimensions>
</Package>
</Shipment>
</RatingServiceSelectionRequest>

```

Published Rates XML Response Example

```

<?xml version="1.0"?>
<RatingServiceSelectionResponse>
    <Response>
        <TransactionReference>
            <CustomerContext>Your Customer Context</CustomerContext>
        </TransactionReference>
        <ResponseStatusCode>1</ResponseStatusCode>
        <ResponseStatusDescription>Success</ResponseStatusDescription>
    </Response>
    <RatedShipment>
        <Service>
            <Code>59</Code>
        </Service>
        <RatedShipmentWarning>Your invoice may vary from the displayed reference
        rates</RatedShipmentWarning>
        <BillingWeight>
            <UnitOfMeasurement>
                <Code>LBS</Code>
            </UnitOfMeasurement>
            <Weight>5.0</Weight>
        </BillingWeight>
    </RatedShipment>
</RatingServiceSelectionResponse>

```

```
<TransportationCharges>
  <CurrencyCode>USD</CurrencyCode>
  <MonetaryValue>48.10</MonetaryValue>
</TransportationCharges>
<ServiceOptionsCharges>
  <CurrencyCode>USD</CurrencyCode>
  <MonetaryValue>0.00</MonetaryValue>
</ServiceOptionsCharges>
<TotalCharges>
  <CurrencyCode>USD</CurrencyCode>
  <MonetaryValue>48.10</MonetaryValue>
</TotalCharges>
<GuaranteedDaysToDelivery>2</GuaranteedDaysToDelivery>
<ScheduledDeliveryTime>10:30 A.M.</ScheduledDeliveryTime>
<RatedPackage>
  <TransportationCharges>
    <CurrencyCode>USD</CurrencyCode>
    <MonetaryValue>48.10</MonetaryValue>
  </TransportationCharges>
  <ServiceOptionsCharges>
    <CurrencyCode>USD</CurrencyCode>
    <MonetaryValue>0.00</MonetaryValue>
  </ServiceOptionsCharges>
  <TotalCharges>
    <CurrencyCode>USD</CurrencyCode>
    <MonetaryValue>48.10</MonetaryValue>
  </TotalCharges>
  <Weight>5.0</Weight>
  <BillingWeight>
    <UnitOfMeasurement>
      <Code>LBS</Code>
    </UnitOfMeasurement>
    <Weight>5.0</Weight>
  </BillingWeight>
</RatedPackage>
</RatedShipment>
</RatingServiceSelectionResponse>
```

Negotiated Rates XML Request Example

```

<?xml version="1.0"?>
<AccessRequest xml:lang="en-US">
  <AccessLicenseNumber>Your Access License</AccessLicenseNumber>
  <UserId>Your User Id</UserId>
  <Password>Your Password</Password>
</AccessRequest>
<?xml version="1.0"?>
<RatingServiceSelectionRequest xml:lang="en-US">
  <Request>
    <TransactionReference>
      <CustomerContext>Your Customer Context</CustomerContext>
    </TransactionReference>
    <RequestAction>Rate</RequestAction>
    <RequestOption>Rate</RequestOption>
  </Request>
  <Shipment>
    <RateInformation>
      <NegotiatedRatesIndicator/>
    </RateInformation>
    <Shipper>
      <Name>Shipper Name</Name>
      <AttentionName>Shipper Attention Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <FaxNumber>1234567890</FaxNumber>
      <ShipperNumber>Your Shipper Number</ShipperNumber>
      <Address>
        <AddressLine1>Address Line 1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
      </Address>
    </Shipper>
    <ShipTo>
      <CompanyName>Ship To Company Name</CompanyName>
      <AttentionName>Ship To Attention Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <FaxNumber>1234567890</FaxNumber>
      <Address>
        <AddressLine1>Address Line 1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
      </Address>
    </ShipTo>
    <ShipFrom>
      <CompanyName>Ship From Company Name</CompanyName>
      <AttentionName>Ship From Attention Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <FaxNumber>1234567890</FaxNumber>
      <Address>

```

```

        <AddressLine1>Address Line 1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
    </Address>
</ShipFrom>
<Service>
    <Code>59</Code>
    <Description>2nd Day Air AM</Description>
</Service>
<Package>
    <PackagingType>
        <Code>02</Code>
        <Description>UPS Package</Description>
    </PackagingType>
    <PackageWeight>
        <UnitOfMeasurement>
            <Code>LBS</Code>
        </UnitOfMeasurement>
        <Weight>5</Weight>
    </PackageWeight>
    <Dimensions>
        <Length>10</Length>
        <Width>5</Width>
        <Height>7</Height>
    </Dimensions>
</Package>
</Shipment>
</RatingServiceSelectionRequest>

```

Negotiated Rates XML Response Example

```

<?xml version="1.0"?>
<RatingServiceSelectionResponse>
    <Response>
        <TransactionReference>
            <CustomerContext>Your Customer Context</CustomerContext>
        </TransactionReference>
        <ResponseStatusCode>1</ResponseStatusCode>
        <ResponseStatusDescription>Success</ResponseStatusDescription>
    </Response>
    <RatedShipment>
        <Service>
            <Code>59</Code>
        </Service>
        <RatedShipmentWarning>Your invoice may vary from the displayed reference
        rates</RatedShipmentWarning>
        <BillingWeight>
            <UnitOfMeasurement>
                <Code>LBS</Code>
            </UnitOfMeasurement>
            <Weight>5.0</Weight>
        </BillingWeight>
    </RatedShipment>
</RatingServiceSelectionResponse>

```

```

<TransportationCharges>
  <CurrencyCode>USD</CurrencyCode>
  <MonetaryValue>48.10</MonetaryValue>
</TransportationCharges>
<ServiceOptionsCharges>
  <CurrencyCode>USD</CurrencyCode>
  <MonetaryValue>0.00</MonetaryValue>
</ServiceOptionsCharges>
<TotalCharges>
  <CurrencyCode>USD</CurrencyCode>
  <MonetaryValue>48.10</MonetaryValue>
</TotalCharges>
<GuaranteedDaysToDelivery>2</GuaranteedDaysToDelivery>
<ScheduledDeliveryTime>10:30 A.M.</ScheduledDeliveryTime>
<RatedPackage>
  <TransportationCharges>
    <CurrencyCode>USD</CurrencyCode>
    <MonetaryValue>48.10</MonetaryValue>
  </TransportationCharges>
  <ServiceOptionsCharges>
    <CurrencyCode>USD</CurrencyCode>
    <MonetaryValue>0.00</MonetaryValue>
  </ServiceOptionsCharges>
  <TotalCharges>
    <CurrencyCode>USD</CurrencyCode>
    <MonetaryValue>48.10</MonetaryValue>
  </TotalCharges>
  <Weight>5.0</Weight>
  <BillingWeight>
    <UnitOfMeasurement>
      <Code>LBS</Code>
    </UnitOfMeasurement>
    <Weight>5.0</Weight>
  </BillingWeight>
</RatedPackage>
<NegotiatedRates>
  <NetSummaryCharges>
    <GrandTotal>
      <CurrencyCode>USD</CurrencyCode>
      <MonetaryValue>106.50</MonetaryValue>
    </GrandTotal>
  </NetSummaryCharges>
</NegotiatedRates>
</RatedShipment>
</RatingServiceSelectionResponse>

```


Chapter 6: Rating Package API FAQs

NOTE: Common FAQs are available in the *Introduction to the UPS Developer Kit* guide located in the Dev Kit.

| Category | Question | Answer |
|------------------------------|---|--|
| 3rd Party Billing | Does the Rating Package API support 3rd Party billing requests? | No, it does not support 3rd Party Billing. |
| Account Number Limitation | How do I associate more than 99 account numbers with the Shipping/Rating APIs? | Contact your UPS Account Representative for assistance. |
| Accessorials | What accessorials does the Rating API support? | Refer to the XPath section for a listing of supported accessorials. |
| ChemicalRecordIdentifier | What is a ChemicalRecordIdentifier | Chemical Record Identifier is the chemicals in the shipment. If there are 3 chemicals then they need to be numbered in that field with 1, 2, 3 as values in the container. |
| Choosing a service | Can a customer compare services for a shipment using the Rating API? | <p>Yes. Use the "Shop" value, instead of the "Rate" value, in the RequestOption element of the /Request container to retrieve the rates for all services for the stated lane pair. The API response will return a rate for each of the available services. This is known as the Shop option.</p> <p>The Rate option is used to request the rate for a specific UPS service. The service must be defined in the request. The API response will return the rate for the defined lane pairs for that UPS service.</p> <p>If a service is not valid for the defined lane pair, an error response will be returned.</p> |
| Currencies | Does the Rating API return any currency other than USD? If so, what currencies are supported? | Yes. A list of currencies and currency codes are available in the appendix of this guide. The currency returned in the response is based on the shipper's country or territory of origin. |
| Customer Classification Code | Are the rates that a customer gets via the Rating Package API the same as the rates they receive at The UPS Store® locations or UPS Customer Centers? | <p>The rate returned is determined by the Customer Classification Code selected in API.</p> <p>Refer to the Rate Types Table and XPath for additional information.</p> |
| Delivery Area Surcharge | Does the Rating Package API support Delivery Area Surcharge? | Yes. However, it is included within the total transportation charge in the rate response. |
| Extended Area Surcharge | Is Extended Area Surcharge included within the rating response? | <p>Yes. The Extended Area Surcharge (EAS) is returned with the transportation charges.</p> <p>If EAS is applied to a shipment, a warning will be returned in the XML response stating that an EAS has been added.</p> |
| Freight LTL/Air Freight | Does Rating Package API support Tforce Freight LTL or UPS Air Freight services? | No. |

| Category | Question | Answer |
|---|---|---|
| Fuel Surcharge | Does the Rating Package API include fuel surcharge? | Yes, however it is not broken out separately, it is returned with other charges. |
| Ground Freight Pricing | Does Rating API support Ground Freight Pricing (GFP)? | ONLY the Rating Package Web Service version supports Ground Freight Pricing. |
| Hundredweight (CWT) | Does Rating API support UPS Hundredweight® Service contracts? | Yes <ul style="list-style-type: none"> ABR contract rates are based on the tier associated with the UPS account number. The UPS Account number must be included in the rate request. The 'NegotiatedRatesIndicator' must be sent in the rate request." UPS Hundredweight® published rates are no longer available via the Rate API, only contract rates |
| International Extended Area Surcharge | Does the Rating Package API support international extended area surcharges? | Yes. |
| International Rates | Does the Rating Package API support international rates? | Yes. Requests are validated if the shipper number is from the origin country or territory. |
| Lightly Regulated (LR) | What is Lightly Regulated (LR) | Lightly Regulated is referencing Lithium Ion batteries versus some other regulated materials. |
| Maximum Packages Rated | What is the maximum number of packages that can be rated through the Rating Package API? | When using the Rate option, there is a 200-package maximum allowed for each API request. Each package container in the request can contain 1 package. When using the Shop option, there is a 50-package maximum limit allowed for each API request. |
| N/A | What is N/A? | Not Applicable |
| Negotiated Rates | Can a customer with a US account number rate a package being shipped from another country or territory? | Yes. However, the response will not return any negotiated or account-based rates. Negotiated and account-based rates require the shipper's country or territory and the shipment country of origin to be the same. If you require negotiated or account-based rates from a country outside the US, consider setting up an account in the non-US country or territory. |
| Negotiated Rates | How do I get negotiated rates? | Contact your Account Representative. |
| Negotiated Rates/ABR | Does Rating API support Account Based Rating (ABR)? | Yes. |
| Negotiated Rates or Account Based Rates (ABR) | Is there a delay in activating a new or modified account in ABR for Rating or Shipping APIs? | The availability of negotiated rates is dependent on the setup of your account. If you have a pricing contract with UPS, please contact your sales representative for proper setup. For additional information, refer to Using Negotiated Rates in CIE . |

| Category | Question | Answer |
|---|--|---|
| Negotiated Rates or Account Based Rates (ABR) | What do negotiated rates include? | <p>Negotiated rates include:</p> <ul style="list-style-type: none"> • Basic incentives • Performance tiered incentives • Adjustments to performance tiered incentives are automatically updated each week in each solution that supports ABR. • Ramp-ups on new contracts • Multiple contracts (example: a shipper is attached to two or more contracts). • Custom rate charts (cell by cell) • by weight • by lane or zone • Letter / Document rates • Minimum billable weight for multi-piece shipments • Per piece or per shipment • Shipment pricing minimums • Rate caps • Import rates for international returns. <p>Note: Import rates are not available for Inbound shipments that were shipped using Freight Collect billing.</p> |
| Published & Negotiated Rates (ABR) Response | Can the Rating API provide both published and negotiated rates, assuming ABR has been activated, within the same response? | Yes. |
| Rate versus Shop | What is the difference between a "Rate" request and a "Shop" request? | A "Rate" request returns the rate for a single service for each package, while a "Shop" request returns the rates for all services available between a given origin/destination pair for each package. |
| Rating for Web applications | Are rates across all UPS Web applications always the same? | <p>Yes. The rates for other Web applications should not differ from the Rating API. The only time rates would be different is if there is a defect within the applications.</p> <p>If a user questions rates returned by the Rating API, he could generate the exact rate request on Calculate Time and Cost on UPS.com, to confirm if rates are accurate.</p> <p>Rates will differ if the user has negotiated rates set up with their account number and is not sending a negotiated rates indicator via the Rating API or does not have negotiated rates approved to be used with the Rating API</p> |
| Rating Scheduled Time | Does the Rating API return the time of day in its response? | Yes. |

| Category | Question | Answer |
|-------------------------------------|---|--|
| Residential versus Commercial | Does Rating API automatically validate Residential versus Commercial addresses? | UPS only classifies residential and commercial address classification for U.S. and Canada. If the residential indicator is included in the rate request, then the shipment will be classified as residential. Upon processing, if the address is classified by UPS differently than what is provided in the request then a warning will be provided in the response indicating that the classification was changed. |
| Return Services | Does the Rating API support Return Services? | Yes. |
| Saturday Delivery | Will the Rating API - Package allow a customer to know if Saturday delivery is available? | Since Saturday delivery is an accessorial, an indication must be included in the Rating API request. If it is available then the response will specify that the delivery will be on Saturday. The Rating API does not specify guaranteed delivery times. |
| Shipping/ Labeling | Can you ship and/or print labels via the Rating Package API? | No. |
| Suppression of Service Types | Why does Rating API, Time in Transit API and Calculate Time and Cost on UPS.com provide different results? | The Time in Transit API uses logic in its calculations and will suppress services that are more expensive if they will not deliver the shipment any quicker than those shown in the Rating API. There is a rule that states if ground service is as fast as or faster than an air service, i.e., UPS 2nd Day Air®, then that air service will be suppressed in the Time in Transit API response. While the unlisted service is still a valid shipping option, the customer could save money choosing from the listed services. |
| Testing and Production environments | Are separate test IDs necessary to access the test versus production environment? | No. |
| Time in Transit | Does the Rating API support Time in Transit results? | No. Time in Transit information can be obtained from the Time in Transit API. |
| Time in Transit | Why am I getting an "11542 - Invalid Destination" error in my "RateTimeInTransit" or "ShipTimeInTransit" request? | One possibility is that if the "PostalCode" is assigned to multiple cities then the "ShipTo" city must be provided. |
| UNB | What is UNB? | Unbounded: Having no limits. |

Appendices

Error Codes (XML)

When the UPS system is unable to respond to a request, be it from a malformed request, an illegal or invalid value, or other issues, the API generates an error response. For examples and additional information on error responses, refer to *Chapter 3: Error Responses*, in the *Introduction to the UPS Developer Kit* guide.

To discover errors, check the `ResponseStatusCode` element. A "1" normally indicates a successful response, whereas a "0" indicates a Transient or Hard error. The `PrimaryErrorCode` element contains the error code and description.

- Successful responses may or may not include warnings.
 - Without warnings - Indicates the request has been processed as anticipated.
 - With warnings - Indicates the request has been processed with potentially unanticipated results. The warning contains information in the response that should be passed to the end user.
- The severity of an error may be transient or hard.
 - Transient error - Indicates an error that is temporary in nature. Such errors may be caused by response timeouts due to high server loads or scheduled maintenance in progress. The request may be issued successfully at a later time.
 - Hard error - Indicates the request has a problem that the system is not able to resolve. These errors are critical and prevent requests from processing.



Do not resubmit requests with Hard Errors until the problems causing the error have been resolved.

Common Error Codes

The following error codes can apply to all Webservice and other APIs.

| Code | Severity | Description |
|--------|-----------|--|
| 10001 | Hard | The request is not well formed. |
| 10002 | Hard | The request is well formed but the request is not valid. |
| 10003 | Hard | The request is either empty or null. |
| 10006 | Hard | Although the document is well formed and valid, the element content contains values which do not conform to the rules and constraints contained in this specification. |
| 10013 | Hard | The message is too large to be processed by the Application. |
| 20001 | Transient | General process failure. |
| 20002 | Hard | The specified service name, {0}, and version number, {1}, combination is invalid. |
| 20003 | Hard | Please check the server environment for the proper J2EE ws apis. |
| 20006 | Hard | Invalid request action. |
| 20007 | Hard | Missing Required field, {0}. |
| 20008 | Hard | The field, {0}, contains invalid data, {1}. |
| 20012 | Hard | The Client Information exceeds its Maximum Limit of {0}.ver |
| 250000 | Hard | No XML declaration in the XML document. |
| 250001 | Hard | Invalid Access License for the tool. Please re-license. |

| Code | Severity | Description |
|--------|-----------|---|
| 250002 | Hard | Invalid UserId/Password. |
| 250003 | Hard | Invalid Access License number. |
| 250004 | Hard | Incorrect UserId or Password. |
| 250005 | Hard | No Access and Authentication Credentials provided. |
| 250006 | Hard | The maximum number of user access attempts was exceeded. |
| 250007 | Hard | The UserId is currently locked out; please try again in 30 minutes. |
| 250009 | Hard | License Number not found in the UPS database. |
| 250019 | Hard | Invalid Field value. |
| 250050 | Transient | License system not available. |

Rating Package XML Error Codes

HazMat Error Codes

For Dangerous Goods Acceptance Audit Pre-Check request, Streamline and Audit Pre-Check process is carried out depending upon type of `CommodityRegulatedLevelCode` requested. Streamline process only applies to `CommodityRegulatedLevelCode` FR and LQ. It doesn't apply to EQ and LR.

- For `CommodityRegulatedLevelCode` FR and LQ, if Streamline process passes but Audit Pre-Check fails for Dangerous Goods Acceptance Audit Pre-Check request, some of the following codes could be returned as Warning.
- For `CommodityRegulatedLevelCode` FR and LQ, if Streamline process fails for Dangerous Goods Acceptance Audit Pre-Check, the same warning codes could be returned as hard error.
- For `CommodityRegulatedLevelCode` LR and EQ, only Audit Pre-Check applies. Streamline process doesn't apply. Hence, for LR and EQ, it will be always hard error.

| Error Code | Severity | Description |
|------------|--------------|---|
| 110070 | Hard | Missing or Invalid Quantity. |
| 110071 | Hard | Missing or Invalid <code>CommodityRegulatedLevelCode</code> . |
| 110072 | Hard/Warning | Missing or Invalid <code>PackagingTypeQuantity</code> . |
| 110073 | Hard | Missing or Invalid <code>TransportCategory</code> . |
| 110074 | Hard | Your UPS Account number is not authorized for Dangerous Goods shipments with ADR RegulationSet. |
| 110075 | Hard | Your UPS Account number is not authorized for Dangerous Goods shipments with ADR RegulationSet and Fully Regulated <code>RegulatoryQuantityCode</code> . |
| 110076 | Hard | Your UPS Account number is not authorized for Dangerous Goods shipments with CFR RegulationSet. |
| 110077 | Hard | Your UPS Account number is not authorized for Dangerous Goods shipments with IATA RegulationSet. |
| 110078 | Hard | Your UPS Account number is not authorized for Dangerous Goods shipments with TDG RegulationSet. |
| 110079 | Hard | Your UPS Account number is not authorized for Dangerous Goods shipments with CAO TransportationMode. |
| 110080 | Hard | Missing or Invalid <code>QValue</code> . |
| 110081 | Hard | Missing or Invalid <code>Packageldentifier</code> . |
| 110082 | Hard | Missing or Invalid <code>ChemicalRecordIdentifier</code> . |
| 110084 | Warning | Promotion Code was not applied since account had better discounts compared to Promotion Code. |
| 110086 | Hard | Missing or Invalid <code>OriginRecordTransactionTimestamp</code> . |
| 111401 | Hard | Invalid regulation set. The regulation set for all chemical records in a package must be the same. |
| 111606 | Hard | SurePost is not compatible with Excepted Quantities of Dangerous Goods. |
| 111607 | Hard | Fully Regulated or Limited Quantities of Dangerous Goods, Excepted Quantities of Dangerous Goods, Lightly Regulated Lithium Batteries, or Dry Ice cannot be combined in the same package. |
| 111608 | Hard | Exceeded maximum number of chemicals in package : %package.index% |

| Error Code | Severity | Description |
|------------|--------------|---|
| 111609 | Hard | Mail Innovations is not compatible with Excepted Quantities of Dangerous Goods or Lightly Regulated Lithium Batteries. |
| 111010 | Hard | Dangerous Goods cannot be shipped using Return Services. |
| 111611 | Hard | UPS Letters or UPS Envelopes are not compatible with Excepted Quantities of Dangerous Goods or Lightly Regulated Lithium Batteries. |
| 112089 | Hard | Missing or Invalid Chemical Record. |
| 112091 | Hard | Missing or Invalid Regulation Set. |
| 112092 | Hard | Missing or Invalid Class Division Number. |
| 112093 | Hard | Missing or Invalid Transportation Mode. |
| 112094 | Hard | Missing or Invalid ID number. |
| 112102 | Hard | The shipment contains both Dry Ice and IDG packages. The Dry Ice package(s) must use the regulation set associated with the IDG package(s). |
| 112103 | Hard | The shipment contains both Dry Ice and IDG packages. The transportation mode must be the same for Dry Ice and IDG packages. |
| 112104 | Hard | Invalid regulation set. The regulation set for all IDG records in a package must be the same. |
| 112108 | Hard | Shipper is not eligible to ship HazMat. |
| 112112 | Hard | Dangerous Goods cannot be shipped using UPS Import Control. |
| 117059 | Hard/Warning | EmergencyContact is required when EmergencyPhone is provided. |
| 117060 | Hard/Warning | Invalid EmergencyPhone. Emergency Phone Number must be a minimum of 10 characters with at least one numeric. |
| 117061 | Hard | RegulationSet must be 49CFR, TDG or ADR when TransportationMode is Ground. |
| 117064 | Hard | Black Powder (NA0027) cannot exceed 100 lbs per shipment. |
| 117065 | Hard | Smokeless Powder (NA3178) cannot exceed 100 lbs per shipment. |
| 117066 | Hard/Warning | TechnicalName is required for specified ProperShippingName. |
| 117067 | Hard | TechnicalName is not allowed for this shipment. |
| 117068 | Hard/Warning | Missing or Invalid ProperShippingName. |
| 117069 | Hard/Warning | AdditionalDescription is required for this shipment. |
| 117071 | Hard | Net Quantity indicated exceeds the allowed maximum, based on chemical table validation.[] [] |
| 117072 | Hard/Warning | Packing Instruction specified does not match the packing instruction expected, based on chemical table validation.[] [] |
| 117073 | Hard/Warning | Packing Instruction specified does not match the packing instruction expected, based on chemical table validation. The packing instruction should be blank. |
| 117074 | Hard/Warning | Package Type must be specified when the package is not Part of All Packed in One. |
| 117075 | Hard/Warning | Net Quantity/TI must be specified. |
| 117077 | Hard | Missing or Invalid UOM for a given Quantity. |

| Error Code | Severity | Description |
|------------|--------------|--|
| 117078 | Hard | Net Quantity UOM: XXX is Not Valid For IATA. Valid values are MT, G, KG, KG G, L, µG, ML, TL.[] |
| 117079 | Hard | Missing or Invalid PackagingGroupType for this shipment. |
| 117080 | Hard | The Packing Group specified: XXX is invalid based on chemical table validation for this UNID |
| 117082 | Hard | Missing or Invalid SubRiskClass. |
| 117083 | Hard | Lighter authentication (LAA) number required - Remarks must be entered or package rejected. |
| 117084 | Hard | TI Unit of Measure must be selected for Class Division Number 7. |
| 117085 | Hard/Warning | Q Value must be N/A when there are no All Packed in One Basic Descriptions. |
| 117086 | Hard | UPS does not offer Biological Substances, Category B service from the selected origin country/postal code. |
| 117087 | Hard | UPS does not offer service for the provided chemical record from the specified origin country/postal code. |
| 117088 | Hard/Warning | A single ChemicalRecord cannot be All Packed in One. |
| 117089 | Hard/Warning | Overpack is required for a shipment with three ChemicalRecord where only two ChemicalRecord are All Packed in One. |
| 117090 | Hard/Warning | The APIO total net quantity exceeds the lowest permitted maximum net quantity. |
| 117091 | Hard | The Net Quantity Weight exceeds the limit for the specified Risk Class, Sub Risk and Packing Group combination. Risk Class 2.2 cannot exceed 75 KG. |
| 117092 | Hard | The Net Quantity Weight exceeds the 25KG limit for the given specified ClassDivisionNumber, SubRiskClass and PackingGroupType combination. |
| 117093 | Hard | CAO Quantities of Class 1 Explosives are not allowed to the specified destination country. |
| 117094 | Hard | Unable to determine a single chemical record. Acceptance Audit Pre-Check cannot be performed. |
| 117095 | Hard | CAO Quantities of Class 1 Explosives are not allowed from the specified origin country. |
| 117096 | Hard/Warning | Invalid TunnelRestrictionCode for a given Hazardous material package using ADR RegulationSet. |
| 117097 | Hard/Warning | Invalid TransportCategory for a given Hazardous material package using ADR RegulationSet. |
| 117099 | Hard | Fully regulated commodities are prohibited to/from Great Britain for the specified service level. Great Britain chunnel passage not allowed for fully regulated commodities. |
| 117101 | Hard | UPS does not offer dangerous goods for requested service from selected origin country to selected destination country. |
| 117104 | Hard | Unable to retrieve the chemical record for selected (Regulation Set: XXX, UNNumber: XXX and Hazard Class: XXX), validations cannot be performed for this commodity. |
| 117105 | Hard | A ShipTo postal code is required to verify if dangerous goods service is available to the selected destination country otherwise the shipment will be rejected. |
| 117110 | Hard | Regulation Set is not valid for the destination country. |

| Error Code | Severity | Description |
|------------|--------------|---|
| 117111 | Hard | UPS does not offer dangerous goods service from the selected Origin country/postal code. |
| 117113 | Hard | UPS does not offer dangerous goods service to the selected Destination country/postal code. |
| 117114 | Hard/Warning | Missing or Invalid PackagingType. |
| 117115 | Hard | A ShipFrom PostalCode is required to verify if dangerous goods service is available from the selected origin country, otherwise the shipment will be rejected. |
| 117118 | Hard | UPS does not offer Dry Ice service from the selected origin country/postal code. |
| 117119 | Hard | UPS does not offer Dry Ice service to the selected destination country/postal code. |
| 117120 | Hard | UPS does not offer Biological Substance, Category B service to the selected destination country/postal code. |
| 117121 | Hard | UPS does not offer service for the specified chemical record to the selected destination country/postal code. |
| 117128 | Hard | UPS does not offer service for the specified Commodity Regulated Level Code to selected Destination country.[XXX] |
| 117129 | Hard | UPS does not offer service for the specified Commodity Regulated Level Code from the selected Origin country.[XXX] |
| 117130 | Hard | Requested TransportationMode indicates this item is forbidden, based on chemical table validation. |
| 117131 | Hard | Regulation Set is not valid for the origin country. |
| 117132 | Hard | Excepted Quantities are not allowed from the selected origin country. |
| 117133 | Hard | Excepted Quantities are not allowed to the selected destination country. |
| 117135 | Hard | The specified origin country does not allow shipments CAO quantities of Dangerous Goods. |
| 117136 | Hard | The Transportation Mode for ADR regulation set must be Ground. |
| 117137 | Hard | Mail Innovations is not a valid service for shipping all categories of dangerous goods. |
| 117138 | Hard | SurePost is not a valid service for shipping all categories of dangerous goods other than lightly regulated lithium batteries. |
| 117139 | Hard | The specified destination country does not allow shipments containing CAO quantities of Dangerous Goods. |
| 117141 | Hard | As of January 1, 2017, UPS Policy requires that all air shipments containing lithium ion and metal batteries packed alone to be transported as section I.A or I.B fully regulated shipments. In addition, these changes also apply to UPS Ground service to Alaska, Hawaii and Puerto Rico, and UPS Standard service to select locations worldwide. Please refer to UPS.com for guidance to set up a UPS Dangerous Goods service agreement. |
| 117142 | Hard | Lightly regulated lithium batteries sent via SurePost cannot be shipped outside of the US48. |
| 117143 | Hard | Emergency Contact must not match the Emergency Phone Number. |
| 117144 | Hard | Emergency Phone Number contains an invalid entry. |
| 117145 | Hard | The UPS Shipper Account number is invalid to be used as the Emergency Contact. |

| Error Code | Severity | Description |
|------------|----------|--|
| 117146 | Hard | Technical Name must not match the Proper Shipping Name. |
| 111681 | Hard | UPS Worldwide Economy DDU Oversize does not apply, and has automatically been removed from Package {0}. |
| 111682 | Hard | UPS Worldwide Economy DDU Oversize indicator has automatically been set on Package {0}. |
| 111683 | Hard | UPS Worldwide Economy DDU Oversize Surcharge has been added to Package {0}. |
| 111684 | Hard | Export Processing Site address is not available in shipper account profile. Please contact your Account Representative for resolution. |

10001 - 110600

| Error Code | Severity | Description |
|------------|-----------|---|
| 10001 | Hard | The request is not well formed |
| 10002 | Hard | The request is well formed but the request is not valid |
| 10003 | Hard | The request is either empty or null |
| 10006 | Hard | Although the document is well formed and valid, the element content contains values which do not conform to the rules and constraints contained in this specification |
| 10013 | Hard | The message is too large to be processed by the Application |
| 20001 | Hard | General process failure |
| 20002 | Hard | The specified service name, {0}, and version number, {1}, combination is invalid |
| 20003 | Hard | Please check the server environment for the proper J2EE ws apis |
| 20004 | Hard | Cannot access the high level business components, {0} |
| 20005 | Hard | Cannot access the low level business components, {0} |
| 20006 | Hard | Invalid request action |
| 20007 | Hard | Missing required field, {0} |
| 20008 | Hard | The field, {0}, contains invalid data, {1} |
| 20010 | Hard | The phone number contains invalid characters |
| 20011 | Hard | The Integration Indicator is no longer supported |
| 20012 | Hard | The Client Information exceeds its Maximum Limit of {0} |
| 110000 | Hard | Rating and Service Selection currently unavailable. |
| 110001 | Transient | Rating and Service Selection temporarily unavailable. |
| 110002 | Hard | No packages in shipment |
| 110003 | Hard | Maximum number of packages exceeded |
| 110004 | Hard | Package {0} is Void, which is not valid for the Rating and Service Selection service |
| 110005 | Hard | This multi piece shipment contains one or more letters. |
| 110006 | Hard | Two different shipment notification memos were provided at either the shipment- or package-level. Only one memo is allowed per level. |
| 110007 | Hard | {0} |
| 110030 | Transient | Shipper, {0}, unrecognized or has not commissioned |
| 110031 | Hard | Shipper data access error, {0} |
| 110050 | Hard | Illegal RequestAction |
| 110051 | Hard | Illegal RequestOptions |
| 110083 | Hard | Both the PromoAliasCode and the PromoCode are required. |
| 110084 | Warning | Promotion Code was not applied since account had better discounts compared to Promotion Code. |
| 110085 | Warning | Shipment is not eligible for Promotion Code. |

| Error Code | Severity | Description |
|------------|----------|---|
| 110103 | Hard | Invalid shipper address line 2 |
| 110104 | Hard | Invalid shipper address line 3 |
| 110105 | Hard | Missing Illegal Shipper/Address/City |
| 110106 | Hard | Missing/Illegal Shipper/Address/StateProvCode |
| 110107 | Hard | Missing/Illegal Shipper/PostalCode. {0} |
| 110108 | Hard | Missing/Illegal Shipper/CountryCode |
| 110109 | Hard | Missing Illegal Shipper/PhoneNumber |
| 110110 | Hard | Missing/Illegal Shipper/AttentionName |
| 110111 | Hard | Shipment/Shipper/EmailAddress cannot exceed a length of 50 characters |
| 110112 | Hard | Shipment/Shipper/EmailAddress is an invalid format |
| 110113 | Hard | Shipper number must contain alphanumeric characters only |
| 110114 | Hard | Shipper/PhoneNumber/StructuredPhoneNumber/PhoneExtension cannot exceed the length of 4. |
| 110115 | Hard | Shipper/PhoneNumber must be at least 10 alphanumeric characters |
| 110116 | Hard | Shipper/PhoneNumber/StructuredPhoneNumber/PhoneExtension must contain only numbers |
| 110117 | Hard | Shipper/PhoneNumber/StructuredPhoneNumber/PhoneExtension is only available if the shipper is located in US, Puerto Rico or Canada |
| 110118 | Hard | Shipper/PhoneNumber/StructuredPhoneNumber/PhoneExtension is only valid if a phone number is given |
| 110119 | Hard | Shipper phone number and phone extension together cannot be more than 15 digits long |
| 110120 | Hard | The country associated with Shipper/ShipperNumber must be the same as the shipments origin country |
| 110121 | Hard | Shipper/ShipperNumber is not an active account |
| 110122 | Hard | Invalid Shipper/ShipperNumber |
| 110200 | Hard | Missing/Illegal ShipTo/CompanyName |
| 110201 | Hard | Missing/Illegal ShipTo/AttentionName |
| 110202 | Hard | Missing/Illegal ShipTo/Address/AddressLine1 |
| 110203 | Hard | Illegal ShipTo/Address/AddressLine2 |
| 110204 | Hard | Illegal ShipTo/Address/AddressLine3 |
| 110205 | Hard | Missing/Illegal ShipTo/Address/City |
| 110206 | Hard | Missing/Illegal ShipTo/Address/StateProvCode |
| 110207 | Hard | Missing/Illegal ShipTo/Address/PostalCode. {0} |
| 110208 | Hard | Missing/Illegal ShipTo/Address/CountryCode |
| 110209 | Hard | Missing/Illegal ShipTo/PhoneNumber |

| Error Code | Severity | Description |
|------------|----------|--|
| 110210 | Hard | Shipment/ShipTo/EmailAddress cannot exceed a length of 50 characters |
| 110211 | Hard | Shipment/ShipTo/EmailAddress is an invalid format |
| 110212 | Hard | ShipTo/PhoneNumber/StructuredPhoneNumber/PhoneExtension cannot exceed the length of 4. |
| 110213 | Hard | ShipTo/PhoneNumber must be at least 10 alphanumeric characters |
| 110214 | Hard | ShipTo/PhoneNumber/StructuredPhoneNumber/PhoneExtension must contain only numbers |
| 110215 | Hard | ShipTo/PhoneNumber/StructuredPhoneNumber/PhoneExtension is only available if the shipper is located in US, Puerto Rico or Canada |
| 110216 | Hard | ShipTo/PhoneNumber/StructuredPhoneNumber/PhoneExtension is only valid if a phone number is given |
| 110217 | Hard | ShipTo phone number and phone extension together cannot be more than 15 digits long |
| 110300 | Hard | Missing/Illegal ShipFrom/CompanyName |
| 110301 | Hard | Missing/Illegal ShipFrom/AttentionName |
| 110302 | Hard | Missing/Illegal ShipFrom/Address/AddressLine1 |
| 110303 | Hard | Illegal ShipFrom/Address/AddressLine2 |
| 110304 | Hard | Illegal ShipFrom/Address/AddressLine3 |
| 110305 | Hard | Missing/Illegal ShipFrom/Address/City |
| 110306 | Hard | Missing/Illegal ShipFrom/Address/StateProvCode |
| 110307 | Hard | Missing/Illegal ShipFrom/Address/PostalCode. {0} |
| 110308 | Hard | Missing/Illegal ShipFrom/Address/CountryCode |
| 110309 | Hard | Missing/Illegal ShipFrom/PhoneNumber |
| 110310 | Hard | Shipment/ShipFrom/EmailAddress cannot exceed a length of 50 characters |
| 110311 | Hard | Shipment/ShipFrom/EmailAddress is an invalid format |
| 110312 | Hard | ShipFrom/PhoneNumber/StructuredPhoneNumber/PhoneExtension cannot exceed the length of 4. |
| 110313 | Hard | ShipFrom/PhoneNumber must be at least 10 alphanumeric characters |
| 110314 | Hard | ShipFrom/PhoneNumber/StructuredPhoneNumber/PhoneExtension must contain only numbers |
| 110315 | Hard | ShipFrom/PhoneNumber/StructuredPhoneNumber/PhoneExtension is only available if the shipper is located in US, Puerto Rico or Canada |
| 110316 | Hard | ShipFrom/PhoneNumber/StructuredPhoneNumber/PhoneExtension is only valid if a phone number is given |
| 110317 | Hard | The ShipFrom country must be the same as the Shipper country |
| 110318 | Hard | ShipFrom phone number and phone extension together cannot be more than 15 digits long |
| 110400 | Hard | The shipment is missing payment information. |

| Error Code | Severity | Description |
|------------|----------|---|
| 110500 | Hard | Missing/Illegal Service/Code |
| 110501 | Hard | Invalid Shipment/ReferenceNumber/Value |
| 110502 | Hard | InvoiceLineTotal/MonetaryValue must be greater than 0 |
| 110503 | Hard | Shipment/Description must not exceed the length of 35 characters |
| 110504 | Hard | InvoiceLineTotal is not allowed for this shipment |
| 110505 | Hard | Saturday Delivery Option cannot be used for this shipment |
| 110506 | Hard | Invalid Shipment/ReferenceNumber/Code |
| 110508 | Hard | Missing/Invalid ShipmentServiceOptions/Pickup/PickupDate |
| 110509 | Hard | Invalid shipment declared value |
| 110510 | Hard | Invalid/Missing ShipmentServiceOptions/ PickupDetails/ LatestPickupTime |
| 110511 | Hard | Invalid ShipmentServiceOptions/PickupDetails/PickupDate or Invalid ShipmentServiceOptions/PickupDetails/EarliestPickupTime or Invalid ShipmentServiceOptions/PickupDetails/LatestPickupTime |
| 110512 | Hard | Shipment/Description is required for this shipment. |
| 110513 | Hard | The first Email Address used for Email Shipment Notification exceeds the maximum length of 50 characters. |
| 110514 | Hard | Invalid format for first Email Address used for Email Shipment Notification |
| 110515 | Hard | ShipmentServiceOptions/ShipmentNotification/EMailMessage/Memo cannot exceed the length of 150 characters |
| 110516 | Hard | The first Email Address used for Email Shipment Notification is missing or contains invalid characters |
| 110517 | Hard | The second Email Address used for Email Shipment Notification exceeds the maximum length of 50 characters |
| 110518 | Hard | The format of the second Email Address entered in for Email Shipment Notification is invalid |
| 110519 | Hard | The second Email Address entered in for Email Shipment Notification is missing or contains invalid characters |
| 110520 | Hard | For a shipment, the maximum number of Email Addresses allowed for Email Shipment Notifications is 2 |
| 110521 | Hard | For a shipment, the maximum number of Memos allowed for Email Shipment Notifications is 1 |
| 110522 | Hard | Invalid Shipment/AlternateDeliveryTime |
| 110523 | Hard | Shipment/DocumentsOnly is invalid with the shipments origin/destination pair |
| 110524 | Hard | Package Pickup Request is not available with this shipments service |
| 110525 | Hard | AlternateDeliveryTime must be between {0} and {1} |
| 110526 | Hard | InvoiceLineTotal/MonetaryValue may not exceed the length of 8 |
| 110527 | Hard | Cannot use multiple types of currency in a shipment |
| 110528 | Hard | A shipment can have only one type of UnitOfMeasurement for Dimensions |

| Error Code | Severity | Description |
|------------|----------|--|
| 110529 | Hard | A shipment can have only one type of UnitOfMeasurement for a Weight |
| 110530 | Hard | ShipmentServiceOptions/PickupDetails/SuiteRoomID length cannot exceed 8 characters |
| 110531 | Hard | ShipmentServiceOptions/PickupDetails/FloorID length cannot exceed 3 characters |
| 110532 | Hard | ShipmentServiceOptions/PickupDetails/Location length cannot exceed 11 characters |
| 110533 | Hard | ShipmentServiceOptions/PickupDetails/EarliestTimeReady is required |
| 110534 | Hard | ShipmentServiceOptions/PickupDetails/LatestTimeReady is required |
| 110535 | Hard | ShipmentServiceOptions/PickupDetails/ContactInfo/Name is required |
| 110536 | Hard | ShipmentServiceOptions/PickupDetails/ContactInfo/PhoneNumber is required |
| 110537 | Hard | Invalid/Missing ShipmentServiceOptions/PickupDetails/ EarliestPickupTime |
| 110539 | Hard | InvoiceLineTotal/MonetaryValue is required and must be a whole number |
| 110541 | Hard | Shipment/ReferenceNumber is not allowed for this shipment |
| 110542 | Hard | Package/ReferenceNumber is not allowed for this shipment |
| 110543 | Hard | No more than 2 Shipment/ReferenceNumber can be given per shipment |
| 110544 | Hard | No more than 2 Package/ReferenceNumber can be given per package |
| 110545 | Hard | Shipment/Description is not valid with this shipment |
| 110546 | Hard | {0} is not a valid unit of measurement for weight for this shipment |
| 110547 | Hard | {0} is not a valid unit of measurement for dimensions for this shipment |
| 110548 | Hard | A shipment cannot have a KGS/IN or LBS/CM as its unit of measurements |
| 110549 | Hard | Invalid Shipment Weight |
| 110600 | Hard | Missing/Invalid Package/PackagingType/Code |

110601 - 111200

| Code | Severity | Description |
|--------|----------|--|
| 110601 | Hard | Missing/Illegal Package/PackageWeight/Weight |
| 110602 | Hard | Missing/Illegal Combination of Package/Dimensions |
| 110603 | Hard | Illegal Package/Reference/Value |
| 110604 | Hard | Invalid package declared value |
| 110605 | Hard | Mismatch PackageDimensions/PackageType |
| 110606 | Hard | Mismatch PackageDimensions/PackageType/PackageWeight |
| 110607 | Hard | Illegal Package Reference/Code |
| 110608 | Hard | Package/PackageWeight/Weight is required |
| 110609 | Hard | All Package Dimensions are required and each must be greater than 0 |
| 110610 | Hard | The COD Amount is invalid. Please check the value entered |
| 110616 | Hard | Package/PackageWeight/Weight cannot exceed a length of 5 |
| 110617 | Hard | Package declared value cannot exceed a value of 999 |
| 110620 | Hard | Package/PackageWeight, Package/DimensionalWeight, Package/OversizePackage and Package/Dimensions do not apply to UPS Envelopes |
| 110621 | Hard | Package declared value cannot be greater than {0} {1} |
| 110622 | Hard | Package/Description is required |
| 110623 | Hard | Invalid Package/Description |
| 110624 | Hard | A Return Shipment can only have one package |
| 110625 | Hard | Invalid/Missing Package/ReturnService/Code |
| 110626 | Hard | Invalid COD Funds Code |
| 110627 | Hard | Invalid COD Code |
| 110628 | Hard | Invalid PackageServiceOptions/LabelDelivery/ EMailMessage/ReplyToEmailAddress |
| 110629 | Hard | Invalid PackageServiceOptions/LabelDelivery/ EMailMessage/EmailAddress |
| 110630 | Hard | Invalid PackageServiceOptions/LabelDelivery/ EMailMessage/UndeliverableEmailAddress |
| 110631 | Hard | Invalid PackageServiceOptions/LabelDelivery/ EMailMessage/Memo |
| 110632 | Hard | Invalid PackageServiceOptions/LabelDelivery /EMailMessage/Subject |
| 110633 | Hard | Invalid PackageServiceOptions/PickupNotification/ EMailMessage/ReplyToEmailAddress |
| 110634 | Hard | Invalid PackageServiceOptions/PickupNotification /EMailMessage/EmailAddress |

| Code | Severity | Description |
|--------|----------|--|
| 110635 | Hard | Invalid PackageServiceOptions/PickupNotification/ EMailMessage/UndeliverableEmailAddress |
| 110636 | Hard | Invalid PackageServiceOptions/PickupNotification/ EMailMessage/Memo |
| 110637 | Hard | Invalid PackageServiceOptions/PickupNotification EMailMessage/Subject |
| 110638 | Hard | Invalid PackageServiceOptions/ReturnNotification/ EMailMessage/ReplyToEmailAddress |
| 110639 | Hard | Invalid PackageServiceOptions/ReturnNotification/ EMailMessage/EmailAddress[1] |
| 110640 | Hard | Invalid PackageServiceOptions/ReturnNotification/ EMailMessage/EmailAddress[2] |
| 110641 | Hard | Invalid PackageServiceOptions/ReturnNotification/ EMailMessage/UndeliverableEmailAddress |
| 110642 | Hard | Invalid PackageServiceOptions/ReturnNotification/ EMailMessage/Memo |
| 110643 | Hard | Invalid PackageServiceOptions/ReturnNotification/ EMailMessage/Subject |
| 110644 | Hard | PackageServiceOptions/LabelDelivery is not valid with the shipments return service type |
| 110645 | Hard | PackageServiceOptions/PickupNotification is not valid with the shipments return service |
| 110646 | Hard | Package Level COD is not valid for the shipment origin and/or destination |
| 110647 | Hard | Invalid COD currency code. Please use the destination country currency code. |
| 110700 | Hard | Missing/Illegal LabelSpecification/LabelPrintMethod/Code |
| 110701 | Hard | Missing/Illegal LabelSpecification/HTTPUserAgent |
| 110702 | Hard | Missing/Illegal Label Specification/LabelImageFormat/Code |
| 110703 | Hard | Missing/Illegal Combination of LabelSpecification/LabelStockSize |
| 110704 | Hard | Missing/Invalid LabelSpecification/ LabelStockSize/Height |
| 110705 | Hard | Missing/Invalid LabelSpecification/ LabelStockSize/Width |
| 110710 | Hard | Invalid package Delivery Confirmation type |
| 110720 | Warning | The Account Number of FRS payment information is not FRS enabled. |
| 110721 | Hard | Invalid Shipment Delivery Confirmation Type |
| 110801 | Hard | Address Validation Error on Shipment/Shipper/Address |
| 110802 | Hard | Address Validation Error on Shipment/ShipTo/Address |
| 110803 | Hard | Address Validation Error on Shipment/ShipFrom/Address |
| 110971 | Warning | Your invoice may vary from the displayed reference rates |
| 110984 | Warning | Exceeds maximum weight for rating the requested packaging. Standard package rates apply |

| Code | Severity | Description |
|--------|----------|---|
| 111000 | Hard | Verify that the supplied country code for the ship from and/or ship to is correct and is in uppercase (Cannot locate site). |
| 111005 | Hard | The COD option cannot be combined with the Return Services option. |
| 111010 | Hard | Hazardous materials cannot be shipped using Return Services. |
| 111015 | Hard | The Saturday Delivery option cannot be combined with the Return Services option. |
| 111020 | Hard | The Delivery Confirmation option cannot be combined with the Return Services option. |
| 111025 | Hard | The maximum declared amount was exceeded. |
| 111030 | Hard | Packages must weigh more than zero pounds. |
| 111031 | Hard | Packages must weigh more than zero kg. |
| 111035 | Hard | The maximum per package weight for that service from the selected country is %country.maxPkgWeight% pounds. |
| 111036 | Hard | The maximum per package weight for that service from the selected country is %country.maxPkgWeight% kg. |
| 111040 | Hard | The Return Services accessories are unavailable with the requested service. |
| 111045 | Hard | The Saturday Delivery option is unavailable with the requested service. |
| 111047 | Hard | Saturday Delivery may not be combined with this product and container type. |
| 111050 | Hard | Package exceeds the maximum size total constraints of %maxLengthGirth% (length + girth where girth is 2 x width plus 2 x height). |
| 111055 | Hard | Package exceeds the maximum length constraint of 108 inches. |
| 111056 | Hard | This package exceeds the maximum length constraint of 274 cm. |
| 111057 | Hard | This measurement system is not valid for the selected country. |
| 111058 | Hard | The length width and height must each be less than {description} inches or {description} centimeters. |
| 111060 | Hard | Hazardous Materials cannot be shipped in a UPS Letter. |
| 111063 | Hard | The requested accessory cannot be combined with the selected service. |
| 111065 | Hard | The shipment of Hazardous Materials to the selected location is unavailable. |
| 111070 | Hard | The requested accessory is not allowed with this pickup method. |
| 111075 | Hard | The International Declared Value accessory is not valid with a domestic service. |
| 111077 | Hard | {0} |
| 111080 | Hard | The Domestic Declared Value accessory is not valid with an international service. |
| 111085 | Hard | The requested accessory cannot be added to this shipment. |
| 111086 | Hard | Only one Authorized Return Service option is allowed. |

| Code | Severity | Description |
|--------|----------|---|
| 111087 | Hard | The Authorized Return Service option is not allowed for shipments. |
| 111090 | Hard | The requested billing zone is invalid for the selected product. |
| 111091 | Hard | The selected service is unavailable to an extended area. |
| 111095 | Hard | A zone cannot be determined for the package |
| 111100 | Hard | The requested service is invalid for the selected site. |
| 111105 | Hard | The requested accessory key is invalid for the selected site. |
| 111106 | Hard | Unsupported country specified. |
| 111107 | Hard | An origin postal code must be specified. |
| 111108 | Hard | Shipments must have at least 1 package. |
| 111109 | Hard | Delivery Area Surcharge Tier is invalid. |
| 111110 | Hard | Typically indicates a syntax error in the cfg file |
| 111115 | Hard | The COD amount must be greater than zero. |
| 111116 | Hard | The declared value amount must be greater than zero. |
| 111120 | Hard | The COD amount cannot exceed \$1,000 when a cashiers check or money order is requested. |
| 111121 | Hard | The COD value entered exceeds the maximum allowed for cash |
| 111125 | Hard | The COD amount cannot exceed \$50,000. |
| 111126 | Hard | The COD value entered exceeds the maximum allowed for check |
| 111128 | Hard | The Access Point COD amount cannot exceed %COD.APAmountMax% %COD.APCurrencyDest%. |
| 111129 | Hard | The currency of the Access Point COD amount must be the same as the Destination country's currency: %COD.APCurrencyDest%. |
| 111130 | Hard | The Saturday Pickup option cannot be combined with the Return Services option. |
| 111135 | Hard | The Saturday Pickup option cannot be combined with the Saturday Delivery option. |
| 111140 | Hard | The Saturday Pickup option is unavailable with the selected service. |
| 111145 | Hard | Only one Delivery Confirmation option is allowed. |
| 111150 | Hard | The Delivery Confirmation option is unavailable with the selected service. |
| 111155 | Hard | The COD option is unavailable with the selected service. |
| 111160 | Hard | The requested accessory option is unavailable with the selected billing option. |
| 111180 | Hard | Consignee Billing is unavailable with the selected service. |
| 111185 | Hard | The selected service is unavailable to the desired country |
| 111190 | Hard | Only one Return Services option is allowed. |

| Code | Severity | Description |
|--------|----------|--|
| 111194 | Hard | The requested billing option is unavailable with the selected packaging. |
| 111195 | Hard | The requested billing option is unavailable with the selected service. |
| 111196 | Hard | The requested billing option is unavailable with UPS Letters. |
| 111200 | Hard | The requested service Saturday Delivery is unavailable to the selected location. |

111201 - 111526

| Error Code | Severity | Description |
|------------|----------|--|
| 111201 | Hard | Invalid Service Code |
| 111202 | Hard | Invalid Accessorial |
| 111203 | Hard | Upsell unavailable |
| 111205 | Hard | The Additional Handling option is unavailable with the selected service. |
| 111206 | Hard | The Additional Handling option is unavailable with UPS Letters. |
| 111209 | Hard | Invalid Service Type |
| 111210 | Hard | The requested service is unavailable between the selected locations. |
| 111211 | Hard | The requested accessory option is unavailable between the selected locations. |
| 111212 | Hard | The requested type of container is unavailable between the selected locations. |
| 111213 | Hard | The requested billing option is unavailable between the selected locations. |
| 111214 | Hard | Cannot ship between the selected locations. |
| 111215 | Hard | The requested service is unavailable to residential destinations. |
| 111216 | Hard | No Services available |
| 111217 | Hard | The requested service is unavailable between the selected locations |
| 111218 | Hard | Unsupported Country |
| 111219 | Hard | The requested service is unavailable between the selected locations. Please check your Documents Only, Letter/Envelope, and Saturday Delivery settings as these may affect service availability. |
| 111220 | Hard | The Ship Notification option cannot be combined with the Return Services option. |
| 111222 | Hard | A shipment using the Return Services Electronic Return Label option must contain only Goods in Free Circulation. |
| 111225 | Hard | The Return Services option is unavailable to the selected location. |
| 111230 | Hard | Next Day Air Early is unavailable with the selected service. |
| 111231 | Hard | Switzerland Domestic Container must weigh greater than or equal to 2 KG. |
| 111232 | Hard | Worldwide Express Plus from Europe to Switzerland must be UPS Envelope or document only. |
| 111235 | Hard | No more than %acsGrp.grpLimit% of the following may be combined: %acsGrp.grpMembers%. |
| 111240 | Hard | The requested accessory may not be applied to a package more than %accs.limit% time(s). |
| 111245 | Hard | The Saturday Pickup option cannot be combined with the Shipper Duty Fees option. |
| 111250 | Hard | The Saturday Delivery option cannot be combined with the Shipper Duty Fees option. |
| 111255 | Hard | The Shipper Duty Fee option is unavailable with the selected service. |
| 111260 | Hard | The Shipper Duty Fee option is unavailable with the selected billing option. |

| Error Code | Severity | Description |
|------------|----------|--|
| 111261 | Hard | The requested option is unavailable with the selected service. |
| 111262 | Hard | The accessory is not valid with the selected option. |
| 111265 | Hard | The requested billing option is unavailable to the selected location. |
| 111266 | Hard | The requested currency is not a legal tender in this country. |
| 111275 | Hard | Cannot create attribute %attrName%. |
| 111280 | Hard | Cannot remove attribute %attrName%. |
| 111285 | Hard | The postal code %postal% is invalid for %state% %country%. |
| 111286 | Hard | %state% is not a valid state abbreviation for %country%. |
| 111290 | Hard | The requested billing option is invalid. |
| 111295 | Hard | Package %child.index% failed validation in shipment. |
| 111300 | Hard | The Shipper Pays Duty - VAT Unpaid option is unavailable with the selected option. |
| 111305 | Hard | The Shipper Pays Duty - VAT Unpaid option is unavailable with the selected service. |
| 111310 | Hard | The Shipper Pays Duty - VAT Unpaid option is unavailable with the selected billing option. |
| 111315 | Hard | The Authorized Return Service option is unavailable with the selected accessory. |
| 111320 | Hard | The Authorized Return Service option is unavailable with the selected service. |
| 111325 | Hard | The Authorized Return Service is unavailable with the selected billing option. |
| 111330 | Hard | The Certificate of Origin is unavailable with the selected accessory. |
| 111335 | Hard | The Certificate of Origin is unavailable with the selected service. |
| 111340 | Hard | The Certificate of Origin is unavailable with the selected billing option. |
| 111343 | Hard | The Certificate of Origin is unavailable from the selected origin. |
| 111345 | Hard | The Shipper Export Declaration is unavailable with the selected accessory. |
| 111350 | Hard | The Shipper Export Declaration is unavailable with the selected service. |
| 111355 | Hard | The Shipper Export Declaration is unavailable with the selected billing option. |
| 111360 | Hard | The Worldwide Express Plus is unavailable with the selected service. |
| 111363 | Hard | The One Time Pickup is unavailable with the selected service. |
| 111365 | Hard | The requested service is not available through the selected acquisition type. |
| 111370 | Hard | Unsupported acquisition type. |
| 111375 | Hard | The requested service is not valid for shipments with more than 1 package. |
| 111380 | Hard | The requested Package service may not be consolidated with the selected shipment service. |
| 111385 | Hard | The requested Package billing option does not match the selected shipment billing option. |
| 111390 | Hard | The requested Package billing tier does not match the selected shipment billing tier. |

| Error Code | Severity | Description |
|------------|----------|---|
| 111395 | Hard | Package consignee %pkg.dest.company% does not match the shipment consignee %ship.dest.company%. |
| 111400 | Hard | Package consignee street address %pkg.dest.street1% does not match the shipment consignee street address %ship.dest.street1%. |
| 111405 | Hard | Package consignee street address %pkg.dest.street2% does not match the shipment consignee street address %ship.dest.street2%. |
| 111410 | Hard | Package consignee street address %pkg.dest.street3% does not match the shipment consignee street address %ship.dest.street3%. |
| 111415 | Hard | Package consignee city %pkg.dest.city% does not match the shipment consignee city %ship.dest.city%. |
| 111420 | Hard | Package consignee state %pkg.dest.state% does not match the shipment consignee state %ship.dest.state%. |
| 111425 | Hard | Package consignee postal code does not match the shipment consignee postal code. |
| 111430 | Hard | Package consignee country does not match the shipment consignee country. |
| 111431 | Hard | All packages in the shipment must have the same UPS shipper number as the shipment. |
| 111435 | Hard | All packages in the shipment must have the Saturday Delivery option if 1 package has it. |
| 111440 | Hard | All packages in the shipment must have the Saturday Pickup option if 1 package has it. |
| 111445 | Hard | UPS does not allow Hazardous Materials in shipments consisting of more than one piece. |
| 111450 | Hard | Only one type of Return Service option is allowed per package. |
| 111455 | Hard | All packages in the shipment must have the Return Services option if 1 package has it. |
| 111456 | Hard | All packages in the shipment must have the Residential option if 1 package has it. |
| 111457 | Hard | Shipments with the Residential option set must have the Residential option set on all packages. |
| 111460 | Hard | Shipments cannot exceed a COD amount of \$5000 when requesting a cashiers check or money order. |
| 111465 | Hard | The selected Package access method does not match the shipment access method. |
| 111500 | Hard | Special rates are unavailable for the selected service using requested containers. |
| 111501 | Hard | The selected container is not valid with the requested accessory option. |
| 111502 | Hard | The selected country allows Return Services only |
| 111510 | Hard | Unsupported container type requested. |
| 111511 | Hard | Unsupported accessory requested. |
| 111512 | Hard | Unsupported billing option requested. |
| 111513 | Hard | Unsupported service requested. |

| Error Code | Severity | Description |
|------------|----------|---|
| 111515 | Hard | Weight of %weight.actual% exceeds maximum for rating the requested container. Using standard package rates. |
| 111519 | Hard | The selected Package rating category does not match the shipment rating category. |
| 111520 | Hard | International Special Commodities Alcohol is not allowed with "Documents Only" shipments. |
| 111526 | Hard | UPS Access Point Economy Service shipments must have a ShipmentIndicationType of 01 or 02 or must be a Return shipment. |

111530 - 115582

| Error Code | Severity | Description |
|------------|----------|--|
| 111530 | Warning | User level discount not valid for this User ID. |
| 111531 | Warning | No user level discount applied for this shipment. |
| 111532 | Warning | User level discount not valid for this shipment. |
| 111533 | Warning | User level discount not applied, another promotion has been applied. |
| 111534 | Warning | User level discount applied to the shipment. |
| 111535 | Hard | Invalid Origin Postal Code and City. |
| 111536 | Hard | Invalid Origin Country Code. |
| 111537 | Hard | Invalid Origin City. |
| 111538 | Hard | Invalid Origin. |
| 111539 | Hard | Invalid Destination Postal Code and City. |
| 111540 | Hard | Invalid Destination Country Code. |
| 111541 | Hard | Invalid Destination City. |
| 111542 | Hard | Invalid Destination. |
| 111543 | Hard | Missing or Invalid Pickup Date. |
| 111544 | Hard | Pickup Date is out of allowable range. |
| 111545 | Hard | Invalid Pickup Time. |
| 111546 | Hard | Invalid Weight. |
| 111547 | Hard | Weight is out of allowable range. |
| 111548 | Hard | Invalid Weight Unit of Measure. |
| 111549 | Hard | Invalid Shipment Contents Value. |
| 111550 | Hard | Invalid Shipment Contents Currency Code. |
| 111551 | Hard | Invalid Bill Type. |
| 111552 | Hard | Invalid Duty Type. |
| 111553 | Hard | Invalid Residential Indicator. |

| Error Code | Severity | Description |
|------------|----------|---|
| 111554 | Hard | Requested DropOffAtFacilityIndicator accessorial is valid with Bill type 04 only. |
| 111555 | Hard | Requested HoldForPickupIndicator accessorial is valid with Bill type 04 only. |
| 111556 | Hard | Unable to determine origin for Time in Transit Information. |
| 111557 | Hard | Unable to determine destination for Time in Transit Information. |
| 111558 | Hard | Origin/Destination pair is invalid. |
| 111559 | Hard | Origin or Destination Country Code invalid. |
| 111560 | Hard | An Invalid Postal Code or City. |
| 111561 | Hard | Missing or Invalid Package Bill Type. |
| 111562 | Hard | No matching Rate and Transit times available. |
| 111563 | Hard | Delivery Time Information Container is required for ratetimeintransit or shoptimeintransit request options. |
| 111564 | Hard | Package Bill Type 02 is required when indicating a Documents Only Shipment. |
| 111570 | Hard | For Import Control movements, Bill Receiver is not a valid payer. |
| 111571 | Hard | Bill Receiver is an invalid payer of an international return movement. |
| 111572 | Hard | The payer of Duty and Tax charges is invalid for Split Duty VAT shipment. |
| 111573 | Hard | GNIFC is not valid for Letters/Envelopes and documents with no commercial value. |
| 111574 | Hard | Invalid Bill-To type. |
| 111575 | Hard | Missing or Invalid Shipment Charge Type. |
| 111576 | Hard | Missing or Invalid Account Number. |
| 111577 | Hard | At least one Shipment Charge container must be present in the PaymentDetails container. |
| 111578 | Hard | A single payment method is required per shipment charge. |
| 111579 | Hard | The payment details must be the same for both Transportation charges and Duty and Tax charges when Bill to Shipper or Bill to Receiver is specified as the payer. |
| 111580 | Hard | Missing or Invalid account number for Payment Details. |
| 111581 | Hard | Country Code is required for Bill Third Party Shipment Charges. |
| 111582 | Hard | Missing/Invalid InvoiceLineTotal Monetary Value |
| 111583 | Hard | Missing or Invalid Bill Third Party Address Line. |
| 111584 | Hard | Address container is required for Bill Third Party. |
| 111585 | Hard | Missing or Invalid shipment payment method. |
| 111586 | Hard | Bill to Shipper account number must be the same as Shipper account number. |
| 111587 | Hard | The UPS account number specified for Transportation charges is invalid for Split Duty VAT shipment. |
| 111588 | Hard | Invalid SplitDutyVATIndicator. |

| Error Code | Severity | Description |
|------------|----------|---|
| 111589 | Hard | The payer of Duty and Tax charges is not required for UPS Letter, Documents of No Commercial Value or Qualified Domestic Shipments. |
| 111590 | Hard | No more than 3 Address Line are allowed for Bill Third Party address. |
| 111591 | Hard | The payment method specified for Transportation charges is invalid for return service. |
| 111592 | Hard | The payer of Transportation charges is invalid for Split Duty VAT shipment. |
| 111593 | Hard | The payer of Transportation charges and the payer of Duty and Tax charges must not be the same for Split Duty VAT shipment. |
| 111594 | Hard | {0} |
| 111595 | Hard | The UPS account number provided as the payment method cannot be billed, please try another account. |
| 111596 | Hard | Missing/Invalid PostalCode of payment account. |
| 111597 | Hard | {0} The local Customer Service Center can be reached at 62-0807-1-877-877 to arrange shipping services. |
| 111598 | Warning | Time in Transit information unavailable. |
| 111599 | Hard | Pickup container is required for ratetimeintransit or shoptimeintransit request options. |
| 111600 | Hard | BillShipper payment method is not valid for this shipment. |
| 111601 | Hard | Invalid DimWeight. No decimals are allowed in this field. |
| 111602 | Hard | {0} The local Customer Service Center can be reached at 62-0807-1-877-877 to arrange shipping services. |
| 111603 | Hard | Payer of Transportation Charges is required. |
| 111604 | Hard | Invalid sub-classification for SurePost less than 1LB service |
| 111605 | Hard | Payer of Duties and Taxes is not required for a qualified domestic shipment. |
| 111612 | Hard | Bill Third Party account or address is not required. |
| 111613 | Hard | Consignee billing is only supported in US or Puerto Rico. |
| 111614 | Hard | The requested service and lane combination requires a UPS account contract. |
| 111615 | Hard | Invalid Origin Postal Code. |
| 111616 | Hard | Invalid Destination Postal Code |
| 111619 | Hard | Your UPS Account number is not authorized for shipping Refrigerated Substances. |
| 111623 | Warning | Commercial Inside Release applied as per account preference to Package {0} |
| 111630 | Hard | The requested accessorail is valid only for Hold for Pickup at UPS Access Point shipment indication type. |
| single | Hard | The requested billing option/payment option is unavailable with the selected shipment indication type for a shipment to a UPS Access Point. |
| 111664 | Hard | Master Carton shipment is not valid with Goods Not in Free Circulation between EU countries. |
| 111665 | Hard | The Worldwide Economy shipment must be single piece only. |
| 111666 | Hard | UPS Account is not authorized for Worldwide Economy DDU service. |

| Error Code | Severity | Description |
|------------|----------|---|
| 111667 | Hard | UPS Account is not authorized for Worldwide Economy DDP service. |
| 111668 | Hard | Master Carton shipment must be single piece only. |
| 111675 | Hard | Missing or Invalid UPS Premier Category Code for package {0} |
| 111676 | Hard | UPS Account is not authorized for UPS Premier Silver. |
| 111677 | Hard | UPS Account is not authorized for UPS Premier Gold. |
| 111678 | Hard | UPS Account is not authorized for UPS Premier Platinum. |
| 111701 | Hard | The requested accessory is not allowed with the selected Delivery Day Request |
| 112000 | Hard | Only one type of oversize can be set on a package |
| 112001 | Hard | Oversize 1 (%overSize1MinWeight%) or Oversize 2 (%overSize2MinWeight%) or Oversize 3 (%overSize3MinWeight%) waiver invalid. |
| 112045 | Hard | The payer of transportation's country is not valid for Carbon Neutral shipments. |
| 112050 | Hard | At least one rate information; either negotiated rates or rate chart indicator is required. |
| 112051 | Hard | Shipment total weight has exceeded the maximum shipment weight limit of 99,999.9 kgs or 99,999.9 pounds. |
| 112052 | Hard | Total pieces in the shipment have exceeded the maximum allowed of 99,999 for a shipment. |
| 112053 | Hard | The number of pieces was not provided – Number of pieces in a shipment is required to process the shipment. |
| 112054 | Hard | Missing elements - Length, width and height are required for the pallet %package.index% to process the shipment. |
| 112055 | Hard | Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service from the selected origin is %maxWeightOrig% pounds. |
| 112056 | Hard | Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service from the selected origin is %maxWeightOrig% kgs. |
| 112057 | Hard | Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service to the selected destination is %maxWeightDest% pounds. |
| 112058 | Hard | Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service to the selected destination is %maxWeightDest% kgs. |
| 112059 | Hard | Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% cm by %width% cm by %height% cm for the selected origin. |
| 112060 | Hard | Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% in by %width% in by %height% in for the selected origin. |
| 112061 | Hard | Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% cm by %width% cm by %height% cm for the selected destination. |
| 112062 | Hard | Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% in by %width% in by %height% in for the selected destination. |
| 112063 | Warning | Please contact customer service center for capacity authorization. |
| 112064 | Hard | Lift Gate Accessorial for Pick Up and Delivery are not allowed when both Hold For Pick Up and Drop off At UPS Facility is requested. |

| Error Code | Severity | Description |
|------------|----------|---|
| 112065 | Hard | Lift Gate for Pick Up accessorial is not allowed with Drop Off At UPS Facility accessorial. |
| 112066 | Hard | Lift Gate for Delivery accessorial is not allowed with Hold For Pick Up accessorial. |
| 112067 | Hard | More than one type of insurance is not allowed for a shipment - only one type can exist per shipment |
| 112068 | Hard | The maximum declared amount was exceeded. Maximum value per pallet: %maxDeclVal% %currencyCode%. |
| 112082 | Hard | The maximum Dry Ice for a pallet/shipment is 200 kg or 440 lbs. |
| 112083 | Hard | Invalid pallet dimensions, the length must be longer than the width. |
| 112084 | Hard | Shipper is not eligible to ship Dry Ice. |
| 112085 | Hard | Missing or Invalid Return Type. |
| 112086 | Hard | Missing or Invalid Import Type. |
| 112090 | Hard | Commercial Invoice Removal is valid only for Import Control shipments. |
| 112091 | Hard | Missing or Invalid Regulation Set. |
| 112095 | Hard | DryIceWeight container with Dry Ice weight and UOM information is required for Dry Ice. |
| 112096 | Hard | Missing or Invalid Dry Ice Weight. |
| 112097 | Hard | Missing or Invalid code for Dry Ice Unit of Measurement. |
| 112098 | Hard | UnitOfMeasurement container with UOM code is required for Dry Ice. |
| 112099 | Hard | Invalid Regulation Set. All packages with Dry Ice accessorial must contain the same Regulation Set. |
| 112100 | Hard | Invalid regulation set. The regulation set for non-US/PR origins/destinations should be IATA. |
| 112101 | Hard | Invalid weight. The Dry Ice weight is greater than the actual package weight. |
| 112105 | Hard | Return and Import Shipment accessorial cannot be requested together in a shipment. |
| 112106 | Hard | The Saturday Delivery option cannot be combined with the Return Services option. |
| 112107 | Hard | The Saturday Delivery option cannot be combined with the UPS Import Control option. |
| 112109 | Hard | Itemized Charges are not valid for this service. |
| 112110 | Hard | Account is not authorized for UPS Exchange service. |
| 112111 | Hard | Missing or Invalid Shipper Number. |
| 112113 | Hard | UPS Account is not authorized for Hold for Pickup at UPS Access Point. |
| 112114 | Hard | Alternate Delivery Address information is required for Hold for Pickup at UPS Access Point. |
| 112115 | Hard | The maximum declared value for Flexible Parcel Insurance has been exceeded. Maximum value per package: %maxDeclVal% %currencyCode%. |
| 112116 | Hard | The requested billing option is unavailable between the selected locations with the selected options. |

| Error Code | Severity | Description |
|------------|----------|---|
| 112117 | Hard | Package exceeds the maximum length constraint of %rave.DTR_NAP_maxLength_IN% inches. Length is the longest side of a package. |
| 112118 | Hard | Package exceeds the maximum length constraint of %rave.DTR_NAP_maxLength_CM% cm. Length is the longest side of a package. |
| 112119 | Hard | The maximum per package weight for the selected option is %country.maxPkgWeight% pounds. |
| 112120 | Hard | The maximum per package weight for the selected option is %country.maxPkgWeight% kg. |
| 112121 | Hard | Missing or Invalid Alternate Delivery Address Name. |
| 112122 | Hard | Missing or Invalid Alternate Delivery Address Address Line 1. |
| 112123 | Hard | Missing or Invalid Alternate Delivery Address Address Line 2. |
| 112124 | Hard | Missing or Invalid Alternate Delivery Address Address Line 3. |
| 112125 | Hard | Missing or Invalid Alternate Delivery Address City. |
| 112126 | Hard | Missing or Invalid Alternate Delivery Address State/Province. |
| 112127 | Hard | Missing or Invalid Alternate Delivery Address Postal Code. |
| 112128 | Hard | Missing or Invalid Alternate Delivery Address Country Code. |
| 112129 | Hard | Missing or Invalid Shipment Indication Type. |
| 112131 | Hard | Only 1 Shipment Indication Type allowed in a request. |
| 112132 | Hard | Missing or Invalid Monetary value for Access point COD. |
| 112133 | Hard | Missing or Invalid Currency code for Access point COD. |
| 112134 | Hard | Alternate Delivery Address information is required for UPS Access Point Delivery. |
| 112135 | Hard | The customs value entered exceeds the maximum allowed amount of \$2300 USD or \$2500 CAD. |
| 112136 | Hard | The Shipment Level Access Point COD option is unavailable with the selected service and/or with the shipments origin/destination. |
| 112137 | Hard | The Package Level Access Point COD is not valid for the shipment origin and/or destination. |
| 112138 | Warning | UPS Access Point Delivery Rates were applied to a shipment. |
| 112139 | Hard | Request contains invalid data e.g. special characters etc. Please correct. |
| 112140 | Hard | Your UPS Account number is not authorized for UPS Access Point Economy service when selecting Hold for Pickup at UPS Access Point Shipment Indication Type. |
| 112141 | Hard | Your UPS Account number is not authorized for UPS Access Point Economy service when selecting Returns. |
| 112142 | Warning | The account used to create this shipment has Direct Delivery Only preference selected. |
| 112153 | Warning | Unregistered User |
| 112154 | Warning | Full Rates Returned. Customer could not be found for that zip code. |
| 112155 | Warning | Destination is a rural point. |

| Error Code | Severity | Description |
|------------|----------|--|
| 113005 | Hard | A service may not guarantee Early arrival to dest.city dest.state dest.postal dest.countryname; |
| 113010 | Hard | A package in the shipment contains a warning. |
| 113020 | Hard | {0} |
| 113021 | Hard | {0} |
| 113060 | Warning | The weight exceeds the limit for the UPS Letter/Envelope rate and will be rated using the weight. |
| 113109 | Warning | Packages not dropped off at a UPS Access Point location may incur additional cost and/or transit time. |
| 113138 | Warning | Shipper Number is not qualified to receive negotiated rates. |
| 115581 | Hard | Unsupported Customer Classification Code |
| 115582 | Hard | Invalid Customer Classification Code |

118400 - 190003

| Error Code | Severity | Description |
|------------|----------|---|
| 118400 | Hard | The destination postal code %dest.postal% is not a valid %dest.country% postal code. Verify your postal code, or select %dest.AdjCountry% as your destination country. |
| 118401 | Hard | The Pickup From postal code %orig.postal% is not a valid %orig.country% postal code. Verify your postal code, or select %orig.AdjCountry% as your Pickup From country. |
| 118402 | Hard | The destination postal code %dest.postal% in %dest.country% can also be %dest.AdjCityName% in %dest.AdjCountry%. If you want to ship to %dest.AdjCityName%, select %dest.AdjCountry% and enter the postal code %dest.AdjPostal%. If you are shipping to a city within %dest.country%, enter the correct city. |
| 118403 | Hard | The Pickup From postal code %orig.postal% in %orig.country% can also be %orig.AdjCityName% in %orig.AdjCountry%. If you want to pickup from %orig.AdjCityName%, select %orig.AdjCountry% and enter the postal code %orig.AdjPostal%. If you are picking up from a city within %orig.country%, enter the correct city. |
| 119001 | Hard | Additional Handling has automatically been set on Package %package.index%. |
| 119002 | Hard | Extended Area surcharge applied. |
| 119003 | Hard | The requested service may not guarantee Next Day arrival to the selected location. |
| 119004 | Hard | Check the UPS Service Guide for supported Saturday delivery destinations within the selected country. |
| 119005 | Hard | The requested service may not guarantee Second Day arrival to the selected location. |
| 119006 | Hard | The Second Day Air service may not guarantee Second Day arrival to the selected location. |
| 119011 | Hard | The maximum declared value amount for the 1-Attempt option is \$1,000 |
| 119013 | Hard | The maximum declared value amount for the Print Return Label option is \$1,000. |
| 119014 | Hard | The maximum declared value amount for the Electronic Delivery option is \$1,000. |
| 119015 | Hard | The maximum declared value amount for the 3-Attempt option is \$50,000. |
| 119017 | Hard | Oversize 3 indicator has automatically been set on Package. |
| 119018 | Hard | Oversize 3 does not apply, and has automatically been removed from Package. |
| 119020 | Warning | When user indicated Residential indicator is different from AMS Classification. |
| 119058 | Hard | Shipper Number {0} does not support pallet Contract Service. |
| 119070 | Hard | Large Package Surcharge has been added to Package %package.index%. |
| 119071 | Hard | Large Package indicator has been set and Large Package Surcharge has been added to Package %package.index%. |
| 119072 | Hard | Additional Handling has been removed. Large Package Surcharge has been; |
| 119076 | Hard | All package types must be pallets. |
| 119077 | Warning | A dimensional surcharge has been added to pallet {0}. |
| 119078 | Hard | The maximum dimensions for a pallet are 200 cm by 160 cm by 120 cm. |

| Error Code | Severity | Description |
|------------|----------|--|
| 119079 | Hard | The requested service is not valid with pallets with a weight greater than 1000kg. Please select Dedicated Package Courier Same Day Service. |
| 119080 | Hard | Pallet {0} exceeds maximum width. |
| 119081 | Hard | Pallet {0} exceeds maximum height. |
| 119082 | Hard | Pallet {0} exceeds maximum length. |
| 119083 | Hard | Pallet {0} exceeds maximum weight. |
| 120001 | Hard | XML Shipping System is unavailable, please try again later. |
| 126098 | Warning | Account authentication is required to be completed to get negotiated rates. |
| 150000 | Hard | Tracking service unavailable |
| 190003 | Warning | Published rates are unavailable at this time |
| 120902 | Warning | Negotiated rates cannot be returned without a valid account number. |

New Error Codes

| Error Code | Severity | Description |
|------------|----------|---|
| 117147 | Hard | Emergency Phone Number is required for dangerous good shipments with TDG regulation set. |
| 117148 | Hard | Invalid Emergency contact. If a third party is being used the contact field must include both the name and the customer account with that provider. |
| 117149 | Hard | Specified commodity is not permitted from Canada to US through TDG ground service. |
| 111691 | Hard | Missing or Invalid shipment accessory |
| 111692 | Hard | Missing or Invalid Package accessory |
| 111693 | Hard | Missing or Invalid shipment properties |
| 111694 | Hard | Missing or Invalid rating options |
| 111695 | Hard | Missing or Invalid shipping account |
| 111696 | Hard | Missing or Invalid shipping account |
| 111697 | Hard | Missing or Invalid Agent Properties |
| 111698 | Hard | Missing or Invalid OrigIATA |
| 111699 | Hard | Missing or Invalid DestIATA |
| 111700 | Hard | Missing or Invalid ThirdPartyCountry |
| 111702 | Hard | Invalid OrigIATA Length |
| 111703 | Hard | Invalid DestIATA Length |
| 111704 | Hard | Invalid OriginCountry Length |
| 111705 | Hard | Invalid DestinationCountry Length |
| 111706 | Hard | Invalid RequesterCountry Length |

| Error Code | Severity | Description |
|------------|----------|--|
| 111707 | Hard | Invalid ThirdPartyCountry Length |
| 111708 | Hard | Missing or Invalid MeasurementCode |
| 111709 | Hard | Missing or Invalid Length, Width or Height |
| 111710 | Hard | Missing or Invalid PickupDate |
| 111711 | Hard | Missing or Invalid CityOPDType |
| 111712 | Hard | Missing or Invalid ShipmentType |
| 111713 | Hard | Missing or Invalid FilterType |
| 111714 | Hard | Missing or Invalid Document Type |
| 111715 | Hard | Missing or Invalid Paperless Type |
| 111716 | Hard | Missing or Invalid Contract Code |
| 111717 | Hard | Missing or Invalid RequestCode |
| 111718 | Hard | Missing or Invalid Service, Accessory, ContainerType, or BillingOption |
| 111719 | Hard | Missing Service, Accessory, ContainerType, or BillingOption for filtertype |
| 111720 | Hard | Missing Request Information |
| 111721 | Hard | Missing Request Information: Agent |
| 111722 | Hard | Missing or Invalid Request - Invalid Role |
| 111723 | Hard | Missing or Invalid Request - Country Code |
| 111724 | Hard | Missing or Invalid Carrier Name |
| 111725 | Hard | Missing or Invalid AccountNumber |
| 111726 | Hard | Invalid AccountNumber Length |
| 111727 | Hard | Missing transId |
| 111728 | Hard | Missing transactionSrc |
| 111729 | Hard | Invalid CountryCode Length |
| 112128 | Hard | Missing or Invalid CountryName |
| 112128 | Hard | Missing or Invalid CountryCode |
| 110308 | Hard | Missing or Invalid OriginCountry |
| 110208 | Hard | Missing or Invalid DestinationCountry |
| 110108 | Hard | Missing or Invalid RequesterCountry |
| 112127 | Hard | Missing or Invalid Postal Code |
| 111057 | Hard | Invalid Unit of Measurement for the given country |
| 110007 | Hard | No services found; |
| 112200 | Warning | Country Field Missing |
| 112201 | Warning | State Field Missing |

| Error Code | Severity | Description |
|------------|----------|---|
| 112202 | Warning | Postal Code Field Missing |
| 112203 | Warning | Rcc Code Field Missing |
| 112204 | Warning | Rcc Type Field Missing |
| 112205 | Warning | Pickup Date Field Missing |
| 112206 | Warning | Country Code Field Missing |
| 112207 | Warning | Shipper Number Field Missing |
| 112208 | Warning | Currency Code Field Missing |
| 112209 | Warning | Zone Field Missing |
| 112210 | Warning | NRF Transaction ID Field Missing |
| 112211 | Warning | Service Type Field Missing |
| 112212 | Warning | Pkg Height Field Missing |
| 112213 | Warning | Pkg Length Field Missing |
| 112214 | Warning | Pkg Width Field Missing |
| 112215 | Warning | Pkg Actual Weight Field Missing |
| 112216 | Warning | Pkg BillableWeight Field Missing |
| 112217 | Warning | Pkg DimWeight Field Missing |
| 112218 | Warning | Pkg UOMWeight Field Missing |
| 112219 | Warning | Pkg UOMDim Field Missing |
| 112220 | Warning | Pkg Type Field Missing |
| 112221 | Warning | Shipment ActualWeight Missing |
| 112222 | Warning | Shipment BillableWeight Missing |
| 112223 | Warning | NumberOfPieces Missing |
| 112224 | Warning | ShipperCountryMissing |
| 112225 | Warning | Role Missing |
| 112226 | Warning | RaveserviceId Missing |
| 112227 | Warning | Residential Missing |
| 112228 | Warning | AveragePkgWeightInd Missing |
| 112229 | Warning | Packageld Missing |
| 112230 | Warning | ShipperNumber field data is missing |
| 112231 | Warning | BillingOption field data is missing |
| 112232 | Warning | ClientInfo.DataSource field data is missing |
| 112233 | Warning | Zone field data is missing |
| 112234 | Warning | Packages.PackageType field data is missing |

| Error Code | Severity | Description |
|------------|----------|---|
| 112235 | Warning | DocumentState field contains invalid data |
| 112236 | Warning | CWT Shipments are invalid. |
| 112237 | Warning | Modifier is applied on Package(s). |

Accessorial / Surcharge Codes

| Code | Accessorial / Surcharge |
|------|---------------------------------------|
| 100 | ADDITIONAL HANDLING |
| 110 | COD |
| 120 | DELIVERY CONFIRMATION |
| 121 | SHIP DELIVERY CONFIRMATION |
| 190 | EXTENDED AREA |
| 199 | HAZ MAT |
| 200 | DRY ICE |
| 201 | ISC SEEDS |
| 202 | ISC PERISHABLES |
| 203 | ISC TOBACCO |
| 204 | ISC PLANTS |
| 205 | ISC ALCOHOLIC BEVERAGES |
| 206 | ISC BIOLOGICAL SUBSTANCES |
| 207 | ISC SPECIAL EXCEPTIONS |
| 220 | HOLD FOR PICKUP |
| 240 | ORIGIN CERTIFICATE |
| 250 | PRINT RETURN LABEL |
| 258 | EXPORT LICENSE VERIFICATION |
| 270 | RESIDENTIAL ADDRESS |
| 280 | RETURN SERVICE 1ATTEMPT |
| 290 | RETURN SERVICE 3ATTEMPT |
| 300 | SATURDAY DELIVERY |
| 310 | SATURDAY INTERNATIONAL PROCESSING FEE |
| 350 | ELECTRONIC RETURN LABEL |
| 374 | UPS PREPARED SED FORM |
| 375 | FUEL SURCHARGE |
| 376 | DELIVERY AREA |
| 377 | LARGE PACKAGE |
| 378 | SHIPPER PAYS DUTY TAX |
| 379 | SHIPPER PAYS DUTY TAX UNPAID |
| 380 | EXPRESS PLUS SURCHARGE |
| 400 | INSURANCE |

| Code | Accessorial / Surcharge |
|------|--|
| 401 | SHIP ADDITIONAL HANDLING |
| 402 | SHIPPER RELEASE |
| 403 | CHECK TO SHIPPER |
| 405 | GERMAN PICKUP |
| 406 | GERMAN ROAD TAX |
| 407 | EXTENDED AREA PICKUP |
| 410 | RETURN OF DOCUMENT |
| 430 | PEAK/DEMAND SEASON |
| 431 | LARGE PACKAGE SEASONAL SURCHARGE |
| 432 | ADDITIONAL HANDLING SEASONAL SURCHARGE |
| 440 | SHIP LARGE PACKAGE |
| 441 | CARBON NEUTRAL |
| 444 | IMPORT CONTROL |
| 445 | COMMERCIAL INVOICE REMOVAL |
| 446 | IMPORT CONTROL ELECTRONIC LABEL |
| 447 | IMPORT CONTROL PRINT LABEL |
| 449 | IMPORT CONTROL ONE PICK UP ATTEMPT LABEL |
| 450 | IMPORT CONTROL THREE PICK UP ATTEMPT LABEL |
| 452 | REFRIGERATION |
| 464 | EXCHANGE PRINT RETURN LABEL |
| 470 | COMMITTED DELIVERY WINDOW |
| 480 | SECURITY SURCHARGE |
| 492 | CUSTOMER TRANSACTION FEE |
| 500 | SHIPMENT COD |
| 510 | LIFT GATE FOR PICKUP |
| 511 | LIFT GATE FOR DELIVERY |
| 512 | DROP OFF AT UPS FACILITY |
| 515 | UPS PREMIUM CARE |
| 520 | OVERSIZE PALLET |
| 530 | FREIGHT DELIVERY SURCHARGE |
| 531 | FREIGHT PICKUP SURCHARGE |
| 540 | DIRECT TO RETAIL |
| 541 | DIRECT DELIVERY ONLY |

| Code | Accessorial / Surcharge |
|------|---|
| 541 | NO ACCESS POINT |
| 542 | DELIVER TO ADDRESSEE ONLY |
| 543 | DIRECT TO RETAIL COD |
| 544 | RETAIL ACCESS POINT |
| 546 | ELECTRONIC PACKAGE RELEASE AUTHENTICATION |
| 547 | PAY AT STORE |
| 549 | INSIDE DELIVERY |
| 550 | ITEM DISPOSAL |
| 551 | UK BORDER FEE |
| 555 | UPS PREMIER SILVER |
| 556 | UPS PREMIER GOLD |
| 557 | UPS PREMIER PLATINUM |
| 558 | DDU OVERSIZE |

Accessorial & Surcharge Subtypes

| Accessorial/Surcharge | SubType |
|---|---|
| Freight Delivery Area Surcharge | <ul style="list-style-type: none"> Freight Delivery Area Surcharge Freight Delivery Area Surcharge Extended Freight Remote Area Surcharge Freight Remote Area Surcharge Extended |
| Freight Pickup Area Surcharge | <ul style="list-style-type: none"> Freight Pickup Area Surcharge Freight Pickup Area Surcharge Extended Freight Remote Pickup Area Surcharge Freight Remote Pickup Area Surcharge Extended |
| Insurance Accessorial | <ul style="list-style-type: none"> BPI DVS EVS TNT EPI |
| Ship Delivery Confirmation Accessorial | <ul style="list-style-type: none"> Adult Signature Required Signature Required |
| Package Delivery Confirmation Accessorial | <ul style="list-style-type: none"> Name and Date Required Signature and Date Required Adult Signature Required |
| Extended Area Surcharge | <ul style="list-style-type: none"> Alaska Hawaii Urban Rural Super Rural Super Urban Suburban Extended Area Destination Base Remote Super Remote |

| Accessorial/Surcharge | SubType |
|--------------------------------|--|
| Delivery Area Surcharge | <ul style="list-style-type: none"> Alaska Extended Hawaii Extended Urban Rural Rural Extended Metropolitan Remote Area Suburban |
| Extended Area Pickup Surcharge | <ul style="list-style-type: none"> Alaska Hawaii Urban Rural Super Rural Super Urban Remote Suburban Extended Area Origin |
| Peak Season Surcharge | <ul style="list-style-type: none"> Residentail_Seasonal_Surcharge Commercial_Seasonal_Surcharge CWT_Residentail_Seasonal_Surcharge CWT_Commercial_Seasonal_Surcharge |
| Large Package Surcharge | <ul style="list-style-type: none"> Residential Commercial Longest side Residential Longest side Commercial |
| Additional Handling Surcharge | <ul style="list-style-type: none"> Weight |
| Inside Delivery | <ul style="list-style-type: none"> White Glove Room of Choice Installation |

COD Supported Countries or Territories

Rating and Shipping Package COD supported countries or territories

Shipment Level

| Country or Territory | 1 Cash | 9 Check Cashier's Check Money Order |
|--|-----------|--|
| All European Union (EU) countries or territories supported by the API, exceptions noted below. For additional information, refer to Country or Territory Codes in the Appendix. | Yes | Yes |
| Russia | Yes | No |
| United Arab Emirates | Yes | No |

Package Level

NOTE: No EU countries or territories currently support Package level COD.


| Country or Territory | 0 Check, Cash Cashier's Check Money Order | 8 Cashier's Check Money Order | 9 Personal Check |
|----------------------|--|-------------------------------------|---------------------|
| Argentina (AR) | | | Yes |
| Brazil (BR) | | | Yes |
| Canada (CA) | Yes | Yes | |
| Chile (CL) | | | Yes |
| Mexico (MX) | Yes | | |
| Puerto Rico (PR) | Yes | Yes | |
| United States (US) | Yes | Yes | |

Country or Territory Codes

Rating and Shipping Package API Supported Countries or Territories

UPS country or territory code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of country or territory abbreviations in ISO Standard 3166.

The following table lists the country or territory codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: <http://www.iso.org/>.

 **NOTE:** Not all UPS services are available in every country or territory. Refer to the [UPS Rate and Service Guide](#) at UPS.com for more information on UPS services.

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Afghanistan | AF | X | |
| Aland Islands | AX | X | |
| Albania | AL | X | X |
| Algeria | DZ | X | X |
| American Samoa | AS | | |
| Andorra | AD | | |
| Angola | AO | X | |
| Anguilla | AI | | |
| Antarctica | AQ | | |
| Antigua and Barbuda | AG | X | X |
| Argentina | AR | X | X |
| Armenia | AM | X | X |
| Aruba | AW | X | X |
| Australia | AU | X | X |
| Austria | AT | X | X |
| Azerbaijan | AZ | X | X |
| Azores | A2 | X | |
| Bahamas | BS | X | X |
| Bahrain | BH | X | X |
| Bangladesh | BD | X | X |
| Barbados | BB | X | X |
| Belarus | BY | | X |
| Belgium | BE | X | X |
| Belize | BZ | | |
| Benin | BJ | | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Bermuda | BM | X | X |
| Bhutan | BT | | |
| Bolivia (Plurinational State of) | BO | X | X |
| Bonaire, St. Eustatius, Saba | BQ | X | X |
| Bosnia and Herzegovina | BA | X | X |
| Botswana | BW | | |
| Bouvet Island | BV | | |
| Brazil | BR | X | X |
| British Indian Ocean Territory | IO | | |
| Brunei Darussalam | BN | X | X |
| Bulgaria | BG | X | X |
| Burkina Faso | BF | | |
| Burundi | BI | X | X |
| Cambodia | KH | X | X |
| Cameroon | CM | X | |
| Canada | CA | X | X |
| Canary Islands | IC | X | X |
| Cabo Verde | CV | | |
| Cayman Islands | KY | X | X |
| Central African Republic | CF | | |
| Ceuta | XC | X | |
| Chad | TD | | |
| Chile | CL | X | X |
| China Mainland | CN | X | X |
| Christmas Island | CX | | |
| Cocos (Keeling) Islands | CC | | |
| Colombia | CO | X | X |
| Comoros | KM | | |
| Congo | CG | | |
| Congo, The Democratic Republic of | CD | X | |
| Cook Islands | CK | | |
| Costa Rica | CR | X | X |
| Cote d' Ivoire (Ivory Coast) | CI | X | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Croatia | HR | X | X |
| Cuba | CU | | |
| Curacao | CW | X | X |
| Cyprus | CY | X | X |
| Czech Republic | CZ | X | X |
| Denmark | DK | X | X |
| Djibouti | DJ | X | X |
| Dominica | DM | | |
| Dominican Republic | DO | X | X |
| Ecuador | EC | X | X |
| Egypt | EG | X | X |
| El Salvador | SV | X | X |
| England | EN | X | X |
| Equatorial Guinea | GQ | | |
| Eritrea | ER | | |
| Estonia | EE | X | X |
| Ethiopia | ET | X | X |
| Falkland Islands (Malvinas) | FK | | |
| Faroe Islands | FO | | |
| Fiji | FJ | X | X |
| Finland | FI | X | X |
| France | FR | X | X |
| French Guiana | GF | | |
| French Polynesia | PF | | |
| French Southern Territories | TF | | |
| Gabon | GA | | |
| Gambia | GM | | |
| Georgia | GE | X | X |
| Germany | DE | X | X |
| Ghana | GH | X | X |
| Gibraltar | GI | X | X |
| Greece | GR | X | X |
| Greenland | GL | | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---|---------------------------|--------------------------|-------------------------|
| Grenada | GD | | |
| Guadeloupe | GP | | |
| Guam | GU | X | X |
| Guatemala | GT | X | X |
| Guernsey | GG | X | X |
| Guinea | GN | X | X |
| Guinea-Bissau | GW | | |
| Guyana | GY | | |
| Haiti | HT | | X |
| Heard Island and McDonald Islands | HM | | |
| Holland | HO | X | |
| Holy See (See Vatican) | | | |
| Honduras | HN | X | X |
| Hong Kong SAR, China | HK | X | X |
| Hungary | HU | X | X |
| Iceland | IS | X | X |
| India | IN | X | X |
| Indonesia | ID | X | X |
| Iran (Islamic Republic of) | IR | | |
| Iraq | IQ | X | X |
| Ireland | IE | X | X |
| Isle of Man | IM | | |
| Israel | IL | X | X |
| Italy | IT | X | X |
| Jamaica | JM | X | X |
| Japan | JP | X | X |
| Jersey | JE | X | X |
| Jordan | JO | X | X |
| Kazakhstan | KZ | X | X |
| Kenya | KE | X | X |
| Kiribati | KI | | |
| Korea (Democratic People's Republic of) | KP | | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---|---------------------------|--------------------------|-------------------------|
| Korea, South | KR | X | X |
| Kosovo | KV | X | |
| Kosrae | KO | | |
| Kuwait | KW | X | X |
| Kyrgyzstan | KG | X | |
| Lao People's Democratic Republic (Laos) | LA | X | X |
| Latvia | LV | X | X |
| Lebanon | LB | X | X |
| Lesotho | LS | | |
| Liberia | LR | | |
| Libya | LY | X | X |
| Liechtenstein | LI | X | X |
| Lithuania | LT | X | X |
| Luxembourg | LU | X | X |
| Macao (Macao) SAR, China | MO | X | X |
| Macedonia (FYROM) | MK | X | X |
| Madagascar | MG | X | X |
| Madeira | A3 | X | |
| Malawi | MW | X | X |
| Malaysia | MY | X | X |
| Maldives | MV | | |
| Mali | ML | X | X |
| Malta | MT | X | X |
| Marshall Islands | MH | | |
| Martinique | MQ | | |
| Mauritania | MR | X | X |
| Mauritius | MU | X | X |
| Mayotte | YT | | |
| Melilla | XL | X | |
| Mexico | MX | X | X |
| Micronesia (Federated States of) | FM | | |
| Moldova (Republic of) | MD | X | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Monaco | MC | X | X |
| Mongolia | MN | | |
| Montenegro | ME | X | X |
| Montserrat | MS | | |
| Morocco | MA | X | X |
| Mozambique | MZ | X | |
| Myanmar | MM | | |
| Namibia | NA | | |
| Nauru | NR | | |
| Nepal | NP | X | |
| Netherlands | NL | X | X |
| New Caledonia | NC | | |
| New Zealand | NZ | X | X |
| Nicaragua | NI | X | X |
| Niger | NE | | |
| Nigeria | NG | X | X |
| Norfolk Island | NF | | |
| Northern Ireland | NB | X | |
| Northern Mariana Islands | MP | | |
| Norway | NO | X | X |
| Oman | OM | X | X |
| Pakistan | PK | X | X |
| Palau | PW | | |
| Palestine, State of | PS | | |
| Panama | PA | X | X |
| Papua New Guinea | PG | | |
| Paraguay | PY | X | X |
| Peru | PE | X | X |
| Philippines | PH | X | X |
| Pitcairn | PN | | |
| Poland | PL | X | X |
| Ponape | PO | | |
| Portugal | PT | X | X |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Puerto Rico | PR | X | X |
| Qatar | QA | X | X |
| Reunion | RE | X | X |
| Romania | RO | X | X |
| Russia (Russian Federation) | RU | X | X |
| Rwanda | RW | X | X |
| Saint Barthelemy | BL | | |
| Saint Christopher | SW | X | X |
| Saint Croix (see Virgin Islands) | C3 | X | |
| Saint John | UV | X | |
| Saint Kitts and Nevis | KN | X | X |
| Saint Lucia | LC | X | X |
| Saint Maarten and St. Martin | SX | X | X |
| Saint Thomas | VL | X | X |
| Saint Vincent and the Grenadines | VC | | |
| Saipan | SP | | |
| Samoa | WS | | |
| San Marino | SM | | |
| Sao Tome and Principe | ST | | |
| Saudi Arabia | SA | X | X |
| Scotland | SF | X | |
| Senegal | SN | X | X |
| Serbia | RS | X | X |
| Seychelles | SC | | |
| Sierra Leone | SL | | |
| Singapore | SG | X | X |
| Slovakia | SK | X | X |
| Slovenia | SI | X | X |
| Solomon Islands | SB | | |
| South Africa | ZA | X | X |
| Spain | ES | X | X |
| Sri Lanka | LK | X | X |
| Suriname | SR | | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Swaziland | SZ | | |
| Sweden | SE | X | X |
| Switzerland | CH | X | X |
| Tahiti | TA | | |
| Taiwan, China | TW | X | X |
| Tajikistan | TJ | | |
| Tanzania (United Republic of) | TZ | X | X |
| Thailand | TH | X | X |
| Timor-Leste | TL | | |
| Tinian | TI | | |
| Togo | TG | | |
| Tonga | TO | | |
| Tortola | ZZ | | |
| Trinidad and Tobago | TT | X | X |
| Truk | TU | | |
| Tunisia | TN | X | X |
| Turkey | TR | X | X |
| Turkmenistan | TM | | |
| Turks and Caicos Islands | TC | | |
| Tuvalu | TV | | |
| Uganda | UG | X | |
| Ukraine | UA | X | X |
| Union Island | UI | | |
| United Arab Emirates | AE | X | X |
| United Kingdom | GB | X | X |
| United States | US | | |
| Uruguay | UY | X | X |
| Uzbekistan | UZ | X | X |
| Vanuatu | VU | | |
| Vatican City State | VA | X | X |
| Venezuela(Bolvarian Republic of) | VE | X | X |
| Vietnam (Viet Nam) | VN | X | X |
| Virgin Islands, British | VG | | |

| Destination Country or Territory Name | Country or Territory Code | Supported Forward Origin | Supported Return Origin |
|---------------------------------------|---------------------------|--------------------------|-------------------------|
| Virgin Islands, US | VI | X | X |
| Wales | WL | X | X |
| Wallis and Futuna Islands | WF | | |
| Yap | YA | | |
| Yemen | YE | | |
| Zambia | ZM | X | X |
| Zimbabwe | ZW | X | |

Currency Codes

UPS currency code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of currency abbreviations in ISO Standard 4217. The following table lists the currency codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: <http://www.iso.org/>.

Countries or Territories may sometimes change their official currency. UPS does require time after the introduction of a new currency before it can fully support that currency. In addition, UPS may continue to support the older currency for an interim period in order to provide backwards compatibility.

UPS may also require the use of currencies other than the official currency for some countries or territories.

| Country or Territory or Region | Currency Name | Currency Code |
|--------------------------------|-----------------------|---------------|
| Afghanistan | Afghani | AFN |
| Albania | Lek | ALL |
| Algeria | Algerian Dinar | DZD |
| American Samoa | US Dollar | USD |
| Andorra | Euro | EUR |
| Angola | Kwanza | AOA |
| Anguilla | East Caribbean Dollar | XCD |
| Antigua And Barbuda | East Caribbean Dollar | XCD |
| Argentina | Argentine Peso | ARS |
| Armenia | Armenian Dram | AMD |
| Aruba | Aruban Guilder | AWG |
| Australia | Australian Dollar | AUD |
| Austria | Euro | EUR |
| Azerbaijan | Azerbaijani Manat | AZN |
| Bahamas | Bahamian Dollar | BSD |
| Bahrain | Bahraini Dinar | BHD |
| Bangladesh | Taka | BDT |
| Barbados | Barbados Dollar | BBD |
| Belarus | Belarussian Ruble | BYR |
| Belgium | Euro | EUR |
| Belize | Belize Dollar | BZD |
| Benin | CFA Franc BCEAO | XOF |
| Bermuda | Bermudian Dollar | BMD |
| Bhutan | Indian Rupee | INR |
| Bhutan | Ngultrum | BTN |
| Bolivia | Boliviano | BOB |
| Bolivia | Mvdol | BOV |

| Country or Territory or Region | Currency Name | Currency Code |
|-----------------------------------|-----------------------|---------------|
| Bosnia and Herzegovina | Convertible Marks | BAM |
| Botswana | Pula | BWP |
| Bouvet Island | Norwegian Krone | NOK |
| Brazil | Brazilian Real | BRL |
| British Indian Ocean Territory | US Dollar | USD |
| Brunei Darussalam | Brunei Dollar | BND |
| Bulgaria | Bulgarian Lev | BGN |
| Burkina Faso | CFA Franc BCEAO | XOF |
| Burundi | Burundi Franc | BIF |
| Cambodia | Riel | KHR |
| Cameroon | US Dollar | USD |
| Canada | Canadian Dollar | CAD |
| Cape Verde | Cape Verde Escudo | CVE |
| Cayman Islands | Cayman Islands Dollar | KYD |
| Central African Republic | CFA Franc BEAC | XAF |
| Chad | CFA Franc BEAC | XAF |
| Chile | Chilean Peso | CLP |
| Chile | Unidades de formento | CLF |
| China Mainland | Yuan Renminbi | RMB |
| Christmas Island | Australian Dollar | AUD |
| Cocos (Keeling) Islands | Australian Dollar | AUD |
| Colombia | Colombian Peso | COP |
| Colombia | Unidad de Valor Real | COU |
| Comoros | Comoro Franc | KMF |
| Congo | CFA Franc BEAC | XAF |
| Congo, The Democratic Republic of | Franc Congolais | CDF |
| Cook Islands | New Zealand Dollar | NZD |
| Costa Rica | Costa Rican Colon | CRC |
| Côte Divoire | CFA Franc BCEAO | XOF |
| Croatia | Croatian Kuna | HRK |
| Cuba | Cuban Peso | CUP |
| Cyprus | Euro | EUR |
| Czech Republic | Czech Koruna | CZK |

| Country or Territory or Region | Currency Name | Currency Code |
|--------------------------------|------------------------|---------------|
| Denmark | Danish Krone | DKK |
| Djibouti | Djibouti Franc | DJF |
| Dominica | East Caribbean Dollar | XCD |
| Dominican Republic | Dominican Peso | DOP |
| Ecuador | US Dollar | USD |
| Egypt | Egyptian Pound | EGP |
| El Salvador | El Salvador Colon | SVC |
| El Salvador | US Dollar | USD |
| Equatorial Guinea | CFA Franc BEAC | XAF |
| Eritrea | Nakfa | ERN |
| Estonia | Euro | EUR |
| Ethiopia | Ethiopian Birr | ETB |
| Falkland Islands (Malvinas) | Falkland Islands Pound | FKP |
| Faroe Islands | Danish Krone | DKK |
| Fiji | Fiji Dollar | FJD |
| Finland | Euro | EUR |
| France | Euro | EUR |
| French Guiana | Euro | EUR |
| French Polynesia | CFP Franc | XPF |
| French Southern Territories | Euro | EUR |
| Gabon | CFA Franc BEAC | XAF |
| Gambia | Dalasi | GMD |
| Georgia | Lari | GEL |
| Germany | Euro | EUR |
| Ghana | Cedi | GHS |
| Gibraltar | Gibraltar Pound | GIP |
| Greece | Euro | EUR |
| Greenland | Danish Krone | DKK |
| Grenada | East Caribbean Dollar | XCD |
| Guadeloupe | Euro | EUR |
| Guam | US Dollar | USD |
| Guatemala | Quetzal | GTQ |
| Guernsey | Pound Sterling | GBP |

| Country or Territory or Region | Currency Name | Currency Code |
|---------------------------------------|--------------------|---------------|
| Guinea | Guinea Franc | GNF |
| Guinea-Bissau | Guinea-Bissau Peso | GWP |
| Guinea-Bissau | CFA Franc BCEAO | XOF |
| Guyana | Guyana Dollar | GYD |
| Haiti | Gourde | HTG |
| Haiti | US Dollar | USD |
| Heard Island and McDonald Islands | Australian Dollar | AUD |
| Holy See (Vatican City State) | Euro | EUR |
| Honduras | Lempira | HNL |
| Hong Kong SAR, China | Hong Kong Dollar | HKD |
| Hungary | Forint | HUF |
| Iceland | Iceland Krona | ISK |
| India | Indian Rupee | INR |
| Indonesia | Rupiah | IDR |
| Iran (Islamic Republic of) | Iranian Rial | IRR |
| Iraq | Iraqi Dinar | IQD |
| Ireland | Euro | EUR |
| Israel | New Israeli Sheqel | ILS |
| Italy | Euro | EUR |
| Jamaica | Jamaican Dollar | JMD |
| Japan | Yen | JPY |
| Jersey | Pound Sterling | GBP |
| Jordan | Jordanian Dinar | JOD |
| Kazakhstan | Tenge | KZT |
| Kenya | Kenyan Shilling | KES |
| Kiribati | Australian Dollar | AUD |
| Korea, Democratic Peoples Republic of | North Korean Won | KPW |
| Korea, Republic of | Won | KRW |
| Kuwait | Kuwaiti Dinar | KWD |
| Kyrgyzstan | Som | KGS |
| Lao Peoples Democratic Republic | Kip | LAK |
| Latvia | Euro | EUR |
| Lebanon | Lebanese Pound | LBP |

| Country or Territory or Region | Currency Name | Currency Code |
|--|-----------------------------------|---------------|
| Lesotho | Rand | ZAR |
| Lesotho | Loti | LSL |
| Liberia | Liberian Dollar | LRD |
| Libyan Arab Jamahiriya | Libyan Dinar | LYD |
| Liechtenstein | Swiss Franc | CHF |
| Lithuania | Euro | EUR |
| Luxembourg | Euro | EUR |
| Macau (Macao) SAR, China | Pataca | MOP |
| Macedonia, The Former Yugoslav Republic of | Denar | MKD |
| Madagascar | Malagascy Ariary | MGA |
| Malawi | Kwacha | MWK |
| Malaysia | Malaysian Ringgit | MYR |
| Maldives | Rufiyaa | MVR |
| Mali | CFA Franc BCEAO | XOF |
| Malta | Euro | EUR |
| Marshall Islands | US Dollar | USD |
| Martinique | Euro | EUR |
| Mauritania | Ouguiya | MRO |
| Mauritius | Mauritius Rupee | MUR |
| Mayotte | Euro | EUR |
| Mexico | Mexican Peso | MXN |
| Mexico | Mexican Unidad de Inversion (UID) | MXV |
| Micronesia (Federated States of) | US Dollar | USD |
| Moldova, Republic of | Moldovan Leu | MDL |
| Monaco | Euro | EUR |
| Mongolia | Tugrik | MNT |
| Montenegro | Euro | EUR |
| Montserrat | East Caribbean Dollar | XCD |
| Morocco | Moroccan Dirham | MAD |
| Mozambique | Metical | MZN |
| Myanmar | Kyat | MMK |
| Namibia | Rand | ZAR |
| Namibia | Namibian Dollar | NAD |

| Country or Territory or Region | Currency Name | Currency Code |
|--------------------------------|-------------------------------|---------------|
| Nauru | Australian Dollar | AUD |
| Nepal | Nepalese Rupee | NPR |
| Netherlands | Euro | EUR |
| Netherlands Antilles | Netherlands Antillian Guilder | ANG |
| New Caledonia | CFP Franc | XPF |
| New Zealand | New Zealand Dollar | NZD |
| Nicaragua | Cordoba Oro | NIO |
| Niger | CFA Franc BCEAO | XOF |
| Nigeria | Naira | NGN |
| Niue | New Zealand Dollar | NZD |
| Norfolk Island | Australian Dollar | AUD |
| Northern Mariana Islands | US Dollar | USD |
| Norway | Norwegian Krone | NOK |
| Oman | Rial Omani | OMR |
| Pakistan | Pakistan Rupee | PKR |
| Palau | US Dollar | USD |
| Panama | Balboa | PAB |
| Panama | US Dollar | USD |
| Papua New Guinea | Kina | PGK |
| Paraguay | Guarani | PYG |
| Peru | Nuevo Sol | PEN |
| Philippines | Philippine Peso | PHP |
| Pitcairn | New Zealand Dollar | NZD |
| Poland | Zloty | PLN |
| Portugal | Euro | EUR |
| Puerto Rico | US Dollar | USD |
| Qatar | Qatari Rial | QAR |
| Réunion | Euro | EUR |
| Romania | New Leu | RON |
| Russian Federation | Russian Ruble | RUB |
| Rwanda | Rwanda Franc | RWF |
| Saint Helena | Saint Helena Pound | SHP |
| Saint Kitts and Nevis | East Caribbean Dollar | XCD |

| Country or Territory or Region | Currency Name | Currency Code |
|----------------------------------|------------------------|---------------|
| Saint Lucia | East Caribbean Dollar | XCD |
| Saint Pierre and Miquelon | Euro | EUR |
| Saint Vincent and The Grenadines | East Caribbean Dollar | XCD |
| Samoa | Tala | WST |
| San Marino | Euro | EUR |
| São Tome and Principe | Dobra | STD |
| Saudi Arabia | Saudi Riyal | SAR |
| Senegal | CFA Franc BCEAO | XOF |
| Serbia | Serbian Dinar | RSD |
| Seychelles | Seychelles Rupee | SCR |
| Sierra Leone | Leone | SLL |
| Singapore | Singapore Dollar | SGD |
| Slovakia | Euro | EUR |
| Slovenia | Euro | EUR |
| Solomon Islands | Solomon Islands Dollar | SBD |
| Somalia | Somali Shilling | SOS |
| South Africa | Rand | ZAR |
| Spain | Euro | EUR |
| Sri Lanka | Sri Lanka Rupee | LKR |
| Sudan | Sudanese Dinar | SDD |
| Suriname | Surinam Dollar | SRD |
| Svalbard and Jan Mayen | Norwegian Krone | NOK |
| Swaziland | Lilangeni | SZL |
| Sweden | Swedish Krona | SEK |
| Switzerland | Swiss Franc | CHF |
| Switzerland | WIR Franc | CHW |
| Switzerland | WIR Euro | CHE |
| Syrian Arab Republic | Syrian Pound | SYP |
| Taiwan, China | New Taiwan Dollar | TWD |
| Tajikistan | Somoni | TJS |
| Tanzania, United Republic of | Tanzanian Shilling | TZS |
| Thailand | Baht | THB |
| Timor-Leste | US Dollar | USD |

| Country or Territory or Region | Currency Name | Currency Code |
|--------------------------------------|------------------------------------|---------------|
| Togo | CFA Franc BCEAO | XOF |
| Tokelau | New Zealand Dollar | NZD |
| Tonga | Paanga | TOP |
| Trinidad And Tobago | Trinidad and Tobago Dollar | TTD |
| Tunisia | Tunisian Dinar | TND |
| Turkey | New Turkish Lira | TRY |
| Turkmenistan | Manat | TMM |
| Turks And Caicos Islands | US Dollar | USD |
| Tuvalu | Australian Dollar | AUD |
| Uganda | Uganda Shilling | UGX |
| Ukraine | Hryvnia | UAH |
| United Arab Emirates | UAE Dirham | AED |
| United Kingdom | Pound Sterling | GBP |
| United States | US Dollar | USD |
| United States Minor Outlying Islands | US Dollar | USD |
| Uruguay | Peso Uruguayo | UYU |
| Uruguay | Uruguay Peso en Unidades Indexadas | UYI |
| Uzbekistan | Uzbekistan Sum | UZS |
| Vanuatu | Vatu | VUV |
| Venezuela | Bolivar | VEB |
| Viet Nam | Dong | VND |
| Virgin Islands (British) | US Dollar | USD |
| Virgin Islands (US) | US Dollar | USD |
| Wallis And Futuna | CFP Franc | XPF |
| Western Sahara | Moroccan Dirham | MAD |
| Yemen | Yemeni Rial | YER |
| Zambia | Kwacha | ZMK |
| Zimbabwe | Zimbabwe Dollar | ZWD |

Delivery Confirmation Origin-Destination Pairs

The Origin-Destination table defines valid origin and destination combinations for the delivery confirmation accessorials. These accessorials may be applied at the package-level (P) or at the shipment-level (S). They are valid for forward shipments only.

Delivery confirmation types are as follows:

- Delivery confirmation with signature required (DC-SR)
- Delivery confirmation with adult signature required (DC-ASR)

| Origin | Destination | DC-SR | DC-ASR |
|--|---|-------|--------|
| US 50 | US50, PR | P | P |
| | CA, VI | S | S |
| | Intl other than CA, PR, VI | S | S |
| Canada (CA) | US50, PR, VI | S | S |
| | CA | P | P |
| | Intl other than US50, PR, VI | S | S |
| Puerto Rico (PR) | US50, PR | P | P |
| | CA, VI | S | S |
| | Intl other than US50, CA, VI | S | S |
| International-supported origin countries or territories (not US50, PR, CA, VI) * | International (national, trans border, worldwide) | S | S |

*Refer to Country or Territory Codes in the Appendix.

Disclaimer Codes and Messages

| Disclaimer Codes | Disclaimer Message |
|------------------|--|
| 01 | Taxes are included in the shipping cost and apply to the transportation charges but additional duties/taxes may apply and are not reflected in the total amount due. |
| 02 | Additional duties/taxes may apply and are not reflected in the total amount due. |
| 03 | Additional duties/taxes may apply and are not reflected in the total amount due. |
| 04 | Taxes were unable to be determined and may apply to the shipment. |
| 05 | Rate excludes VAT. Rate includes a fuel Surcharge, but excludes taxes, duties and other charges that may apply to the shipment. |

HazMat Accessorial Code and SubType

UPS Worldwide Express Freight Service

Accessorial Code

| Accessorial | Code |
|--------------------|------|
| HazMat Accessorial | 199 |

SubType

| Accessorial | SubType |
|--|---------|
| Freight IDG Class 9 Air Lithium C | FLA |
| Freight IDG Class 9 Air Lithium | FLI |
| Freight IDG Class 9 Cargo Quantity | FZA |
| Freight IDG Class 9 Air | FZI |
| Freight IDG Class 1-8 Air Cargo Quantity | FNA |
| Freight IDG Class 1-8 Air | FNI |

Accessorial Charge Descriptor

| Accessorial Charge Descriptor | Description |
|-------------------------------|-----------------|
| HazMat Standard Charge | STANDARD_CHARGE |
| HazMat Minimum Charge | MINIMUM_CHARGE |

Service Codes

UPS offers a wide variety of package delivery services. The following tables list the service code values for these services; they are ordered by the origin of the shipment.

For additional information on UPS services, refer to the latest [UPS Rate and Service Guide](http://www.ups.com) available at: <http://www.ups.com>.

- [United States](#)
- [Canada](#)
- [European Union](#)
- [Mexico](#)
- [Poland](#)
- [Puerto Rico](#)
- [Undefined](#) Countries or Territories
- [All](#) Countries or Territories

United States

Shipments originating in United States

| Description | Shipping | Rating |
|----------------------------|----------|--------|
| UPS Standard | 11 | 11 |
| UPS Worldwide Express | 07 | 07 |
| UPS Worldwide Expedited | 08 | 08 |
| UPS Worldwide Express Plus | 54 | 54 |
| UPS Worldwide Saver | 65 | 65 |

United States domestic shipments

| Description | Shipping | Rating |
|------------------------|----------|--------|
| UPS 2nd Day Air | 02 | 02 |
| UPS 2nd Day Air A.M. | 59 | 59 |
| UPS 3 Day Select | 12 | 12 |
| UPS Ground | 03 | 03 |
| UPS Next Day Air | 01 | 01 |
| UPS Next Day Air Early | 14 | 14 |
| UPS Next Day Air Saver | 13 | 13 |

Canada

| Description | Category | Shipping | Rating |
|----------------------------|--|----------|--------|
| UPS Expedited | Canadian domestic shipments | 02 | 02 |
| UPS Express Saver | Canadian domestic shipments | 13 | 13 |
| UPS 3 Day Select | Shipments originating in Canada to CA and US 48 | 12 | 12 |
| UPS Access Point Economy | Canadian domestic shipments | 70 | 70 |
| UPS Express | Canadian domestic shipments | 01 | 01 |
| UPS Express Early | Canadian domestic shipments | 14 | 14 |
| UPS Express Saver | International shipments originating in Canada | 65 | 65 |
| UPS Standard | Shipments originating in Canada (Domestic and Int'l) | 11 | 11 |
| UPS Worldwide Expedited | International shipments originating in Canada | 08 | 08 |
| UPS Worldwide Express | International shipments originating in Canada | 07 | 07 |
| UPS Worldwide Express Plus | International shipments originating in Canada | 54 | 54 |
| UPS Express Early | Shipments originating in Canada to CA and US 48 | 54 | 54 |

European Union

| Description | | Shipping | Rating |
|----------------------------|---|----------|--------|
| UPS Access Point Economy | Shipments within the European Union | 70 | 70 |
| UPS Expedited | Shipments originating in the European Union | 08 | 08 |
| UPS Express | Shipments originating in the European Union | 07 | 07 |
| UPS Standard | Shipments originating in the European Union | 11 | 11 |
| UPS Worldwide Express Plus | Shipments originating in the European Union | 54 | 54 |
| UPS Worldwide Saver | Shipments originating in the European Union | 65 | 65 |

Mexico

| Description | | Shipping | Rating |
|----------------------------|---------------------------------|----------|--------|
| UPS Access Point Economy | Mexican domestic shipments | 70 | 70 |
| UPS Expedited | Shipments originating in Mexico | 08 | 08 |
| UPS Express | Shipments originating in Mexico | 07 | 07 |
| UPS Standard | Shipments originating in Mexico | 11 | 11 |
| UPS Worldwide Express Plus | Shipments originating in Mexico | 54 | 54 |
| UPS Worldwide Saver | Shipments originating in Mexico | 65 | 65 |

Poland

| Description | | Shipping | Rating |
|-----------------------------|---------------------------------|----------|--------|
| UPS Access Point Economy | Polish domestic shipments | 70 | 70 |
| UPS Today Dedicated Courier | Polish domestic shipments | 83 | 83 |
| UPS Today Express | Polish domestic shipments | 85 | 85 |
| UPS Today Express Saver | Polish domestic shipments | 86 | 86 |
| UPS Today Standard | Polish domestic shipments | 82 | 82 |
| UPS Expedited | Shipments originating in Poland | 08 | 08 |
| UPS Express | Shipments originating in Poland | 07 | 07 |
| UPS Express Plus | Shipments originating in Poland | 54 | 54 |
| UPS Express Saver | Shipments originating in Poland | 65 | 65 |
| UPS Standard | Shipments originating in Poland | 11 | 11 |

Puerto Rico

Shipments originating in Puerto Rico

| Description | Shipping | Rating |
|----------------------------|----------|--------|
| UPS 2nd Day Air | 02 | 02 |
| UPS Ground | 03 | 03 |
| UPS Next Day Air | 01 | 01 |
| UPS Next Day Air Early | 14 | 14 |
| UPS Worldwide Expedited | 08 | 08 |
| UPS Worldwide Express | 07 | 07 |
| UPS Worldwide Express Plus | 54 | 54 |
| UPS Worldwide Saver | 65 | 65 |

Germany

| Description | Category | Shipping | Rating |
|-------------------|---------------------------|----------|--------|
| UPS Express 12:00 | German domestic shipments | 74 | 74 |

Undefined Countries or Territories

Use for all countries or territories other than United States, Canada, European Union, Mexico, Poland, and Puerto Rico

| Description | Shipping | Rating |
|-------------------------|----------|--------|
| UPS Express | 07 | 07 |
| UPS Standard | 11 | 11 |
| UPS Worldwide Expedited | 08 | 08 |

| Description | Shipping | Rating |
|----------------------------|----------|--------|
| UPS Worldwide Express Plus | 54 | 54 |
| UPS Worldwide Saver | 65 | 65 |

All Countries or Territories

Shipments originating in all countries or territories

| Description | Shipping | Rating |
|--------------------------------------|----------|--------|
| UPS Worldwide Express Freight | 96 | 96 |
| UPS Worldwide Express Freight Midday | 71 | 71 |
| UPS Worldwide Economy DDU | 17 | 17 |
| UPS Worldwide Economy DDP | 72 | 72 |

Tax Type Values / Abbreviations

| | | | |
|-------|--------|--------|-------|
| • ALV | • GST | • MOMS | • PVN |
| • BTW | • HST | • MVA | • QST |
| • DDS | • IVA | • MWST | • TVA |
| • DDV | • IVA1 | • PDV | • VAT |
| • DPH | • IVA2 | • PST | • VSK |
| • FPA | • IVA3 | • PVM | |

SubVersion Details

| Request Element | Valid Values |
|---------------------------------|--|
| /RateRequest/Request/SubVersion | 1601, 1607, 1701, 1707, 1801, 2108, 2205 |

Rate Request Elements

UPS acknowledges HazMat aka Dangerous Goods functionality/elements in Rate API request only if SubVersion value is greater than or equal to 1701 is present.

| /RateRequest/Request/SubVersion | New Request elements acknowledged in RateRequest |
|---------------------------------|---|
| Greater than or equal to 1701 | /Shipment/OriginRecordTransactionTimestamp /Shipment/Package/PackageServiceOptions/HazMat /Shipment/Package/PackageServiceOptions/HazMat/PackagelIdentifier /Shipment/Package/PackageServiceOptions/HazMat/QValue /Shipment/Package/PackageServiceOptions/HazMat/OverPackedIndicator /Shipment/Package/PackageServiceOptions/HazMat/AllPackedInneIndicatr /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ChemicalRecordIdentifier /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ClassDivisinNumber /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/IDN umber /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/TransportatinMode /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/RegulationSet /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/EmergencyPhone /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/EmergencyContact /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ReptableQuantity /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/SubRiskClass /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingGroupType /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/Quantity /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/UOM /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingInstructionCode /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/ProperShippingName /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/TechnicalName /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/AdditionalDescription /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingType /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/HazardLabelRequired /Shipment/Package/PackageServiceOptions/HazMat/HazMatChemicalRecord/PackagingTypeQuantity |
| Greater than or equal to 2108 | /Shipment/Package/OversizeIndicator /Shipment/Package/MinimumBillableWeightIndicator Note: In order get rates for Worldwide Economy shipments the Subversion 2108 must be present in the request. |

Rate Response Elements

| /RateRequest/Request/SubVersion | New Request elements acknowledged in RateResponse |
|---------------------------------|---|
| Greater than or equal to 1601 | /RatedShipment/ItemizedCharges /RatedShipment/ItemizedCharges/Code /RatedShipment/ItemizedCharges/Description /RatedShipment/ItemizedCharges/CurrencyCode /RatedShipment/ItemizedCharges/MonetaryValue /RatedShipment/ItemizedCharges/SubType |
| | /RatedShipment/NegotiatedRateCharges/ItemizedCharges /RatedShipment/NegotiatedRateCharges/ItemizedCharges/Code /RatedShipment/NegotiatedRateCharges/ItemizedCharges/Description /RatedShipment/NegotiatedRateCharges/ItemizedCharges/CurrencyCode /RatedShipment/NegotiatedRateCharges/ItemizedCharges/MonetaryValue /RatedShipment/NegotiatedRateCharges/ItemizedCharges/SubType |
| Greater than or equal to 1607 | /RatedShipment/RatedPackage/ItemizedCharges /RatedShipment/RatedPackage/ItemizedCharges/Code /RatedShipment/RatedPackage/ItemizedCharges/Description /RatedShipment/RatedPackage/ItemizedCharges/CurrencyCode /RatedShipment/RatedPackage/ItemizedCharges/MonetaryValue /RatedShipment/RatedPackage/ItemizedCharges/SubType |
| | /RatedShipment/RatedPackage/NegotiatedCharges /RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges /RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/Code /RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/Description /RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/CurrencyCode /RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/MonetaryValue /RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/SubType |
| 1701 and greater | /RatedShipment/BaseServiceCharge /RatedShipment/BaseServiceCharge/CurrencyCode /RatedShipment/BaseServiceCharge/MonetaryValue |
| | /RatedShipment/RatedPackage/BaseServiceCharge /RatedShipment/RatedPackage/BaseServiceCharge/CurrencyCode /RatedShipment/RatedPackage/BaseServiceCharge/MonetaryValue |
| 1707 and greater | /RatedShipment/RatedPackage/Accessorial /RatedShipment/RatedPackage/Accessorial/Code |
| 1801 and greater | /Fault/detail/Errors/ElementLevelInformation /Fault/detail/Errors/ElementLevelInformation/Level /Fault/detail/Errors/ElementLevelInformation/ElementIdentifier /Fault/detail/Errors/ElementLevelInformation/ElementIdentifier/Code /Fault/detail/Errors/ElementLevelInformation/ElementIdentifier/Value |

| /RateRequest/Request/SubVersion | New Request elements acknowledged in RateResponse |
|---------------------------------|--|
| 2201 and greater | /RatedShipment/NegotiatedRates/BaseServiceCharge /RatedShipment/NegotiatedRates/BaseServiceCharge/CurrencyCode /RatedShipment/NegotiatedRates/BaseServiceCharge/MonetaryValue /RatedShipment/RatedPackage/NegotiatedCharges/BaseServiceCharge /RatedShipment/RatedPackage/NegotiatedCharges/BaseServiceCharge/CurrencyCode /RatedShipment/RatedPackage/NegotiatedCharges/BaseServiceCharge/MonetaryValue /RatedShipment/RatedPackage/NegotiatedCharges/TransportationCharges /RatedShipment/RatedPackage/NegotiatedCharges/TransportationCharges/CurrencyCode /RatedShipment/RatedPackage/NegotiatedCharges/TransportationCharges/MonetaryValue /RatedShipment/RatedPackage/NegotiatedCharges/ServiceOptionsCharges /RatedShipment/RatedPackage/NegotiatedCharges/ServiceOptionsCharges/CurrencyCode /RatedShipment/RatedPackage/NegotiatedCharges/ServiceOptionsCharges/MonetaryValue /RatedShipment/RatedPackage/NegotiatedCharges/TotalCharges /RatedShipment/RatedPackage/NegotiatedCharges/TotalCharges/CurrencyCode /RatedShipment/RatedPackage/NegotiatedCharges/TotalCharges/MonetaryValue |
| 2205 and greater | /RatedShipment/RatedPackage/RateModifier /RatedShipment/RatedPackage/RateModifier/ModifierType /RatedShipment/RatedPackage/RateModifier/ModifierDesc /RatedShipment/RatedPackage/RateModifier/Amount |