

All chapters (see chapter structure) are equivalent for the assignment of symptoms, also the indented sub chapters.

B. Symptoms, examples

Numbers in brackets at the end of symptoms to be neglected.

Brackets in general to be neglected.

1. from Allen T.F. 1879, chapter Confusion and Vertigo

Vertigo

1. *Vertigo (eighty-first day), [45a].
2. Severe vertigo, at 9 A.M. (sixth day), [42a].
3. *Vertigo, in the morning, with some nosebleed, [1].
4. Excessive vertigo, in the morning on rising; as soon as he attempts to stand he falls back upon the bed, only disappearing after half an hour (tenth day), [1].
5. Vertigo and weakness, even to falling, in the morning on rising, [1].
6. *Vertigo, in the forenoon (first day), [25e]; (thirty-second day), [43b].
7. Whirling vertigo, in the evening after lying in bed a quarter of an hour, as if he would fall into a faint, everything whirled around in the head, two evenings in succession, [1].
8. Vertigo, in the evening while standing, with rush of blood to the heart, [1].
9. In the evening, vertigo; feeling as if all the blood rushed to the head (fifth day), [42a].
10. Vertigo, on waking at night, [1].
11. During the day, frequent sudden vertigo, especially when walking near a declivity. The accustomed beer at night makes the vertigo worse (thirteenth day), [22a].
12. *Vertigo when walking over running water, even to falling down, and all parts seem paralyzed, [1].
13. Attacks of vertigo while walking, with apprehension on looking in front of her, wherewith there was immediately a crawling ("Kriebelig") before the eyes, [1].
14. While walking, vertigo like an obscuration before the eyes, a reeling to the left side, lasting a few minutes, [1].
15. *Vertigo, like reeling, while walking, [1].
16. *Vertigo for eight minutes, while walking in the open air on an elevation; he could not step firmly, with obscuration of his senses (after four days), [1].
17. *Vertigo while walking in the open air (after supper); she did not dare to stoop, nor to look down; was obliged to steady herself to avoid falling, [1].
18. Vertigo, when lying on the back, at night, [1].
19. Vertigo, while sitting; reeling while standing, [1].
20. At noon, when sitting, some vertigo (twenty-sixth day), [45b].
21. Vertigo, lasting some minutes, followed immediately by slight shooting in the anus (fourteenth day), [45b].
22. *Vertigo, to falling forward, on suddenly rising from a seat, [1].
23. *Vertigo on stooping, [1].
24. On rising from stooping position, vertigo and weight in the head (ninth day), [21].

25. Vertigo, with qualmishness, [1]; (fifteenth day), [34a].
26. Vertigo, with qualmishness to falling sideways, while walking in the open air, [1].
27. Vertigo and nausea, so that everything turned about with her, at night during perspiration, lasting till morning, [1].
28. A kind of occipital vertigo, [55].
29. Want of steadiness and dizzy feeling accompanied anxious state (fourth day), [30].
30. A transient slight attack of vertigo (after fifteen minutes), [18].
31. Transient vertigo to falling sideways, [1].
32. Vertigo, worse soon after taking medicine (probably the effect of the alcohol), but lasting in a slight degree all day (second day); slight vertigo (immediately, ninth day), [22b].
33. Vertigo, as if from intoxication (soon, second day), [22c].
34. Dizziness, like a tingling and buzzing out at the forehead, if she walks rapidly, or moves the head suddenly, [1].
35. Dizziness in the head, in the afternoon (soon, sixth day); dizziness, in the morning, soon after getting up, that lasted till 5 P.M. (seventh day), [44a].
36. A dizzy condition of the head prevented sharp and clear thought, [9].
37. Dizziness, with sticking in the head, [1].
38. *Dizziness, unsteadiness of the head and body, in the morning, lasting three hours, as if one stood upon wavering ground (third day), [1].
39. Waving and confusion in the head returns, in the evening, [9].
40. Reeling, stupefaction, and great weakness, at 11 A.M.; she was obliged to lie down and lay till 3 o'clock, in an uneasy slumber in which she heard everything, [1].
41. *Reeling in the head, [1].
42. Sense of giddiness, [66].

2. Allen T.F. 1874, chapter head

Head

General

1. In bed every place appears too hard for his head, which, on account of this disagreeable feeling, he must keep moving hither and thither, without succeeding in finding a better position (twenty-ninth day), [18a].
2. *Dulness of the head, in the evening, [1].
3. *Dulness of the head, on waking at night, [1].
4. *Dulness of the head, in the morning, and pressure in the forehead till noon, [1].
5. *Dulness of the head, after walking in the open air, [1].
6. *Great dulness and confusion, [1].
7. *Dulness of the head, as from rush of blood, especially on ascending steps, [1].
8. *In the evening, dull pain in the whole head, which lasted till late at night (fifth day), [24].
9. Weakness and dulness of the head during dinner, lasting till evening, [1].
10. Dull aching pain over the whole head, lasting nearly three hours, and then gradually going off (after half an hour, ninth day); less troublesome (tenth day), [22a].
11. *Heaviness in the head (fifteenth and seventeenth days), [34a].
12. *Heaviness of the head, so that every motion was disagreeable, [1].
13. *Sensation of heaviness in the head, and dulness, as if he would fall forward, relieved while walking, but then a fine sticking in the head, [3].
14. *Heaviness of the head while sitting, lying, moving, and stooping, [1].
15. *Head heavy and dizzy (twenty-fourth day), [43].
16. *Heaviness and confusion of the whole head (in two hours), [25].

17. *Sensation of fulness and heaviness in the head, [1].
18. *Feeling of fulness in the head, as if filled with blood, [1].
19. *Fullness and heat in the head, in the afternoon (third day), [41b].
20. *Head seemed distended, with loud noises in the ears (after one hour), [51].
21. Rush of blood to the head (twenty-first day), [40].
22. *Rush of blood to the head during the menses, [1].
23. *Rush of blood to the head during a soft stool, [1].
24. *Rush of blood to the head, like a slight pressure over the head, [1].
25. Rush of blood to the head, even during a soft stool, and after riding in a wagon, [1].
26. *In two hours, when in bed, he had a violent rush of blood to the head, and felt all the arteries in his head beating (first day), [23].
27. *At night, in bed, rush of blood to the head, with heat and confusion of it (first day), [25b].
28. On taking gentle exercise, transient rush of blood to the head, with burning and creeping in the skin of the face (first day), [39b].
29. *Rush of blood to the head; a pressure in it and out at the eyes; a feeling of numbness before the ears, [1].
30. *Headache (ninth day), [18a]; (second day), [34], etc.
31. The head pained, as if raw, and would not bear the slightest touch (second day), [43].
32. Aching in the head, in the forenoon (twenty-second day), [43].
33. *Headache, as from a weight pressing upon the top of the brain, and as from a cord around the head, [1].
34. Headache and weariness, while walking in the afternoon, changing in the evening to toothache and sleepiness (after eighth day), [1].
35. Headache, with pressure in the eyes, after eating, [1].
36. In the evening, headache, with several momentary attacks of oppression (ninth day), [15].
37. A peculiar headache, not easy to describe, accompanied by vertigo, and compelling her to keep quiet, and at its worst to sit still; she felt relief by shutting her eyes (fourth day); again affected by above described headache and vertigo. Today she was obliged to remain constantly seated in order to keep off the attacks; they were rather less in the open air. In the afternoon this vertigo became extremely severe; it followed upon nausea, inclination to vomit, twisting and turning in the stomach, yawning, excessive prostration, almost amounting to trembling of the limbs, and occasional noise in the head and ears. (The vertigo had this peculiarity, it increased in violence on stooping or moving about, but was alleviated by sitting still), (eighth day), [31a].
38. Headache, as from incarceration of flatus, [1].
39. *Headache, with nausea, [1].
40. *Much headache, especially on stooping, [1].
41. *Headache only on ascending steps, [1].
42. Pain and tingling all through the head, [56].
43. *Pain, as if the brain were beating against the skull, always on nodding the head, [1].
44. Pain in the whole head on external pressure; for example, by a tight hat, [1].
45. *Every step is painfully felt in the head, [1].
46. Headache worse in the open air, better in the house, [3].
47. Headache so that the eyes seem to close, [1].
48. Pain in the head and abdomen, on coughing, [1].
49. Headache, as if beaten and torn, on coughing, [1].
50. Aching and heat in the head, about noon (twenty-first day), [43].
51. Headache, especially in the forenoon, as if the head were drawn forward and downward, [1].
52. Towards evening, headache, and shooting in the throat (first day), [26].

53. Nightly headache; an intolerable, constantly increasing pressure in the lower portion of the occiput and in the vertex, with pressure on the eyes, which he must close, and with chilliness, not relieved by any covering, with profuse offensive perspiration, during which he must walk up and down the room (after five days), [1].
54. Headache, at night, as if the skull would be torn open, [1].
55. Constant headache, [66].
56. Violent headache on getting up; weight on the forehead; this pain is aggravated in the open air and when walking; a little later it becomes seated in the forehead and is pulsative (twelfth day), [15].
57. Intense headache, with sensation that his head and ears were suffered, [51].
58. *Violent headache at night, which disturbed sleep; she had rest in no position, [3].
59. Violent headache (seventeenth and following days), [27].
60. In the evening violent pain, as if the head were screwed together from without, with flying heat in the face (twenty-eighth day), [33].
61. Violent pain in the middle of the head, caused by coughing and sneezing, [1].
62. Head stupefied (eighty-third day), [45a].
63. Violent stupefying headache and shooting in the left side of the chest, lasting more than a quarter of an hour (thirty-second day); during the day, dull headache (thirty-seventh day); in the afternoon, stupefying headache (thirty-eighth day), [33].
64. Disturbance in the head, so that she thought she had lost her reason, [8]. [Revised by Hughes.]
65. A kind of stupid weakness in the head while walking in the open air, with gloomy disagreeable, ideas for several minutes; at one time more, at another less, [1].
66. *Pressure in the head, in the morning, immediately after rising, [1].
67. Pressure in the head every other morning at 8 or 9 o'clock, and so alternately till going to sleep, [1].
68. *Pressure in the head from one temple to the other, in the morning after rising, [1].
69. At 11 A.M. slight pressive headache; the whole head is affected; this pain ceases in an hour; it returns in the evening over the right eye only (seventh day), [15].
70. Pressive headache, at 10 A.M.; towards 5 P.M. it increases; it feels as if the base of the brain were tightly compressed by a band (eighth day), [15].
71. Pressive headache in the house, with tightness of the scalp, relieved by uncovering the head, [1].
72. Pressive headache; every step is painfully felt in the forehead, with perspiration on the forehead, [1].
73. *Pressive headache (even in the morning after rising), mostly on the vertex, as if the eyes would be pressed down, [3].
74. Pressive pain all over the head, especially on the occiput, aggravated by external pressure (fifth day), [22b].
75. Pressive headache, at 10 A.M. (fifteenth day), [43].
76. Slight compression of the head, in the morning (tenth day), [44a].
77. *Jerking headache, [1].
78. *Tensive pain in the head, [1].
79. *Tearing as with a saw in the head, [1].
80. Tearing in the head outward at the ear, [1].
81. Tearing in the head more in the afternoon than in the forenoon, with weakness and thirstless heat; is obliged to lay the head upon a table to get relief, [1].
82. Sticklike tearing in long irregular intervals, at one time through various parts of the head, at another, pain through the bones of the cheeks, in the region of the lower jaw, and other parts of the face, [1].
83. Painful thrust in the head when coughing, [1].

84. *Stitch in the head, [1].
85. *Stitches in the head and out at the eyes, [1].
86. Sticking headache at various times, at times continuing at night with tearing in the lower jaw, or followed by bruised pain in the side of the head, mostly for a short time, relieved by compression of the head, at times obliging to lie down, [3].
87. *Hammering headache on vivacious talking, [1].
88. *Very painful hammering in the head, [1].
89. *Some blows through the whole head, [1].
90. *Beating of the brain against the skull on moving the head, with pressive pain, [1].
91. *Throbbing in the head, in the morning, [1].
92. About 2 A.M., violent throbbing of all the arteries of the head (third day), [25g].
93. Empty feeling in the head, in the morning (forty-eighth day), [29].
94. A kind of creeping feeling occasionally felt in the head, especially on the parietal and occipital regions (one hundred and eleventh day), [45b].
95. A cold spot constantly on the top of the head, [1].
96. In the evening, severe cold in the head with headache (twentieth and twenty-first days), [34].
97. Sensation of fog in his head and dizziness, which makes him sad; ideas indefinite, with irresolution, [1].

Forehead

98. Slight headache at the left side of the forehead, just above the eyebrow (soon); at noon, troublesome aching on the left side of the forehead (third day), [18].
99. A sudden, not violent, pain in the left side of the forehead (soon); in the morning, aching in the forehead, first on the left side and then on the right, extending to the mastoid process (second and third days), [18a].
100. During the day, aching in the forehead (eighth day), [18b].
101. Transient aching in right side of forehead (soon), [18d].
102. *In the morning, aching pain in the forehead (fourteenth day); slight aching in the forehead (twenty-fourth and following days), [22].
103. *Aching pain in the forehead and confusion of head, as if he had taken too much alcoholic drink, lasting until noon (after one hour, second and third days); aching pain in forehead, above eyebrows (soon, eighth day); at 6 A.M., after waking, aching pain in forehead, going off after getting up and washing (ninth day); on waking, in the morning, pressive pain in the forehead and occiput (eighteenth day); pressive headache over the eyebrows, almost all day, more or less severe and continued (twentieth day); aching pain in forehead, especially above the right eye, lasting till noon (soon, forty-first day), [22a].
104. *Aching pain in the forehead (immediately, ninth day); in the morning the usual headache (tenth day), [22b].
105. *In the morning slight frontal headache (fourth day); in the morning aching in the forehead (fifth day), [22c].
106. Aching pain in forehead and occiput, especially when stooping, about noon (second day), [43].
107. Aching pains in the left frontal region, in the evening (sixteenth day), [43].
108. *Along with the febrile heat there occurred a disagreeable aching pain in the forehead, and great restlessness, which went off when sweat broke out (thirty-eighth day), [32].
109. After dinner, aching in forehead and stomach (third day), [20].
110. *Headache over the eyes, every morning, as from stopped coryza; was constantly obliged to sneeze, [1].
111. Headache above the eyes and nausea after eating, followed by heaviness of the head, [1].

112. *Headache as from a board in front of the head, [1].
113. Aching pains in the left frontal region on going upstairs (seventh day), [44a].
114. In the morning, on waking, headache, having its seat above the forehead in the hairy scalp, where it occupied a space the size of the palm of the hand; it was of an aching pressive character, when off when he rose up, but did not go off till far on in the forenoon (sixty-first day), [45a].
115. In the morning, after awaking, pain in the left side of the forehead, which lasted till noon (eleventh day); pain in the left frontal region, in the morning (two hundred and twenty-ninth day); in the night, awakened by a rather severe but transient pain in the left frontal region (two hundred and forty-first day); woke, in the morning, with violent pains in the left frontal region, which lasted till he got up (two hundred and fifty-eighth day), [45b].
116. In the evening, contractive pain in the forehead and temples (twenty-sixth day); dull aching in the forehead (in a quarter of an hour, thirty-seventh day); contraction and pressing in the forehead (forty-seventh day); aching in the forehead (forty-eighth day); in one hour, in the frontal bone a painful aching, which extended across the nasal bones and both malar bones (fiftieth and fifty-first days), [29].
117. *Aching in the frontal bone (first, second, and third days), [29b].
118. Dull drawing-throbbing pain deep in the right side of the forehead, which was at times more violent, and again less so; it lasted half an hour (in two hours); a slight threatening of headache on the left side of the forehead (after four hours, fourth day), sudden, oft-recurring, dull drawing pain in the left side of the forehead, which (in the house and out of the house) alternated with a similar pain, now in the right side of the forehead and now in the right parietal region (after four hours, fifth day); sudden, oft-recurring, dull drawing deep in the left side of the forehead (soon, ninth day), [25].
119. About 5 P.M., dull digging pain in the left side of the forehead, with confusion of the whole head (second day); towards noon, dull drawing frontal headache, which, after a few minutes, alternated with a similar pain in the right wrist (fourth day); in the afternoon, frequent alternation of frontal headache with the pain in the joints, described the day previous (seventh day), [25a].
120. After 11 A.M., frequent attacks of a dull headache, deep in the left side of the forehead when at rest and when moving, which sometimes increased to a drawing-throbbing pain (first day), [25b].
121. In half an hour (when at rest), dull drawing headache in the left side of the forehead, with a similar pain, now in the left knee-joint, now in the left outer malleolus, now in left wrist (second day), [25e].
122. In the afternoon (when driving in his carriage), headache in the whole of the left side of the cerebrum (third day), [25e].
123. Dull aching headache, at one time deep in the forehead, then in the occiput, but always alternating with gouty pains piercing through the joints of the extremities (first day), [25g].
124. At night, in bed, there occurred deep in the right side of the forehead, in a circumscribed spot the size of a crown piece, a slight digging-shooting pain, which lasted a few minutes (first day), [25g].
125. In the forenoon, frequent alternation of headache (at one time in the forehead, at another in the occiput), and the previous (gouty) pains in the joints, but only when at rest (fifth day), [25g].
126. Drawing through the forehead and temples very acute, as though a worm were crawling through it (first day), [1].
127. On waking from sleep before midnight, pressure in the left frontal protuberance (ninth day), [21].
128. *Painful pressure above the eyebrows, [1].

129. Pressure in the forepart of the head, as after night-watching, which after a few days changed to a glowing tearing in the right side of the head and teeth, aggravated by cold water, [1].
130. *Violent pressure in the forehead, [1].
131. *Pressive pain in the forehead, mostly in the forenoon, [1].
132. *Pressure in the forehead, mostly in the afternoon, during the menses, [1].
133. Pressing pain in forehead (fifteenth day), [34a].
134. Sudden pressing headache about the right supraorbital arch, in the forenoon (eighth day), [45a].
135. Pressive headache above the left eye, in the afternoon, [1].
136. *Pressive headache in the forehead, more violent on motion, [1].
137. *Pressive pain in frontal region (tenth day), [24].
138. *Pressive headache, especially in the forehead, going off in the course of the day (fourth day), [24].
139. *Headache pressing out at the forehead, [3].
140. *Tension in the forehead, [1].
141. *Headache, as if screwed together, in and over the forehead, [1].
142. Digging in the forehead, at night, [1].
143. Dreadful gnawing frontal pains, [66].
144. In the afternoon, tearing and aching pain in the frontal region, which sometimes extended into the temporal region, and lasted an hour (first day), [39b].
145. *Tearing in the forehead, [1].
146. Stitches in and above the forehead, [1].
147. Sticking pain in the forehead, though only on walking, [1].
148. Stitches in the forehead as if in the bone, [1].
149. Stitches from within outward at the forehead, so that he must hold it with the hand, on coughing, [1].
150. Stitches in the forehead, in the evening, which afterwards constantly became more violent, [1].
151. Stitches from within outward in the forehead on loud talking and coughing, so that she was obliged to hold the forehead with the hand, for several days, mostly in the evening, [1].
152. Stitches from within outward in the forehead every day, from 11 A.M. till evening, [1].
153. Stitches from within outward in the forehead on every step, all day; also on loud talking and coughing he is obliged to wrinkle the forehead, [1].
154. Heaviness and confusion of the sinciput (after twenty minutes, twelfth day); heaviness, confusion, and dulness of the sinciput, morning, noon, and evening (twenty-seventh day); frequent awaking, with feeling of weight and dulness in the sinciput (thirtieth night); dulness and confusion of the sinciput (nine one hour, fiftieth and fifty-first days), [29].
155. In the evening, dulness and confusion of the sinciput (soon, third day); in the morning, after awaking, vacancy and confusion of the sinciput (fourth and fifth days); in the evening, vacancy of the sinciput (ninth day), [29a].

Temples

156. Aching in both temples after dinner (ninety-fifth day); at noon, aching in both temples. (one hundred and fifth day); slight drawing in the temples and occiput (one hundred and second day); slight aching in both temples, in the forenoon (one hundred and forty-third day); tenderness of the head on both temples (two hundred and forty-fifth day); severe aching pain in both temples, after reading in the evening (two hundred and fifty-fourth day), [45b].

157. Aching-boring pains in the temples and ears (seventeenth day), [29].
158. Periodically recurring, but not very severe pains in the temples, followed by acute drawing pains in the temples, [17a].
159. *Pressure in the temples and tension in the brain, on reflecting and on mental work, [1].
160. Cramplike drawing below the right mastoid process (fifth day), [25a].
161. During the day, frequent cramplike tensive pain in the muscles of both mastoid processes (second day), [25d].
162. About 10 A.M., a pretty violent drawing in the left temple, which only lasted a short time (second day), [25f].
163. In the afternoon, in addition to a frequent alternation of the already-described pains in the head and joints, there occurred a violent cramplike tensive pain close to the right mastoid process (when at rest), which seemed to pierce into the deepest parts of the bone; it lasted for a few seconds, and then made way for a shooting pain in the right temple (second day), [25f].
164. Cramplike penetrating pain in the right mastoid process, in the morning (fourth day), [25f].
165. In the afternoon, while walking, itching tearing in the left temporal bone, which came on by fits some five or six times, and was so violent that it made him stand still (first day), [39].
166. In the evening, tiresome drawing and tearing (as during the first proving) in the left temporal region (second day), [39a].
167. A couple of jerks in the right temple near the ear (fifty-fifth day), [45a].
168. *Pinching together in the brain from one temple to the other, frequently, for a minute, [1].
169. Constrictive pain in the temples, several mornings, [1].
170. Tearing and pressure in the left temple and eye, [1].
171. Shooting pain in the right temple (second day), [25f].
172. *Shooting pain in the temples, close to the eyes, on moving them or on looking at anything (third day), [31].
173. Flying shoots in the left temple, in the afternoon (twenty-eighth day), [40].
174. *Sticking headache in the temples, [1].
175. Throbbing pains in both temples after walking, especially after going upstairs (fifth day), [44].
176. Throbbing in the head (temples), on the neck, and about the heart; everything in it throbbed and trembled, [1].
177. From 10 A.M. to 6 P.M., throbbing pain in the left temporal region, which was aggravated by walking, and at 6 P.M. suddenly went away (fourth day), [44c].
178. Painful turning and crawling in the temples, [1].

Vertex

179. *Sensation of heaviness in the crown, [1].
180. *Feeling as of some heavy weight on vertex, [66].
181. *Headache in the vertex as from pressure on the top of the brain (ninth day), [1].
182. Aching on the right side of the vertex, with rigor (first day), [18].
183. Pain superiorly on the vertex on chewing, coughing, and blowing the nose, [1].
184. Pain in the vertex, like a tingling, and pain beneath the right ribs from the (short) cough, [1].
185. *Violent pain in the vertex, in the evening, as if the hair would be torn out; it bristles on the most painful spots, [1].
186. Violent feverish headache in the crown, occurring several mornings and lasting several hours, [1].
187. *Boring headache on the top beneath the vertex; the spot is also painful to touch

externally, [1].

- 188. At 8 A.M., pressive pain on both sides of the sagittal suture (sixth day), [25].
- 189. *Pressure externally on the vertex, extending to the forehead, [1].
- 190. *From time to time, painful pressing inward from the vertex superiorly deep into the brain, especially late in the evening and at night in bed; the pain compels wrinkling the forehead and drawing the eyes together, [1].
- 191. Aching in the vertex, increased in the open air, where it became very teasing, towards noon; after dinner, increased to the feeling as if a heavy weight lay on it; this pain lasted all day in a minor degree, and did not go off till evening (eighteenth day), [45].
- 192. *Tenderness of the head at the crown (fourth day), [45c].
- 193. Some stitches in the crown of the head, [1].
- 194. Tingling superiorly in the vertex, [1].
- 195. *The vertex is very sensitive when touched, and when not, [3].
- 196. *A spot on the vertex is painful to touch, [1].

Sides, one-sided

- 197. Stitches in the parietal and occipital bones when coughing, [1].
- 198. A constant, mostly one-sided headache, as if the brain were torn or sore, on opening the eyes after waking from the midday nap (after thirty-six hours), [1].
- 199. In two hours, dull aching in the whole right half of the brain (first day), [25f].
- 200. One-sided, sharp, pressive headache beneath the left parietal bone immediately after supper, [1].
- 201. Painful thrusts in the right side of the head, in the evening while sitting, [3].
- 202. Tearing in the head, mostly in the sides and forehead, at times with drawing and sticking and ulcerating pain, and especially relieved or removed by moving the head, by pressing upon it, and by free air, [3].
- 203. Headache externally on the left side, painful to touch, as if suppurating, [1].
- 204. Screwing-together pain in the left side of the head, [3].

Occiput

- 205. In the morning, weight and hot feeling in the occiput (fourth and fifth days), [22b].
- 206. In the morning, after getting up, aching and heavy feeling in the occiput, extending into the nape; headache went off in the course of the day (forty-seventh day), [45b].
- 207. Sudden aching tension in the left side of the occiput (eighth day), [25].
- 208. A short tensive aching in the left side of the occiput (eighth day), [25].
- 209. About 2 A.M., he awoke with aching pain in the occiput (third day), [22g].
- 210. Headache in the occiput from noon on, a stupefying tingling in it on stepping; she was obliged to sit very quietly for four hours, [1].
- 211. A small spot in the lower part of the head, by the nape of the neck, hurts at times, and especially after scratching a sore burning, [1].
- 212. *Pain in the left side of the occiput, as from congestion of blood, after waking from sleep, [1].
- 213. In the evening, violent pains in the occiput (fourth and fifth days), [36d].
- 214. During the forenoon, aching and drawing pains in the occiput (twenty-eighth day), [40].
- 215. After lying down, fine drawing shooting in the left side of the occiput (twelfth day), [28c].
- 216. Drawing-aching pains in the occiput to the nape, in the forenoon (one hundred and fifty-eighth day), [45b].
- 217. Slight drawing in the occiput and nape (one hundred and eleventh day), [45b].
- 218. Slight drawing in the occiput (one hundred and ninety-fifth day), [45b].
- 219. Drawing pain in the occiput, so violent, while chewing, that he was obliged to stop eating, [2].

220. *At night, pressive pain in occiput (forty-fourth day), [22a].
221. Burning and sticking in the right side of the occiput, [3].
222. Burning-aching pain in occiput, which feels as if its seat were beneath the bone; it lasted till the afternoon, and then gradually went off (after one hour, eighth day), [22a].
223. *Pulsating in the left side of the occiput, that at last changes to a jerking, [1].
224. Woke at an unusual hour, namely, at 5 A.M., with aching-throbbing headache in the right half of the occiput, and pain in the left side of the small of the back; the former went off in half an hour, the latter after getting up in bed (second day), [25].
225. Aching-throbbing headache in the right half of the occiput (second day), [25].

3. Allen T.F. 1874, chapter External Head

External Head

General

1. Movements of the scalp from the nape of the neck over the vertex to the forehead, [1].
2. Pulsating throbbing felt externally on the head, [1].

Hair

3. *Falling out of the hair, [1]; (twelfth day), [34].
4. *Hair came out much, in the morning, on combing it, [44d].
5. *Profuse falling of the hair, [1].
6. (Diminution of the falling off of the hair), (twenty-third day), [45b].
7. *The hair falls out a great deal; a bald place is formed (two hundred and forty-ninth day), [45b].
8. *Pain in the roots of the hair, especially when touched, [1].
9. The hair of the head is painful on scratching, [1].

Scalp

10. Scalp for a long time thickly covered with scabs, [39a]. [Up to the age of fifteen I had been frequently troubled with ringworm.]
11. For many years he had been subject to great scaliness of the head, so that a large quantity of scales came off when he combed or brushed his hair, and his coat collar was always covered with them; for a few days he has not noticed any of these scales, so that he thinks the Sulphur must have acted curatively (fifty-first day); no scales when he combs his head, though he used to have a good many (seventy-fourth day), [45a].
12. The skin of the head is again covered with many white scales, difficult to get away (one hundred and eighty-ninth day); on combing the hair, a quantity of scales fall from the head (one hundred and ninety-third day); many scales on the head (two hundred and thirty-second day); a large number of scales on the head, especially the vertex (two hundred and fifty-third day); accumulation of scales on the scalp (two hundred and sixty-ninth day), [45b].
13. *Itching pimples on the scalp (first fourteen days), [1].
14. *Small painful pimples here and there on the scalp (eighth day); pimples gone (ninth day); several small pimples on the scalp (fifty-fifth day); in the evening, painful pimples here and there over the scalp (one hundred and thirty-fourth day); several small pimples on the head (one hundred and thirty-eighth day); small pimples on various parts of the scalp (one hundred and forty-seventh day); the pimples on the head are almost all there still (one hundred and fiftieth day) on the scalp, several small spots covered with scabs (one hundred and fifty-sixth day); the scabs on the scalp are loosening (one hundred and fifty-eighth day), [45b].

15. *Slight sensitiveness of the whole scalp (one hundred and ninth day), [45b].
16. Drawing and tearing in the scalp (one hundred and second day), [45a].
17. Disagreeable creeping and tension in the scalp (two hundred and forty-third day), [44b].
18. *Itching on the scalp (two hundred and forty-third day), [45b].
19. *Itching of the scalp, in the morning (eighth day), [45c].
20. *Itching on the head, with impatience, [1].

Sides

21. An inflamed pimple behind the right ear (one hundred and sixty-second day); a small inflamed pimple behind the right ear (two hundred and sixty-third day), [45b].

Temples

22. A small painful spot, covered with papulæ, on the right temple (two hundred and seventy-fifth day), [45b].

Vertex

23. *For some days past there has been a humid eruption on the top of the head, like *tinea capitis*, small grainlike pustules filled with pus, and drying up into honeylike scabs (thirty-second day), [18a].
24. *On two spots of the vertex there are found very tender scabby elevations, the size of a pea, which last several days (forty-third day), [28c].
25. During the day two pimples again appeared, one on the vertex, the other posteriorly about the nape (sixty-first day); a painful pimple on the vertex (ninety-fifth day); on the vertex some small elevations of the scalp, quite free from pain (one hundred and seventh day); several small pimples on the vertex (one hundred and twenty-third day); a small painful pimple on the vertex (one hundred and thirty-third day); a painful pimple on the middle of the vertex (one hundred and thirty-fourth day); a small painful pimple on the middle of the vertex (two hundred and thirty-fourth day); a painful pimple on the vertex, in the evening (two hundred and forty-fourth day); the pimple on the vertex gone, but in place of it there appears on the same spot several not very tender elevations the size of a hemp-seed (two hundred and forty-fifth day); elevations gone (two hundred and forty-sixth day), [45b].
26. *While combing his hair, in the morning, he observed a small, not red elevation, on the right parietal region, sensitive to the touch (thirteenth day), [39b].
27. *On the right side of the scalp, over the parietal bone, a very painful pimple forms (eighteenth day), [45].

Occiput

28. *A suppurating pimple on the hairy scalp near the nape (sixteenth day), [45a].
29. *An inflamed pimple on the occiput (twenty-second day); some inflamed pimples at the back of the scalp (sixtieth day); on the occiput two painful pimples, and a similar inflamed pimple on the middle of the vertex (seventy-ninth day); several painful pimples on the occiput (ninety-ninth day); [I must repeat the remark, that the large quantity of scales I used to have on my head for some time back have quite disappeared, and that I cannot now bring away anything of the sort by vigorous combing and brushing, but the hair on the vertex is falling off considerably, so that a bald place is beginning to appear.] on the right side of the scalp a small painful pimple (one hundred and eighth day); several small, not itching pimples, in the hollow at the back of the head downwards towards the nape (two hundred and twenty-third day), [45b].
30. *Itching on the occiput, [1].
31. *Itching on the occiput near the nape (thirteenth day), [45].
32. *Itching on the occiput making him scratch (eighty-sixth day), [45b].

33. *In the morning, after getting up, great itching on the occiput and nape (ninety-sixth day); great itching on the occiput, compelling him to scratch, in the morning (two hundred and seventy-fourth day), [45b].
34. *Itching on the occiput, in the morning (tenth day), [45c].

4. from Allen T.F. 1874, chapter Eyes

Eyes

General

1. *Eyes sunken, surrounded by blue rings, [1].
2. *Blue rings around the eyes, [1].
3. Both eyes inflamed, [56].
4. *Redness of the eyes during the day; violent itching in them in the evening, [1].
5. Swelling and redness of the eyes, with pimples on the lids, [1].
6. The white of the eye reddened (third day); redness of conjunctiva less (fourth day), [36].
7. *A white vesicle in the white of the eye, close to the cornea, [1].
8. *Much matter in the eye, in the morning, for several days, [48].
9. *Purulent mucus in the eyes (after three days), [1].
10. Trembling of the eyes, [1].
11. *Heaviness of the eyes, [1].
12. *Dryness of the eyes, [1], [3].
13. Aching in left eye (soon); in the evening, aching in the left eye (second day), [20].
14. Aching in the right eye, and sometimes a feeling as if the eyeballs were swollen, during the forenoon (eighth day), [44d].
15. *Slight adhesion and burning of the eyes, in the morning (eleventh day); burning in the eyes at noon (thirteenth day); burning of the eyes and lids, in the forenoon (fourteenth day); occasional slight burning in the eyes (seventeenth day), [45].
16. *Burning in the eyes, [1].
17. *Burning and easy fatigue of the eyes when reading, [1].
18. *Burning of the eyes, without redness, [1].
19. *Burning of the eyes, with great sensitiveness to daylight, [3].
20. Burning of the eyes, with redness of the outer canthi and discharge of corrosive tears, [3].
21. *Burning and pressure in the eyes; in the morning they were agglutinated and the whole face swollen, [1].
22. *Burning in the eyes, with redness of them (thirty-third day); redness of eyes much diminished (thirty-fourth day), [16].
23. *In the afternoon burning shooting beneath the lids of the left eye, as though sand had got into it (second day), [25c].
24. *Burning in the right eye for a short time, which recurs at short intervals (seventeenth day), [34].
25. *Sensitiveness and burning in the eyes, for several days, [48].
26. *Burning in eyes and feet (nineteenth day), [34a].
27. *In the evening troublesome feeling of heat in the eyes (thirty-second day), [18a].
28. *Burning heat in the eyes, [57].
29. *Sensation of heat in the eyes, [1].
30. Sensation of fulness of blood in the eyes, [1].
31. Smarting of the eyes, in the evening; the candlelight seems to be a red ring, wherewith he cannot see, [1].
32. Smarting of the eyes, with a feeling as if they watered, [1].

33. *Painful smarting of the eyes, [58].
34. *A sensation as if there were a foreign body in the right eye, in the morning (twenty-eighth day); feeling of foreign body in the eyes, in the forenoon in the right, in the evening in the left eye (twenty-ninth day), [44f].
35. *Sensation in the right eye, as if a foreign body were in it, which compels him repeatedly to rub and wipe the eye, in the afternoon (thirty-fifth day), [45a].
36. *Sensation as if an inflammation of the eye were about to come on (second day); in the morning, on awaking, prickling, causing him to scratch, itching and smarting in the lids (third and fourth days); itching and smarting in the lids much diminished; towards evening it went off completely (fifth day), [36a].
37. Pressure in the eyes as if sleepy, every evening, without sleepiness, [1].
38. Pressure in the eyes, especially on working in the sun, [2].
39. Pressure and itching in the eyes and vertigo on stooping, [1].
40. About 4 P.M., after a glass of beer, pressive pain on the left eye (nineteenth day), [22a].
41. Tensive headache in the eyes only on raising them, several mornings in bed, on waking, [1].
42. A feeling as if the eyes were plucked back into her head, [66].
43. Bruised pain in the eye on pressing it together and on feeling of it, [1].
44. Violent pains in the left eye, as if it were rubbed against spiculæ of glass, and drawn in towards the pupil. He was obliged to close the eye five or six times involuntarily. This was followed by burning in the eye and flow of tears. The attack lasted about two minutes (fifth day), [17a].
45. Pains shooting through the right eye, and through the head generally, [64].
46. The eyes are painful to touch when closed, [1].
47. The eyes are painful on looking at the flame of a candle, [1].
48. In the evening, jerking cutting in right eye, spreading to the temple; it lasts several hours, and can be excited anew by touching the right side of the tip of the nose (first day), [18d].
49. *Severe cutting in right eye (first day), [17b].
50. *Shooting in the left eye, preventing him from reading, for several days; when he attempts to read he gets, immediately, violent shooting pains through the middle of the pupil deep into the eye (thirty-second day), [18a].
51. The right eye feels very weak, water runs from it when looking at anything for a few seconds, [66].
52. About 2 A.M., painful dry sensation in both eyes (third day), [25g].
53. Biting in the eyes, as from Ammonia, [1].
54. *Biting of the eyes and lachrymation, every evening, [1].
55. *A feeling as of sand in the eyes, [56].
56. *Feeling of sand in right eye (first and second days), [74].
57. *Stitches as with a knife in the right eye, [1].
58. *Itching and burning of the eyes (fourth day), [36c].
59. *In the forenoon, itching and burning in both eyes, followed by great watering of the eyes (third day), [39].
60. At noon, for half an hour, great itching of the left eye, with lachrymation (ninetieth day), [45b].
61. In the morning, itching in left eye, which is not only aggravated by rubbing, but extends all over the face (fifth day), [20].
62. Itching in the left eye (second day), [20a].

Eyebrow and Orbit

63. *An inflamed pimple above the left eyebrow (one hundred and twenty-seventh day), [45b].

64. *Pressure in the eyebrows and balls, [1].
65. In the afternoon, slight tearing pains in the left eyebrow (seventeenth day), [28c].
66. Burning pain above and beneath the eyebrows, every afternoon, [2].
67. In the evening, drawing in the left eyebrow (forty-third day), [28c].
68. Sudden drawing above the right eyebrow (after two hours, third day), [25f].
69. At night, drawing pains in the region of the left eyebrow and aching in the left eyeball, as if it were swelled out and pushed forward; the aching in the eyeballs only went off the following morning, after getting up (twenty-fifth day), [40].
70. *Much itching in the eyebrows, and in the tip of the nose, [1].
71. Very violent piercing, cramplike pain deep in the right orbit (probably in the muscles), which, as far as he could judge, seemed to extend through the bony wall of the orbit into the frontal sinus; it lasted a few minutes, and then alternated, with a similar pain in the left orbit (after half an hour, second day), [25f].
72. Pressure in both orbits, [1].
73. Boring pain over the left eye, [51].
74. Jerking pain above the right eye, [1].
75. Drawing pain in the bones of the orbits, [1].
76. Before going to sleep, shooting pain in the upper border of the left orbit (first day), [33a].
77. Shooting above the left eye (twenty-third day), [34].

Lids

78. Swelling of the upper lid and dry matter in the lashes, [1].
79. Swelling of the upper lid, with redness and burning pain, [1].
80. *Swelling and pain in the eyelids, with lachrymation, [1].
81. Inflammation of the lower lids, without especial swelling, [1].
82. *Redness of the eyelids and conjunctiva (fourth day), [30].
83. The canthi of the eyes red and inflamed, slightly adhesive, and exuding a little (fifteenth day), [29].
84. Eruption of pimples on the upper lid, [1].
85. Styte on the upper lid by the inner canthus, [1].
86. Near the outer canthus of the left eye an intensely red, excessively itching and burning spot on the skin; the left palpebral conjunctiva much reddened (twelfth day), [29a].
87. *Agglutination of the eyes, two mornings (after twenty days), [1].
88. *Agglutinated eyes, in the morning (after burning, in the evening), [3].
89. The eyes are agglutinated, in the morning, the lids thick and red; afterwards dry mucus in the lashes, [1].
90. I could scarcely open my eyes, which were agglutinated, with forcible closure of the lids; in the evening the light obliges me to shut them (fourteenth day), [15].
91. *Eyes slightly adhering, in the morning, on awaking (fourteenth day), [45].
92. *Slight adhesion of the lids, in the morning (ninth, thirty-second, and one hundred and seventh days), [45a].
93. Much eye-gum on the ciliae, in the morning, after waking (ninth day), [44d].
94. Copious secretion of mucus from the Meibomian glands (fifth day), [36c].
95. Twitching of the lids for many days, [1].
96. Twitching of the lower lid every day, [1].
97. Twitching of the upper lid, [1].
98. The lids often close, after rising, in the morning, [1].
99. In the evening, twitching in the eyelids (second day), [20].
100. *Jerking in the lids, [1].
101. Jerking in the lids, mostly in the afternoon, [2].
102. Jerking in the left lower lid almost constantly, [1].

103. Jerking in the lower lid, [1].
104. Eyelids heavy, in the evening, [1].
105. *Dryness of the inner surface of the lids, [1].
106. *Pressure in the eyelids, in the evening, [1].
107. Pressure in the upper lids, [1].
108. In the evening, violent shooting in the upper lid (fourth day), [42a].
109. Aching on the eyelids (fifth day), [45c].
110. Pain in the outer canthus of both eyes (twelfth day), [15].
111. In the evening, sudden, very painful tearing in the left upper eyelid (twenty-third day), [22a].
112. *Burning of the lids, that are inflamed and red and tense on motion, [1].
113. *Burning of the eyelids externally, [1].
114. Sensation of many burning sparks in the eyelids, that are immediately drawn together, [1].
115. Burning jerking in the right eyelid, [1].
116. Sticking and burning in the outer canthi, with dimness of vision, in the evening, [3].
117. A persistent burning in the external canthus of the right eye, and at the same time a sensation as if a grain of sand was in it (after third dose), [38a].
118. In the afternoon, burning in the eyelids, with flow of tears (second day), [29a].
119. Burning in the lids, especially of the right eye, in the morning, after getting up (eighth day), [44d].
120. Burning of the upper lids, [1].
121. In the evening a fine burning, like sparks, on some parts of the skin of the right upper lid (third day), [25g].
122. Great burning in the canthi, at noon (second day); slight burning in both outer canthi (tenth day); slight burning in the edges of the lids (twelfth, seventeenth, eighteenth, and nineteenth days), [45a].
123. *In the forenoon, some burning on the edges of the eyelids (seventh day); slight burning in the external canthi (sixty-fourth day); during the day, severe burning on the edges of the eyelids (two hundred and third day); slight burning of the tarsal edges (two hundred and seventy-ninth day), [45b].
124. Frequent fine burning stitches in different parts of the skin of the left upper eyelid, as if from fine sparks (seventh day), [25].
125. *Smarting sore pain on the inner side of the lids, after midnight, followed by a sensation of a rubbing dryness upon the inner surfaces, [1].
126. *Smarting pain as from dryness of the margins of the lids, [1].
127. *Smarting of the lids; inclination to rub them; the eyes can hardly bear the light, in the evening (eleventh day), [15].
128. Sensation like sparks in the left upper lid (fifth day), [25a].
129. *In the morning, slight sensitiveness of the edges of the lids (one hundred and thirty-fifth day), [45b].
130. *Four hours after taking the medicine, when in bed, he felt a rubbing dry sensation (like sand) in the mucous surface of the eyelids (fourth day), [25].
131. *In the morning, on awaking, feeling of sand in the eyes, with raw pain on rubbing them (second day), [25d].
132. *In the morning, after awaking, painful rubbing dry feeling in the borders of the right eyelids (fourth day), [25f].
133. About 3 P.M., feeling of fine sand between the right eye and lid (second day), [36c].
134. *Itching of the eyelids, as if they would become inflamed, [1].
135. *Itching of the lids, obliging him to rest them every moment, in the afternoon; the eyes can scarcely endure the light at all, in the evening (twelfth day), [15].
136. Itching biting in the outer canthus (after six hours), [1].

137. Itching and biting in the inner canthi, [3].
138. *Itching and burning of the lids, which are red and swollen, in the morning (ninth day), [44d].
139. *Frequent itching, burning, and smarting in the canthi of the eyes, making him rub them (third day), [30].
140. *Itching in eyelids and burning in eyes (twelfth day), [34a].
141. *In the morning, after awaking, itching in the eyelids (second day), which are gummed together (third day); itching much diminished (fourth day), [36].
142. *Itching in the right eye (second day); during the day prickling, itching, and smarting in the eyelids (third day); in the morning, after awaking, eyelids gummed together, and a feeling as if fine sand were in the eyes (fourth day), [36b].
143. *In the morning, itching and smarting in both eyelids (fifth day), [36c].
144. *A sensation of prickling in both eyelids, causing him to scratch and rub them, [36c].
145. In the outer canthus of the right eye itching, shooting, and sensation of fine sparks in the skin of the right upper lid (third day), [25a].
146. *In the afternoon, itching, burning, and redness of the edges of the lids, and of the skin on the outside of the nose (twenty-fourth day), [29].
147. *Itching on the borders of the eyelids (eighth day), [44b].
148. *After dinner, rather severe itching of the lids, especially of the right eye (two hundred and forty-seventh day); great itching on the borders of the right eyelids (two hundred and forty-eighth day), [45b].

Lachrymal Apparatus

149. Great lachrymation and coryza, [56].
150. Lachrymation, feeling fatty, from both eyes, [2].
151. *Lachrymation in the morning, followed by dryness, [1].
152. *Lachrymation and burning, in the morning, [3].
153. Lachrymation in the open air, several days, [48].
154. Lachrymation of the eyes, when walking, in the open air (two hundred and seventy-sixth day), [45b].
155. Slight burning and profuse lachrymation of the left eye, in the forenoon (tenth day), [45].
156. Acrid water ran out of the eyes (third day), [25g].

Pupil

157. About 3 P.M., for an hour, remarkable dilatation of the pupils (thirty-second day), [27].
158. Distortion of the left pupil, [1].
159. Pupils much contracted, [1].

Eyeball

160. *The eyeballs are painful on moving them, [1].
161. *Pressure in the eyeballs on walking, in the open air, [1].
162. Pressure in the left eyeball, in the afternoon (twenty-eighth day), [40].
163. *In the evening, dull aching and feeling of weight in both eyeballs, with loss of vision, as if a thick veil were before the eyes (seventeenth day), [29].
164. *Pain as from dryness of the eyeballs, and a sensation as if they rubbed against the lids, [1].
165. After dinner, jerking tearing in the left eyeball (second day), [39].

Some longer Symptoms

166. *Burning of the eyes in their outer canthi, after rising (second day); slight burning of the eyes, especially the edges of the lids, towards noon (fifth day); slight burning in

the eyes towards the outer canthi (eleventh day); burning of the eyes (thirteenth day); burning of the eyes after getting up (twentieth and twenty-second days); slight burning in the eyes and borders of the lids (twenty-sixth day); slight burning in the eyes (twenty-ninth and thirtieth days); burning of the eyes, at noon (fortieth day); some burning in the eyes, in the evening (forty-third day); some burning in the eyes, towards evening (fiftieth day); some burning of the eyes, in the forenoon (sixty-second day); some burning in the eyes after breakfast (sixty-fifth day); burning in the eyes (seventy-eighth day); severe burning in the eyes (seventy-ninth day); slight burning and aching of the eyes (eighty-seventh day); sensitiveness of the eyes (one hundred and first day), [45a].

167. *Burning of the eyes (forty-seventh and forty-eighth days); severe burning in the eyes and skin of the forehead (fifty-third day); the eyes burn a little, in the evening (sixty-first day); in the evening, frequently recurring tiresome burning in the left eye, followed by lachrymation (eighty-sixth day); slight burning in the eyes (ninety-eighth day); eyes burn a little in the evening; the sensation went off before bedtime (ninety-ninth day); slight burning of the eyes, especially their external canthi, after getting up (one hundred and sixteenth day); slight burning of the eyes, in the morning (one hundred and seventeenth day); slight burning in the eyes (one hundred and twenty-fourth day); slight burning of the eyes, in the morning (one hundred and forty-second day); sensitiveness of the eyes (one hundred and eighty-fifth day); severe burning in the eyes (two hundredth day); slight burning of the eyes (two hundred and fourth and two hundred and nineteenth days); warm feeling and slight burning in the eyes, soon after taking the drops (two hundred and twenty-eighth day); slight sensitiveness of the eyes (two hundred and sixty-ninth day); burning of the eyes towards evening (two hundred and sixty-ninth day); slight burning of the eyes (two hundred and seventieth, two hundred and seventy-first, and two hundred and seventy-second days), [45b].
168. In the morning, on awaking, the left eyelids stuck together; lachrymation from both eyes; and along with these symptoms there was so much photophobia that he could not look towards the window. On looking into the mirror, after getting up, he found the left eyelid swelled and the conjunctivæ of both eyes red. In the course of the day he had a feeling of dryness and heat in both eyes; on opening and shutting the eyes he felt as if the lids rubbed against the eyeball (twenty-third day). In the morning the left eye was again closed up, the lids reddened, the photophobia worse than yesterday; the conjunctiva and sclerotic of both eyes much injected; the least light caused a copious flow of tears (twenty-fourth day); the inflammation of the eyes lasted in the same intensity till thirty-first day; the ophthalmic affection declined; he could look at the light better; the redness and heat of the eyes were less (thirty-second day); in the morning the heat and redness of the eyes were greater than yesterday, but they declined in the course of the day (thirty-third day); each day, in the morning, feeling of heat in the eyes and some photophobia, symptoms which regularly declined towards the latter part of the day; in the evening, although he felt no pain in the eyes, he could not read long by lamplight without fatigue and watering of the eyes (thirty-fourth to thirty-seventh day), [32].
169. Eyelids somewhat stuck together (forty-fifth and fifty-sixth days); canthi slightly adherent, in the morning (sixty-sixth day); slight adhesion of the eyelids, in the morning (sixty-seventh day); in the morning, adhesion of the eyelids and slight burning of their edges (seventieth-eighth day); slight adhesion of the external canthi (eighty-seventh day); the eyes are somewhat adherent in their external canthi (ninety-first day); slight adhesion and burning of the external canthi (ninety-second day); eyelids somewhat adherent (ninety-eighth day); slight agglutination of the eyelids, in the morning (two hundred and thirty-fifth and two hundred and thirty-eighth days), [45b].

170. In the afternoon, in the outer canthus of the left eye, slight tickling, which gradually increased to a considerable itching, which compelled him to rub the eye, and made all work in the evening impossible. He attributed this to a glass of wine he had drunk at dinner contrary to custom. Sleep twice interrupted, and each time the itching in the eye was present (fourteenth day). About 4 P.M., tickling in the outer canthus of the left eye, and soon afterwards itching in it so violent as to cause him to rub it. In the evening, by candlelight, the itching extended to the inner canthus and changed into a shooting pain, on account of which it was midnight before he fell asleep, and not until he had allayed the pain by means of cold compresses (fifteenth day). In the morning the affected eyelid was covered with a dry cake of mucus. The upper lid felt stiff on first opening the eyes, otherwise nothing morbid was visible. On going out the eyes watered for a short time, but there was very little itching in the left eye (seventeenth day). Slight adhesion of the lids at the left external canthus (nineteenth day). Left eye still somewhat closed up with mucus; the upper lid less stiff (twenty-first day), [35b].
171. In the evening, by candlelight, he had a recurrence of the itching in the external canthus of the left eye, which he had had while proving the tincture. At the same time the upper lid itched (after five to ten minutes) to such a degree that he must involuntarily rub the eye. This he did gently, so that it could not have caused the symptoms that followed. Thus the itching increased in the evening to burning; the lids winked frequently, and the light hurt the eyes (second day). In the morning he awoke with stiff eyelids, which, however, soon regained their ordinary mobility. The lids and the caruncula were both injected of a bright-red color. During the day the eye was pretty well, with the exception of the redness above described, and occasional itching on the borders, as if they were covered with crusts that ought to be removed. But on the approach of night and at the sight of candles, the edges of the left of the eyelids commenced to burn, and photophobia came on. On reading or writing the eye watered, and the pain increased, preventing him going on with his work (third day). In the morning, on awaking, he could not open the eye immediately on account of the stiffness of the lids; he only succeeded in doing so after several trials, and then there appeared a considerable quantity of mucus, which obscured the sight, and in spite of frequent wiping away continued to return. This secretion of mucus lasted the first two or three hours of the forenoon, and did not cease till about noon. In the evening, again itching, then burning pain followed by photophobia and flow of tears (fourth day). The blepharoblennorrhœa of the left eye just described persisted (from fifth to sixteenth day); eye affection quite gone (twenty-first day); in the evening the ophthalmic affection returned, with precisely the same symptoms (twenty-third day); right eye affected in a similar though a slighter manner (twenty-ninth day); eyes quite well (forty-sixth day), [35c].
172. *Burning in the edges of the lids, in the morning (second day); cutting-burning pains in the borders of the eyelids, and especially in the external canthi, after dinner (fifth day); very distressing burning in the outer canthi, and on shutting the eyes, a sensation as of a foreign body between the edges of the lids towards their external commissure, in the evening (fifth day); burning in the borders of the eyelids, after rising (sixth day); slight burning of the eyes particularly in the outer canthi (eighth day); burning in the canthi, towards noon (eighteenth day), [45].

5. Allen T.F. 1874, chapter vision

Vision

1. *Dimness of vision, as from a fog, with the headache, [1].

2. *Dimness of vision of both eyes, with great sensitiveness to bright daylight (second day); great dimness of vision (on reading), as if the cornea had lost its transparency; at the same time feeling of dryness (as from fine sand) between the eyelids (after one hour, seventh day), [25a].
3. Dimness of vision, in the forenoon (first day); all the forenoon, unusual weakness and dimness of the eyes, followed by frequent dry tussiculation (third day), [25a].
4. *Dimness of vision and weakness of both eyes, with innumerable confused dark spots floating before the eyes (in two hours), [25f].
5. Dimness of vision, with giddy confusion (first day), [25g].
6. In the forenoon, dimness of vision; it seemed as if a veil were before the eyes; sometimes she saw objects double; she could hardly see to do needlework; when sewing the sight went away completely (seventh day), [31a].
7. *Since commencing my proving of Sulphur I have observed a considerable weakness of vision, and very often a feeling of heaviness and aching in the eyeballs. When reading or writing I often feel as if a mist were before the eyes. I must then cover the eyes with the hand, slightly press and rub them, in order to read. Moreover, I must hold the book I am reading a considerable distance from the eyes, for when I hold it close I cannot distinguish the letters. I had previously noticed a slight diminution of my visual powers, but since the proving of Sulphur, the feeling of weight and aching in the eyes, and the weakness of sight rapidly increased, and to a great extent, [29].
8. The eyes seem blinded, in the morning, [1].
9. Weakness of sight, she sees things only sideways, [56].
10. *Sensation of a veil before the eyes, and dim vision for near and distant objects, [1].
11. In the evening, by candlelight, a veil before the eyes; the surrounding objects appeared to be enveloped in smoke; rubbing and wiping them had no effect (third day), [30].
12. *Sensitiveness of the eyes to daylight (in two hours, fifth day), [36c].
13. *Vision as through a veil (twentieth day), [34].
14. *Intolerance of sunlight, [1].
15. *Obscuration of vision, while reading, [1].
16. Paroxysms of obscuration of the eyes, while walking in the open air, with violent pressure and beating in the head, nausea and weakness (sixth day), [1].
17. Illusions of vision, as if her skin were yellow, [3].
18. *Objects seem more distant than they really are, [1].
19. *Flickering before the eyes (after forty-eight hours), [1].
20. After breakfast, great flickering and luminous appearance before the eye. Everything appeared to be in a quivering movement. This symptom lasted an hour (one hundred and twentieth day), [45b].
21. At night, when going to sleep, lightning-like flashes before the eyes (eighth day), [38b].
22. A white spot before the eyes, on looking into the air, [1].
23. *Small dark specks before the eyes; eyes dazzled after looking long at an object (twenty-third day), [34].
24. *Dark points and spots before the eyes, [1].
25. *Black flies seem to float not far from the eyes (after twelve hours), [1].

6. Allen T.F. 1879, chapter Ear

Ear

1. Great increase of the wax in the ears, especially the left ear (fifteenth day), [45a].
2. Copious secretion of earwax (fifty and fifty-first days), [29].
3. The hollow of each concha, and each external meatus were unusually moist from a

- viscid fluid wax (second day), [25b].
4. Constant sweating and frequent itching in the left external auditory meatus (first day), [25e].
 5. After dinner, several fine stitches in the right concha (fifth day), [25a].
 6. Violent squeezing pain, first in the left, then in the right auricle, close to the meatus (first day), [18a].
 7. The left auricle is painful, as if sore on a limited spot (one hundred and nineteenth day), [45b].
 8. Boring pains in the meatus auditorius (fiftieth and fifty-first days), [29].
 9. Painful crawling and gnawing in the left external meatus, [3].
 10. Asleep sensation in the outer ear, for eight days, [1].
 11. Slight drawing behind the left ear (two hundred and sixty-third day); severe drawing (two hundred and sixty-fourth day), [45b].
 12. Gnawing in the bones in front of the left ear; also on swallowing, [3].
 13. Distressing stopped sensation in both ears, for many days, [1].
 14. Sensation as if the ears were stuffed, [51].
 15. The ear always becomes stopped on blowing the nose, [1].
 16. When blowing the nose, a sensation as if air were forced into the ears, [1].
 17. Slight stopped up feeling of the ears (one hundred and eighty-fourth day), [45b].
 18. Earache in the left ear, [1].
 19. *Pain in the ear, as if ulcerated, on swallowing, [1].
 20. In the afternoon and evening, aching pain in the right ear, in the external meatus, towards the membrane of the tympanum (twenty-eighth day), [45b].
 21. Aching boring pains in the ears, especially the right ear and the temples (seventeenth day), [29].
 22. For half an hour teasing aching in the left ear, about noon (sixth day), [44d].
 23. Slight sensitiveness in the right ear, judging by the feeling in the cavity of the tympanum (one hundred and thirty-second day), [45b].
 24. It is painful within the ear, when cleaning, [1].
 25. *Violent pressure in the ears on swallowing and sneezing, [1].
 26. Drawing in the left ear, with eructations from the stomach, [1].
 27. After lying down, slight drawing in the right ear (twelfth day), [28c].
 28. Towards evening, in the open air, there were several dull shoots through the right external meatus (one hundred and twenty-seventh day), [45b].
 29. Tingling in the ears; at times in one, at times in the other, and difficult hearing with the tingling, [1].
 30. Tingling and pulsation in the ears, [1].
 31. Tingling in the ear, with deafness, so that the ears do not seem to be sensitive to sound, which seems to be only dimly appreciated by an internal sense, [1].
 32. Tickling in the ear, [1].
 33. *Sticking pain in the ear as far as the pharynx, [1].
 34. *Stitches in the left ear (sixth day), [1].
 35. Some transient stitches behind the left ear, in the evening (twenty-fourth day), [45a].
 36. *Tearing in the left ear, extending into the head, [1], [3].
 37. Itching in the ear, immediately followed by itching heat in the outer ear, [1].
 38. *Itching in the left ear, [3].

7. Allen T.F. 1879, chapter Hearing

Hearing

1. Hypersensitiveness of the auditory nerves in one who hears with difficulty, so that

- playing the piano causes nausea, [1].
- 2. Hypersensitiveness of hearing, [1].
- 3. Every noise distresses him, [1].
- 4. Intolerance of noise (second day), [33].
- 5. Deafness in both ears, very transient (after nine days), [1].
- 6. *Something seems to have come before the left ear, so that though he hears everything, he cannot understand the human voice, [1].
- 7. After dinner, difficult hearing of left ear (first day), [20].
- 8. Loud noises in the ears, with the distension of the head (after one hour), [51].
- 9. Occasional noises in the head and ears (eighth day), [31a].
- 10. Noises in the right ear, [3].
- 11. Fluttering noises in the ear, [1].
- 12. At 5 P.M., fluttering before the left ear (sixth day), [21].
- 13. Swashing, as from water in the ears, with excessive sensitiveness of hearing (to the crack of a whip), [1].
- 14. Cracking in the ear, or like the bursting of bubbles, [1].
- 15. Frequent cracking in the ears, as if a string broke in them, [1].
- 16. Noise like boiling water out at both ears, and frequent painful drawing in the right ear (first day), [25b].
- 17. Ringing in ears (sixteenth day), [34a].
- 18. *Ringing in the ears, with deafness, during dinner, [1].
- 19. *Ringing in the ears, and roaring, as from a wind, especially after lying down, [1].
- 20. Ringing in the ears recurring several times during the day (fourth day); occasional attack (sixth to tenth day), [39b].
- 21. Much ringing in both ears, while sitting, [1].
- 22. Great ringing in the ears for five minutes, in the morning in bed, [1].
- 23. *Much ringing in the ears, and tingling or roaring in the head, for several days, [48].
- 24. A ringing roaring in the head coming out at the ears, [1].
- 25. *Roaring in the ears, [1]; (in two hours), [25].
- 26. A peculiar roaring in the ears, [1], [7d].
- 27. *Roaring in the ears, for several days, [1].
- 28. *Roaring in the ears, in the evening in bed, with rush of blood to the head, [1].
- 29. Occasional roaring in the ears (first day); roaring all day long (second day), [39b].
- 30. (Roaring and singing in the left ear much diminished), (sixth day), [40].

8. Allen T.F. 1879, chapter Nose

Nose

- 1. *Nose swollen, [1].
- 2. *Inflammation in the nose (after nine days), [1].
- 3. *About noon, shining red swelling of the point of the nose, whereby the anterior angle of the left nostril felt thick, hard, and painful to the touch (thirteenth day); increased redness and swelling of the inflamed nose (fourteenth day); the redness of the swelling on the nose is diminished, the shininess of the skin, and the sensitiveness to touch continue (fifteenth day); swelling of the nose as yesterday (sixteenth day); at 6 A.M., on the inside of the swollen portion of the nose is a hardened, transparent, bright-yellow mass, which can only be detached with difficulty and pain (seventeenth day); rapid diminution of the swelling of the nose, of which next day not a trace remains (eighteenth day), [21].
- 4. In the course of the day the right nostril was sensitive to the touch and somewhat reddened (eleventh day); the whole of the right ala nasi and especially the septum

narium was inflamed and painful to the touch; merely touching the hairs in the nose caused violent pain (twelfth day); inflammation of nose continues (thirteenth and fourteenth days); nose not so red and sensitive (fifteenth day); nose scarcely at all tender to touch, and covered with bran-like scales on the parts that had been inflamed (sixteenth day), [27a].

5. *Wings of the nose inflamed, swollen, [1].
6. *Black comedones on the nose, upper lip, and chin, [1].
7. Rush of blood to the nose, especially in the open air, [1].
8. *Frequent sneezing, [1].
9. Sneezing, with moisture in the nose, about 9 A.M., [46a].
10. *Very frequent sneezing, in the evening and morning, [1].
11. *Violent sneezing, several days, [1].
12. Inclination to sneeze, that shook her almost spasmodically, [3].
13. Very frequent sneezing always preceded by nausea, [1].
14. *Frequent sneezing and coughing (third day), [20a].
15. *Violent sneezing (first day), [34a].
16. Frequent sneezing, discharge of fluid mucus from the left nostril, a very severe catarrh, although that which dated from 20th October, had only quite ceased a few days previously (seventeenth day), [28c].
17. *Frequent sneezing, and the sensation as if a cold were coming on, and frequent blowing from the nose of mucus mixed with blood (almost every morning), (first fifteen days), [28d].
18. *Frequent sneezing, which always gave relief to the head (sixth day); in the afternoon, frequent violent sneezing (fourteenth day), [33].
19. *Several fits of sneezing, in the morning after rising (fourth day); several violent sneezes in rapid succession, in the evening (tenth day), [45].
20. *Frequent sneezing (nineteenth day); frequent sneezing, in the afternoon (twenty-eighth day); frequent sneezing (thirty-second day); frequent severe sneezing, at least ten times in succession, at noon (sixty-seventh day); frequent sneezing, in the afternoon (seventy-eighth day); repeated severe sneezes (eighty-first day), [43a].
21. Violent sneezing (immediately); frequent sneezing, which increases the pain under sternum (seventh day); few sneezes (forty-second day); frequent sneezing (forty-fifth day); occasional sneezing and hawking of mucus (fifty-fifth day); occasional violent sneezing, in the forenoon (fifty-ninth day); frequent sneezing and dry tussiculation (sixty-seventh day); occasional sneezing, in the morning after rising (eighty-fifth day); occasional sneezing and coughing up of thick mucus (one hundred and tenth day); frequent sneezing (one hundred and forty-seventh day); violent sneezing, in the evening (two hundred and seventeenth day); very violent sneezing, at noon, ten successive times, followed by frequent dry tussiculation (two hundred and nineteenth day); occasional sneezing (two hundred and thirty-first and two hundred and thirty-second day); occasional violent sneezing (two hundred and seventy-ninth day); occasional sneezing (two hundred and eighty-second day), [45b].
22. *Frequent sneezing (sixth day), [45c].
23. Symptoms of threatened catarrh (fourteenth day); symptoms at height (fifteenth day); catarrh declined (sixteenth day), [16].
24. A very violent catarrh came on, which lasted an unusually long time, viz., one month (fourth day), [28b].
25. *Coryza (after fourteen days), [1].
26. *Coryza, with chilliness, catarrh and cough, [1].
27. Coryza about noon (second day), [43].
28. *A good deal of coryza and sneezing, [56].

29. Coryza and great lachrymation, [56].
30. At noon, while at dinner, sudden recurrence of coryza (fifth day); occasional attacks (sixth to tenth days), [39b].
31. Stoppage of the nose, violent sneezing (twentieth day); coryza continues (twenty-second and twenty-third days); diminished (twenty-fourth day), [34].
32. Coryza, with very frequent sneezing (fifteenth day), [34a].
33. Violent fluent coryza (twenty-fourth day); severe fluent coryza, in the morning (twenty-ninth day); fluent coryza, towards noon (fortieth day); fluent coryza (forty-eighth day), [29].
34. Fluent coryza of burning water, [9].
35. *Fluent coryza and on blowing the nose, also bloody mucus, [1].
36. *Fluent coryza, like water, [1].
37. Fluent coryza, the mucus must be drawn through the posterior nares, [1].
38. Frequent short paroxysms of coryza, [1].
39. Violent coryza, with rawness in the chest, and cough, with much expectoration, [1].
40. *Violent coryza (after fifth and seventeenth days), [1].
41. Profuse coryza, [56].
42. *Distressing dry coryza, causing obscuration of the head, especially after eating, [1].
43. *Water trickles from the nose, [1].
44. *Yellow, glutinous, strong-smelling liquid drops from the nose two mornings and evenings, without coryza, [1].
45. *Profuse secretion of thick, yellow, purulent nasal mucus, for several days, [3].
46. *Offensive odor of nasal mucus on blowing the nose, [1].
47. All day long an almost constant desire to blow the nose, though no mucus was present in its front part. The mucus remains sticking in the nasal passage; it is uncommonly viscid, and it is only after great exertion, in the way of blowing, that it comes away in the form of long narrow pieces, which interrupt the free passage of air through the nostrils (twenty-seventh day), [21].
48. A little acrid fluid comes from the nose (fifth day); increased discharge of thin fluid, about noon (eighth day); profuse discharge of fluid from the nose, in the evening (eighteenth day), [45].
49. Copious discharge from the nose, in the morning (fifth day); much thin mucous fluid comes out of the nose (seventh day); frequent discharge from the nose (seventeenth day); increased discharge from the left nostril, at noon (nineteenth day); much fluid comes out of both nostrils, late in the evening (nineteenth day); blowing of the nose, in doing which the septum of the nose burns, after dinner (twentieth day); frequent blowing of the nose, in the morning (twenty-first day); watery fluid flows several times from the nose, at noon, causing severe burning at the edges of the ala nasi (twenty-second day); great discharge from the nose, in the evening (twenty-fifth day); great watery discharge from the nose, which makes the edges sore, in the evening (twenty-seventh day); frequent blowing from the nose of thick mucus, in the forenoon (thirty-first day); much mucus comes from the nose, and there is a disagreeable dryness of the nose (forty-fifth day); discharge of watery fluid from the nose, at noon (fifty-first day); increased nasal secretion (seventy-sixth day); copious watery secretion, in the nose (seventy-seventh day); severe catarrhal symptoms (seventy-eighth day); blew much thick mucus from the nose while in the open air, in the forenoon; later, when in the room, the nose became quite dry, and its borders stiff; in the afternoon profuse nasal secretion (seventy-ninth day); blowing of thick mucus from the nose (eighty-first day); great discharge of mucus from the nose (eighty-first day); several times blowing of mucus from the nose (eighty-second day); frequent blowing of thick mucus from the nose (eighty-seventh day), [45a].

50. A watery fluid runs out of the nose (fifth day); considerable mucous discharge from the nose (fourteenth day); fluid frequently flows out of the right nostril (twentieth day); after dinner, a water fluid frequently flows from the nose (thirty-second day); watery discharge from the nose (thirty-fourth day); watery discharge from the nose occasionally (thirty-fifth day); in the forenoon, frequent blowing of thick mucus from the nose (forty-ninth day); blowing of mucus from the nose, in the morning (fifty-third day); much secretion from the nose (sixty-third day); copious secretion of thick mucus from the nose (sixty-seventh day); blowing of thick mucus from the nose (ninety-eighth day); some fluid comes out of the right nostril (one hundred and forty-seventh day); frequent blowing the nose, and coughing (two hundred and nineteenth day); catarrhal symptoms somewhat less (two hundred and twenty-first day), catarrhal symptoms continue in a milder degree (two hundred and twenty-third day); a fluid runs out of the left nostril (two hundred and thirty-first day); blowing from the nose of thick mucus; catarrhal sufferings, at noon (two hundred and sixty-ninth day); much mucus blown from the nose (two hundred and seventy-fourth day); blowing from the nose of thick mucus (two hundred and seventy-fifth day), [45b].
51. *Blood from the nose on blowing it, [1], [2].
52. Nosebleed from time to time, for several days, [2].
53. *Nosebleed, for seven days (after eleven days), [1].
54. Nosebleed two afternoons in succession, at 3 o'clock, followed by pain in the nose on touch, [1].
55. Clotted blood is always discharged on blowing the nose, [1].
56. Blowing of blood from the nose, at night, [1].
57. *Blows blood from the nose, [1].
58. Nosebleed just before and after the menses, [1].
59. Nosebleed the third evening during the menses, [1].
60. The nose bleeds easily, [46a].
61. Violent nosebleed, in the morning on blowing the nose, [1].
62. Epistaxis, and in one case, a man of 60, nose bled every day, after the third day of taking the medicine, something which had not occurred since childhood, [76].
63. The mucus brought away on blowing the nose has streaks of blood in it (twenty-seventh day), [28c].
64. In the morning he blew some blood-streaked mucus from the nose (thirteenth day), [28].
65. About 8 P.M., tickling in the left nostril, immediately followed by the discharge of bright-red thickish blood, to the extent of about half a drachm, which contained a proportionately large quantity of sulphates (forty-eighth day), [29].
66. Stoppage of the nose (second day), [26].
67. Nose much stopped up (sixteenth day), [34a].
68. Stoppage of both nostrils, with frequent sneezing, [1].
69. Stoppage of the right nostril (thirteenth day), [21].
70. Stopped sensation in the upper part of the nose, with fluent coryza and burning soreness, with discharge of biting water, with rough bass voice, in the afternoon and evening, [1].
71. Great stoppage of the nose, for several days; on blowing the nose clots of blood are at times discharged, [1].
72. *Dryness of the inner nose, [1].
73. Painful sensation of dryness in the nose, with violent coryza, [1].
74. The borders of the alæ nasi dry, the Schneiderian mucous membrane irritated, as if a coryza were coming on (fifteenth day), [29].
75. After a glass of beer, feeling of dryness in left nostril, and sensitiveness of the mucous

membrane on inspiring the air of the room; the latter sensation went off almost entirely in the open air (nineteenth day), [22a].

76. *Dryness of the nose, burning on the outer borders of the alæ nasi, which are very sensitive to touch, in the evening (fifth day); dry feeling and troublesome tension in the nose, in the forenoon (fourteenth day); troublesome dryness in the nasal cavity (sixteenth day); in the nose sometimes dry feeling, and sometimes a discharge of watery fluid from it (seventeenth day); dry feeling in the nose, towards noon (eighteenth day), [45].
77. Distressing dry feeling in the nose, after rising; dryness in the nose, at noon (second day); troublesome dryness and sensitiveness of the nose, soon after taking the medicine (fifth day); some sensitiveness and dryness in the nose (tenth day); nose dry and tender, in the morning after waking (eleventh day); dryness of the nose (thirteenth day); tiresome dryness of the nose, in the evening (fifteenth day); great dryness and sensitiveness of the nose (eighteenth day); teasing dryness of the nose, in the morning (nineteenth day); dryness and tenderness of the nose (twentieth day); dryness of the nose, and feeling as if its mucous membrane was swollen, in the open air in the forenoon (twenty-third day); great dryness of the nose (twenty-fourth day); *dryness of the nose (twenty-ninth day); the effect upon the nasal mucous membrane during the whole of the proving was quite peculiar; at one time acrid fluid flows from the nose, and again the organ appears to be as dry and stiff as parchment, and the next moment he has to blow out a quantity of thick phlegm, which is followed by a return of the dryness; dryness of the nose (thirtieth day); distressing dryness and stiffness of the nose, at noon (thirty-first day); dryness of the nose (thirty-fifth day); severe burning and dryness in the nose, at noon when sitting (thirty-sixth day); dryness of the nose and stiffness of its walls (fortieth day); dryness and tension of the nose (forty-first day); dry feeling in the nose, though it is actually moist, in the evening (forty-third day); dryness of the nose, in the evening (forty-seventh day); burning dry nose, in the evening (forty-ninth day), dryness of nose (fifty-third and fifty-sixth days); the nose not nearly so dry as the day previous (fifty-eighth day); great dry feeling in the nose, especially towards its point (sixty-second day); dryness of the nose (sixty-eighth day); great dryness of the nose (seventy-second and seventy-sixth days); dryness and tickling in the nose (seventy-eighth day); great dryness, extreme sensitiveness, almost sore feeling of the nose (eightieth day); dryness in the nose (eighty-first day); dryness and parchment-like stiffness of the nose (eighty-fifth day); great dryness of the nose (eighty-seventh day), [45a].
78. In the afternoon, dryness of the nose (eighth day); dryness of nose (ninth day); dryness of nose (eighteenth day); dry feeling and aching in the nose (forty-third day); dryness of the nose (forty-seventh and forty-eighth days); tiresome dryness of the nose, in the morning (forty-ninth day); dryness of the nose (fifty-fifth and sixty-fifth days); dryness of the nose, in the morning (seventy-third day); dry feeling in the nose, at noon (one hundred and fourth day); sensitiveness and dryness of the mucous membrane of the nose (one hundred and fourteenth day); tiresome dryness of the nose (one hundred and thirtieth day); dry feeling and aching in the nose, especially its root, in the forenoon (one hundred and fifty-first day); dryness and aching in the nose severe (two hundred and seventieth day); dryness of the nose (two hundred and seventy-first and two hundred and seventy-second days), [45b].
79. Sore pain in the whole nose, especially in its septum, the slightest touch increased the pain, in the evening (second day); sore feeling in the nose, in the morning after rising; at noon pain very severe and an acrid fluid flowed from the right nostril (fourth day); the nose, especially its left outer edge, is very sensitive to touch (seventh day); in the morning after waking, very tensive sore pain in the nose, especially at its point; feeling

as if the nose was swollen; its internal aspect is covered with small scabs (eighth day); the edges and septum of the nose rather sensitive (tenth day); sensitiveness of the septum of the nose (eleventh day); sensitiveness and dryness of the nose, at noon (thirteenth day), [45].

80. Transient sensitiveness of the mucous membrane of the nose (fourth day); mucous membrane of the nose feels sore, on smoking (thirty-second day); at dinner, a peculiar feeling in the right nostril; he felt as if the mucous membrane detached itself from the bone and rose as a blister, at the same time frequent sneezing; these symptoms were present almost all the afternoon (thirty-fourth day); raw pain on the edge of the right nostril (sixty-fifth day), [45a].
81. Aching at the root of the nose (twenty-fifth day); at noon, very troublesome aching pain in the nasal bones (one hundred and twelfth day); during the day, severe aching in the nasal bones (one hundred and thirteenth day); at noon, very severe aching in the nasal bones, and creeping in both temples (one hundred and fourteenth day); during the day, a disagreeable feeling of aching and fulness in the nose, one of the nasal bones was thickened and swollen (one hundred and seventeenth day); in the morning, severe aching in the nasal bones, and dry feeling in the nose. The aching in the nasal bones went off in the forenoon, but recurred at noon in great intensity and went away again in an hour (one hundred and eighteenth day); at noon, severe aching in the nasal bones and dry feeling in the nose, though a drop or two of fluid occasionally escapes unobserved from the nostrils (one hundred and nineteenth day); occasional severe aching in the nasal bones, in the forenoon (one hundred and twentieth day); during breakfast, very violent aching in the nose; the pain extended into the frontal sinus, but did not last long (one hundred and twenty-second day); occasional aching pain in the nasal bones (one hundred and twenty-fourth day); frequent aching pain in the nasal bones, in the forenoon (one hundred and twenty-seventh day); dry feeling and aching in the superior nasal passages (one hundred and twenty-eighth day); towards noon, quite severe aching in the nasal passages (one hundred and thirtieth day); frequently recurring, but always transitory sensation of soreness in the nose (one hundred and thirty-second day); occasional aching in the nasal bones (one hundred and thirty-third day); in the nose, very tiresome aching and feeling of dryness (one hundred and thirty-third day); aching in the nose, at noon (one hundred and thirty-fourth day); occasional tiresome aching in the nose (one hundred and thirty-fifth day); during the day repeated aching at the root of the nose (one hundred and thirty-sixth day); towards noon, tiresome aching in the root of the nose (one hundred and thirty-eighth day); tiresome aching in the bones of the nose, at noon (two hundred and seventh day); aching pain in the root of the nose, in the evening (two hundred and thirty-sixth day); frequent aching pain in the root of the nose throughout the day (two hundred and thirty-seventh day); aching at the root of the nose (two hundred and thirty-eighth day); aching pain in the nose, at noon (two hundred and forty-eighth day); in the forenoon, very severe aching pain in the nose about its root, with dryness of the Schneiderian membrane (two hundred and fifty-eighth day), [45b].
82. Occasional aching in the root of the nose, between the shoulders and all over the back (fifth day); some aching in the nasal bones, towards noon; recurrence of the aching after dinner (sixth day); aching in the nasal bones (eleventh day), [45c].
83. A painful spot on the left nostril (two hundred and fifteenth day), [45b].
84. A tender spot in the left nostril (sixth day), [45c].
85. Boring above the root of the nose (twentieth day), [34].
86. *Pain in the nose, which was swollen and internally ulcerated, [1].
87. Pain in the tip of the nose, when touched, [1].
88. A kind of cramp in the nose, [1].

89. Cracking or feeling, as of the bursting of a bubble in the upper part of the nose, [1].
90. *Pressure in the right nasal bone, in the evening, [1].
91. Cutting pain in the nose, and discharge of thin fluid from it, in the evening (seventh day), [45].
92. Tearing in the nose, after dinner, disappearing for a short time after pressure upon it, after dinner, [3].
93. In the forenoon, smarting in the nose and left eyelid (fifth day), [42a].
94. *Slight burning in the septum of the nose, in the morning (third day), [45].
95. Burning in the left ala nasi, lasting for several minutes, and frequently recurring, in the morning (second day), [18d].
96. *Crawling in the nose, as in coryza, [1].
97. *On the inside of the nose, especially on the alæ nasi, great itching and feeling as if the nose were swelled (twelfth day), [29a].
98. Distressing itching in the nose, which is still stuffed (eighteenth day), [34a].
99. *Itching in the nose, [1].
100. *Itching and burning in the nostrils, as if sore, [1].

Smell

101. Cannot tolerate odors, [1].
102. His dinner had a bad smell but good taste, [1].
103. Food smells like lime, yet has a good taste, [1].
104. Sharp biting odor in the nose, as from smoke, [1].
105. Annoying smell of Sulphur in the nose (sixty-eighth day), [45a].
106. Odor of soaked peas, [1].
107. *Odor of old offensive mucus, in the nose, [1].
108. Odor of burnt horn, in the nose, [1].
109. A curious illusion of the sense of olfaction, as though he smelt soapsuds (forty-eighth day), [45a].
110. A peculiar illusion of the sense of smell, to wit, he thought he smelt the perfume of a flower, though there was none in the room, [17d].
111. Sense of smell blunted, [1].
112. Loss of smell, [1].

9. Allen T.F. 1879, chapter Face

Face

1. *Looks ill (twelfth day), [34]; (sixth day), [45c].
2. Looks ill; has double rings around the eyes (two hundred and seventy-eighth day), [45b].
3. *The natural tension of the facial muscles gone, so that her features appear distorted, as if worn out by long suffering (fourth day), [31].
4. Redness of the face and perspiration after dinner, [1].
5. Dark redness and heat of the face, especially on walking in the open air, [1].
6. Considerable congestion of the face, at 3 P.M. (sixth day), [33].
7. Yellow complexion (nineteenth day); appearance grew daily worse (twenty-first to thirty-first day), [32].
8. Complexion showed a remarkable change; it had a dirty earthy appearance (sixth day), [29a].
9. Complexion pallid (fifth day), [31].
10. *Paleness of the face, [1].
11. *Face pale and collapsed, with an expression of great anxiety, [51].
12. *Pale suffering expression, as after a long illness, with great discomfort, [3].

13. In the morning, on awaking, tension of the skin surrounding the mouth (third day); dryness and tension of the outer skin round about the lips, and branlike desquamation of it (tenth day), [29a].
14. Tension in the skin of the face, as if beginning to swell (fourth day), [20].
15. Drawing pain in the left side of the face, as if in the skin, above the eye, on the temples, and on the malar bone as far as into the lobule of the ear, mostly in the morning, [1].
16. *Tearing in the right half of the face, [1].
17. *Boring above the root of the nose, [1].
18. *Burning in the face and throat, without redness, [1].
19. *Burning in the face, recurring several times during the day (fourth day); occasional attacks (sixth to tenth day), [39b].
20. Crawling sensation in the face, [1].
21. A sensation under the skin of the face as if dashed with cold water, with perceptible coldness of the face, in paroxysms, lasting a few minutes, [1].

Cheeks

1. Red swelling of the cheeks, without pain, [1].
2. Swelling of the cheeks, with sticking pains, and also pain on touch, lasting eight days, [1].
3. Roughness of both cheeks, heat and burning in them, and sensation as if they had been exposed for several days to a severe cold; this lasted several days, and was followed by a branlike desquamation, which also lasted several days (twenty-third day), [28c].
4. Redness and violent burning on both cheek-bones, [1].
5. After drinking coffee, burning of the right cheek and auricle, with chilliness of the rest of the body (third day), [18].
6. About noon, burning in the right cheek, as if some drops of hot fluid were thrown against it, lasting four or five minutes; this recurred twice (fourth day), [39].
7. Pressure and burning in the cheeks and cheek-bones, [1].
8. *Painful pressure on the malar bone and beneath the eye, [1].
9. Bruised pain in the right malar bone, even at night, [3].
10. Penetrating shooting and drawing in the left zygoma (one hundred and forty-third day), [45b].
11. At 11.30 A.M., occasional violent shooting in the right cheek-bone (sixth day), [37a].
12. In the evening, frequent sudden tearing in the left cheek, in the right nape muscles, and in the right tibia (twenty-second day), [28c].
13. In the evening, tearing in the right cheek (thirtieth day), [28c].
14. Repeated flying tearing in both cheeks (thirty-first day), [28c].
15. *Tearing in the malar bone, also at other times in the lower jaw, as if the parts would be torn out, [3].
16. Twitching at times on the malar bone, at times on the chin, [1].
17. Painful swelling of the upper jaw above the gum (after three days), [1].
18. Ulcerative pain in the left upper jaw (soon), [15a].
19. Spasmodic drawing in the jaws, [1].
20. Drawing in the left upper jaw and zygoma, about 5 P.M. (eighth day), [44a].
21. The left jaw very little painful (two hundred and eighty-fourth day), [45b].
22. Drawing in the right upper jaw and in the left thumb (fourth day), [44e].
23. Cracking in the articulation of the jaw on chewing, [1].
24. Tearing in the right upper jaw, in the evening, [1].

Lips (see chapter mouth)

1. *Swelling of the lower lip, with eruption upon it, [1].

2. *Swelling of the upper lip, also, in the evening, with pain, [1].
3. Trembling of the lips, [1].
4. Twitching of the lips, [1].
5. Dry, scaly, rough upper lip and margins of the nose, with burning, [3].
6. Lips cracked, [1].
7. Dryness of the red of the lower lip, with scabs and tensive pain, [1].
8. Before dinner, he observed on the inner side of the lower lip a vesicle, the size of a hemp-seed, filled with a dark blood, but it did not annoy him much, and after dinner was found to have disappeared without leaving a trace behind (second day), [25f].
9. On the mucous membrane of the right side of the under lip two aphthæ, which went off in two days (third day), [25f].
10. *On the internal surface of the left lower lip he observed a group of grayish-white aphthæ, which were rather painful; after a time, several aphthæ appeared on the right upper lip (they lasted a week), (fourth day), [25f].
11. *On the lip, near the right commissure of the mouth, there appeared a group of small painful vesicles standing close together (fifth day); the vesicles burst, and left behind them an equal number of small round spots, which, the following day, assumed a lardaceous appearance (sixth day); began to dry up, and were covered with a scab, which fell off in five days (eighth day), [28c].
12. A very painful fissure in the middle of the upper lip, which lasted several days (third day), [18].
13. *A scabby ulcer with burning pain on the margin of the red of the lower lip, [1].
14. *A red pimple on the margin of the red of the lower lip, with sticking pain only on touch, [1].
15. A painful inflamed spot in the red of the upper lip (one hundred and seventy-fourth day); the spot of the upper lip is swollen and burns extremely (one hundred and seventy-fifth day); the spot has turned into an aphthæ (one hundred and seventy-sixth day); the aphthæ begins to dry up (one hundred and seventy-eighth day), [45b].
16. A painful spot in the red part of the upper lip, in the forenoon (first day); a small pustule on that spot; after this was opened and the matter discharged, it disappeared in a few days (second day), [45b].
17. In the morning, on awaking, dry wrinkled lips (fourteenth day), [29].
18. *In the morning dryness of lips, the mucous membrane of which lies in folds; aridity of the commissures of the mouth, which are covered with small whitish scales (fifteenth day), [29].
19. In the morning, on awaking, arid, wrinkled lips (third day); lips dry and shrivelled (fourth day); dryness of the lips and palate (tenth day), [29a].
20. The upper lip very red and sensitive on its inner surface (twentieth day), [45a].
21. *The lips become so dry in speaking that they are quite rough, and cause a disagreeable feeling of rubbing (sixteenth day), [45].
22. *Dryness of the lips, [1].
23. *In the morning, dryness and tension of the skin of the lips (forty-eighth day), [29].
24. In the red part of the lower lip, on the left side, sensation like a fissure, though there was none (fifth day), [45a].
25. Feeling as if the upper lip were swelled (first day), [45].
26. *Burning of the lips, [1].
27. Burning smarting of the lower lip, [3].
28. Lips always hot, sticking, and burning, [1].
29. Burning in the upper lip and the edges of the lids, in the morning after rising (fourth day), [45].
30. The upper lip burns as if it were raw (second day), [45a].

31. Slight burning in the upper lip (forty-fifth day), [45a].
32. Tenderness of the upper lip after rising (second day), [45a].
33. Tenderness of upper lip (eleventh and forty-first days), [45a].
34. Upper lip sensitive to touch (second, eighth, and eleventh days), [45]; (sixty-eighth day), [45a].
35. Sensitiveness of the upper lip, which is quite dry (fifty-fifth day), [45a].
36. Raw pain in left commissure of mouth (seventh to thirteenth day), [17a].
37. Left commissure of mouth again painful (first day), [17b].
38. Soreness of the left commissure of the mouth (sixth day), [17c]; (second day), [17d].
39. *Sore pain in both oral commissures, in the afternoon (eighth day), [44b].
40. The commissures of the mouth, especially the left one, smarted as if raw (fourth day), [44c].

Chin

1. *Glandular swelling on the lower jaw, [1].
2. Painful swelling on the lower jaw beneath the gum, [1].
3. A thick painless lump on the lower jaw, tense on chewing, [1].
4. Cramplike pain in the left lower jaw and in the glans penis (first day), [18a].
5. In the morning, after waking, pain on the left side of the lower jaw, and swelling of the gum around a tooth, as if a gumboil were about to come (one hundred and first day), [45a].
6. *Drawing jerking in the left lower jaw, [1].
7. Drawing-tensive pains in the right side of the lower jaw (seventeenth day), [29].
8. In the evening, sudden drawing on the right side of the lower jaw (third day), [44].
9. Drawing on the left side of the lower jaw and in the left thigh, in the afternoon (fourth and fifth days), [44d].
10. Drawing in the left side of the lower jaw, towards its articulation, about noon (sixth day), [44d].
11. Drawing in the left side of the lower jaw, in the morning after getting up (thirty-first day), [44f].
12. After midnight, excessively violent pains in the left lower jaw; the pains were drawing pressing, proceeding from a healthy tooth, spreading over the whole lower jaw, extending to the temple and ear, and lasting till he got up the following morning (two hundred and seventy-seventh day); some tenderness of the left lower jaw (two hundred and seventy-ninth day); towards morning, severe pain in the left lower jaw, sometimes with drawing into the left ear; in the forenoon, in the open air, the pain increased; it was a very painful drawing, which extended not only over the jaw, but over the whole of the left side of the face; one spot on the lower border of the under jaw was especially painful, also when touched; in the evening, in the open air, the pain extended in an aggravated degree all over the lower jaw; occasional pain in the left lower jaw, in the morning (two hundred and eightieth day); drawing in the lower jaw, in the morning (two hundred and eighty-first day); towards morning the pain of the left lower jaw, especially about a loose tooth, extremely violent (two hundred and eighty-second day); pain in the lower jaw during the day, occasional sharp tearing in the left lower jaw (two hundred and eighty-third day), [45b].
13. *Jerking in the lower jaw on falling asleep, [1].
14. Sticking in the lower jaw, extending out of the ear, [1].

Teeth (see chapter teeth)

1. Bleeding of the teeth, [1].
2. Brown mucus on the teeth, [1].
3. Looseness of the teeth and bleeding of the gum, for three weeks, [1].

4. The teeth become elongated, so that she can scarcely chew, [1].
5. The tooth is elongated and painful when not touched, or when not bitten upon, [1].
6. The back teeth become loose and seem too long, with simple pain on touch, and on eating, [1].
7. Feeling of looseness of the teeth, in the evening, [1].
8. The teeth feel loose on biting, and on eating feel paralyzed, [1].
9. All her teeth feel loose, [35].
10. The teeth pain as if too long, and there is a tingling in them, like a vibration, [1].
11. The teeth seem too long, [1].
12. The front teeth seem too long, with sensitiveness when pressed upon and in the open air, when there is a jerking pain and tearing extending up into the left temple where also it is painful to pressure, [3].
13. Teeth on edge, and painful only when bitten upon; cannot chew black bread on account of pain (after five days), [1].
14. Teeth on edge, [1].
15. Toothache and inflammatory swelling of the gum, in the vicinity of a stump almost entirely destroyed (twenty-fourth day), [34].
16. *Toothache in the open air, [1].
17. Pain in the front teeth, at night, [1].
18. Pain in almost all the teeth, during dinner, [1].
19. A back tooth is painful to touch, [1].
20. *Toothache from the slightest draft of air, [1].
21. Toothache every afternoon, as if the teeth would be broken off, with chilliness; disappearing when in bed, [1].
22. Toothache, which is renewed by cold rinsing of the mouth, [1].
23. Toothache in paroxysms, for two or three hours, followed by burrowing; cold is better tolerated than warmth, [1].
24. Toothache, which becomes accompanied by swelling of the cheek, [1].
25. At 9 P.M., in the undecayed teeth of the left lower jaw, aching pains which last an hour (fourth and fifth days), [22b].
26. Great sensitiveness of the tips of the left upper teeth, worse from cold water, with shooting pains, even in the morning, [3].
27. Fearful attacks of toothache; all the top row feel as if being drawn, [58].
28. *Drawing toothache, [1].
29. *Drawing pain in the teeth, in the open air, [1].
30. Drawing tearing toothache, now in the right, and now in the left side, for hours, and often with intermission for half an hour or an hour; also at night on waking, [1].
31. Drawing and tearing in the teeth, mostly aggravated by cold water, at times relieved by warmth; often with jerking in the tips, [3].
32. Throbbing drawing toothache, [1].
33. Grumbling and drawing in the teeth, [1].
34. Drawing in the teeth of the left upper jaw, the gums of which pain, as if ulcerated (third day), [18].
35. Drawing in the crowns of the teeth, in the evening (eighth day), [44f].
36. In the forenoon, drawing in the teeth, which recurred several times (tenth day), [44f].
37. Drawing in the teeth (eleventh day), [44f].
38. Occasional drawing in the teeth and limbs, especially the right thigh, in the morning (seventeenth day), [44f].
39. Drawing pain in the back teeth, aggravated by inhaling cold air, [1].
40. Drawing, first in the upper teeth of the left side, and then in those of the right side (third day), [18].

41. Violent drawing pain in an incisor, lasting till 11 P.M., followed by sleeplessness till towards morning, [1].
42. At night in bed, drawing in the right upper row of teeth (third day), [25a].
43. Slight drawing in the lower incisors (two hundred and forty-third day), [45b].
44. Drawing in the right molar teeth (eighth day), [44d].
45. *Throbbing and boring in the teeth, [1].
46. Boring, as with a hot iron, in the teeth, [1].
47. The night's rest was disturbed by boring tearing pain in the teeth, such a height that he could not sleep a wink, in consequence of which he got the tooth, which was somewhat carious, drawn the following day (seventeenth day), [29].
48. Violent boring pain in a hollow tooth, always occurred in the evening and tormented him until late at night (fourth, fifth, and sixth days), [35]. [As he had no more toothache during the whole time of the proving, he was disposed to attribute it rather to wet weather, then prevailing, than to the Sulphur.]
49. Boring pressing in the teeth and on the head externally for only a few minutes after eating, [1].
50. *Pressive toothache, with pain in the submaxillary glands, [1].
51. Frequent cutting through all the teeth of the right row from a draft of cold air, [1].
52. In the forenoon on inspiring cold air, tearing pain in a lower healthy incisor tooth (thirty-sixth day), [33].
53. Violent digging pains in a right healthy molar tooth; strong pressure on the tooth diminished the pain; cold and heat had no effect on it, [17e].
54. Shooting pains in the teeth (tenth day), [34a].
55. At 7.15 P.M., several shoots in the second last healthy molar tooth on the right side (second day), [38d].
56. Jerks through single teeth, [1].
57. Painful jerking in a hollow tooth, after dinner, [3].
58. Jerks and stitches in the teeth periodically; also after midnight and in the morning, when eating and when not; on inhaling air there is painful shooting into the gum that seems loose, and is painful, [1].
59. Sticking toothache in all the teeth, day and night, aggravated by biting when eating, [1].
60. Sticking toothache in all the teeth, day and night, [1].
61. *Sticking toothache extending into the ear; it woke him at night, [1].
62. A violent stitch through the teeth from a cold drink, [1].
63. Sticking burning and throbbing in the teeth, extending into the orbits and ear, [1].
64. Sticking in the hollow teeth from 7 to 8 A.M., three mornings before the menses, [1].

9. Allen T.F. 1879, chapter Mouth

Gums (see chapter Jaws and teeth)

1. *Swelling of the gum, with throbbing pain, [1].
2. *Swelling of the gum about an old stump, [1].
3. Bleeding of the gum, [3].
4. The gum bleeds on spitting, [1].
5. Easy bleeding of the gums (fourteenth day), [34a].
6. About 2 A.M. he awoke with violent pains in the inflamed gum; they were burning and tearing, and spread all over the head; at the same time a sensation as if the left cheek were swollen, which is not the case; after two hours he became again quiet and fell asleep; gum very painful, in the evening (one hundred and second day); in the morning the gum is still rather tender, but the swelling considerably diminished (one

- hundred and fourth day); gum more painful (one hundred and fifth day), [45a].
7. Slight sensitiveness and swelling of the gums on the right side of the lower jaw (sixtieth day), [45b].
 8. In the morning on awaking, and after dinner, aching and sore pain in the gums of the lower jaw, on the right side (ninety-eighth day), [45b].
 9. In the evening, the gum around the stump of a tooth in the lower jaw, right side, is painful, as if a parulis were about to form; it went off before bedtime (ninety-ninth day), [45b].
 10. Sensation of swelling and ulceration on the left side of gums, especially the upper jaw, at noon (third day), [18].

Tongue (see chapter tongue)

1. Dull pain in the root of the tongue, which increased towards evening and obstructed speech; it looked somewhat red and swollen (after two hours, sixth day); in the evening the pain in the tongue returned, and that more severely than yesterday (seventh day); in the evening the pain in the tongue again came on severely; he cannot describe the pain; the tongue feels much swollen, inflamed, and as if it were strongly pressed upon; on pressing the finger on the left side beneath the tongue backwards, he felt a very painful hard pimple of the size of a pea (eighth day); in the afternoon, violent pain occurred in the tongue; it was swollen, and the speech, in consequence difficult; the pain of the tongue lasted until late at night (tenth day); forced to leave off taking the Sulphur on account of the pain in the tongue; during this time the pain, swelling, and pimple disappeared (eleventh to sixteenth days); slight feeling of the pain of the tongue (eighteenth day); same pain in the tongue (twentieth day); the pain and swelling of the tongue increased so much that he could not be persuaded to continue the proving (twentieth to twenty-fourth days); in three days tongue again quite normal, [24].
2. *On the right anterior border of the tongue, a hard raised spot the size of a lentil; on moving the tongue, shooting pain in it (eighth day); the swelling and pains in the tongue were greatly diminished, and the following day were quite gone (ninth day), [26].
3. A vesicle on the left border of the tongue (thirty-third day), [33].
4. *A smarting blister on the right side of the tongue, [1].
5. *Coated tongue, [1].
6. Tongue thickly furred with a dirty-yellow coating (fourteenth day); thickly furred tongue, morning, noon, and evening (twenty-seventh day); in the forenoon, tongue furred (thirty-first day), [29].
7. In the morning after awaking, tongue thickly furred (fourth and fifth days); in the morning on awaking, dryness and burning of the tongue, which was covered with a dirty whitish-yellow fur (tenth day), [29a].
8. Dirty, thinly coated tongue, in the forenoon (second day), [30].
9. White tongue, [1].
10. Tongue white, in the morning; red and clean, in the afternoon, [1].
11. Tongue rather white-furred (forty-third day), [22a].
12. Red tongue, with white papillæ, like fungi, [1].
13. Salt mucus sticks to the tongue, every morning, [1].
14. Twitching on the tongue, [1].
15. Frequent faltering of the tongue, when talking, [1].
16. *Dryness of the tongue, which, after a quarter of an hour, gave place to a slimy taste in the mouth (fourth day), [25f].
17. *Very dry tongue, in the morning, [1].
18. *Dryness of the tongue (second day); (in half an hour, third day), [25g].

19. *In the morning on awaking, dryness of the tongue and palate (third day), [29a].
20. *Burning pain on the tongue, [1].
21. Burning in the point of the tongue (soon), [29].
22. Biting, as from blisters, on the tongue, [1].
23. In the morning, shooting in the tip of the tongue (immediately, second day), [40].
24. Convulsive shooting in the tip of the tongue (twenty-first day), [40].

General Mouth

1. Blisters in the mouth painful, while eating, [1].
2. Small painful sore blisters in the mouth, even slightly salted food causes biting, [1].
3. Blisters in the mouth, with burning pain, [1].
4. In the evening, he perceived on the inside of the upper lip, near the right commissure of the mouth, a small painless elevation, which in a few days changed into a small pedunculated wart, with three free apices (twenty-eighth day). It still remained months after the termination of the proving, [28d].
5. Blisters on the hard palate, which prevent talking and eating, [1].
6. Desquamation of the skin from the inside of the cheek, [1].
7. Bad odor from the mouth, after dinner, [1].
8. Bad odor from the mouth, in the morning on rising, [1].
9. Very bad odor from the mouth, in the morning, and also afterwards, [1].
10. Bad odor from the mouth, in the evening, [1].
11. *Sour odor from the mouth, [1].
12. The breath has a bad odor, when coughing, [1].
13. *Mouth dry, [76].
14. Dryness of the mouth, and taste of blood, [1].
15. *Dryness of the mouth, after eating, [1].
16. *Great dryness of the palate, with much thirst; she is obliged to drink much, [1].
17. Dryness of the mouth and scraping in the throat, as if food would not go down, [1].
18. Dry feeling and tensive pain in the left side of the palate, gradually extending to the right side, and lasting two days, in the morning (second day), [18d].
19. Dry feeling in the mouth and throat (first day), [20], [20a].
20. *In the morning on awaking, sensation of dryness in the mouth (fourteenth day), [29].
21. In the morning after awaking, palate dry (fourth and fifth days), [29a].
22. *Mouth dry, insipid and sticky, in the morning, [3].
23. Mouth insipid, with loss of appetite, [1].
24. Spasmodic constriction in the mouth, on the first morsels, [1].
25. Constrictive sensation in the mouth, [1].
26. Burning in the mouth, with thirst, at night, [1].
27. Burning, as from pepper, in the mouth, day and night, causing thirst, not relieved by drinking, [1].
28. Burning in the mouth, in the morning, without thirst, [1].
29. Burning in the mouth, with eruption, about it, [1].
30. *Heat in the mouth, and much thirst, at night, [1].
31. Heat in the mouth, without thirst (after nineteen days), [1].
32. Feeling of roughness in the mouth and throat (forty-third and forty-fifth days), [22a].
33. Tickling in the palate, posteriorly (thirty-second day), [18a].

Saliva

1. Accumulation of saliva in the mouth, when beginning to eat, [1].
2. Water runs from the mouth, and hawking up of mucus, [1].
3. Flow of water in the mouth coming from the stomach, disappearing after eating, [3].

4. *Collection of saliva in the mouth, even after eating, [1].
5. When at stool, profuse flow of saliva into the mouth (second day), [18d].
6. At night, great flow of water from the mouth (sixth day), [25].
7. Soon after dinner, great flow of saliva into the mouth, and sudden softly digging pain in the right parotid gland (fifth day), [25a].
8. Salivary secretion increased; for a long time he had every now and then traces of blood in the saliva (twelfth day); rush of water into the mouth (seventeenth day); in the evening, great flow of saliva mixed with blood (twenty-sixth day); great flow of saliva into the mouth; bloody streaks in the saliva (in one hour); increased secretion of saliva mixed with streaks of blood, in the afternoon (thirtieth day); in the forenoon, copious secretion of saliva mixed with streaks of blood (thirty-third day), [29].
9. About 8 P.M., great flow of sweetish saliva into the mouth (forty-eighth day), [29].
10. *Bloody saliva, [1].
11. Red, salt-sour water is exuded from a left lower hollow back tooth, [3].
12. *Collection of saliva in the mouth, sour and bitter, [1].
13. In the evening, immediately after taking the medicine, flow of water into the mouth (twenty-second day), [34].
14. In the morning, expectoration of salt-tasted saliva (ninth day); after hawking and slight coughing it went off in four days, [38c].
15. *Salt saliva, [1].
16. Flow of water into the mouth (in half an hour, first and second days), [35b].
17. Collection of water in the mouth, at 9.30 A.M. (third day), [45].
18. Accumulation of much mucus in the mouth, after midnight, with tickling, obliging frequent hawking, [3].
19. Mouth very slimy, in the morning, [1].

10. Allen T.F. 1879, chapter Taste

Taste (see chapter inner mouth)

1. Disagreeable taste in the mouth, in the morning (immediately, second day), [40].
2. In the evening after eating an ice, very disagreeable taste and slight nausea (ninth day), [45].
3. Very disagreeable acrid bitter taste in the mouth, after breakfast (seventeenth day), [45a].
4. Very disagreeable resinous taste in the mouth (fifty-fifth day), [45a].
5. Very disagreeable and acrid bitter taste in the mouth, after breakfast (fifty-sixth day), [45a].
6. Very disagreeable taste, for an hour after breakfast (fifty-seventh day), [45a].
7. Foul taste in the mouth, in the morning, [1].
8. What he eats tastes like nothing, like bad wood, [1].
9. In the morning, taste clammy (fourteenth day); clammy taste (seventeenth day); awoke with clammy taste in the mouth (twenty-sixth day); clammy taste, morning, noon, and evening (twenty-seventh day); clammy taste, in the morning (forty-eighth day), [29].
10. In the morning on awaking, clammy taste (third day); in the morning after awaking, taste clammy and insipid (fourth and fifth days), [29a].
11. Clammy taste in the mouth (one hundred and forty-second day), [45b].
12. Vinegary taste in the mouth all day, [1].
13. Vinegary taste in the mouth immediately after drinking milk, [1].
14. Very sour taste in the mouth, in the evening before going to bed, [1].
15. Sourish taste in the mouth till after breakfast, [1].
16. Sour taste and eructations, lasting several days (fifth day), [26a].
17. If she eats a little too much, the next day she has a horribly sour, offensive taste, [1].

18. Sourish taste in the mouth, [1].
19. Sour taste in the mouth, in the morning after a good sleep, [3].
20. Bitter sourish taste in the mouth, at noon after eating, [1].
21. Acidity in the mouth, and acid eructations after drinking milk, [1].
22. Salt sour taste in the mouth, while eating, [1].
23. Mouth sweetish, and foul all day, [1].
24. *Bad sweetish taste in the mouth, [1].
25. Constant sweetish taste in the mouth, as from fasting, with frequent hawking up of mucus, [1].
26. Great sweetness in the mouth, in the morning on waking, with much mucus, [1].
27. *Offensive sweetness in the mouth, causing nausea, the whole forenoon, [1].
28. In the evening, immediately after dose, sweet taste in the palate (thirteenth day); sweetish taste (seventeenth day); in the evening, sweetish taste in the mouth (twenty-sixth day); sweet taste (in one hour, thirtieth day); in the forenoon, sweet taste (thirty-third day), [29].
29. *Bitter taste, soon after eating, [1].
30. Bitter taste, in the morning, relieved by eating, [1].
31. Bitter-tasting mucus in the mouth, worse in the morning, [1].
32. *Bitter spoilt taste in the mouth, every morning, [1].
33. *Bitterness in the mouth, in the morning on waking, [1], [3].
34. Bitter taste to food, for example, to bread, [1].
35. Bitter taste in the palate and throat, in the morning on waking, relieved by coughing up mucus, [1].
36. Bitter taste of all food, with very coated tongue, [1].
37. *Bitter bilious taste in the mouth, when fasting, though food has a good taste, [1].
38. *Bitter taste in the mouth, with dulness of the head and ill-humor, [1].
39. *Disagreeable metallic taste (tenth, eleventh, and twelfth days), [26].
40. *Metallic taste in the mouth, like copper (immediately), [33a].
41. *Coppery taste in the mouth, in the morning on waking, [1].
42. Taste insipid and bitter, and yet good appetite for dinner (forty-third day), [22a].
43. Insipid taste, in the forenoon (second and thirteenth days), [30].
44. Taste of blood in the mouth, in the morning after waking (sixth day), [44d].
45. Too salt taste to all food, [1].
46. His food, which he generally likes very little salted, he now salts very much, and still it tastes to him as if there were no salt in it, [18c].
47. *Pasty taste, in the morning, [1].
48. Doughy taste in the mouth, [1].
49. Strong taste of Sulphur in the mouth (soon), [29].
50. Long after taste to beer, [1].
51. Absolutely no taste to food, everything tastes like straw, [2].

11. Allen T.F. 1879, chapter Appetite

Appetite

1. *Increased appetite the whole first part of the proving, [3].
2. *Excessive hunger and appetite, [2].
3. *Ravenous hunger, which obliges him to eat frequently; if he does not, he has headache and great lassitude, and is obliged to lie down (after ten days), [1].
4. Great appetite, which, however, could not be freely indulged; a small quantity of food caused troublesome distension (second and third days), [17e].
5. *Appetite much increased (seventh day), [15].

6. The appetite, which had been increasing for some days, is uncommonly good to-day (twenty-first day); increased appetite, so much so that, contrary to custom, he must eat at other times than the accustomed meals (twenty-sixth and twenty-seventh days); appetite diminished (thirty-first and thirty-second days), [35].
7. *At noon increased appetite (fifth day); at noon uncommon appetite, which, however, he did not satisfy, but left the table before he was satiated (sixth day); good (seventh day); increased rather than diminished, and he relished breakfast, dinner, and supper amazingly (eighth and ninth days); diminished (tenth day); dinner taken with considerable appetite (eleventh day); appetite much increased (thirteenth day); ate dinner with the best appetite (fourteenth day); uncommon hunger (twenty-third day), [35b].
8. Appetite uncommonly good (fifteenth day), [43].
9. *Although he ate a very good dinner, yet in the afternoon, contrary to habit, he became so very hungry that he had to eat again; notwithstanding this, he was again ready for supper (forty-seventh day), [45a].
10. *At noon, he had an uncommonly good appetite (first, second, and third days), [29b]; (second day), [41]; (fourth day), [41b]; (tenth day), [43]; (several days), [45a].
11. *At noon, good appetite and much thirst (first day); great appetite (second day), [42].
12. *Appetite good, but wants to eat often, [16].
13. Irresistible desire for sugar, [1].
14. Sensation of hunger, in the abdomen; speedy fulness from a few morsels, [1].
15. Very much affected, as if he had been hungry a long time, an hour after dinner, [1].
16. *He is hungry, but as soon as he only sees food his appetite vanishes and he feels full in the abdomen; when he begins to eat, he is averse to it, [1].
17. At noon, after walking much, I felt hungry without much appetite; without feeling satiated, the latter part of the meal was not relished (second day), [30].
18. Appetite for dinner unaltered, but afterwards unusual fulness and weariness, relieved by walking in the open air (second and third days), [22a].
19. Appetite for only soft food, not for bread or meat, [1].
20. During the whole time of the proving I had little appetite; I ate more from habit than necessity; sometimes, in fact, I had a positive dislike to food, especially to supper, so that I ate nothing, [44d].
21. Appetite diminished (twelfth and thirteenth days); little appetite (seventeenth day); the appetite was diminished, and after taking but a small quantity of food, he had the feeling as if the stomach was overloaded (twenty-sixth day); appetite diminished, in the forenoon (thirty-first and thirty-third days); appetite diminished; he ate rather from habit than from necessity (thirty-eighth day); appetite diminished (forty-eighth day); little appetite (fifty-second day); at noon the appetite was very poor, and after eating, there was a troublesome feeling of fulness in the stomach and aching in the scrobiculus cordis (fiftieth and fifty-first days), [29].
22. At noon but little appetite; he ate more from habit than from necessity (third day); at noon little appetite, and no desire to drink water while eating, which he was always in the habit of doing (sixth day); at noon no appetite (ninth day), [29a].
23. No appetite for breakfast (eighty-eighth day), [45a].
24. Less appetite than usual, at noon (seventy-third day), [45b].
25. No appetite for supper (third day); little appetite for breakfast; loathed his dinner (fourth day); more appetite, at noon (sixth day), [45c].
26. No appetite for dinner (ninth day), [32].
27. No appetite (third day); anorexia; what she eats has no taste; she has no relish, and the morsel seems to stick in her gullet (fourth day); no appetite (sixth day), [31].
28. No appetite, and yet the food has the proper taste (third day), [30].
29. She eats without hunger or appetite, only from habit, with natural taste to food, [3].

30. At noon, disgust at meat (fourteenth day), [34a].
31. Smoking tobacco is not relished by one accustomed to smoking, [1].
32. He cannot tolerate meat or fish, in the evening; it causes pressure in the stomach, draws the abdomen upward, and delays the stool, [1].
33. Aversion to meat; it makes her qualmish, [1].
34. He suddenly becomes averse to all sweets and to milk, [1].
35. **Aversion to** sour and sweet things, [1].
36. In the forenoon, loss of appetite (first day), [25e].
37. *Loss of appetite (fourteenth day), [16]; (ninth day), [22b]; (seventeenth and following days), [27]; (fourth day), [44a].
38. *Loss of appetite; nothing is relished, [1].
39. Complete loss of appetite; he desires only acids, [1].
40. Complete loss of appetite, as if it were contracted in the pit of the stomach, [1].
41. *Complete loss of appetite, [65].
42. *Anorexia (second day), [26]; (twentieth day), [37].

12. Allen T.F. 1879, chapter Stomach (Thirst)

Stomach

Thirst

1. *Thirst, [76].
2. Entire loss of appetite, but constant thirst, [1].
3. Very much thirst during the day, [1], [2].
4. Great thirst, and always more thirst than hunger, [3].
5. Great thirst without heat; drink tastes good, but does not quench the thirst, and seems to distress the stomach, [1].
6. Great thirst, with desire for beer, in the evening (eighteenth day), [45a].
7. Thirst for several hours, immediately, [5].
8. Thirst, with dryness and agglutination of the mouth, [3].
9. Unusual thirst, [57].
10. Very thirsty, in the morning, [1]; (fifth day), [20].
11. After stool much thirst (second day), [18d].
12. Great thirst for beer, worse an hour after eating, [1].
13. Great thirst for beer, [2].
14. Longing for sugar water, [1].
15. Desire for coffee (third day), [18].
16. *Milk causes much distress; it is vomited curdled, [1].
17. Dislike to the usual glass of beer, in the evening (seventeenth day), [40].