

PDF Viewer Stress Test

Dense text + high vector-object-count architectural drawings

Contents

Page 1	This cover page
Page 2-3	Dense multi-size text paragraphs (glyph stress)
Page 4	Radial / spiral vector mesh (~6,000 path segments)
Page 5	Ground floor plan - full architectural detail
Page 6	First floor plan - full architectural detail
Page 7	Site plan with dimensioned landscaping + parking grid



Dense Text Page 1

The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The

Helvetica @ 6pt: The quick brown fox jumps over the lazy dog 0123456789

Helvetica-Bold @ 7pt: The quick brown fox jumps over the lazy dog 0123456789

Helvetica-Oblique @ 8pt: The quick brown fox jumps over the lazy dog 0123456789

Times-Roman @ 9pt: The quick brown fox jumps over the lazy dog 0123456789

Times-Bold @ 10pt: The quick brown fox jumps over the lazy dog 0123456789

Times-Italic @ 11pt: The quick brown fox jumps over the lazy dog 0123456789

Courier @ 12pt: The quick brown fox jumps over the lazy dog 0123456789

Courier-Bold @ 13pt: The quick brown fox jumps over the lazy dog 0123456789

purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The


Dense Text Page 2

The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The

purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols. The purpose of this document is to exercise a PDF rendering engine across a wide variety of primitive types: glyph runs at multiple sizes and weights, long unbroken paragraphs, thin hairline strokes, filled polygons, nested clipping regions, dashed and dotted line patterns, radial arrangements of curves, and dense hatch fills built from thousands of individual path segments. Mobile PDF viewers in particular are prone to jank, tile-loading artifacts, or outright crashes when a single page contains an unusually large number of discrete vector objects, since many renderers rasterize paths on the CPU before compositing rather than delegating to the GPU. This makes floor plans, engineering drawings, and hatched CAD exports a good practical benchmark, because a realistic architectural sheet can easily contain many thousands of short line segments once wall hatching, tile patterns, dimension ticks, and repeated furniture blocks are counted individually rather than as reusable symbols.


Helvetica @ 6pt: The quick brown fox jumps over the lazy dog 0123456789
Helvetica-Bold @ 7pt: The quick brown fox jumps over the lazy dog 0123456789
Helvetica-Oblique @ 8pt: The quick brown fox jumps over the lazy dog 0123456789
Times-Roman @ 9pt: The quick brown fox jumps over the lazy dog 0123456789
Times-Bold @ 10pt: The quick brown fox jumps over the lazy dog 0123456789
Times-Italic @ 11pt: The quick brown fox jumps over the lazy dog 0123456789
Courier @ 12pt: The quick brown fox jumps over the lazy dog 0123456789
Courier-Bold @ 13pt: The quick brown fox jumps over the lazy dog 0123456789

Vector Mesh Stress Page (~6,000 segments)



240 spokes x 26 rings = 6,240 line segments, plus dotted ring overlay

GROUND FLOOR PLAN




STRESS-TEST PROPERTIES LLC

GROUND FLOOR PLAN
Scale: NOT TO SCALE
Drawn for PDF rendering QA

SHEET A-101

FIRST FLOOR PLAN




STRESS-TEST PROPERTIES LLC

FIRST FLOOR PLAN
Scale: NOT TO SCALE
Drawn for PDF rendering QA

SHEET A-102

SITE PLAN - PARKING & LANDSCAPING



66 parking stalls, 20 trees x 9 circles = 180 circle primitives, plus fence posts and hatch fill.