Master Index

RG-06-0190

Master index

The master index contains entries for nine manuals:

Introduction (IN)
Sequence Editing from the keyboard (SK)
Sequence Editing (SE)
Audio Recording (AR)
Audio Editing (AE)
Sampling and sound editing (SA)
FM Synthesis (FM)
Studio Operations (SO)
Organizing and Storing Sounds (OS)

Control button and jack entries as well as abbreviations such as SMPTE, MIDI and FM are in UPPER CASE.

A

Abbreviations, Monitor commands, OS1.11
Able computer, IN1.21
Acoustic instrument sound waves, FM1.6-7
ADD
  IND LOOP, SE5.22, AE6.4
  NOTE, SE5.12, AE6.5
  RTE, SE5.13, AE6.6
Additive synthesis, IN1.4, FM1.8, FM2.8
Adjust mode, OS9.10-15
Advanced editing techniques, IN3.22
Alg ONE or TWO, AR4.32-35
Algorithm ONE, TWO or THREE, SA3.32-37
All Proj, AE2.5
Allocate, AR4.3, AR4.14, AR4.18, AR4.22, AR4.34
Allocate Mode, AR4.13-15
American video frame rates, SO4.4
Ampersand (&), OS6.20
Amplitude
  modulation, FM5.9-11, SA6.13-15
  zero line, SA2.7
Analog sound waves, SA1.2-5
Analog-to-digital converter (ADC), SA1.4-5, SO1.10
Anchor box, AE2.8
Angle brackets (<, >), OS6.20
Append mode, OS6.10
Arming tracks, AR3.2, AR3.5, AR3.12
Arpeggiate, FM5.7, SA6.11, SO6.24-27
ARPEGGIATE
  ON/OFF, FM5.7, FM7.10-11, SA6.11, SA8.4-5, SO6.24
  RATE, FM5.7, FM7.11, SA6.11, SA8.5
Arrow keys, IN3.6-7, OS6.8, OS6.11, OS9.11, OS9.13, OS9.17, OS9.19
Assigning tracks to TRACK SELECT buttons, SK2.6-9
Asterisk (*), OS9.4-5
Attack
  harmonic envelope, FM3.8-10, FM3.13
  modes, FM5.9, FM5.11, SA6.13, SA6.15
  vibrato, FM5.5, SA6.9
  volume envelope, FM2.14-19, SA6.2-5
ATTACK
  HE, FM3.10
  VE, FM2.16, FM4.11, SA6.4
ATTACK/DECAY, FM5.5, SA6.9
Audio Event Editor
  description, AR1.8-9
  digital transfer, SO3.2-17
  displaying a sequence, SE3.2-11
  locator points, SE8.28-30
  MIDI locator, SO7.40-41
  MIDI editing, SO7.50-51, SO7.53
  MIDI recording, SO7.24
  panel selection, AR1.14-15
  panels, AR1.10-11
  routing, SO2.12-13, SO2.16-19
  setting time code parameters, SO4.16-21
  user buttons, AR1.14-15

Audio panel connectors
Synclavier, SO1.8-9
Direct-to-Disk, SO1.22-23
Audio recording,
Allocate Mode, AR4.13-15
Auto allocate, AR4.18-19
auto punch in, AR4.5-7
continuous, AR4.4-9
crossfades, AR4.9
cues, AR4.10-21
description, AE1.2
displays, AR1.8-15
documentation, AR1.2-3
long configuration, AR3.6-7
manual punch in, AR4.4
options, AR4.2-3
recording over a cue, AR4.17, AR4.20-21
rehearsing a take, AR4.8
Retake, AR4.16
setting parameters, AR3.5
sound files from optical disk, AR4.26-31
sound files from poly memory, AR4.22-25
synced automatically to picture, AR4.18-19
Audio synchronization, SO5.2-5, SO5.6-13
Audio system diagnostic disk, RG4.48-49
Audio-to-pulse signal conditioning, SO6.2-11
Audit, AE4.7
Auditioning
cues in a sequence, AE4.7, AE4.20, AR4.29
sound files, AR4.29
Auto, AR3.2
Auto
allocate, AR4.18-19
mixing, SK3.40-41
punch in, AR4.5-7
Automatic search (looping), SA5.34-39

B

B (.B), OS6.9
Backtiming, SE5.20-21, AE6.13
Backing up (*see also* Copying, Storing and Tape storage)
cues, AR6.14-17, AR6.21
files and subcatalogs, OS5.10-11, OS5.20-23
projects, AR6.2-7
tracks, AR6.8-9
verify, AR6.10-11
Backus, John, FM1.6
Bank, timbre, FM1.18-19, SA4.31
BANK, FM1.22-23, FM7.18-19, SA4.31, SA4.38-39, SA8.12-13, SO7.48-49
Beat mode synchronization, SO5.2-5, SO5.10-11
Beats-per-measure, SK3.3, SE4.4
Bessel functions, FM3.6
BIAS, FM5.6, SA6.10
Biasing vibrato, FM5.6, SA6.10
BLOCK, AE3.5, AR4.15, AR4.19
Blocking, AE3.4-5, AR4.15, AR4.19
BOUNCE, AE6.7, AE6.16-17, SE5.23, SK3.4-5, FM4.8-9, FM7.5-7, SA5.8

Master index (con't)

Bouncing
  Direct-to-Disk tracks, AR4.36-39
  looped tracks, SK3.6
  partial timbres, FM7.5-7,
  timbre frames, FM4.8-9
  tracks, SK3.4-7, SE4.10
Braces ({, }), OS6.20
Brackets
  angle (<, >), OS6.20
  square ([,]), OS6.20, OS6.22, OS6.24
BREAK, OS1.6, OS1.8-9
BREATH CONTROLLER, FM6.3, FM6.21, SA7.3, SA7.19
Breath controller, IN4.5
Buffer, OS6.20-22, OS6.24
Button states, timbre parameter, SA7.5
Button Summary, RG2.1-31
Buttons, IN3.18-19

C

C (.C), OS6.9
Capslock, IN3.4-5
CAPTION, SA4.4-5
Caption Utility, RG4.24-27
Captions
  editing, AR6.18
  locking, AR6.20
  sound file, OS2.10, OS9.6-9
Carrier frequency, FM3.2
Case matching search, OS6.15
CAT (*see* CATALOG)
Catalog (*see also* Subcatalog)
  changing, OS3.10-11, OS6.33
  commands, OS3.12-23
  current, OS2.18-19, OS2.21, OS6.33
  definition, OS2.2, OS2.12
  directory, OS2.12, OS2.20, OS3.12-23, OS6.2, OS6.27-31
  glossary of terms, OS2.21
  identifying, OS3.10-11
  names, OS2.13
  storing to optical disk, OS4.32-35
  structure, OS2.12-15
  system, OS2.14-15, OS8.4
  top-level, OS2.13, OS2.21
CATALOG, OS3.12-13, OS3.23
  ALL, OS3.16-17
  FILE, OS3.19, OS7.8, OS9.14
  LENGTH, OS3.15
  OF, OS3.14, OS3.16
  SLENGTH, OS3.18
  SNAMES, OS3.18
  SORIGIN, OS3.18
  STYPE, OS3.18
Category
  editing, AR6.18
  locking, AR6.20
CENTER, SA2.8
Centering text, OS6.9
Central processing unit (CPU), IN1.14
Cfade, AR4.9
CHAIN, SK3.32-33, AE3.14, AE4.10-11
Chaining
  cues, AE4.10-13
  events, AE6.14, SE5.24-25
  tracks, SK3.30-33

Change Lock, AR4.40
Channel messages, MIDI, SO7.6
Channel pressure, SO7.42, SO7.54
Chords, SE7.8
Chorus
  partial timbre, FM5.14-15, SA6.18-19
  whole timbre, FM7.12-13, SA8.6-7
CHORUS, FM7.12-13, SA8.6-7
CHORUS, PARTIAL, FM5.14-15, SA6.18-19
Chowning, John, FM3.2
Clarinet harmonics, FM1.6-7
CLEAR, SK4.7, SK4.12, SK5.23, FM6.8-9, FM6.25, SA7.8-9, SA7.23
CLEAR EDITS, AE2.6-7, AE3.4, AE3.14
CLEAR SOLOS, SE5.6
Clearing polyphonic sampling memory, SA1.32
Click
  digital metronome, SE2.10-11, SK2.10-13
  external, SO6.14-17
  output specifications, SO1.37
  period, SK2.11, SE2.11
  rate, SK2.11-13, SE2.11
  track, SK2.26-29, SE2.34-37, SO6.12-23
CLICK RATE, SK2.10-13, SK2.27, SK3.2-3, SO6.14-15, SO6.22-23
Click-rate multiplier, SK2.14, SK3.44-45, SE2.13
CLIP, AE3.2
Coefficient (*see* harmonic coefficient)
Coast, SO4.14
COLLECT, SA1.30-31
COMBINE, SA3.26-27
Combining partial timbres, FM1.9, FM7.2, SA5.2
Combining sounds, IN1.5
Comma (,), OS.24
Command
  column, OS6.4-5
  file, OS9.2-5
  history file, OS9.16-17
Command key, IN3.4-5
Command Summary, RG3.1-35
Commands (*see also individual commands*)
  Monitor, OS1.10-15, OS9.3-5, OS9.16-17
  multiple, OS1.12
  Screen Editor, OS6.6
  single key, OS9.20-21
  Sound File Editor, SA1.10-11, SA2.4-5, SA2.14, SA3.2-31, SA4.6-11
Comments (*), OS9.4-5
Compare Utility, RG4.38-39
Composite output specifications, SO1.18-19, SO1.32
Compression, SA3.32-37
Computer languages, OS1.2
Computer music notation, SE3.12-25
CONFIGUR, OS8.10-17
Configur Utility, OS4.8, RG4.8-11
Configuring the system, OS8.8-17

Master index (con't)

Connectors
  Direct-to-Disk control unit, SO1.22-39
  Synclavier control unit, SO1.6-21
CONT, AE7.10-11
Contiguous disk space, OS5.17-18
CONTINUE, SK5.16
Continued splicing function, FM4.15
Continuous recording, AR4.2-3
Control
  interface, IN1.12-13
  key, IN3.4-5, AR1.8
  knob, IN4.4
  unit, IN1.14-15
Controllers
  expression input, SK4.2-5
  real-time effects, SO7.42-45
Cooling, SO1.4-5
COPY, SE5.14, SA3.13, AE3.14, AE6.8
Copying (*see also* Bouncing)
  files or subcatalogs, OS5.16-17, OS5.20-23, OS5.26
  Master Timbre/Sequence Storage Disk, OS5.34-35
  optical disk files, OS4.42-51
  partial timbres, FM7.5, SA5.8
  sequence files, OS5.33
  sound files, SA3.13
  timbre files, SA4.37, OS5.32
  timbre frames, FM4.8-9
  to and from tape, OS5.26
  tracks, SK3.4-7, SE4.10
CREATE, OS3.6-7
Crossfade
  cues, AE3.24-27, AR4.9
  entering fade lengths, AE3.26
  limitations, AE4.3
  listening to, AE3.27
  sound file looping, SA3.18-19, SA5.26
  timbre frames, FM4.2, FM4.11
CROSSFADE, SA3.10-11
CTRL-
  /, OS9.18
  A, OS6.10, OS9.13, OS9.18
  C, SA1.12, SA4.10, SA4.12
  D, OS9.13, OS9.18
  E, OS6.13, OS9.18
  G, OS9.18
  H, OS9.19
  I, OS9.19
  J, OS9.17
  K, OS9.17
  L, OS9.19
  P, OS7.6, OS9.19
  R, OS1.10, OS9.19
  U, OS9.11, OS9.13
  W, OS9.19
  X, OS9.19
  Y, OS9.19
CUE, AE2.9, AE3.2
Cue
  auditioning in a sequence, AE4.7
  backup to optical disk, AR6.16-17, AR6.21
  backup to Winchester, AR6.14-15
  blocking, AE3.4-5, AR4.15, AR4.19
  caption and category editing, AR6.18

Cue *(con't)*
chaining, AE4.10-13
crossfade, AE3.24-27
description, IN1.9, AR4.10-11
digital transfer out, SO3.13
directory, AE2.2-3
displaying, AE2.6-13
dragging, AE4.16-17
edit point, AE3.9-10
editing, AE1.4-5, AE3.6-23, AE4.23
end, AE3.7
moving, AE3.8
name, AE2.2-3, AE3.28, AR4.12
placing in a sequence, AE4.2-23
placing in real time, AE4.14-15
placing from optical disk, AE4.20-21
playback, AE2.14-19, AR5.4-5
playback from terminal, AE2.18-19
protecting, AE3.31
recalling, AE2.2-5, AR6.30-31
recording, AR4.10-21
recording over, AR4.17
recording synced to picture, AR4.18-19
renaming, AE3.30
replacing, AE4.9, AE4.18-19, AE4.22
saving, AE3.29, AE4.22-23
selection, AE2.4
start, AE3.6
synchronization, AE4.4-6, AE4.8
time scale modification, AR4.32-35
volume envelope, AE3.24-25
CUE DIR, AR1.11
Cue Directory (CUE DIR), syncing cues, AE4.8
CUE EDIT, AR1.11
Cue Editor (CUE EDIT)
commands, AE3.14-15
CUE, CLIP and REEL, AE3.2
description, AE2.4-13, AE2.15-17
edit flags, AE3.3
IN and OUT, AE2.15, AE2.17
LEADER, AE3.3
scan and scrub bars, AE2.8
selecting a project, AR2.2-3
shuttle bar, AE2.6-7, AE2.9-11
signal display, AE2.12-13
start and end times, AE3.6-7
zooming, AE2.9-10
Cue information, locking, AR6.20
Cue Lock, AR4.3, AR4.17, AR4.20, AR4.24
Cue Store/Recall (CUE STOR), AR1.11
Cue Trim panel (CUE TRIM), AE2.16-17, AR1.11
Cuelists
bouncing, AE6.16-17
description, SE3.2
digital transfer out, SO3.11-12
routing, SO2.12-13, SO2.18-20
volume, SO2.22-24
CuePB, AR3.2
Curr Proj, AE2.5

Master index (con't)

Current
catalog, changing, OS3.10-11, OS6.33
device, OS2.16
file, OS2.6-7, OS5.8, OS6.3
project, AE2.5
Cursor, SE3.38-39, SE3.40, SE7.4-5, OS1.3, OS6.8
Cursor keys, IN3.6-7
CUT, SA3.12, AE3.14
Cutting (*see also* Deleting or Erasing), SE4.14-17

D

D (.D), OS6.19
Da capo loop, SK3.22
DAC (*see* Digital-to-analog converter)
Dal segno loop, SK3.23
Data files, OS2.5
DB (dB), AR3.3
DC TRIM, SA3.24
Decay
harmonic envelope, FM3.8-10
volume envelope, FM2.14-16, FM2.24-27, SA6.2-4
DECAY, FINAL
HE, FM3.10
VE, FM2.16, SA6.4
DECAY, INITIAL,
HE, FM3.10, FM3.13
VE, FM2.16, FM4.11, SA6.4
DECAY ADJUST, FM2.26
Default values
restoring, AR3.18
saving, AR3.17
setting, AR3.16
Del X, IN3.6-7
Delay
sync, SO6.10
harmonic envelope, FM3.8-10
time, timbre frame, FM4.2
volume envelope, FM2.14-16, SA6.2-4
DELAY
HE, FM3.10
VE, FM2.16, FM4.11, SA6.4
DELETE, SK3.27-29, SA3.17, OS6.13, OS6.26, OS6.29, AE3.14, AE7.8
DELETE
CUE, AE3.14
EVENTS, SE5.15, AE6.9
Delete key, IN3.4-5
Deleting (*see also* Cuttng or Erasing)
cue, AE3.14
project, AR2.12, AR3.6, AR3.8
sequence, SK2.15, SE2.14-15, SE8.12-13, AE7.8
sound file section, SA3.16-17
track or sequence section, SK3.27-29
DEPTH
STEREO, FM5.21-22, SA6.25-26
VIBRATO, FM5.4, SA6.8
Depth of modulation, FM3.6
DESC, IN1.2, IN1.26
DESEQUENCE, OS7.3
Designing sounds, FM1.8-13
Desk accessories, IN1.36
Device, OS2.2, OS2.16, OS2.21
Diagnostic programs, IN1.31, RG4.42-49
DIG, AR3.3

Digital
bounce, AR4.36-39
guitar, IN1.28
metronome, SK2.10-13
sound waves, SA1.2-5
Digital Audio System, 1.2-44
Digital connector panel
connectors, SO1.24-25
Digital-to-analog converter (DAC), SA1.4-5, SO1.12
Digital transfer
connections, SO3.6, SO3.10
Data light, SO3.6
delay, SO3.3
description, IN1.29, SO3.2-3
formats, SO3.2, SO3.6, SO3.8, SO3.14
hardware specifications, SO3.18-34
in, SO3.14-16
OFF button SO3.2
out, SO3.8-13
sampling rates, SO3.4-5
summary, SO3.17
Synchronization, SO3.4, SO3.8-10
system slowdown, SO3.2
Word clock light, SO3.6
DIR, OS3.21
Direct-to-Disk
connectors, SO1.22-39
control unit, IN1.23
cuelist routing SO2.12-13
description, IN1.9
documentation, AE1.2-3, AR1.2-3
input/output, SO1.26-29
input specifications, SO1.30-31
inputs, SO2.26-29
Direct-to-Disk *(con't)*
output specifications, SO1.32-33
projects, AR1.4-7
recording (*see* Audio recording)
sampling, SA1.26
system, IN1.2-34
track routing, SO2.12-17
Direct-to-Disk tracks
arming, AR3.2, AR3.5,
arming from keyboard control panel, AR3.12
assignment from keyboard control panel, AR3.10-11
backup to tape, AR6.8-9
bouncing, AR4.36-39
description, IN1.9, AR1.4-5
displaying, AR2.10
erasing, AR3.20-21
expanded configuration, AR3.8-9
gain, AR3.3
inputs, AR3.3
locking, AR4.40-41
mode, AR3.2
monitoring, AR3.22
output, AR3.4
pan, AR3.4
playing back, AR5.2-3
protecting, AR4.40-41
recalling from tape, AR6.24-25
reconfiguring, AR3.6-9
soloing from keyboard control panel, AR3.13
status, AR3.2
volume, AR3.4

Master index (con't)

Directory
catalog, OS2.12, OS2.20-21, OS3.12-21, OS6.2, OS6.21, OS6.27-30
Cue, AE2.2-3, AR1.11
placing in a file, OS3.19
printing, OS7.8
Project, AR1.8-9
Sequence, SE8.14-15
Sound File, SE8.36-37, SA1.12, SA4.12-17, SA4.24-25
Subcatalog, SE8.18-19
tape catalog, OS3.22-23
Timbre, SE2.6-7, FM1.16-17, SA4.28-29
Disk time, AR2.6-9
Displace, AE3.17-19
DISPLACED AUDIO, AE3.18
Display
audio recording, AR1.8-15
cues, AE2.2-3
Graphic Timbre, FM5.26-27
individual sample points, SA2.6
Keyboard, SA5.24-25
Missing Sound file, SA4.27
Numeric Timbre, FM5.28-29
offset, SO4.6, SO4.19-20
Optical Disk, SA4.18-23, OS4.2-3, OS4.12-15, OS4.20-43
Partial Timbre, FM5.30-31
Patch, SA5.10-23, SA5.26-27, SA5.32-33
Screen Editor, OS6.4-5
Sound File Editor, SA1.8-13
Three Dimensional (3D) Harmonic, FM5.34-35
Timbre, FM5.24-35
Display *(con't)*
Timbre Frame, FM4.4, FM5.32-33
Track, AR1.8-9
window, IN4.4
Displaying a sequence
Audio Event Editor, SE3.2-11
Music Notation, SE3.30-41
Recorder, SE3.12-25
Sequence Editor, SE4.2-33
Displays, Real-time performance, IN3.12-13
DO, OS9.3
Documentation, Direct-to-Disk, AE1.2-3, AR1.2-3
Dollar sign ($), OS6.8
DOT MODE, SA2.6
Dotted notes, SE7.7
DRAG, AE4.9, AE4.12-13, AE4.16-19
DRENAME, OS5.11, OS5.15
Drop-frame SMPTE, SO4.4
Drop-out, check, SK5.23
Drop-out, sound, SK5.22-27
Drum replacement, SO6.2-11
DUMP, OS3.23
Dur (Out), AE2.15, AE2.17
Duration, SE3.22, SE7.7, SE7.14
Dynamic envelope, FM6.22-23, SA7.20-21
DYNAMIC ENVELOPE: LOW/HIGH, FM6.22-23, SA7.20-21

E

E (.E), OS1.7, OS1.9, OS6.7
Edit
  buffer, SA3.9
  commands, AE#.14-15
  filter, SE4.8-9
  flag, AE3.3
  play button, AE3.13
  time, AE3.10, SE4.6-7, SA3.8
Edit information, entering
    from Sound File Editor, SA3.6-7
Edit point
  choosing, AE3.9
  placing, AE3.10
  removing, AE3.12
Edit segment
  move, AE3.11
  playback, AE3.13
  slide, AE3.17-23
Editing
  advanced techniques, IN3.22
  commands, AE3.14-15
  cue start and end points, AE3.10
  cues, AE1.4-5, AE3.6-23
  description, IN1.3
  MIDI messages, SO7.50-54
  modes, SE6.5, OS6.10
  Monitor commands, OS9.18-19
  Music Notation, SE7.2-17
  notes, SE5.4-27
  Recorder Display, SE6.2-17
  ripple, AE6.12
  Sequence Editor, SE4.1-33
  sequences, AE1.4-5
  step, SK3.42-47
  tracks, SK3.4-7, SE4.10-13, SE5.22-27
EditView installation, IN5.3
ELCO pin connector, SO1.34-35
Electrical connections, SO1.2-3
END, SA1.21
END LOOP, SK3.16-25
END TIME, AE5.8
End time
  cue, AE3.7
  event, SE3.9, SE3.22
  project, AR2.5
ENTER, OS3.10-11
ENTRY, FM1.22-23, FM7.18-19, SA4.31, SA4.38-39, SO7.48-49
Entry, timbre, FM1.18-19, SA4.31
Environmental specifications, SO1.4-5
Equal tempered tuning, SK6.2, SK6.9-12
Equals sign followed by c (=c), OS6.15
Equivalent times, SO4.21
ERASE, SE5.26-27, AE6.10
Erase
  1, AR3.6
  2, AR3.6
  4, AR3.8
  All, AR2.12, AR3.6, AR3.8
  Proj, AR2.12
Erasing (*see also* Cutting or Deleting)
  blocks of text, OS6.18
  Direct-to-Disk tracks, AR2.12
  files, OS5.18, OS6.31
  multiple files, OS9.14-15
  notes, SE7.11
  notes only, SK2.15, SO7.35
  partial timbres, FM2.6, FM7.6, SA5.9

Erasing *(con't)*
poly memory, SE2.30, SA1.32-33
real-time effects patching, SK4.7, FM6.8-9, SA7.8-9
sequencer tracks, SK2.15, SE2.14-15, SE5.26-27
sequences, SK2.15, SE2.14-15, SE8.12-13
sound files, SA1.32, SA3.17
subcatalogs, OS5.18
timbre frames, FM4.7
Error messages, RG5.1-79
European video frame rates, SO4.4
Event
backtiming, SE5.20-21
chaining, SE5.24-25, AE6.14
copying, AE6.8
deleting, AE6.9
description, SE3.2
editing, SE5.10-21
moving, AE6.11
rechaining, AE6.14
selecting, SE5.8-9, AE5.11
Event List Editor (EVENTS)
description, SE3.2-11, SE5.2-3,
displaying a sequence AE5.2-11
editing a sequence, AE6.2
note editing, SE 5.4-27
EVENTS, AR1.11
EXCHANGE, SA3.28, AE3.14
Exclamation point (!), OS6.24
Executable (exec) files, OS2.5
Expanded track configuration, AR3.8-9
Expansion, SA3.32-37
EXPRESSION INPUT, FM6.3, FM6.10-25, SA7.3, SA7.10-23
Expression inputs
adding, FM6.2-7, SA7.2-7
controllers, SK4.2-5, FM6.3, FM6.10-25, SA7.3, SA7.10-23, SO7.42-45
inverted mode, FM6.7, SA7.7
patching, FM6.4-7, SA7.4-7
removing, FM6.8-9, SA7.8-9
summary, FM6.25, SA7.23
EXT MONO, SA3.29
EXT SYNC MODE, SK3.42, SO4.22, SO5.6, SO5.8, SO5.13-14, SO6.4-5, SO6.11, SO6.14-15, SO6.18, SO6.23, SO6.25, SO6.27, SO7.22
External
arpeggiate mode, SO6.24-27
click track, SK2.29
repeat mode, SO6.24-27
synchronization signals, SO5.3
trigger mode, SO6.18, SO6.23
EXTERNAL CLOCK IN/OUT
functions, SO5.4-5
specifications, SO1.36-37
synchronization signals, SO1.12
EXTRACT, SA3.16, AE3.14

F

F1-15 keys, IN3.6, IN3.8-9
F5-8, AE2.18
F9-12, AE2.18
F.F. (fast forward), SK5.17

Fifty Hz synchronization, SO5.2-5, SO5.6-9
File
backing up, OS5.10-11, OS5.20-23
caption, OS2.10, OS9.6-9
command, OS9.2-5
command history, OS9.16-17
copying, OS5.16-17, OS5.20-23, OS5.26
creating, OS5.8, OS5.36, OS6.27
current, OS2.6-7, OS5.8
data, OS2.5
definition, OS2.2-3, OS2.21
erasing, OS5.18, OS6.31, OS9.14-15
executable (exec), OS2.5
glossary, OS2.21
hidden, OS3.16-17
inserting, OS6.32
lengths, OS2.5, OS3.15
management, OS2.2, OS5.28-39, OS6.26-33
names, OS2.4, OS2.21
.NEWDATA, FM7.17, SA4.37, SA8.11, OS2.5, OS2.8
NEWF, SA1.21, SA2.16, SA4.2
overwriting, OS5.13
printing, OS7.7-9
profile, OS8.5-7
recalling, OS5.9, OS6.29
renaming, OS5.14-15, OS6.28
replacing, OS5.13, OS6.28
saving, OS5.12, OS6.28
sequence, SK1.4, SK5.2-3, SE1.3, OS2.5, OS2.9, OS5.33, OS5.36-39
sound, SA1.2, OS2.5, OS2.10
File *(con't)*
.SQnDATA, SK5.3, OS2.5, OS2.9
stored, OS2.6-7
storing, OS5.12, OS6.28
Synclavier (sync), OS2.5
system, OS2.11
text, OS2.5
timbre, SK2.3, FM7.17, SE2.6, SA4.27, SA4.37, SA8.11, OS2.5, OS2.8
types, OS2.5
work (.work), OS8.4
Filename, OS2.4
FILL, SA3.15, AE3.14
Fill, AE3.17, AE3.20-21
Filtering
edit changes, SE4.8-9
MIDI real-time effects, SO7.44-45
Filters, ribbon controller, FM6.19, SA7.17
Final decay
harmonic envelope, FM3.8-10
volume envelope, FM2.14-16, FM2.24-26, SA6.2-4
FINAL DECAY
HE, FM3.10
VE, FM2.16, FM4.14, SA6.4
Find Utility, RG4.18-23
Fitting a sequence to time, SE4.26-29
Flanging, FM5.14, FM7.12, SA6.18, SA8.6

Master index (con't)

Floppy disk
description, IN1.24
drives, OS2.16
formatting, OS5.4-5
recalling from, SK2.4
write protecting, OS5.19
FM (*see also* Frequency modulation)
adjusting across keyboard, FM3.12
harmonic envelope, FM3.6-13
outputs, SO1.12, SO1.18
ratio, FM3.4-5
FM SYNTHESIZER OUT jacks, FM1.14-15
F.M. RATIO, FM3.4-5
Foot switches, IN4.5, SK2.24
Format
Cue Directory, AE2.2-3
floppy disks, OS5.4-5
hard disks, OS5.6-7
primary, OS5.7
Formcopy Utility, OS5.2-3, OS5.20-23, OS5.26, OS5.34-35, RG4.2-7
Fourier, Joseph, FM1.4
FORWD or >>, AE7.10-11
Frame, timbre (*see* Timbre frame)
Frames-per-beat mode, SK2.12
Freezing the screen, OS3.12, OS5.4
Frequency
fundamental, FM1.2
modulation, FM3.1-13
spectrum, FM1.2-5
FSK (frequency shift key) signals, SO5.4, SO6.6-7
Function, AE2.2-3
Function keys, IN3.6, IN3.8-9
Fundamental frequency, FM1.2

G

G (.G), OS6.16
Gain, AR3.3
Glossary, RG1.1-24
Glossary of files, catalogs and devices, OS2.21
Graphic Timbre Display, FM5.26-27
Grave accent (`), OS6.14
Ground lift switches, SO1.40-41, SD1.28-29

H

Hard disk, IN1.24-25
HARDCOPY, OS3.23, OS7.6
Hardware failures, RG4.42-49
Hardware specifications, MIDI, SO7.5
Harmonic
adjustment, FM3.12
coefficient, FM1.4, FM2.9, FM2.10-11
definition, FM1.2
envelope (frequency modulation), FM3.8-13
phase control, FM2.12-13
programming, FM2.10-11
spectrum, FM1.2-5

HARMONIC
ADJUST, FM3.12
CONTROL, SK6.6, SK6.9, SK6.12-13, FM2.9-12, FM4.10, SA5.28-39
SELECT, FM2.10-12, FM4.10
Harmonic envelope
description, FM3.6-9
time intervals, FM3.8-9
volume levels, FM3.8-9
Headings, AE5.6
Heat output, SO1.3
HELP, OS1.13-15
Help key, IN3.6-7
HForm, OS7.9
Hidden files, OS3.16-17
High speed clock signals, SO5.14
HOLD, AE2.9
Home key, IN3.6-7
Humidity, SO1.4-5

I

Implementation chart, MIDI, SO7.55
IN, AE2.15, AE2.17
Independent loop, SK3.17, SE6.17
Independent modes
amplitude modulation, FM5.9-11, SA6.13-15
stereo, FM5.22-23, SA6.26-27
Individual pressure, SO7.42, SO7.54
INFO, SK2.25, SO7.34
Info button, SE2.26
Initial decay
harmonic envelope, FM3.8-10
volume envelope, FM2.14-16, SA6.2-4
INITIAL DECAY
HE, FM3.10, FM3.13
VE, FM2.16, FM4.11, SA6.4
Initialize (*see* Format)
Input, AR3.2
Input devices, IN1.12-13
Input/output
Direct-to-Disk control unit, SO1.26-29
Synclavier control unit, SO1.10-13
Input specifications
external clock in, SO1.36
keyboard, SO1.17
Sample-to-Memory, SO1.14-16, SO1.30-31
SMPTE, SO1.36
Input sources and channels, SO2.26-29
INSERT, SK3.27-29
Inserting (*see also* Pasting)
blank lines, OS6.12
files, OS6.32
sound files, SA3.14
text repeatedly, OS6.22, OS9.10-11
timbre frames, FM4.6
track or sequence section, SK3.26-29
Installing software, OS8.8
Intervals, SK6.3-5
INVERT, FM5.2, FM5.4, FM5.6, SA3.25, SA6.6, SA6.8, SA6.10
Invert function, FM5.2, SA6.6

J

Just tuning, SK6.10-11
Justification
  after recording, SE4.30-31
  during recording, SK2.14, SE2.12-13
  note by note, SE7.15
JUSTIFY, SK2.14

K

Key velocity, SE3.24
Keyboard
  back panel, IN4.5
  control panel, IN4.4, IN2.7
  control voltage, SK4.3, FM6.20, SA7.18
  Display, SA5.24-25
  envelope, FM5.16-18, SA6.20-22
  input specifications, SO1.17
  loop, SA5.26-39
  MIDI program change, SO7.46-49
  output specifications, SO1.21
  patch (*see also* Patch), SA5.10-25
  polyphony, SK2.5, FM7.8-9, SA8.2-3
  response or touch, FM6.10-16, SA7.10-14
  routing, SO2.8-9
  split, SK6.14-17
  terminal (*see* Terminal keyboard)
  timbre, replacing, SK3.34-37
  tuning, SK6.2-13
  unit, IN1.6, IN1.20, IN2.7
Keyboard *(con't)*
  velocity/pressure, FM6.10-16, SA7.10-14
  volume, SK3.38, SO2.11
KEYBOARD
  C.V., FM6.3, FM6.20, SA7.3, SA7.18
  ENVELOPE: RIGHT/LEFT, FM5.17-18, SA6.21-22
Keyboard control panel
  arming tracks, AR3.12
  assigning tracks, AR3.10-11
  soloing tracks, AR3.13
Keys, terminal keyboard, IN3.4-9

L

L (lock), AE6.13
LABEL, SA2.15
Labels, SA2.15
Languages, computer, OS1.2
Laser printer models, IN1.37
Layering
  notes, SK2.17
  sounds, IN1.5, FM1.9, FM7.2, SA5.2
  tracks, SK3.6
LEADER, AE3.3
Leader, pasting, AE3.16
LEFT, SA2.8
Len (Out), AE3.10, AE3.13
Letters A-V, OS6.8
Level check, SA1.20
LIBRARY, SK2.4, SK5.5, SK5.11, FM1.23, FM7.19, SA4.31, SA4.39, SA8.13
Line number, OS6.8
Line numbers, removing, OS7.7
LIST, OS7.7

Listing Utility, RG4.32-35
Live click, SK2.28
Live performance, SK6.2-17
LOAD, OS3.22
Location memory buttons, SA4.16-17
LOCATOR, AE7.12-13
Locator points, SE2.38-41, SE8.28-33, SO7.40-41
LOCK, SA2.9, AR4.41
Locked, AR2.11
Locking
  projects, AR4.40
  tape, AR6.12-13
  times, SE5.19-21
  to a time, AE2.18
  tracks, AR4.41
LOG, OS9.16-17
Long track configuration, AR3.6-7
Longitudinal time code, SO4.9
LOOP (*see also* START LOOP and END LOOP), SA3.18-19
Loop
  automatic searches, SA5.34-39
  crossfade, SA3.18-19, SA5.26
  da capo, SK3.22-24
  dal segno, SK3.23
  display format, SK3.18
  independent, AE6.4, SK3.17, SE6.17
  keyboard, SA5.26-39
  length, SA5.28-32, SA5.35-39
  local automatic search, SA5.37
  overall, SK3.16
Loop *(con't)*
  overall automatic search, SA5.35-36
  patch list sound files, SA5.23
  removing, SK3.19, SK3.24
  reverse, SA3.20-21
  sequences, SK3.14-25
  setting parameters, SA5.28-31
  sound files, SA3.18-21, SA5.23
  summary, SK3.25, SA5.39
  timbre frames, FM4.16-17
  unwrapping, SK3.30-31, SE4.13
  values, SK3.20-21
  window length for automatic search, SA5.38

M

M, AR2.11
M (.M), OS6.23
Macintosh II
  desktop, IN2.6
  MultiFinder, IN2.5
  NEDStartUp, IN1.34-44
  pulldown menus, IN1.36-44
  setting window size, IN2.6
  starting, IN2.4
  system folder, IN5.2
Macro Maker, IN5.5
Macro programs, IN5.5
Macros, OS9.20-21
Magnifying glass, AE2.10-11
Main Menu, AR1.8-9
Manual, AR4.3-4, AR4.14, AR4.17

Master index (con't)

MARK, SK2.30-33, SK5.20-21, SA1.22, SA2.16, SO7.39
MARK OFF, SA2.17
Mark point, SK2.30-33, SK5.20-21, SE2.38-41, SE8.28-33
Marking
  blocks of text, OS6.19
  sound file, SA2.14-19
Master Timbre/Sequence Storage Disk, FM7.17, SA4.37, SA8.11, OS5.30-31, OS5.34-35
Measure length, SK3.3, SE4.4
Memory
  buttons, SA4.16-17
  management, SA1.28-33
  polyphonic expansion, SO1.8-9
Memory tests, RG4.42-47
Menus, IN3.10-11
Merging tracks, SK3.6-7, SE4.10
Meter bridge
  description, IN1.23
  output specifications, SO1.33
Metronome, Digital, SK2.10
MIDI
  (button), SO7.11-12, SO7.14, SO7.19, SO7.22, SO7.33, SO7.47
  connectors, SE2.4-5, SO1.6-7, SO1.22-23
  controllers, SO7.42-45
  description, IN1.27, SO7.2-9
  devices, SO7.2-3
  Display (*see* MIDI Display)
  distortion, SO7.5
  echo, SO7.14-15
  editing, SO7.50-54
  equipment, SO7.2-3
MIDI *(con't)*
  hardware specifications, SO7.5
  implementation chart, SO7.55
  input parameters, SO7.16-23
  LOCATE, SE8.31, SO7.40-41
  mapping, SE2.42-43, SO7.18-19
  messages, SE3.25, SE3.29, SE6.14-15, SO7.6-7, SO7.42-54
  multitrack recording and playback, SO7.28-37
  multitrack routing, SO7.18-19
  networks, SO7.2-3
  output parameters, SO7.10-15
  parameters, setting, SO7.8
  playback, SO7.24, SO7.27, SO7.30, SO7.37
  ports, SO7.4
  program changes, SE6.15, SO7.46-49
  real-time effects, SO7.42-45
  recording, SO7.24, SO7.26, SO7.31-33, SO7.36
  saving parameters, SK5.8-9, SO7.10-11, SO7.16
  sequence transfer, SO7.28-36
  signals, SO7.5
  song pointer, SO7.7, SO7.38-41
  specifications, SO7.2
  synchronization, SO7.13, SO7.20-23
  THRU box, SO7.5

MIDI Display
input channels, SO7.16
outputs and channels, SO7.10, SO7.13-14
setting parameters, SO7.8-9
MIDI LOCATE, AE7.14
MIDInet installation, IN5.3
Minus (-), OS6.12
Missing Sound File Display, SA4.33
Missing sound files, SK5.13-14, SE8.22, SA4.32-33
MIX, SA3.30
Mixing
sequences, SK3.38-41
sound files, SA3.30
MOD DEPTH, FM5.2, FM5.5, SA6.6, SA6.9
MOD WHEEL, FM6.3, FM6.24, SA7.3, SA7.22
Mod wheel, IN4.2-3
Mode
amplitude modulation, FM5.9-11, SA6.13-15
portamento, FM5.22, SA6.26
sampling, SA1.18
stereo, FM5.21-23, SA6.25-27
tremolo, FM5.9-11, SA6.13-15
MODE
PORTAMENTO, FM5.8, SA6.12
POLYPHONY, FM7.9, SA8.3
Mode selection, Recorder Display, SE3.26-29
Modified/unmodified, OS6.29
Modifying
partial timbres, FM5.1-23, SA6.6-27
sound files, SA3.2-31
whole timbres, FM7.8-15, SA8.2-9
Modulation depth, FM3.6
Modulator frequency
definition, FM3.2
ratio, FM3.4
fixed, FM3.5
Modules
moving from one to another, OS1.6-9
system software, OS1.2-9
Monitor module
command abbreviations, OS1.11
command editing, OS9.18-19
command history file, OS9.16-17
commands, OS1.10-15, OS9.16-19
description, IN1.31, OS1.2-9, OS2.12
entering multiple commands, OS1.12
HELP facility, OS1.13-15
Monitoring Direct-to-Disk tracks, AR3.22
Monitoring during recording, SK2.19-20, SE2.22,
MOTION (*see also* Sequencer Motion Control panel), AR1.11
Motion control
buttons, AE2.16-17, AE7.10-11
sequencer, SE8.24-25
MOVE, SE5.16, AE6.11
Moving
edit segments, AE3.11
tracks, SE4.10
MRK OFFS, SA2.17

Multichannel Display
Assigning tracks to TRACK SELECT buttons, SK2.6-7
cuelist routing, SO2.20
track routing, SO2.4-5, SO2.14-15
Multichannel Distributor
connectors, SO1.8-9
description, IN1.2, IN1.28, SO2.2-3
output specifications, SO1.20
test, SO2.2
MultiFinder, IN2.5, IN5.4
Multiple commands, OS1.12
Multitrack
recording and playback, MIDI, SE2.42-43, SO7.28-37
routing, MIDI, SO7.18-19
Music Notation Display
activating, SE3.30
adding chords, SE7.8
adding notes, SE7.6, SE7.9-10
changing duration, SE7.14
changing pitch, SE7.12
changing rhythm, SE7.13
cursor, SE3.38-39, SE3.40, SE7.4-5
deleting notes, SE7.11
duration and pitch values, SE7.7
editing functions, SE7.2
instructions, SE3.38-39, SE7.3
justifying notes, SE7.15
page turning, SE3.41, SE7.4
parameters, SE3.32-37
range indicators, SE7.4
scrolling, SE3.31, SE7.4
song pointer, SE3.36
tuplets, SE7.16-17
Music Printing option, IN1.10-11

N

N (.N), OS6.27
NAME, AE7.2-3
NAME LEN, SE3.5, AE5.4
Naming
cues, AR4.12
files, OS2.4
projects, AR2.4
sequences, SK5.3, SE8.3, SE8.7, OS2.9, OS5.37
sound files, SA4.2-3
subcatalogs, OS2.13, OS3.6
timbres, FM7.14-15, SA4.34-35, SA8.8-9
tracks, AR2.10
NED StartUp
commands, IN1.34
installation, IN5.3
opening, IN1.34
window, IN1.34-35, IN2.5
NED StartUp menus
Display, IN1.41
Edit, IN1.38
File, IN1.37
Help, IN1.44
NED, IN1.36
Terminal, IN1.39-40
Window, IN1.42-43
NEW, OS1.6, OS5.8, OS5.36, OS6.3
NEWDATA (.NEWDATA) files, FM7.17, SA4.37, SA8.11, OS2.5, OS2.8, OS5.30, OS5.32

NEWF [four-digit number] files, SA1.21, SA2.16, SA4.2, OS2.10
Ninety-six voice poly
playback, SK5.22-27
poly bin assignments, SE8.38-39
recalling sequences, SK5.15, SE8.23
recalling timbres, SK2.34, SE2.28
recording, SK2.34-37, SE2.28-33
sound drop-out, SE8.36-39
No line insert, OS6.11
NO. OF ROWS, AE5.4
NO. OF TRACKS, AE5.4
Non-sustaining timbres, FM2.22-25
NORMALIZE, SA3.22
NOSCROLL, OS3.12
Note
add, SE6.6, SE7.6, SE7.9-10, AE6.5
delete, SE6.6, SE7.11
duration, SE4.20-21, SE7.7, SE7.14
justify, SE7.15
pitch, SE7.7, SE7.12
rhythm, SE7.13
ripple, SE3.29, SE6.11
stuck, SK3.46
Notelines
adding and deleting, SE6.6
displaying, SE3.15
editing values, SE5.4-27, SE6.7-17
Notelists, SE3.2, SE3.12-13, SE6.4
Numeric keypad, IN3.6-7
Numeric Timbre Display, FM5.28-29
Number symbol (#), OS6.20

O

O (.O), OS6.29
OCTAVE RATIO, SK6.3-5
Offset
display, SO4.6, SO4.19-20
SMPTE, SO4.5, SO4.15, SO4.17-18, SO4.23, AE4.4-5
sound file, SE3.29, SE6.16
times, SE3.9
OFFSET TIME, AE5.8
OLD, OS5.9, OS5.16, OS5.32-33, OS7.7
Operating conditions, SO1.3
Oplist Utility, RG4.30-31
Oprepair Utility, RG4.36-37
Optical disk
capacity, OS4.2
cartridge insertion and removal, OS4.10-11
categories, OS4.5-7, OS4.29-30, OS4.37, OS4.53
configuring for, OS4.8
description, IN1.24, OS4.2-3, OS4.9
diagnostic tests, OS4.8
Display, SA4.18-23, OS4.2-3, OS4.12-15, OS4.20-53
file management, OS4.2, OS4.52
formatting, OS4.2, OS4.12-13
index file, OS4.4, OS4.15

Optical disk *(con't)*
listing utility, OS4.54-55, OS7.4-5
loading, OS4.2, OS4.14
placing cues, AE4.20-21
power-up, OS4.8-9
repair utility, OS4.56-57
searching, OS4.26-27
space and time available, AR6.19
storage system, SA4.18-23, OS4.2-57
storing overview, OS4.22-23
storing sound files, OS4.20-41
volume, OS4.4
volume caption, OS4.13
volume name, OS4.12
write-protecting, OS4.16-19
Optical Disk Display
activating, OS4.2-3, OS4.20
caption entry, OS4.28
category assignment, OS4.29, OS4.53
copying files, OS4.42-51
description, OS4.20-21
device selection, OS4.33
display format, OS4.24-25
editing files, OS4.52
existing files, OS4.38-41
formatting, OS4.12-13
index updating, OS4.15
loading, OS4.14
new files, OS4.38-41
recalling sound files, SA4.18-23
sound file selection, OS4.24-25
storage, SA4.10-13
storing captions, OS4.36
storing categories OS4.37
Optical Disk Display *(con't)*
storing overview, OS4.22-23
storing sound files, OS4.31-41
storing summary, OS4.41
updating captions and categories, OS4.30
verify dialog box, OS4.40
windows, OS4.20
Optical Transfer panel, AE4.20-21, AR4.26-31
Option key, IN3.4-5
OptXfr, AR4.26-31
ORIGIN, SA1.21
OUT, AE2.15, AE2.17, AR3.3-4
Output
devices, IN1.16-17
sound, FM1.14-15, SA1.4
volume, AE6.15
Output specifications
click, SO1.37
Direct-to-Disk composite, SO1.32
Direct-to-Disk track, SO1.32-35
external clock out, SO1.37
FM composite, SO1.18
headphone, SO1.21
keyboard, SO1.21
meter bridge, SO1.33
Multichannel Distributor, SO1.20
Sample-to-Memory composite, SO1.19
synchronization, SO1.37
OVERALL TUNING, SK6.2 SK6.13
Overdubbing, SK2.17-18, SE2.17-18
Overstrike mode, OS6.10

Overtone scale, SK6.10-11
Overtones (*see* Harmonics)
OVERWRITE, SK4.10-12
Overwriting
  files, OS5.13
  real-time effects, SK4.10-12

P

P (protect), AE3.31, AE7.4
P (.P), OS1.8-9, OS6.7
Page
  Down, IN3.6-7
  positioning, OS6.9
  turning (scrolling), OS6.9
Pan, SO2.25, AR3.4
Panels, Audio Event Editor, AR1.10-11, AR1.14-15
PARTIAL
  CHORUS, FM5.14, SA6.18
  TIMBRE SELECT, FM2.2-7, FM4.4-9, FM4.16, FM6.6, FM7.3-7, SA5.4-9, SA5.32, SA7.6
  TUNING, FM5.12, SA6.16
  VOLUME, FM5.13, SA6.17
Partial timbre
  adding expression, FM6.4-7, SA7.4-7
  assigning sound files, SA5.4
  chorus, FM5.14-15, SA6.18-19
  combining, FM1.9, FM7.2,
  copying, FM7.5, SA5.8
  definition, FM1.9
  description, IN1.5, SA5.2-3
  Display, FM5.30-31
  erasing, FM2.6, SA5.9
Partial timbre *(con't)*
  keyboard envelope, FM5.16-18, SA6.20-22
  layering, FM1.9, FM7.2, SA5.2-3
  modifying, FM5.1-35, SA6.6-27
  phase shifts, FM5.14, SA6.18
  placing, FM7.3-7, SA5.6-7
  programming, FM2.1-27
  recalling, FM7.3-4, SA5.6-7
  selecting, FM2.2-7, SA5.5
  soloing, FM2.3-5, SA5.5
  stereo, FM5.19-23, SA6.23-27
  tuning, FM5.12, SA6.16
  viewing keyboard patch, SA5.6
  volume, FM5.13, SA6.17
  volume envelope, FM2.14-17, SA6.2-5
PASTE, SA3.14, AE3.14
Pasting, SE4.14-15, SE4.18-19
Patch (also called keyboard patch)
  creating, SA5.10-25
  Display, SA5.10-23, SA5.26-27, SA5.32-33
  list, SA5.12-25
Patching real-time effects, SK4.4-5, FM6.4-7, SA7.4
PAUSE, OS9.4-5
PEAK
  HE, FM3.11, FM4.13
  VE, FM2.17, FM4.12, SA6.5
Peak volume level
  frequency modulation, FM3.8-11
  partial timbre, FM2.17-23, SA6.5
  timbre frame, FM4.2
  volume envelope, FM2.14-23, SA6.2-5

Master index (con't)

PEDAL 1/2, SK4.3, FM6.3, FM6.17, SA7.3, SA7.15
Pedal inputs, FM6.17, SA7.15
Pedals, IN4.5
Percussion replacement, SO6.2-11
Period (.), OS6.19
Phase control
  harmonics, FM2.12-13
  partial timbres, FM 5.14, SA6.18
  timbre, FM7.12, SA8.6
  timbre frame, FM4.10
Phase shift effects, FM7.12, SA8.6
Pitch
  envelope, FM4.2, FM4.13-14
  Music Notation, SE7.7, SE7.12
  Recorder Display, SE6.7
  offset, FM4.13
  quantizing, FM5.7, SA6.11
  randomness, FM4.14, FM5.2, SA6.6
Pitch wheel, IN4.2-3
PITCH BEND WHEEL, FM6.24, SA7.22
PITCH CLASS, SK6.6-7, SK6.12-13
PLAY, OS1.6, OS1.9
PLAY FROM, SE5.7, AE7.15
Play markers, SA2.16
Playback
  cues, AR5.4-5
  cues with audio from more than one track, SO2.22
  MIDI, SO7.24, SO7.27, SO7.30, SO7.37
  sequence, SK5.16-27, SE8.24-27
  SMPTE, SO4.30-33
  tracks, AR5.2-3
Playing sound files, SA1.14
Plus (+), OS6.12
Plus (.+), OS6.32
Poly bin
  assignments, SK2.34-37, SK5.25-27, SK5.28-29, SE2.31-33, SE8.30-31, SE8.38-39
  preferred, SK2.5
  shuffling, SA1.29
Poly memory, erasing, SE2.30
Poly/Mono, AE2.2-3
Polyphonic sampling
  Direct-to-Disk system, SA1.26
  memory, SA1.4, SA1.28-33, SO1.8
  input, SO1.10-11, SO1.26-27
  outputs, SO1.12, SO1.19
  voices, SA1.4
POLYPHONIC SAMPLING OUT jacks, FM1.14-15, SA1.4, SA5.2
Polyphony, keyboard, SK2.5, FM7.8-9, SA8.2-3
POLYPHONY MODE, SK2.5, SK5.23-24, FM7.9, SA8.3
PolyXfer, AR4.3, AR4.22-25
Portamento, FM5.8, SA6.12
PORTAMENTO
  MODE, FM5.8, SA6.12
  ON/OFF, FM5.8, SA6.12
  RATE, FM5.8, SA6.12
Post, AE4.4-5
Power connections and requirements, SO1.2-3
Pre, AE4.4-5
Pressure, FM6.3, FM6.10, FM6.16, SA7.3, SA7.10, SA7.14, SO7.10, SO7.13, SO7.26, SO7.36, SO7.42-43, SO7.45, SO7.54

PRESSURE, FM6.16, SA7.14
Pressure response filter, FM6.16, SA7.14
PREVIEW SLIDE, AE3.22-23
Primary format, OS5.7
PRINT, SA2.4, OS7.7
Printer, IN1.28
Printing
  directories, OS7.8
  display screens, OS7.6
  files, OS7.7-9
  Monitor, OS7.7
  optical disk list, OS7.4-5
  RTP system, OS7.6
  Screen Editor, OS7.9
  Sound File Directory, SA4.24-25, OS7.2-3
  Sound File Editor, SA1.11
Profile file, OS8.5-7
Program change, SO7.46-49
Programs (*see* Modules)
PROJ, AE2.6-7
Project
  backup to tape, AR6.2-7
  create, AR2.4-11, AR3.19
  current, AR1.6
  default values, AR3.16-19
  description, IN1.9, AR1.4-7
  End time, AR2.5
  erasing, AR2.12
  locking, AR4.40
  modify settings, AR2.11
  name, AR2.4
  parameter entry, AR2.8-9
  protecting, AR4.40
  recalling from tape, AR6.22-23, AR6.26-29
  recalling with different track configurations, AR6.26-29
  sampling rate, AR2.4
Project *(con't)*
  selecting, AR2.2-3
  Start time, AR2.5
  status, AR2.11
Project Directory
  description, AR1.8-9
  reconfiguring tracks, AR3.6-9
  tape backup, AR6.2-7
Project Manager panel (PROJECTS)
  changing the number of tracks displayed, AR2.10
  description, AR2.2-3
  modes, AR1.12-13
  parameter settings, AR2.4-9
Project Manager, routing, SO2.12-13, SO2.16-19
Protecting
  cues, AE3.31
  projects, AR4.40
  sequences, SE8.8
  tapes, AR6.12-13
  tracks, AR4.41
Pulse
  signals, SO5.2-5
  wave, FM2.11
PUNCH IN, SK2.22-23
Punch in, AR4.3-4, AR4.6, AR4.8
Punching in, SK2.22-24, SE2.24-25
Pythagorean tuning, SK6.10-11

Q

QUANTIZE, FM5.7, SA6.11
Quantizing vibrato, FM5.7, SA6.11

Query line, OS6.4-5
Question mark (?), OS6.2, OS6.27-29, OS6.31
QuicKeys, IN5.5
Quick Tour
  ending, IN2.10
  setting up, IN2.2-7
  starting, IN2.8-9

R

R (.R), OS6.28
Range indicators, SE7.4-5
Rapid editing, OS9.12-15
Rapid text repetition, OS9.10-11
RATE
  PORTAMENTO, FM5.8, SA6.12
  REPEAT/ARPEGGIATE, FM5.7, FM7.11, SA6.11, SA8.5
  STEREO, FM5.10, SA6.14
  VIBRATO, FM5.4, SA6.8
Ready, AR3.2
Ready prompt
  description, OS1.5-6
  changing, OS8.2
Real-time effects
  adding and deleting, SK4.6-7, SK4.9, SE6.12-13, FM6.2-7, SA7.2-7
  breath controller, FM6.21, SA7.19
  changing controllers, SE6.13
  changing values, SE4.22-23, SE6.13
  controllers, SK4.2-5, SE 6.13, SE6.15
  displaying, SE3.25, SE3.29
Real-time effects *(con't)*
  definition, FM6.2, SA7.2
  dynamic envelope, FM6.22-23, SA7.20-21
  expression input controllers, SK4.2-5, SE6.15, FM6.3, FM6.10-25, SA7.3, SA7.10-23
  inverted mode, FM6.7, SA7.7
  keyboard control voltage, FM6.20, SA7.18
  MIDI, SO7.42-45
  MOD WHEEL, FM6.24, SA7.22
  overwriting, SK4.10-12
  patching, SK4.4-5, FM6.4, SA7.4
  pedal inputs, FM6.17, SA7.15
  PITCH WHEEL, FM6.24, SA7.22
  pressure, FM6.10, FM6.16, SA7.10, SA7.14
  recording controller movements, SK4.8
  removing, FM6.8-9, SA7.8-9
  ribbon controller, FM6.18, SA7.16
  summary, FM6.25, SA7.23
  velocity, FM6.10-15, SA7.10-13
Real-time performance (RTP)
  buttons, IN3.18-19
  changing version, OS8.3
  description, OS1.4, OS1.6, OS1.8-9
  displays, IN3.12-13
  entering text and values, IN3.20-22
  scroll bars, IN3.16-17
  switches, IN3.14-15
  system, IN1.30

RECALL, SA1.12, SA4.10-12, OS5.38-39, AE2.5, AE7.9
Recalling
cues, AR6.30-31
files, OS5.9, OS5.38-39, OS6.29
partial timbres, FM7.3-4, FM7.7, SA5.6-7
projects, AR6.22-23, AR6.26-29
sequences, SK5.10-17, SE8.14-23
sound files, SA1.12, SA4.10-15, SA4.20-21
timbres, SK2.3-4, SK2.34, SE2.6-9, FM1.16-23, SA4.28-31
track timbres, SK2.4, SE4.11
tracks, SK3.9, AR6.24-25
Rechaining, AE6.14
RECORD, SA1.17-18, SA1.22, SA1.25, SA1.27, SA1.31, AR1.11
Record Control panel (RECORD), AR1.11, AR4.2-25
Recorder Display
activating, SE3.12
adding independent loops, SE6.17
controlling the sequencer, SE3.19
display mode selection, SE3.26-29
displaying the track selected for recording, SE3.20
duration, SE3.22
editing functions, SE6.2, SE6.5
editing modes, SE6.5
Recorder Display *(con't)*
end time, SE3.22
instruction panel, SE6.3
key velocity, SE3.24
MIDI messages, SE3.25, SE3.29, SE6.14-15, SO7.50-52
mode selection panel, SE6.3
note ripple, SE6.11
notelines, SE3.15, SE6.6
notelists, SE3.12-13, SE6.4
pitch, SE6.7
real-time effects, SE3.25, SE3.29, SE6.12-13, SE6.15
scrolling, SE3.18
selecting regions, SE3.21
song pointer, SE3.12-13, SE3.17
sound file names, SE3.23
sound file offsets, SE6.16
start time, SE3.15
time formats, SE3.16
time values, SE6.8-11
track sliding, SE6.11
Undo, SE6.2
Recording
additional tracks, SK2.17-18, SE2.17-18
checklist, SK2.2, SE2.2
controller movements, SK4.9
description, IN1.3
Direct-to-Disk (*see* Audio recording)
external click, SO6.12-23
from a MIDI sequencer, SE2.42-43
from middle of sequence, SK2.21, SE2.23
level check, SA1.20
MIDI, SO7.24, SO7.26, SO7.31-33, SO7.36

Master index (con't)

Recording *(con't)*
monitoring, SK2.19-20, SE2.22,
multitrack, SE2.42-43
ninety-six voice poly, SK2.34-37, SE2.28-33
real-time effects, SK4.8-11
sequence with SMPTE, SO4.24-29
setup, SK2.2, SE2.2-5
SMPTE time code, SO4.36-39
sound files, SA1.16-25
summary, SE2.27
the first track, SK2.16, SE2.16
time available, SA1.29
time code, SO4.36-39
while erasing, SK2.22-24, SE2.24-25
with a click track, SK2.26-29, SE2.34-37
with justification, SK2.14, SE2.12-13
Recover Utility, RG4.40-41
REEL, AE3.2
Reformatting (*see* Formatting)
Regions, selecting, SE3.21
REHEARSE, AR4.8
Release software, IN1.33
RENAME, SA4.6, OS5.14, OS5.39, AE3.30, AE7.3
Renaming
cues, AE3.30
files, OS5.14-15, OS5.39
sound files, SA4.6
Repeat
external, SO6.24-27
function, FM7.10-11, SA8.4-5
rate, FM7.10, SA8.4
REPEAT, SO6.24
REPEAT ON/OFF, FM5.7, FM7.11, SA6.11, SA8.5
REPEAT/ARPEGGIATE RATE, FM5.7, FM7.11, SA6.11, SA8.5, SO6.25, SO6.27
REPLACE, OS5.13, OS5.16
Replacing
cues, AE4.22
sequences, SE8.5
Repro, AR3.2
RESIZE, OS3.8-9
Resize Utility, OS4.15, RG4.16-17
Restoring deleted text, OS6.13, OS6.18
Resync, SO4.14
Resynthesis
definition, FM4.2-3
description, IN1.4
sounds, FM1.8
Retake, AR4.16, AR4.31
Retriggering function, SO6.2
Return key, IN3.4-5
REVERSE, SA3.31
REVERSE LOOP, SA3.20-21
Reversing a sound file, SA3.31
REW or <<, AE7.10-11
REWIND, SK5.17
Rhythm
editing, SE6.8, SE7.13
justification, SK2.14, SE2.12-13, SE4.30-31, SE7.15
RIBBON, FM6.3, FM6.18-19, SA7.3, SA7.16-17
Ribbon
controller, IN4.2-3, FM6.18, SA7.16-17
filter, FM6.19, SA7.17
Ripple (*see* Note ripple)

RIPPLE EDIT, SE5.17-18, AE6.12
Routing
cuelists, SO2.12-13, SO2.18-20
Direct-to-Disk tracks, SO2.12-17
displays and panels, SO2.13
keyboard, SO2.8-9
MIDI input channels, SO7.18-19
Multichannel Display, SO2.4-5, SO2.14-15
notelists, SO2.13
Project Manager, SO2.12-13, SO2.16-17
saved, SO2.3
sequencer tracks, SO2.4-5, SO2.7-9
stereo tracks, SO2.7, SO2.9
Track Display, SO2.16-17
RTE, AE6.6

S

S (.S), OS6.21, OS6.30
Safe, AR3.2
Safety buffer, OS6.13, OS6.18
Sample points, SA2.6
Sample-to-Memory
connectors, SO1.6-9, SO1.24-25
description, IN1.28
input specifications, SO1.14-16, SO1.30-31
output specifications, SO1.19
Sampled sounds, FM1.8
Sampling
definition, IN1.4, SA1.2-7
Direct-to-Disk system, SA1.26
level check, SA1.20
process, SA1.16-25
rate, AR2.4, SA1.4, SA1.19, SO1.38-39, SD1.26-27
summary, SA1.27
synchronized, SA1.22-25
track monitoring, SA1.24-25
trigger status, SA1.19
SAVE, SA4.8, OS5.12, OS5.16, OS5.32-33, OS5.36, AE3.29
Saving (*see also*Storing)
cues, AE4.22-23
MIDI parameters, SO7.10-11, SO7.16
sound files, SA4.8
timbres, FM7.16-19, SA4.36-39, SA8.10-13
Sawtooth wave, FM1.4-5
SCALE RESET, SK6.9
Scan and scrub bars, AE2.8
Scales, SK6.3-13
Scissors, AE3.9-10
Scientific XPL, OS1.2
Screen, terminal, IN1.21
Screen Editor
adding lines, OS6.11-12
adjust mode, OS9.10-15
copying text, OS6.24-25
description, IN1.32
Display, OS6.4-5
editing modes, OS6.10
entering , OS6.2
entering commands, OS6.6
entering text, OS6.11
erasing a file, OS6.31

Master index (con't)

Screen Editor *(con't)*
erasing and restoring text, OS6.13
file management, OS6.26-33
inserting a file, OS6.32
leaving, OS6.7
macros, OS9.20-21
module, OS1.2-9, OS6.2-17
moving text, OS6.22-23
moving the cursor, OS6.8
page positioning, OS6.9
printing, OS7.9
rapid editing, OS9.12-13
rapid text repetition, OS9.10-11
scrolling, OS6.9
searching, OS6.14-17
status, OS6.30
Screen savers, IN5.5
Script, OS1.2
SCROLL, AE5.7
Scroll bars, IN3.16-17
Scrolling
Event List Editor, SE3.8
Music Notation Display, SE3.41, SE7.4
Recorder Display, SE3.18
text, OS1.11, OS3.12, OS6.9
SEARCH, SA2.10
Search
and replace, OS6.16-17
automatic (looping), SA5.34-39
case matching, OS6.15
optical disk, OS4.26-27
sound files, SA4.22-23
string, OS6.14
Sectors, OS3.4-9
SED, OS1.7, OS1.9, OS6.2
Select
keyboard timbre (*see* SKT)
memory timbre (*see* SMT)
partial timbre, FM2.2-7, SA5.5
Project, AR3.2
sound file for looping, SA5.32-33
timbre frame, FM4.4
track, SK2.18, SE2.19-22, SE5.4-6
SELECT TIME FORMAT, AE5.5
Semicolon (;), OS6.18
Sequence
copying, OS5.38
deleting, SE2.14-15, SE8.12-13, AE7.8
description, SK1.4, SE1.3
Directory, SE8.14-18
display in computer notation, SE3.2-11, SE3.12-25, AE5.2-11
display in standard notation, SE3.30-41
editing, SK1.5, SE6.2, SE7.2 AE1.4-5
erasing, SK2.15, SE2.14-15, SE8.12-13
filenames, OS2.9, OS5.37
files, IN1.7, SK1.4, SK5.2-3, SE1.3, OS2.5, OS2.9, OS5.33, OS5.36-39
fitting to time, SE4.26-29
looping, SK3.14-25
marking, SK2.30-33, SK5.20-21, SE2.38-41
measure length, SK3.3, SE4.4
names, SK5.3, SE8.3, SE8.7
naming, AE7.2-3
placing cues, AE4.2-23

Sequence *(con't)*
playback, SK5.16-27, SE8.24-27
protecting, SE8.8, AE7.4
recalling, SK5.10-17, SE8.14-23, AE7.9
recalling individual tracks, SK3.9
renaming, OS5.39
sizes, OS5.37
storing, SK5.4-9, SE8.2-11, AE7.2, AE7.5-7
tempo or speed, SK5.19, SE8.27
transfer, digital, SO3.2-33
transfer, MIDI, SO7.30-36
transposing, SK3.10-13, SE4.32-33
what is saved, AE7.6-7
Sequence Editor
assigning timbres, SO7.29
bouncing, SE4.10
change duration, SE4.20-21
change RTE, SE4.22-23
change velocity, SE4.24-25
commands, SE4.8-33
description, SE4.2
Edit Filter, SE4.8-9
edit times, SE4.6-7
entering numbers, SO7.29
erasing sequences, SE8.12-13
executing commands, SE4.5
Fit to Time, SE4.26-29
Justify, SE4.30-31
loops, SE6.17
mark point, SE8.32-33
panels, SE4.3
recalling sequences, SE8.20
recording, SO7.32
selecting tracks, SE2.18-22
setting MIDI parameters, SO7.8-9, SO7.17-18
SMT, SE4.11
Sequence Editor *(con't)*
soloing tracks, SE8.26
sound file offsets, SE6.16
storing sequences, SK5.7-9, SE8.2-11
time formats, SE4.4
Track Volume, SE4.12
Transpose, SE4.32-33
Undo button, SE4.5
Unwrap Loops, SE4.13
voice check, SE8.34-35
SEQUENCE LIBRARY, SK5.11
Sequencer, IN1.7, SK1.2-3, SE1.2, AR4.3, AR4.6, AR4.8, AR4.18, AR4.20
Sequencer Motion Control panel (MOTION), AR1.11, AR5.2-3
Sequencer Tracks
assigning to TRACK SELECT buttons, SK2.6-9
blocking, SO2.21
bouncing, SE4.10, AE6.7
copying, SK3.5
digital transfer out, SO3.11-12
description, IN1.9
Display, SK2.8-9, SO7.8-9
editing, SE5.22-27
erasing, SK2.15, SE4.16-17, SE5.26-27, AE6.10
keyboard button assignment, SO7.8-9
merging, SK3.6-7
monitoring, SK2.19-20, SE2.22, SA1.24-25,
moving, SK3.4
output connector pin configuration, SO1.34-35
output specifications, SO1.32-35

Master index (con't)

Sequencer Tracks *(con't)*
- recalling, SK3.9
- replacing timbres, SK3.35-37
- routing, SO2.2-17
- selecting, SK2.18, SE2.18-22, SE5.4-6
- sliding, SK3.8, SE6.11
- soloing, SK2.19-20, SK5.18, SE2.19-22, SE5.4-6, SE8.26, AE5.10
- splitting, SO2.21
- status, SO7.34
- transposing, SK3.11-13, SE4.32-33
- volume, SK3.39, SE4.12, SO2.6, SO2.10

SET
- DISPLAY CONTENTS, SE3.4-5, AE5.4, AE5.8
- EDIT FEATURES, SE3.7-9, AE5.6-8
- LOG ON/OFF, OS9.16-17
- PATH, OS8.4
- PROMPT, OS8.2
- RTP, OS8.3
- TYPE, OS5.36

Set StartUp, IN1.34
Shift key, IN3.4-5
SHOW, SA2.11
- CATALOG, OS3.10
- CUES, AE2.6-7
- EDIT, AE3.3
- EVENT OFFSET, AE5.8
- HEADINGS, SE3.7, AE5.6
- HISTORY, OS9.17
- PATH, OS8.4
- PROMPT, OS8.2
- RTP, OS8.3
- VERSION, OS8.9
- WAVE, AE2.12-13

Show All, AR1.12-13
Show cues, AE2.6-7
Show edit, AE3.3
Show Proj, AR1.12-13
SHUFFLE, OS5.17-18
Shuffle Utility, RG4.12-15
Shuffling
- poly bins, SA1.29
- sound files, SA1.29-30

Shuttle bar
- description, AE2.6-7
- magnifying, AE2.10
- sliding, AE2.11
- zooming, AE2.9

Sidebands, FM3.2-4, FM3.6-8
Signal display, AE2.12-13
Signal processor, IN1.14
Sine wave, FM1.2-3
Single key commands, OS9.20-21
Size, AR2.10
Skip, AR6.5, AR6.22, AR6.24
Skip All, AR6.5, AR6.8
SKT, SK2.3, SK3.34-35, SK5.24, SE2.8, FM2.6,FM7.4, FM7.6, SA5.7, SA5.9, SO7.12, SO7.47
Slash (\) or (/), OS6.14
SLIDE, AE3.14, AE3.17-23
Sliding, tracks, SK3.8
SMPTE
- coast, SO4.14
- description, IN1.27
- equivalent times, SO4.21
- formats, SO4.4
- generating time code, SO4.34-39

SMPTE *(con't)*
input/output specifications, SO1.36-37
MODE, SO4.22-23
offset, SO4.5-6, SO4.15, SO4.17-18, SO4.23
receiving, SO4.7
recording time code, SO4.34-39
recording with, SO4.24-29
resync, SO4.14
setting parameters, SO4.16-21
storing parameters, SO4.8
stripe recording, SO4.36-39
synchronization, SO4.2-39
time code, SO4.2-4
turning off, SO4.22
SMPTE playback
Direct-to-Disk, SO4.32-33
keyboard control panel, SO4.30
Sequence Editor, SO4.31
SMPTE recording
Audio Event Editor, SO4.29
Direct-to-Disk, SO4.26-29
keyboard control panel, SO4.24-25
Track Display, SO4.30
SMPTE setup
Audio Event Editor, SO4.16-21
keyboard control panel, SO4.22-23
Sequence Editor, SO4.10-15
SMT, SK3.35-37, SE2.9, SE4.11, SO7.28-29
Software
basic modules, OS1.2-9
configuring, OS8.9-17
installation, OS8.8
moving between modules, OS1.6-9
Soloing
partial timbres, FM2.3-5, SA5.5
timbre frames, FM4.5
tracks, SK5.18, SE2.19-22, SE5.4-6, SE8.26, AE5.10
Song pointer,
Memory Recorder, SK5.16
MIDI, SO7.7, SO7.38-41
motion control, SE8.24
Music Notation Display, SE3.36
Recorder Display, SE3.12-13, SE3.17
SORT CATALOG, OS3.23
Sort by, AE2.2-3
Sorting directories, OS3.18
Sound design, IN1.4
Sound drop-out, SK5.22-27, SE8.34-39
Sound file
adding to patch list, SA5.14-16
amplitude, SA2.2
assigning to keyboard, SA5.18-19
assigning to partial timbre, SA5.4
audio recording, AR4.22-31
auditioning, AR4.29
caption and category editing, AR6.18

Master index (con't)

Sound file *(con't)*
- captions, SA2.2, SA4.4-5, OS2.10, OS9.6-9, OS4.4, OS4.6, OS4.28, OS4.30, OS4.36
- categories, OS4.5-7, OS4.29-30, OS4.37, OS4.53
- combining, SA3.26-27
- copying, SA3.13, OS4.42-51
- crossfade, SA2.2, SA3.10-11
- cutting and pasting, SA3.12-15
- definition, SA1.2, OS2.5, OS2.10
- deleting from patch list, SA5.17
- deleting part of, SA3.17
- Directory, SE8.36-37, SA1.12 SA4.12-17, SA4.24-25
- Editor, SA1.8-23
- erasing, SA1.32, SA3.16-17
- exchanging, SA3.28
- extracting a portion, SA3.16
- in polyphonic sampling memory, SA1.28-33
- information, SA2.2-3, AR4.28
- inserting, SA3.14-15, SA5.16
- labels, SA2.15
- length, SA2.2
- looping, SA3.18-21, SA5.23
- managing, SA1.28-33, SA4.2-6, OS4.2, OS4.52-53
- marking, SA2.14-19
- missing, SK5.13-14, SA4.32-33
- modifying, SA3.2-31, SA5.2-3
- mono, SA1.6-7

Sound file *(con't)*
- mono and stereo modifications, SA3.26-29
- mono samples from stereo, SA3.29
- names, SE3.23, SA2.2, SA4.2-3
- offsets, SE3.29, SE6.16
- overlapping, SA5.18
- overwriting a portion, SA3.15
- patch list, SA5.5, SA5.10-17
- placing, SA5.2
- playing, SA1.14
- poly bin assignments, SE8.38-39
- printing, SA1.11
- recalling, SA1.12, SA4.10-15, SA4.20-21
- recording, SA1.16-25
- recording over a cue, AR4.24-25
- renaming, SA4.6
- reversing, SA3.31
- searching, SA4.22-23
- selecting, OS4.24-25
- selecting for looping, SA5.32-33
- sound modifications, SA3.30-31
- steps in making, SA1.3
- stereo, SA1.6-7
- storing, SA4.8
- storing on optical disk, OS4.20-39
- technical adjustments, SA3.22-25
- timbres, SA4.26, SA5.2-3
- time scale modification, SA3.32-37

Sound file *(con't)*
transfer to Direct-to-Disk, AR4.22-31
transpose on patch list, SA5.21
tuning on patch list, SA5.22
viewing, SA1.15, SA2.2-13
volume scaling, SA3.22-23, SA5.20
Sound File Directory
location memory buttons, SA4.16-17
printing, SA4.24-25
Sound File Editor
amplitude zero line, SA2.7
available recording time, SA1.29
commands, SA1.10-11, SA2.4-5, SA2.14, SA3.2-31, SA4.6-11
cursor movement, SA1.13, SA2.18
Display, SA1.8-9
dot and line modes, SA2.6
edit buffer (.editbuf), SA3.9
entering edit information, SA3.6-7
menus, SA1.10-11, SA2.5, SA3.3, SA4.7, SA4.11
moving around a sound file, SA1.15
playing a sound file, SA1.14
recalling a sound file, SA1.12
sample points, SA2.6
sampling process, SA1.16-25
symbols, SA2.18
zoom window, SA1.15
Sound output, FM1.14
Sound transfer, IN1.3
Sound waves (*see* Waveform)
Source file
definition, OS4.24
updating, OS4.30
Spacebar, IN3.4-5, FM2.10
Speed (*see also* Click and Tempo) , SK5.19, SE8.27
SPEED, SK2.12, SK5.19
Specifications, SO1.2-45
Splice, timbre frames, FM4.2, FM4.11, FM4.15
SPLIT, SK6.14-16
Split keyboard, SK6.14-17
Square brackets ([,]), OS6.20, OS6.22, OS6.24
Square wave, FM2.11
SQnDATA (.SQnDATA) files, OS2.5, OS2.9, OS5.30-31, OS5.33
START, SK5.16, FM4.6-9, SA1.22, AE7.10-11
START LOOP, SK3.15-25
Start time
cue, AR4.20
note, SE3.15-16
project, AR2.5
Status
display, OS6.30
line, OS6.4-5
messages, AR2.11
project, AR2.11
track, SO7.34
Steady state waveform, FM2.8-13
Step editing, SK3.42-47
Stereo
adding, FM5.19-23, SA6.23-27
automatic panning, FM5.22, SA6.26
modes, FM5.22-23, SA6.26-27
moving, FM5.21, SA6.25

Master index (con't)

Stereo (*con't*)
partial timbre, FM5.19-23, SA6.23-27
routing, SO2.7, SO2.9
static, FM5.20, SA6.24
STEREO
DEPTH, FM5.10, FM5.21-22, SA6.14, SA6.25-26
PAN, FM5.20-22, SA6.24-26
RATE, FM5.10, SA6.14
WAVE, FM5.10, FM5.21-22, SA6.14, SA6.25-26
STM, AR3.3
STOP, SA1.22, SA1.25, SA1.31, AE7.10-11
Storage areas
sound files, SA4.8
timbres, FM7.17-19, SA4.37-39
Storage conditions, SO1.3
Storage device (*see also* Device), IN1.18-19, IN1.24-25
Storage system, OS2.2-3, OS2.12-21
STORE, OS5.38
Store/Recall menu, SA1.11, SA4.7
Stored file, OS2.6-7
Storing (*see also* Backing up, Saving and Tape storage)
catalogs to optical disk, OS4.32-35
cues, AR6.14-17, AR6.21
files, OS5.12
sequences, SK5.4-9, SE8.2-11
sound files, SA4.8
special scales, SK6.8
timbres, FM7.16-19, SA4.36-39, SA8.10-13
Stuck notes, SK3.46
Subcatalog
changing, OS3.10-11, OS6.33
copying, OS5.16-17
copying to and from tape, OS5.26
creating, OS3.2-9
definition, OS2.2-3, OS2.12-15, OS2.21
directories, OS2.20
Directory, SE8.18-19
directory size, OS3.2-3, OS3.6-7
glossary, OS2.21
names, OS2.13, OS2.21, OS3.6
resizing, OS3.8-9
size, OS3.4-7, OS3.8-9
storing to optical disk, OS4.32-35
system, OS2.14-15, OS8.4
SUSTAIN
HE, FM3.11, FM4.16
VE, FM2.17, FM4.12, SA6.5
Sustain volume level
harmonic envelope, FM3.8-11
volume envelope, FM2.14-25, SA6.2-5
Sustaining timbre programming, FM2.20-21
Switches, IN3.14-15
Symbol, sound file, SA2.18
SYMBOLS, SA2.18
Sync (*see also* Synchronization)
delay, SO6.10
panel connectors, SO1.24-25

Synchronization
audio tape, SO5.2-5, SO5.6-13
beat mode, SO5.2-5, SO5.10-11
cues, AE4.4-6, AE4.8
delay, SO6.10
description, IN1.3
digital transfer, SO3.4, SO3.8-10
drum replacement, SO6.2-11
fifty Hz, SO5.2-5, SO5.6-9
FSK signals, SO5.4-5
high speed clock signals, SO5.14
MIDI, SO7.13, SO7.20-23
parameters, AR3.14-15
SMPTE, SO4.2-22
to tape, SO5.6-13
two systems, SO5.14-17
Synchronization and Time Control panel, AR3.14-15
Synchronized sampling, SA1.22-23
Synchronous modes
amplitude modulation, FM5.11, SA6.13, SA6.15
stereo, FM5.22-23, SA6.26-27
Synclavier
Digital Audio System, IN1.2-44
keyboard, IN4.2-3, IN2.7
shutting down, IN2.10
starting, IN2.6
Synclavier control unit
connectors, SO1.6-21
description, IN1.22
input/output, SO1.10-13
input sqecifications, SO1.14-16
output specifications, SO1.18-20
Synclavier (sync) files, OS2.5
Synthesis (*see* Additive synthesis)
System
commands display, SA1.33
files, OS2.11
installation, IN5.2
messages, SO7.7
software, OS1.2-9
subcatalog, OS2.14-15, 8.4
tests, RG4.42-49
values, OS8.4-7

T

T (.T), OS6.9
T (take) , AE5.9
Tab key, IN3.4-5, OS6.8
Take buttons, Event List Editor, SE3.11
Tape
archives, OS5.24-29
cartridges, OS5.24-25
catalog directory, OS3.22-23
drive, IN1.24-25
file management, OS5.28-29
synchronization, SO5.2-5, SO5.6-13
write protecting, OS5.27
Tape storage
backing up projects, AR6.6-7
backing up tracks, AR6.8-9
overview, AR6.4-5
recalling projects, AR6.22-23, AR6.26-29
recalling tracks, AR6.24-25
status indicators, AR6.2-3
write protection, AR6.12-13
TAPECAT, OS3.22, OS5.28-29
Tapecat Utility, RG4.28-29

Temperature, SO1.4-5
Tempo (*see also* Click *and* Speed), SK5.19, SE8.27
Terminal, IN1.8, IN1.21
Terminal displays, SE1.4-5, FM5.24-35
Terminal keyboard
  cue playback, AR5.4-5
  description, IN1.21, IN3.4-9, IN3.21
  equivalents, IN4.16-17
  function keys, IN3.6, IN3.8-9, AE2.18, AE2.18
Test programs, RG4.42-49
Text blocks
  copying, OS6.24-25
  deleting, OS6.18
  marking, OS6.19
  moving, OS6.22-23
Text files (*see also* Files), OS2.5
Three dimensional (3D) Harmonic Display, FM5.34-35
Timbre
  bank, FM1.18-19, SA4.31
  construction, FM1.9-13
  definition, FM1.9
  design, FM1.9-13, SA5.2-3
  Directory, SE2.6-7, FM1.16-21, SA4.28-29
  displays, FM5.24-35
  entry, FM1.18-19, SA4.31
  files, SE2.6, FM1.18, FM7.17, SA4.27, SA4.37 OS2.5, OS2.8, OS5.32
  identification, FM1.19
  layered, FM1.9, FM7.2, SA5.2
  modification, FM5.2-35, FM7.8-15, SA8.2-9
Timbre (*con't*)
  name, FM7.14-15, SA4.34-35, SA8.8-9
  non-sustaining, FM2.22-25,
  real-time effect parameters, FM6.4, SA7.4
  recalling, SK2.3-4, SK2.34, SE2.6-9, FM1.20-23, SA4.28-31
  replacing, SK3.34-37, SE2.9, SE4.11
  sound file, SA4.26
  storing, FM7.16-19, SA4.36-39, SA8.10-13
  sustaining, FM2.20-21
  whole, FM1.9, FM7.2
TIMBRE
  BANK, FM1.22-23, SA4.38-39
  ENTRY, FM1.22-23, SA4.38-39
  LIBRARY, SK2.4, SK5.5, SK5.11, FM1.23, SA4.39
  NAME, FM7.15, SA4.34-35, SA8.9
  PARAMETER buttons, FM6.4-5, SA7.4-5
  SELECT, SA5.4-9
Timbre frame,
  adding, FM4.6
  construction, FM4.2
  continued splicing, FM4.15
  copying, FM4.8-9
  crossfade, FM4.2, FM4.11
  definition, FM4.2-3
  deleting, FM4.7
  Display, FM4.4, FM5.32-33
  frame 0, FM4.9
  inserting, FM4.6
  looping, FM4.16-17
  parameters, FM4.2

Timbre frame *(con't)*
phase, FM4.10
pitch envelope, FM4.13-14
selecting, FM4.4
soloing, FM4.5
splice, FM4.11, FM4.15
volume, FM4.12
waveform, FM4.10
TIMBRE SELECT buttons (*see* TIMBRE/SEQUENCE STORAGE buttons)
TIMBRE/SEQUENCE STORAGE buttons, FM7.3, FM7.7, FM7.18-19, SA4.38-39, SA5.6, SA8.12-13
Time
displays, AR2.6-9
format, SK3.2, SE3.6, SE3.16, SE3.28, SE4.4, AE5.5
values, SE6.8-11
Time code (*see also* SMPTE)
longitudinal, SO4.9
sampling rates, SO1.38-39, SD1.26-27
SMPTE, SO4.2-21
vertical interval (VITC), SO4.9
Time displays, AR2.6-9
Time scale modification (TSM), IN1.29, AR4.3, AR4.32-35, SA3.32-37
Title (*see* Name)
Top-level catalog, OS2.13, OS2.21
Track (*see* Direct-to-Disk tracks or Sequencer tracks)
Track Display
description, AR1.8-9
routing, SO2.12-13, SO2.16-17
Track monitoring, selective, SE2.22, SA1.22
TRACK
ROUTING, SK2.35, SK2.37, SO2.8-9
SELECT, SK2.18-20, SK2.6-9, SK5.18, FM7.4-7, SA1.24, SA5.7-9
VOLUME, SK3.38-40, SO7.25
Trackball, IN1.8, IN1.21, IN3.2-3, IN3.20
Transfer sequences, SO7.28-36
TRANSFER TO POLY, AE3.14
TRANSPOSE, SK3.10-13, SK3.42, SK3.47,
Transposing,
individual tracks, SK3.11, SE4.32-33
patch list sound file, SA5.21
sequence, SK3.10-13, SE4.32-33
Treename, OS2.17-19, OS2.21
Tremolo, FM5.9-11, SA6.13-15
Triangle wave, FM2.11
Trig Start/Stop, AR4.5, AR4.13
Trigger
external, SO6.2, SO6.4-5, SO6.11, SO6.18, SO6.23
status, SA1.19, SA1.21
Trigger (Trig) switch, AR4.2-3
TRK, AR3.3
Trk Start/Stop, AR4.5
Troubleshooting, RG4.42-49

TSM (*see* Time scale modification)
Tuning
  keyboard, SK6.2, SK6.6-13
  partial timbres, FM5.12, SA6.16
  patch list sound file, SA5.22
TUNING, PARTIAL, FM5.12, SA6.16
Tuplets, SE7.16-17

U

U (.U), OS6.31
UDIO (*see* Digital Transfer)
Undo, SE4.5, SE6.2, AE3.12
Universal Digital I/O (*see* Digital transfer)
UNLABEL, SA2.19
UNLOCK, SA2.9
Unlock, AR2.11, AR4.41
Unmarking
  blocks of text, OS6.19
  sound files, SA2.19
Unmodified (*see* Modified/unmodified)
UNSAVE, SA4.9, OS5.18
Unsaving (*see* Erasing)
Unwrapping loops, SK3.30-31, SE4.13
User buttons, Audio Event Editor, AR1.14-15
Utility programs, IN1.31, RG4.1-49

V

Velocity, SE4.24-25, FM6.3, FM6.10-15, SA7.3, SA7.10-13
VELOCITY
  EXPRESSION INPUT, FM6.3, SA7.3
  RESPONSE, FM6.11, FM6.14-15, SA7.11, SA7.13
  SENSITIVITY, FM6.11-13, SA7.11-12
Ventilation, SO1.4-5
Verify backup, AR6.10-11
Vertical Interval Time Code (VITC), SO4.9
Vibrato
  adding to a partial timbre, SA6.6-11
  biasing, FM5.6, SA6.10
  description, FM5.2, SA6.6
  programming, FM5.2-7, SA6.6-11
  quantizing, FM5.7, SA6.11
  wave shapes, FM5.2-3, SA6.6-7
VIBRATO
  ATTACK/DECAY, FM5.5, SA6.9
  BIAS, FM5.6, SA6.10
  DEPTH, FM5.4, SA6.8
  INVERT, FM5.4, FM5.6, SA6.8, SA6.10
  MOD DEPTH, FM5.5, SA6.9
  QUANTIZE, FM5.7, SA6.11
  RATE, FM5.4, SA6.8
  WAVE, FM5.4, SA6.8
VITC, IN1.27

VK Panel
control knob, IN4.14-15
description, IN4.6-7
holding buttons, IN4.13
pressing buttons, IN4.12
rearranging, IN4.10
selecting and sizing, IN4.8
terminal keyboard equivalents, IN4.16-17
with RTP displays, IN4.9, IN4.11
Voice
check, SK5.23, SE8.34-35
drop-out, SK5.22-27
FM synthesizer, FM1.14
polyphonic sampling, SA1.4
polyphony control, SK2.5, FM7.8-9, SA8.2-3
Volume (*see also* Volume envelope)
control, FM6.17, SA7.15
cuelist, SO2.23-24
keyboard, SK3.38, SO2.11
level check, SA1.20
output, SO2.23, SO2.25
partial timbre, FM5.13, SA6.17
programming, FM2.14, SA6.2
recording, AR3.4
sound file, SA3.22-23, SA5.20
timbre frame, FM4.12
track, SK3.39, SE4.12, SO2.6, SO2.10, AE6.15
VOLUME, SA3.23
VOLUME, PARTIAL, FM5.13, SA6.17
Volume envelope
attacks, FM2.18-19
description, FM2.14-15, SA6.2-3
non-sustaining timbre, FM2.22-25
summary, FM2.27
sustaining timbre, FM2.20-21
time intervals, FM2.14-15, SA6.2-3
volume levels, FM2.14-15, FM2.17, SA6.2-3, SA6.5

W

W (.W), OS6.25
Wave (*see* Waveform)
WAVE
STEREO, FM5.10, FM5.21-22, SA6.14, SA6.25-26
VIBRATO, FM5.4, SA6.8
Waveform
acoustic instruments, FM1.6-7
basic, FM1.2
complex, FM1.4-5
description, FM1.2-7
pulse, FM2.11
ramp, FM2.11
square, FM2.11
steady state, FM2.8-13
timbre frame, FM4.10
time-varying, FM4.2
triangle, FM2.11
Welcome Menu, OS1.5
What?, OS1.10
White dot, buttons with, FM6.4

Whole timbre
building, FM7.1-7
modification, FM7.8-15, SA8.2-9
Winchester drives
backing up cues, AR6.14-15
configuring, OS8.14-17
description, OS2.2-3
recalling cues, AR6.30-31
Window length (loop search), SA5.38-39
WRITE, SK5.4-5, FM7.18-19, SA4.38-39, OS9.4-5
Write protecting
floppy disks, OS5.19
optical disks, OS4.16-19
tape cartridges, OS5.27

X

Y

Y (.Y), OS6.17

Z

Z (.Z), OS6.33
Zero line, SA2.7
ZOOM, SA1.15, SA2.13, AE2.9
Zoom window, SA1.15