Fac	Err #	Code	Sev	Message
CMP	1	RECBIG	E	%s size too large
CMP	6	WROARG	E	Incorrect number of subroutine arguments
CMP	14	BIGALPHA	Ē	Alpha temporary result exceeds 65535
CMP	15	BIGNUM	Ē	Arithmetic operand exceeds maximum size
CMP	25	BDQUOT	E	Unmatched quotes
CMP	30	DIVIDE	E	Attempt to divide by zero
CMP	32	BNDXP	E	Bind name expected
CMP	37	CLOSIN	E	Cannot close: %s
CMP	44	XTRENDC	E	Too many .ENDC statements
CMP	77	GLCMN	E	COMMON invalid in GLOBAL sections
CMP	82	NUMINCL	F	Too many nested .INCLUDE levels
CMP	90	INVFF	E	Invalid fixed field size
CMP	99	INVOCB	F	Invalid OCB index: %d
CMP	102	INVPOS	F	Invalid OCB load position
CMP	104	AMBOPT	E	Ambiguous option: %s
CMP	107	INVSIZ	E	Invalid buffer size (1 to 16 only)
CMP	112	IVBAD	E	Initial value not allowed here
CMP	115	IVLNG	E	Initial value too long
CMP	116	IVXP	E	Initial value expected
CMP	126	LSTXP	E	List file name expected
CMP	132	NAMESUB	W	.NAME not allowed in subroutines
CMP	134	NLREC	W	Preceeding RECORD empty
CMP	136	NOGLB	E	Not processing a GLOBAL section
CMP	138	NOPROSEC	E	No procedural section
CMP	144	OBJWRI	F	Cannot write to object file System Error %s
CMP	145	BDIGXP	E	Binary digits expected in argument (%s)
CMP	146	HDIGXP	E	Hexadecimal digits expected in argument (%s)
CMP	147	ODIGXP	E	Octal digits expected in argument (%s)
CMP	148	NULPR	F	No primary files specified
CMP	149	OBJXP	W	Object file name expected
CMP	150	OLYBD	E	Overlay not allowed
CMP	155	RNDVAL	E	Invalid round value: %s
CMP	158	OPENIN	F	Cannot open: %s
CMP	159	OPENOUT	F	Cannot open: %s
CMP	160	WRIFIL	F	Error writing %s
CMP	161	MAXTF	F	Exceeded maximum number of files
CMP	183	SYMND	E	Record or field not declared
CMP	185	STRTOPT	W	Unrecognized .START option: %s
CMP	187	TOKUDF	E	Symbol %salready uniquely defined%s
CMP	195	TRUNC	E	Source line too long
CMP	197	BADCDIR	E E	Invalid compiler directive: %s
CMP	201	WRNGRC	E	Field not in this %s
CMP CMP	202 213	UTLXP	F	UNTIL statement expected Cannot write to listing file
CMP	213 214	LISWRI	M	Listing width expected
CMP	214	LSWIDX LSLENX	W	Listing width expected Listing length expected
CMP	215	VRNTXP	E	Variant value expected
CMP	216	INVPRC	E	Invalid fractional precision
CMP	301	LINLNG	E	Logical line too long
CMP	301	NUMTOK	E	Too many subtokens in logical line
CMP	302	ERRCNT	E	Too many errors
CMP	303	NOIDENT	E	Identifier expected
CMP	310	NOENDC	E	.ENDC expected
CMP	310	NOSPECL	E	%s expected
CMP	312	SYMDEFD	W	Symbol already defined: %s
CMP	312	NOTIMPLE	E	Feature not yet implemented: %s
CMP	314	LNGTITL	W	Title too long
CIVIE	214	71401111	٧٧	11010 000 1019

Fac	Err #	Code	Sev	Message
CMP	316	BIGIDEN	W	Identifier too long: %s
CMP	317	CLSYN	E	Invalid command line syntax: %s
CMP	319	NOQUOTE	E	Ouoted string expected
CMP	320	NOCND	W	Previous .IFDEF/.IFNDEF statement expected
CMP	322	NOTDEF	W	Identifier not defined: %s
CMP	323	BIGPATH	E	Path name too long
CMP	327	INVARG	E	Invalid argument: %s
CMP	329	ARGNUM	E	Invalid number of arguments
CMP	331	WRILIT	E	Writing to a literal or missing argument
CMP	332	ARGSIZ	E	Argument specified with wrong size
CMP	336	XTRAEND	E	Too many END statements
CMP	337	ENDXP	W	END statement expected
CMP	338	UNDEFLBL	E	Undefined label: %s
CMP	339	LBLDEF	W	Label previously declared
CMP	340	STMTXP	E	Statement expected
CMP	341	ARGTYP	E	%s type argument expected (%s)
CMP	345	OPTTYP	E	%s expression expected for %s value
CMP	346	OPTEXP	E	%s option requires an assigned value
CMP	347	OPTNOEXP	E	%s option does not allow an assigned value
CMP	348	OPENMD	E	Invalid OPEN mode: %s
CMP	349	OPENSB	E	Invalid OPEN submode: %s
CMP	350	INVKSW	E	Invalid key switch: %s
CMP	351	MRGFILS1	E	MERGE requires at least 2 input files
CMP	352 353	MRGFILS2	E E	Too many input files for MERGE Invalid record switch: %s
CMP CMP	353 354	INVRSW IFSTMT	E	Statement part of IF missing
CMP	354	INTOXP	E	INTO expected in TRAP statement
CMP	356	NOLOOP	E	Not currently within a loop statement
CMP	357	LOGTOOBIG	W	Logical expression too large
CMP	358	NOBLOCK	E	Not within a BEGIN-END block
CMP	359	NOTINSUB	E	Not within function or subroutine
CMP	360	INVSCRFNC	E	Invalid screen function or parameter {%s}
CMP	362	INVRERR	Ē	Invalid error literal
CMP	363	NOTSAMFIL	W	PROC not in same file as routine header
CMP	364	ALIGN	E	Invalid .ALIGN value (%d)
CMP	365	NOALIGN	W	Alignment not performed
CMP	366	OUTOFRANGE	W	Select value is outside defined range
CMP	367	NOTEXE	W	Statement can never be executed
CMP	368	ONEALPHA	W	Only one character allowed: %s
CMP	369	SFLDREQ	E	STRUCTURE field required
CMP	370	SFLDINV	E	Invalid usage of STRUCTURE field
CMP	371	WRODEFARG	E	Wrong argument count in define reference
CMP	372	INVDEFARG	E	Invalid define parameter specified
CMP	373	BADRNG	E	Invalid range specified
CMP	401	NUMXP1	E	Numeric operand required (unary %s)
CMP	402	ALPHXP	E	Alpha operands required (%s)
CMP	403	SAMXP	E	Operands must be both alpha or both numeric (%s)
CMP	404	PARSE	E	%s at or near {%s}
CMP	405	NUMXP2	E	Numeric operands required (%s)
CMP	406	NOFXD	E	Only integer and decimal operands allowed (%s)
CMP	407	DECXP	E	Decimal or integer operand required (%s)
CMP	408	EOLXP	E	End of line expected at {%s}
CMP	409	INVARGTYP	E	Invalid argument type
CMP	410	NUMREQ	E	Numeric expression required Not a compile-time expression
CMP	411 412	NOTCEXP	E	Not a compile-time expression Decimal or integer expression required
CMP	412	DEXPREQ INVTYPSIZ	E E	Invalid data type/size specification {\%s}
CMP	412	TINATIEDIT	ഥ	THIVALLY GACA CAPELEIZE SPECIFICACION (SS)

Fac	Err #	Code	Sev	Message
CMP	414	IDXP	E	"%s" expected at or near {%s}
CMP	415	INVRQUAL	E	Invalid routine qualifier {%s}
CMP	416	ALPHAXP	E	Alpha expression expected
CMP	417	INVEXFTYP	Ē	Invalid external function data type
CMP	418	INVDECSIZ	W	Invalid data size specification {%s}
CMP	419	AMBIGUOUS	E	Path specification is ambiguous ({%s})
CMP	420	NOENDUSING	E	Missing ENDUSING statement
CMP	421	INVNUMDIM	E	Incorrect number of dimensions for {%s}
CMP	422	NOENDCASE	E	No ENDCASE for current CASE
CMP	423	INVFNCIDO	E	Invalid function identifier {%%s}
CMP	424	INVINTFNC	E	Unknown intrinsic function {%s}
CMP	425	EXACTPATH	W	Exact specification of ambiguous path used ([%s])
CMP	426	INVFNCID	E	Invalid function identifier {%s}
CMP	500	GLSTC	E	STATIC RECORD invalid in GLOBAL sections
CMP	501	NOGROUP	E	No GROUP to end
CMP	502	NOENDGRP	E	No ENDGROUP allowed
CMP	503	NOAUTO	E	Autosizing not allowed here
CMP	504	ENDGRPEXP	E	ENDGROUP expected
CMP	505	GLLIT	E	LITERAL invalid in GLOBAL sections
CMP	506	BDINITVAL	E	Too many initial values
CMP	507	GRPBIG	E	GROUP %s size too large
CMP	508	ILLQUAL	E	Illegal duplicate qualifier
CMP	509	EFDEF	E	External function already declared
CMP	510	GDSDEF	E	Global data section already defined
CMP	511	OLYBG	E	Overlay record too big
CMP	512	REQDIM	E	Dimension specifications required for {%s}
CMP	513	AMBIGIF	W	Ambiguous IF statement - ELSE without THEN
CMP	514	SEGBIG	F	%s segment too big
CMP	515	INVCMDLN	E	Invalid option(s), possibly missing argument {%s}
CMP	516	INVOPT	F	Invalid option: %s
CMP	517	INTERR	F	Internal error number: %d
CMP	518	STXPFOR	M	Statement expected following FOR
CMP	519	ALPHARG	E F	Alpha argument required
CMP CMP	520 521	BADSYS LMFAIL	F	License management problem - %s Licensing failure %s
CMP	521	NOLMD	F	Cannot access Synergy License Manager
CMP	523	DDRD	F	Cannot read repository's main file
CMP	523	DDRD DDTXTRD	F	Cannot read repository's text file
CMP	525	DDIXIRD	F	Cannot open repository's main file: %s
CMP	526	DDTXTOPN	F	Cannot open repository's text file: %s
CMP	527	DDNOLOG	F	Logical for repository name expected
CMP	528	DDBADLOG	F	%s is not defined
CMP	529	EXPAN	I	Within expansion: %s
CMP	530	DDAPIERR	F	Internal DDapi error %s %s
CMP	531	INCFIL	I	Occurring in the source file: %s
CMP	532	NOGRP	Ē	No GROUP specification allowed
CMP	533	XTRASRC	W	Only the first source file on the command line was compiled
CMP	534	IDIGN	W	.IDENT ignored
CMP	535	DDINVLOG	F	Invalid specification for repository files: "%s"
CMP	536	ARGREQ	E	Field not an argument {%s}
CMP	537	NOLEN	E	Length not allowed
CMP	538	GLLCL	E	LOCAL RECORD invalid in GLOBAL sections
CMP	539	GLSTK	E	STACK RECORD invalid in GLOBAL sections
CMP	540	GLSTR	E	STRUCTURE invalid in GLOBAL sections
CMP	541	YIELD	I	Resulting in: %s
CMP	542	ENDGBLEXP	E	ENDGLOBAL expected
CMP	543	TOOMANYSYM	W	More than 65534 symbols in debug source module. Excess ignored

Fac	Err #	Code	Sev	Message
CMP	544	SRCLINBIG	E	More than 65534 source lines (%s). Debug not possible
CMP	545	SRCLINBIGW	l w	More than 65534 source lines (%s). Reported error line incorrect
CMP	546	TOOMNYSRC	E	More than 254 source modules
CMP	547	DDBADVERS	F	Incompatible repository version
CMP	548	SYNOBJSUP	E	Synergy objects not supported
CMP	549	DDSTRUCT	E	Structure %s not found in repository %s
CMP	550	LBLSCOPE	E	Label %s out of scope
CMP	551	DDENUM	E	Enumeration %s not found in repository %s
CMP	560	INVCLASS	E	Invalid class: %s
CMP	561	INVPROP	E	Invalid property: %s
CMP	562	INVMTHD	E	Invalid method: %s
CMP	563	INVOHND	E	Invalid object handle: %s
CMP	564	NOOBJHND	E	Object handle/function not allowed {%s}
CMP	565	OBJHNDXP	E	Object handle/function expected
CMP	566	OBJHNDEQ	E	Only both sides of a '=' can be object handles
CMP	568	INMTHD	E	MRETURN %s within a method
CMP	569	INVMRET	E	Invalid MRETURN: %s
CMP	570	VOIDMTHD	E	Cannot reference a void method as a function {%s:%s}
CMP	571	PARMISMCH	E	Parameter mismatch: %s
CMP	572	INVPARM	E	Invalid parameter: %s
CMP	590	UNXPTOK	E	%s (%s)
CMP	599	PARSERR	F	Fatal parsing error: %d
CMP	600	INVCLIDEF	F	Invalid/obsolete command verb "%s" used to invoke compiler
CMP	601	ENDLCLXP	W	.END_LOCAL_ROUTINE expected
CMP	602	BEGLCLXP	W	.BEGIN_LOCAL_ROUTINE expected
CMP	603	NOTIMP	W	%s not yet implemented
CMP	604	NOTALIGNED	W	Physical memory alignment not guaranteed
CMP	605	INTLEXERR	E	Internal lexer error: invalid state %s
CMP	606	INTLEXERR2	E	Internal lexer error: invalid token %s
CMP	650	BCUDEF	E	Base %s %s cannot be found
CMP	651	NVRTM	E	Cannot resolve return type for method %s
CMP	652	NVRTF	E	Cannot resolve return type for function %s
CMP	653	NVTP	E	Cannot resolve type for parameter %s
CMP	654	NVTF	E	Cannot resolve type for field %s
CMP	655	NVTG	E	Cannot resolve type for group %s
CMP	656	NVTPR	E	Cannot resolve type for property %s
CMP	657	INVUCDLIT	W	Invalid UNICODE literal encountered
CMP	658	IMPTYPARG	E	Cannot determine implicit type arguments in call of generic method %s
CMP	659	MISTYP	E	Missing expected type for %s
CMP	660	MBOTH	E	%s cannot be both %s %s namespace reserved
CMP	661	NSRES	E	<u>-</u>
CMP	662 663	NFND	E	%s not found Duplicate symbol %s not allowed
CMP		DUPSYM	E E	Duplicate symbol %s not allowed Duplicate symbol %s for same parent not allowed
CMP	664	DUPSYP	E	
CMP CMP	665 667	SYMADD DEFVALMIS	E	%s %s could not be added Default value for parameter missing
CMP	668	AMBSYM	E	Ambiguous symbol %s
CMP	669	ACCESS	E	%s is inaccessible
CMP	670	TYPPARM	E	Type mismatch for parameter %s in routine %s
CMP	670 671	TYPRET	E	Type mismatch for return type
CMP	672	MOREARGS	E	More argument values than declared parameters in routine %s
CMP	673	REQPARM	E	Missing required parameter %s in routine %s
CMP	674	INVSTX	E	Invalid syntax
CMP	675	MULTMAIN	E	More than one main routine encountered
CMP	676	NMETHODARG	E	%s not allowed as %s
CMP	677	STARFIELD	E	'*' not allowed in parameter field specification
CMP	678	INVOBJREF	E	Object references not allowed in %s
CLIE	370	TIAACDOKEL	ت ا	object references not difformed in the

Fac	Err #	Code	Sev	Message
CIMD	670	MONIGI GUNGD		New CTC shows toward not supposed to
CMP CMP	679 680	NONCLSUNSP	E E	Non-CLS structures not supported %s Array dimension out of bounds for {%s}
CMP	681	ARRAYBOUND BADFLDPOS	E	Bad field position for %s
CMP	682	NOEXTEND	E	Cannot extend record by %s bytes with overlay field %s
CMP	683	NOTALLOWED	E	%s not allowed in %s
CMP	684	RETEXP	E	%s expected in %s
CMP	685	INTCMPERR	F	Internal compiler error: %s
CMP	686	TYPMISMCH	E	Type mismatch between %s and %s
CMP	687	DUPQUAL	E	Qualifier %s can only be specified once
CMP	688	INVQUAL	E	%s qualifier is incompatible with %s
CMP	689	NOFIELDS	E	NOFIELDS cannot be used with another qualifier
CMP	690	NUMALPHARQ	E	Numeric or alpha type required: %s
CMP	691	INITCONST	W	CONST/LITERAL field missing initialization value
CMP	692	UNSUPPORT	E	Unsupported syntax
CMP	693	NOOPER	E	No operator %s
CMP	694	TOOSHORT	E	Argument too short for %s
CMP	695	INVFUNCNAM	E	.IF directive does not support function %s%s
CMP	696	NARROWING	W	Narrowing conversion could cause loss of data
CMP	697	RECWHANDLE	E	Cannot %s a record that contains a handle
CMP	698	OUTPARM	E	Must be able to write to argument %s because parameter was declared as OUT or INOUT
CMP	699	INVCAST	E	Invalid cast%s
CMP	700	BADIMPORTD	E	Invalid directory specified for import: %s
CMP	701	IMPORT	E	Namespace %s not found
CMP	702	CONSARGS	E	Constructor requires argument list
CMP	703	BADDSTRCTR	E	Destructor %s does not match class %s
CMP	704	DUPMETH	E	Class %s already defines a method %s with the same parameter types
CMP	705	PROTOMISMC	E	%s does not match prototype%s
CMP	706	SYSRTNOVR	W	System routine overridden. Invalid binding may occur
CMP	707	BCSEAL	E	Cannot extend a sealed class
CMP	708	BCOUTER	E	Cannot extend enclosing class
CMP	709	HANDRQD	E	Handle to %s required
CMP	710	BADOPDECL	E	Cannot declare operator %s
CMP	711	OPSTPUB	E	Operator must be declared STATIC and PUBLIC
CMP	712	OPVOID	E	Operator cannot return void
CMP	713	TRUEINT	E	Operator op_True must return integer
CMP	714	OPARGTYP	E	Operator must have at least one argument of the enclosing type
CMP	715	BSTMTCH	E	Best match for %s has an argument type or quantity that doesn't match
CMP	716	NOTSTAT	E	%s required to access non-static member %s
CMP	717	ISSTAT	E	%s required to access static member %s
CMP	718	CLSREFRQD	E	Class type required: %s
CMP	719	INITEXP	W	Initial value expected, defaulting to %s
CMP	720	DEFSIZE	W	Default size may not match %s definition
CMP	721	INITIGN	W	Initial value on external field ignored
CMP	722	NOTINPR	E	Previous .NOPROTO expected
CMP	723	ALRINPR	E	Already in a .NOPROTO section
CMP	724	EMPTYA	E	Invalid usage of empty alpha string
CMP	725	INVALIGN	E	Invalid .ALIGN value (%s)
CMP	726	NOGLOBAL	E	%s cannot be declared globally
CMP	727	INVDEFNS	E	Invalid default namespace %s
CMP	728 729	CIRCBASE	E	Circular base class not allowed
CMP		NOFCSUB	E	Cannot call subroutine %s as a function because it has no parameters
CMP	730 731	INTCMPWARN EMPTYUCSTM	W	Internal warning: %s Empty USING or CASE statement
CMP	731		W E	Alpha not allowed for dimension specification
CMP CMP	732	ALPHDIM XCALLHFUNC	E	Cannot XCALL a ^ function
CMP	733	READONLY	E	Cannot write to read-only data
CMP	734	VALREQD	E	^VAL required for argument %s
CMP	/35	VALKEQU	ഥ	NATI TEMUTITED TOT STANMENT SE

Fac	Err #	Code	Sev	Message
CMP	736	NOWRITE	E	Cannot write to this entity
CMP	730	INVHFNC	E	Invalid ^ function (%s)
CMP	737	OVRERR	E	Cannot override %s because it is not declared VIRTUAL, OVERRIDE, or ABSTRACT in class %s
CMP	739	INVMOD	E	Invalid modifier %s on %s
CMP	740	INVDSTRCTR	Ē	Destructor cannot have %s
CMP	741	NOTCALLABL	E	Cannot directly call this method
CMP	742	NOTINFUNC	Ē	Not within a function
CMP	743	INVEXC	E	Invalid exception type
CMP	744	INVRTHRW	E	Cannot rethrow outside of CATCH
CMP	745	NOTINTRY	E	Not in TRY statement
CMP	746	INTCMPERR2	E	Internal compiler error: %s
CMP	747	OPENIN2	E	Cannot open: %s
CMP	748	NUMINCL2	E	Too many nested .INCLUDE levels
CMP	749	DDBADLOG2	E	%s is not defined
CMP	750	DDNOLOG2	E	Logical for repository name expected
CMP	751	DDOPN2	E	Cannot open repository's main file: %s
CMP	752	DDAPIERR2	Е	Internal DDapi error %s %s
CMP	753	DDINVLOG2	Е	Invalid specification for repository files: "%s"
CMP	754	INVCALL	E	Invalid calling convention
CMP	755	NOENDC2	W	.ENDC expected
CMP	756	ABSTINST	E	Cannot instantiate abstract class %s
CMP	757	REDEFGBL	E	Cannot redefine macro %s that is defined in DBLDIR:dbl.def
CMP	758	UNDEFGBL	E	Cannot undefine macro %s that is defined in DBLDIR:dbl.def
CMP	759	BADACCESS	E	Inconsistent accessibility
CMP	760	RESWORD	E	Reserved word %s
CMP	761	INCMODIF	E	The modifier %s is incompatible with %s
CMP	762	INVPASSED	W	^PASSED on required parameter is always true
CMP	763	INVINIT	E	Invalid initializer
CMP	764	DUPMODIF	E	Modifier %s can only be specified once
CMP	765	ABSRTN	E	ABSTRACT %s must be in an ABSTRACT class
CMP	766	ABSIMP	E	ABSTRACT or EXTERNAL routine cannot have statements
CMP	767	NAMEREQ	Е	Name must be specified with group modifier %s
CMP	768	MISIMP	E	Does not implement %s
CMP	769	BADSLD	Е	SEALED modifier can only be used on %s marked as OVERRIDE
CMP	770	NEWREQ	W	NEW modifier is required on %s since it hides a member of an inherited class
CMP	771	INVNEW	W	NEW modifier not required and will be ignored
CMP	772	ABSSEAL	Е	Method cannot be ABSTRACT or VIRTUAL in a SEALED class
CMP	773	UNQOVR	Е	A UNIQUE method cannot be overloaded, overridden, or redeclared
CMP	774	NORETURN	E	%s cannot have a return type
CMP	775	VALREF	E	Cannot convert parameter %s from value to reference
CMP	776	OPTOBJ	Е	REQUIRED modifier must be used on object parameters
CMP	777	IMPSTOP	W	Implicit STOP added to end of routine
CMP	778	BADSTATIC	E	Non-static reference not allowed in this context
CMP	779	BADSTATLOC	E	Static field has improper location
CMP	780	BADCNVCLS	E	Cannot convert %s class within class hierarchy
CMP	781	BADCNVTYP	E	Conversion operator must have a return or parameter type that is the enclosing class
CMP	782	CIRCINIT	E	Circular initializer not allowed
CMP	783	IDXRPARM	E	Indexer property must have at least one parameter
CMP	784	PROPPARM	E	Properties that are not indexers cannot have parameters
CMP	785	BADPROP	E	Improper use of property %s
CMP	786	NOOVR	E	No suitable %s found to override
CMP	787	OVRVIRT	W	%s hides inherited member in class %s. OVERRIDE or NEW required
CMP	788 780	HIDEERR	W	%s hides method that is not VIRTUAL, OVERRIDE, or ABSTRACT in class %s. NEW required
CMP	789	DUPACC	E	Property cannot have multiple get or set methods
CMP	790	EXPHVAL	E	^VAL function expected
CMP	791	ARGMSMCH	W E	Parameter must be declared with the MISMATCH modifier %s must be completely inside the FINALLY block
CMP	792	INFINALLY	ᄩ	es mast be combined instance the linarmi block

Fac	Err #	Code	Sev	Message
CMP	793	NETSUPRT	W	%s not supported in .NET
CMP	793 794	ATRUNC	W	Alpha expression too long for %s. Truncation may occur
CMP	795	NETRFA	W	RFA variable must be type a in .NET
CMP	796	IMPFLD	W	Position of field %s causes an implicit field to be added
CMP	797	IMPORTNS	E	Invalid import namespace %s
CMP	798	DIMNDIM	W	Dimensioned access of non-dimensioned item %s
CMP	799	INTRNG	W	Ranged access of integer fields not portable between machines of different endian types
CMP	800	NOPSEUDO	E	Pseudo arrays not allowed in this context%s
CMP	801	XMLDOC	W	85
CMP	802	INVIMP	E	Invalid IMPORT declaration
CMP	803	IMPOUTNS	E	IMPORT statement must be declared outside of a namespace
CMP	804	INVPROGENT	E	Invalid program entry at or near {%s}
CMP	805	INVNSENT	E	Invalid namespace entry at or near {%s}
CMP	806	INVCLSENT	E	Invalid class member at or near {%s}
CMP	807	INVCRECENT	E	Invalid class record entry at or near {%s}
CMP	808	INVSTRUCEN	E	Invalid structure entry at or near {%s}
CMP	809	INVMETHINI	E	Invalid method initialization list at or near {%s}
CMP	810	INVENUMFLD	E	Invalid enum field at or near {%s}
CMP	811	INVPARAMEN	E	Invalid parameter entry at or near {%s}
CMP	812	INVRECFLD	E	Invalid record field at or near {%s}
CMP	813	INVDATAENT	E	Invalid data division entry at or near {%s}
CMP	814	INVGDSENT	E	Invalid global data section entry at or near {%s}
CMP	815	INVEXTENT	E	Invalid external function entry at or near {%s}
CMP	816	INVSTMT	E	Invalid statement at or near {%s}
CMP	817	INVEXPR	E	Invalid expression at or near {%s}
CMP	818	INVKWD	E	Invalid keyword at or near {%s}
CMP	819	INVIOERRCO	E	Invalid I/O error code at or near {%s}
CMP	820	INVSTMTHDR	E	Invalid header in %s at or near {%s}
CMP	821	INVSTMTBDY	E	Invalid %s body at or near {%s}
CMP	822	INVTERM	E	Invalid termination of %s at or near {%s}
CMP	823	VALIDXP	E	Valid identifier expected at or near {%s}
CMP	824	GRPETY	W	Group is empty
CMP	825	XRETVAL	W	XRETURN cannot return a value on .NET
CMP	826	RETRQD	W	%s missing in %s
CMP	827	NETALLOW	W	%s not allowed %s on .NET
CMP	828	INVBGNHDR	E	BEGIN should be followed by end of line
CMP	829	INVPROTOCX	E	Prototypes must be imported using the IMPORT statement
CMP	830	OVRSLD	E	Cannot override a SEALED %s
CMP	831	STKMAIN	M	STACK not allowed on MAIN and has therefore been ignored
CMP	832	REFARYSCP	E	Cannot apply scope to reference array
CMP	833	PMETHODARG	E	%s not allowed as %s
CMP	834	INVDATASTM	E	Invalid data statement syntax
CMP	835	PARTACC	E	Accessibility declarations of partial %s %s do not match
CMP	836	REFREQD	E	^REF required for argument %s
CMP	837	ARGPASS	E	Parameter passing convention does not match method declaration for argument %s in routine %s
CMP	838	REFLIT	E	Integer literals cannot be passed by reference due to optimization
CMP	839	RECETY	E	Record is empty
CMP	840	MISNGFIL	E	Missing source file
CMP	841 842	HIDEW	M	%s hides a member of an enclosing scope Invalid DATA statement location
CMP CMP	842 843	INVDATALOC IDXCLSARY	E	Invalid DATA statement location Cannot index real array %s
		STRUCTHIDE	LT.	Local structure %s hides non-local structure %s
CMP CMP	844 845	INVDATADEC	I W	
CMP	845 846	BOXLCLSTR	L T	Invalid %s declaration at or near {%s} Boxing or unboxing of local structures not allowed
CMP	847	BADCPATH	E	Complex path not supported
CMP	848	ARRLCLSTR	E	Cannot use a local structure in a dynamic array
CMP	849	INVPARMGRP	E	Invalid parameter group declaration at or near {%s}
CIMP	043	TIMALAVINGKA	12	invalid parameter group decraration at or near (

CMP 851 RECURSE E Recursion not allowed on %s CMP 852 NOPRPMTH E Operation not allowed with missing or unmatched %s on property %s CMP 853 INDIMGRP E %XTRNL not allowed within a dimensioned group CMP 854 INVMAINDEC E Invalid MAIN declaration at or near {%s} CMP 855 BADCONSTLO E CONST field not allowed in non-CONST record CMP 856 BADROLOC E READONLY field not allowed in non-READONLY record CMP 857 PRNRQD E Parentheses required on call to method %s CMP 858 PROPROP E Parentheses not needed for property %s CMP 859 RETTYP W Return type for %s assumed to be %s CMP 861 NOCONS E Cannot find matching constructor for %s. %s CMP 862 HIDABS E %s hides an inherited abstract member CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 871 NOTATTR E %s is not an attribute class	
CMP 851 RECURSE E NOPRPMTH E Operation not allowed on %s CMP 852 INDIMGRP E NOPRPMTH E NOPPPMTH NOPPPMTH E NOPPPMTH E NOPPPMTH NOPPPMTH E NOPPPMTH E NOPPPMTH NOPPPMTH E NOPPPMTH NOPPPMTH E NOPPPMTH NOPPPMTH E NOPPPMTH NOPPPMTH NOPPPMTH E NOPPPMTH NOPPMTH NOPPPMTH	
CMP 852	
CMP 853 INDIMGRP E	
CMP 854 INVMAINDEC E BADCONSTLO E CONST field not allowed in non-CONST record BADROLOC PARREDONLY field not allowed in non-READONLY record PARREDONLY record PARRE	
CMP 855 BADCONSTLO E CONST field not allowed in non-CONST record READONLY field not allowed in non-READONLY record READONLY field not allowed in non-CONST record READONLY field not allowed in non-CONST record READONLY field not allowed in non-CONST record READONLY field not allowed in non-READONLY record READONLY field not allowed in non-CONST record READONLY field not allowed in non-READONLY record Parentheses required on call to method %s Parentheses required on call to method %s Parentheses not needed for property %s RETTYP RECTYP RETTYP W Return type for %s assumed to be %s CAMP 861 NOCONS E Cannot find matching constructor for %s. %s %s hides an inherited abstract member Potential name conflict with built-in type Cannot box structure %s that contains a handle Explicit box invalid on left side of equate statement Auto unbox cancels out boxing of %s. Boxing removed Invalid interface entry at or near {%s} Implied decimal argument %s passed to non-implied parameter %s Attribute not valid on this target Structure %s used in XFMethod %s must come from repository RETTYP Return type for %s assumed to be %s CAMP 868 PASSIMPL W Louis Auto unbox cancels out boxing of %s. Boxing removed Invalid interface entry at or near {%s} Implied decimal argument %s passed to non-implied parameter %s Attribute not valid on this	
CMP 856 BADROLOC E PRNRQD E PRNRQD E Parentheses required on call to method %s CMP 858 PRNPROP E Parentheses not needed for property %s CMP 859 RETTYP W Return type for %s assumed to be %s CMP 861 NOCONS E Cannot find matching constructor for %s. %s CMP 862 HIDABS E %s hides an inherited abstract member CMP 863 BLTID W Potential name conflict with built—in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 858 PRNPROP RETTYP W Return type for %s assumed to be %s CMP 860 INVTYP E Invalid use of type %s CMP 861 NOCONS E Cannot find matching constructor for %s. %s CMP 862 HIDABS E %s hides an inherited abstract member CMP 863 BLTID W Potential name conflict with built-in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 859 RETTYP W Return type for %s assumed to be %s CMP 860 INVTYP E Invalid use of type %s CMP 861 NOCONS E Cannot find matching constructor for %s. %s CMP 862 HIDABS E %s hides an inherited abstract member CMP 863 BLTID W Potential name conflict with built-in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 861 NOCONS E Cannot find matching constructor for %s. %s CMP 862 HIDABS E %s hides an inherited abstract member CMP 863 BLTID W Potential name conflict with built-in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 861 NOCONS E Cannot find matching constructor for %s. %s CMP 862 HIDABS E %s hides an inherited abstract member CMP 863 BLTID W Potential name conflict with built-in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 863 BLTID W Potential name conflict with built-in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 863 BLTID W Potential name conflict with built-in type CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 865 LHSBOX E Explicit box invalid on left side of equate statement CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 867 INVINTFCEN E Invalid interface entry at or near {%s} CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parameter %s CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	· ·
CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from repository CMP 871 NOTATTR E %s is not an attribute class	
CMP 871 NOTATTR E %s is not an attribute class	
I CMD I 970 I CICCAMPED I E I Connet greate greatem attribute	
CMP	
CMP 873 ASMLOAD E Unable to load assembly %s : %s CMP 874 ONERROTA E Local data cannot be defined in a routine containing ONERROR/OFFERROR	
CMP 875 DUPRMV W Duplicate %s in class %s has been removed	
CMP 876 PARMOVR E New or overridden method changes parameter type from %s to %s	
CMP 877 ITOPBAD E Unable to do interop for %s	
CMP 878 PARTIAL W %s %s is declared as partial	
CMP 879 MAXLINE F Exceeded maximum number of lines in file %s	
CMP 880 NOINSTAT E Cannot declare instance member in static class	
CMP 881 PSCTRUNC W Psect name truncated	
CMP 882 NOTBEXP W Assignment in Boolean expression! Did you intend "=="?	
CMP 883 INVSCTOR E Cannot declare %s on static constructor	
CMP 884 NVTREF E Cannot find %s used in %s	
CMP 885 OBJDIS W Object returned from %s discarded	
CMP 886 BIGSIZ E Size of %s %s too large	
CMP 887 PROPCONF E Property %s conflicts with %s in same class	
CMP 888 IFCIMP E Interface %s not implemented by class %s	
CMP 889 NUMFILES F Too many files	!
CMP 890 METHDEL E Method %s does not match delegate	!
CMP 891 NVTEVT E Cannot resolve type for event %s	
CMP 892 DELEVT E Delegate type expected for event %s	!
CMP 893 EVTHDLR E Event handler %s does not match event signature	!
CMP 894 EVTEXP E Event expected for %s	!
CMP 895 EVTCLS E Event %s must be raised from within %s	!
CMP 896 INVEVT E Incorrect use of event %s	
CMP 897 MISIMP2 E Does not implement %s since it is either static, not public, or has the wrong CMP 898 NONCLS E Non-CLS type used in CLS declaration	return type
	!
CMP 899 MODLOAD E Unable to load module %s : %s CMP 900 ILASM E ILASM error: %s	!
CMP 900 ILASM E ILASM error. %S CMP 901 DUPATTR E Duplicate %s attribute	!
CMP 901 DUPATIR E Dupiticate %s attribute CMP 902 VARGOBJ E Cannot pass object type for %s as a vararg value	!
CMP 903 INVHMP E Partial structure cannot be used in 'm function	!
CMP 904 PARTALPH E Cannot pass partial structure to an alpha parameter	!
CMP 905 LYTPARTS E Cannot apply StructLayout attribute on partial structure	!
CMP 906 DECLORDER E Cannot use %s before declaring it	

Fac	Err #	Code	Sev	Message
CMP	907	EFNFND	E	Call to external function %s cannot be resolved
CMP	908	TYPUNEXP	E	Type %s unexpected here
CMP	909	COLLECTTYP	E	Incompatible collection type %s in FOREACH
CMP	910	ACCIGNORED	W	Accessibility on %s %s ignored
CMP	911	FENEWINDXR	E	A class with an indexer marked NEW is not supported in FOREACH
CMP	912	INVARGOBJ	E	^ARGDIM not allowed on objects; use method to get length
CMP	913	LVARTYP	E	Incompatible loop variable type %s in FOREACH
CMP	914	DUPOPTS	E	Class %s already defines a method %s that differs only by optional parameters
CMP	915	INVUSNGENT	E	Invalid entry within using statement
CMP	916	HIDEHAT	W	Routine hides data reference operation %s
CMP	917	ANYMTH	W	Using type any in method %s may cause unexpected call resolution
CMP	918	NETAPI	W	Routine %s not supported in .NET
CMP	919	NUMSEGS	W	Too many files/includes. Subsequent debug line information ignored
CMP	920	NUMLINES	W	Too many file lines. Subsequent debug line information ignored
CMP CMP	921 922	NUMTYPARG INVGENSYNT	E E	Incorrect number of type arguments passed to %s Invalid generics syntax at or near %s
CMP	922	PRTYPPRM	E	Type parameter %s for partial declaration does not match original declaration
CMP	924	CIRCCONS	E	Circular constraint dependency
CMP	925	TYPCONS	E	Type %s does not meet constraint
CMP	926	CONSSPC	E	Cannot use special class %s in constraint
CMP	927	CONSSEAL	Ē	Cannot use sealed class %s in constraint
CMP	928	CONSDUP	E	Duplicate constraint %s
CMP	929	CONSONE	E	Cannot have more than one %s constraint
CMP	930	GNCEXT	E	Generic class cannot extend %s
CMP	931	TPRMTYP	E	Type parameter %s must be an identifier and not a type
CMP	932	CONSBOTH	E	Cannot have both %s and %s constraints
CMP	933	CONSREQD	E	%s constraint required
CMP	934	REFTYPMSMC	E	Parameter %s must match type exactly because it is passed by reference, OUT, INOUT, or unspecifie
CMP	935	DESCTYPRQD	E	%s is not a descriptor type.
CMP	936	TPSTAT	E	Keyword %s is invalid with static class member
CMP	937	NOTINI	E	Global data section '%s' not initialized
CMP	938	GBLTNM	E	Type or size for %s does not match global declaration
CMP	939	GBLND	E	Global declaration does not contain %s
CMP CMP	940 941	GBLTYP TYP32	E E	Type %s not allowed in common declaration Type %s cannot be %s on 32-bit platforms
CMP	941	ASNWR	E	Assignment within write not allowed for %s
CMP	943	BMRET	E	%s cannot be used as method return type
CMP	944	STKETY	E	Stack is empty. %s
CMP	945	ALGFLD	E	Alignment performed on %s
CMP	946	VARARGARY	E	If ^VARARGARRAY used, no other extra arguments allowed
CMP	947	PRTLOAD	E	Unable to load prototype %s: %s
CMP	948	DELAYSGN	W	delay signing was requested, but no keyfile was given
CMP	949	NOWRITE2	E	Cannot write to %s
CMP	950	GDSMSMCH	E	Global data section '%s' does not match initialized Global%s
CMP	951	SGN2USGN	W	Assigning negative literal value to unsigned field
CMP	952	DIMMISMCH	W	Parameter dimension mismatch: %s
CMP	953	DUPDRCTV	E	Duplicate directive
CMP	954	NOARYBASE	E	0 or 1 expected
CMP	955	MTHOUTCLS	E	Cannot declare method outside of a class/interface
CMP	956	STKOVRSZ	E	Data division stack larger than reserved stack
CMP	957 958	DUPMRNK CHGCASE	E	Class %s already defines a method %s whose signature only differs by rank Case changed on override to match %s
CMP CMP	958 959	REFCOMPARE	W W	%s compares instance not contents
CMP	960	NOBYVAL	E	BYVAL not supported on %s. Use ^VAL instead
CMP	961	LVARBOX	E	Explicit box invalid on loop variable in %s
CMP	962	NOINTCFLD	E	Cannot use loose integer class field in this context
CMP	963	IMPBOXCAST	W	Implicit argument boxing cast (@a/@d/@i); explicit cast recommended

Fac	Err #	Code	Sev	Message
CMP	964	UNTYPDCAST	W	Boxing of untyped literal; explicit boxing cast (@a/@d/@i/@int) recommended
CMP	965	NOPRPSET	E	Cannot set read-only property %s
CMP	966	NEWARRINIT	E	Invalid syntax for dynamic array initialization on new
CMP	967	DUPRTN	E	Duplicate routine %s
CMP	968	TYPHID	W	Built-in type %s can be hidden by %s
CMP	969	MISIMP3	E	Does not implement %s since case does not match
CMP	970	ATTRERR	E	%s error: %s
CMP	971	PASSUR	W	Passing %s for %s could give unexpected results
CMP	972	INVFCALL	W	Function %s should be called using function call convention
CMP	973	USDBDECL	E	Data statement %s used before declared
CMP	974	BADGENTYP	E	Unconstructed generic type not allowed in %s
CMP	975	MAININDLL	E	MAIN not allowed in DLL
CMP	976	SRCLINLNG	E	Source line too long
CMP	977	EXTMERR	E	Extension method %s %s
CMP	978	LAMBDA	E	Lambda error: %s
CMP	979 980	ATOS	W E	Passing alpha to structure %s
CMP CMP	981	EVTCUST ACCERR	W	Custom event error: %s Accessibility %s
CMP	982	INITVERR	E	Initial value error: %s
CMP	983	DLLIMP	E	DllImport error: %s
CMP	984	MISMAIN	E	Missing MAIN in EXE
CMP	985	ZEROSIZ	W	%s has zero size
CMP	986	INVNIND	W	Invalid number of indices
CMP	987	PLATSUPT	E	%s not supported in %s
CMP	988	EVTIMP	E	Event interface implementation error: %s
CMP	989	AWTERR	E	Await error: %s
CMP	990	NOMETRO	E	%s not supported in metro
CMP	991	ASNCERR	E	Async error: %s
CMP	992	YLDERR	E	Yield error: %s
CMP	993	UNSPFMT	E	Unsupported file format
CMP	994	BOXSTRSTRC	E	Cannot save a string to a boxed non-CLS structure
CMP	995	GENSTRCLS	E	Generic structure type must be CLS
CMP	996	OPTRUE	W	Calling op_True on %s%s: may not be what is intended
CMP	997	NOTSUPT	E	%s is not supported %s
CMP	998	INVDEFTYP	E	Invalid type used for default parameter (or descriptor type default used on a non-internal routin
CMP	999	INVINITMBR	E	Invalid initializer member
CMP	1000	MISDECL	E	Missing declaration of %s
CMP	1001	INITIGN2	W	Initial value on %s ignored
CMP	1002	HIDEW2	M	%s hides %s
CMP CMP	1003 1004	NOWINRT INVDEFPARM	E E	%s not supported in WinRT REQUIRED parameters cannot follow DEFAULT parameters
CMP	1004	UTFALPHA	W	UTF-16 literal used as alpha, may not work as expected
CMP	1005	SCPRNG	W	Scope used instead of range on %s
CMP	1007	GBLDR	W	External common record name containing %s does not match global common record name %s
CMP	1007	STKSIZ	W	Stack data size greater than %s
CMP	1000	MONOSIZLIM	E	%s exceeds Mono %s size limit
CMP	1010		E	%s cannot be called with %s
CMP	1011	CONSERR	Ē	Type constraint error: %s
CMP	1012	CIRC	E	Circular %s not allowed
CMP	1013	OPTREQ	W	Passing optional parameter to required parameter %s in routine %s
CMP	1014	PEVERIFY	W	Peverify error: %s
CMP	1015	TERNMSMCH	E	Type mismatch between %s and %s on each side of the ':' in a ternary operator
CMP	1016	INVTYPINIT	E	Initializer applied to unknown or missing class
CMP	1017	GLOBDUPIGN	W	Duplicate global %s ignored
CMP	1018	WALIGN	W	Align warning: %s
CMP	1019	REUSE	E	A local variable named '%s' cannot be declared in this scope, it would give a different meaning t
CMP	1020	INITVALMIS	E	Missing initialization value

CMP 1021 IMVDASSED2 W PASSED is always true %s Range on array acts on first element CMP 1024 MUNICOPENT CMP 1025 ATTRABG CMP 1026 MULICOAL CMP 1026 MULICOAL CMP 1027 DELEGEXP CMP 1029 IMPDIRION W Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference type or nullable Left side of a null coalescing operator must be a reference	
CMP 1023 RRNGARY W Range on array acts on first element CMP 1024 UXPLOOFBER EFA error: %s Narrowing of data when comparing to loop control variable, potential unexpected behavior CMP 1025 ATTARAG EFA error: %s Narrowing of data when comparing to loop control variable, potential unexpected behavior CMP 1026 NULLCOAL EFA error Ss Narrowing of data when comparing to loop control variable, potential unexpected behavior CMP 1028 UNRIGNED EFA error Ss Narrowing of data when comparing to loop control variable, potential unexpected behavior CMP 1038 UNLLCOMP EFA error CMP 1038 NULLCOMP EFA error CMP 1038 NULLCOMPY EFA error CMP 1039 NULLCOMPY EFA error CMP 1035 ADDED NULLCOMPY EFA error EFA error CMP 1036 LITTRUNC EFA error	
CMP 1024 UXPLOOPSHY CMP 1025 ATTRARG CMP 1026 NULLOOLL CMP 1027 DELECEXP CMP 1027 DELECEXP CMP 1028 UNSIGNED CMP 1029 IMPDIRIGN CMP 1029 UNCONE CMP 1031 URCALL CMP 1031 NULLOOND CMP 1031 URCALL CMP 1032 NULCOND CMP 1031 URCALL CMP 1033 INNSPACE CMP 1034 USEWARN CMP 1035 EXTEXT CMP 1036 UNCONE CMP 1037 UNCONE CMP 1038 UNCONE CMP 1039 UNCONE CMP 1030 UNCONE CMP 1030 UNCONE CMP 1031 USEWARN CMP 1035 UNCONE CMP 1036 UNCONE CMP 1037 UNCONE CMP 1038 UNCONE CMP 1039 ADDED CMP 1040 TRCMAT CMP 1041 UNCONE CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1040 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1041 OPTMIZ CMP 1045 OPCMIA CMP 1045 OPCMIA CMP 1046 OPCMIA CMP 1047 OPTMIZ CMP 1048 OPTMIZ CMP 1049 OPCMIA CMP 1049 OPCMIA CMP 1045 OPCMIA CMP 1046 OPCMIA CMP 1047 OPCMIA CMP 1048 OPCMIA CMP 1049 OPCMIA CMP 1049 OPCMIA CMP 1041 OPTMIZ CMP 1045 OPCMIA CMP 1045 OPCMIA CMP 1045 OPCMIA CMP 1046 OPCMIA CMP 1047 OPCMIA CMP 1047 OPCMIA CMP 1048 OPCMIA CMP 1049 OPCMIA CMP 1049 OPCMIA CMP 1046 OPCMIA CMP 1047 OPCMIA CMP 1047 OPCMIA CMP 1048 OPCMIA CMP 1049 OPCMIA CMP 1049 OPCMIA CMP 1049 OPCMIA CMP 1040 OPCMIA CMP 1041 OPCMIA CMP 1041 OPCMIA CMP 1045 OPCMIA CMP 1045 OPCMIA CMP 1046 OPCMIA CMP 1047 OPCMIA CMP 1047 OPCMIA CMP 1048 OPCMIA CMP 1049	
CMP	
CMP 1026 NULLOGAL CMP 1027 DELECEXP CMP 1028 UNSIGNED CMP 1028 UNSIGNED CMP 1028 UNSIGNED CMP 1029 IMPDIRIGN CMP 1029 IMPDIRIGN CMP 1030 NULLOON CMP 1031 URCALL CMP 1031 URCALL CMP 1031 UNCALL CMP 1031 UNCALL CMP 1031 INNSPACE CMP 1031 UNCALL CMP 1032 NULCDITYP CMP 1033 INNSPACE CMP 1034 USEWARN CMP 1035 ADDED CMP 1036 LITTRUNC CMP 1036 LITTRUNC CMP 1036 LITTRUNC CMP 1037 LITSISN CMP 1038 PASSUR2 CMP 1040 TRCMAT CMP 1040 TRCMAT CMP 1040 TRCMAT CMP 1040 TRCMAT CMP 1041 UMCALL CMP 1053 EMPRISE CMP 1040 TRCMAT CMP 1041 UMCALL CMP 1055 ADDED CMP 1040 TRCMAT CMP 1056 LITTRUNC CMP 1040 TRCMAT CMP 1041 TMPCNV CMP 1041 OFFICE CMP 1044 NONGEN CMP 1045 CMPRODE CMP 1044 NONGEN CMP 1045 CMPRODE CMP 1044 NONGEN CMP 1045 CMPRODE CMP 1045 CMPRODE CMP 1046 CMPRODE CMP 1047 CMPRODE CMP 1048 CMPRODE CMP 1049 CMPRODE CMP 1049 CMPRODE CMP 1040 TRCMAT CMP 1041 CMPRODE CMP 1041 CMPRODE CMP 1044 NONGEN CMP 1045 CMPRODE CMP 1045 CMPRODE CMP 1046 CMPRODE CMP 1047 CMPRODE CMP 1048 CMPRODE CMP 1048 CMPRODE CMP 1049 CMPRODE C	
CMP 1027 DELEGRYP CMP 1028 UNSIGNED CMP 1029 IMPRISEN CMP 1030 NULLCOND CMP 1031 URCAL CMP 1031 UNCONDTYP CMP 1032 NULCOND CMP 1033 INNSPACE CMP 1034 USEWARN CMP 1035 ADDED CMP 1036 LITTRING CMP 1037 LITSIGN CMP 1038 PASSUR2 CMP 1038 PASSUR2 CMP 1040 TRCMAT CMP 1041 IMPCONV CMP 1040 STRWRN CMP 1040 STRWRN CMP 1041 IMPCONV CMP 1041 IMPCONV CMP 1041 IMPCONV CMP 1042 STRWRN CMP 1043 OPTMIZ CMP 1044 NONGER CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1055 ERTEXT CMP 1046 OFFERD CMP 1057 ERTEXT CMP 1047 OFFERD CMP 1058 ERTEXT CMP 1048 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1040 OFFERD CMP 1041 OPTMIZ CMP 1042 STRWRN CMP 1043 OPTMIZ CMP 1044 OPTMIZ CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1046 OFFERD CMP 1046 OFFERD CMP 1047 OPTMIZ CMP 1048 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1040 OFFERD CMP 1041 OPTMIZ CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1046 OFFERD CMP 1047 OPTMIZ CMP 1048 OPTMIZ CMP 1049 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1044 OPTMIZ CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1046 OPTMIZ CMP 1047 OPTMIZ CMP 1048 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1040 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1044 OPTMIZ CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1046 OPTMIZ CMP 1047 OPTMIZ CMP 1048 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1044 OPTMIZ CMP 1045 OVACUAL CMP 1045 OVACUAL CMP 1046 OPTMIZ CMP 1047 OPTMIZ CMP 1048 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1049 OPTMIZ CMP 1040 OPTMIZ CMP 1041 OPTMIZ CMP 1044 OPTMIZ CMP 1045 OVACUAL CMP 1045 OVAC	expressi
CMP 1028 UNSIGNED W Loading unsigned assembly %s	- <u>-</u>
CMP 1030 IMPDIRIGN W Import directory clause no longer used, ignored Null Conditional path separator cannot be used on % CMP 1031 URCALL W Call to unprototyped routine % s Null conditional path mayerator cannot be used on % CMP 1032 NULCHOTYP Call to unprototyped routine % s Null conditional path must be % s Smould not be declared inside namespace. Please declare outside of a namespace. Using % son % s Using % son %	
CMP 1031 UKCALL CMP 1032 UNICADITY CMP 1032 INSPACE CMP 1034 USEWARN CMP 1035 ADDED CMP 1036 ADDED CMP 1037 LITSIGN CMP 1038 PASSUR2 CMP 1038 PASSUR2 CMP 1039 ADDED CMP 1039 ADDED CMP 1040 TRCMAT CMP 1041 IMPCNV CMP 1041 IMPCNV CMP 1041 IMPCNV CMP 1042 STEWENN CMP 1043 OVERQLA CMP 1044 OVERDLA CMP 1045 OVERQLA CMP 1040 OVERDLA CMP 1045 OVERDLA CMP 1046 OVERDLA CMP 1047 OVERDLA CMP 1048 OVERDLA CMP 1049 OVERDLA CMP 1	
CMP 1032 NULCHOTYP CMP 1032 NULCHOTYP CMP 1034 USEWARN CMP 1035 INNSPACE CMP 1036 LITRING CMP 1037 ADDED CMP 1038 PASSUR2 CMP 1038 PASSUR2 CMP 1038 PASSUR2 CMP 1039 ADDED CMP 1040 TRCMAT CMP 1041 IMPCNV CMP 1042 STRWEN CMP 1042 STRWEN CMP 1043 OPTMIZ CMP 1043 OPTMIZ CMP 1055 ERTEXT CMP 1055 ERTEXT CMP 1050 ERTEXT CMP 1144 OPWEND CMP 1053 ERTEXT CMP 1144 OPWEND CMP 1145 OPWEND CMP 1146 OPWEND CMP 1146 OPWEND CMP 1147 OPWEND CMP 1148 OPWEND CMP 1149 OPWCRE CMP	
CMP 1032 NULCNDTYP E Null conditional path must be %s CMP 1034 INSPACE E %s should not be declared inside namespace. Please declare outside of a namespace. CMP 1035 LITTRUNC W Using %s on %s CMP 1036 LITTRUNC W Literal truncated %s CMP 1038 PASSUR2 W Passing %s for %s could give unexpected results CMP 1040 TRCMAT W %s was truncated to match CMP 1041 IMPCNV W Implicit conversion %s CMP 1042 STRWNN W Structure %s CMP 1043 OPTMIZ W %s CMP 1044 NONGEN E Type parameters passed to non-generic %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1045 OVRQUAL W %s %s CMP 1045 OVRQUAL W %s %s CMP 1045 OVRQUAL W %s %s CMP 1045 OVRQUAL W CMP 1045 OVRQUAL W CMP 1045 OVRQUAL W CMP 1045 OVRQUAL W CMP 1045 OVRQUAL CMP 1045 OVRQUAL W CMP	
CMP 1034 USWARN W Using %s on %s CMP 1035 ADDED W Littral truncated %s CMP 1036 LITTRUNC W Literal truncated %s CMP 1037 LITSIGN W Literal truncated %s CMP 1038 PASSUR2 W Passing %s for %s could give unexpected results CMP 1040 TRCMAT W Swart was truncated to match CMP 1041 IMPCNV W Implicit conversion %s CMP 1042 STRWRN W CMP 1043 OPTMIZ W CMP 1045 OVRQUAL W Swart was truncated to match CMP 1045 OVRQUAL W STRWRN W CMP 1045 OVRQUAL W Swart was truncated to match CMP 1045 OVRQUAL W STRWRN W SWART W	
CMP 1035 ADDED CMP 1036 LITTRUNC CMP 1037 LITSIGN CMP 1038 PASSUR2 CMP 1039 ADDED2 CMP 1040 TRCMAT CMP 1041 IMPCNV CMP 1041 IMPCNV CMP 1042 STRWN CMP 1043 OPTMIZ CMP 1044 NONGEN CMP 1045 OVRQUAL CMP 1052 RETEXT I CMP 1045 OVRQUAL CMP 1046 NONGEN CMP 1147 OPWEND CMP 1148 OPWEND CMP 1149 OPWEND CMP 1148 OPWEND CMP 1148 OPWEND CMP 1149 OPWEND CMP 1148 OPWEND CMP 1149 OPWEND CMP 1149 OPWEND CMP 1149 OPWEND CMP 1148 OPWEND CMP 1149 OPWEND CMP 1149 OPWEND CMP 1149 OPWEND CMP 1149 OPWEND CMP 1148 OPWEND CMP 1148 OPWEND CMP 1148 OPWEND CMP 1148 OPWEND CMP 1149	
CMP 1036 LITTRINC CMP 1037 LITSIGN CMP 1038 PASSUR2 CMP 1039 ADDED CMP 1040 TRCMAT CMP 1041 IMPCNV CMP 1042 STRWRN CMP 1043 OPPMIL CMP 1045 OVRQUAL CMP 1045 OVRQUAL CMP 1045 OVRQUAL CMP 1045 OVRQUAL CMP 1046 OVRQUAL CMP 1047 OPWRED CMP 1052 ERTXT2 CMP 1144 OPWRD CMP 1144 OPWRD CMP 1144 OPWRD CMP 1144 OPWRD CMP 1145 OPWRDL CMP 1146 OPWDEL CMP 1147 OPWSTO CMP 1148 OPWNRI CMP 1149 OPWCRE CMP 1149 OPWCRE CMP 1149 OPWCRE CMP 1149 OPWCRE CMP 1217 BADDSCR CMP 1218 BADDIR CMS 127 REPRACEFIL CMS 1 CRAFTALL CMS 3 GREBADCONT CMS 4 NAMECONFLT CMS 5 EREATCR CMS 127 OPWCRE CMS 127 REPLACEFIL CMS 7 REPLACEFIL CMS 7 REPLACEFIL CMS 7 REPLACEFIL CMS 7 REPLACEFIL CMS 8 BELETEGRP CMS 7 REPLACEFIL CMS 8 BELETEGRP CMS 7 REPLACEFIL CMS 8 DELETEGRP CMS 1026 LITTRINC CMS 1037 LITSIGN W Literal truncated %s Literal sign change %s Passing thange %s Passing thange %s Literal truncated %s Literal truncated %s Literal sign change %s Passing thange % Passing thange %s Passing thange % Passing thange % Passing thange % Passing thenge %s Passing thange Passing thenge %s Pa	
CMP 1037 LITTSIGN W Literal sign change %s PASSUR2 W Passing %s for %s could give unexpected results CMP 1038 PASSUR2 W Passing %s for %s could give unexpected results CMP 1040 TRCMAT W %s was truncated to match CMP 1041 IMPCNV W Implicit conversion %s CMP 1042 STRWENN W Structure %s CMP 1043 OPTMIZ W %s qualifier will override %s CMP 1044 NONGEN E Type parameters passed to non-generic %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1052 ERTEXT I %s %s CMP 1053 ERTEXT I %s %s CMP 1044 OPWRND I Operation was READ CMP 1143 OPWRED I Operation was FEND CMP 1144 OPWRND I Operation was FEND CMP 1146 OPWDEL I Operation was STORE CMP 1147 OPWSTO I Operation was STORE CMP 1148 OPWWRI I OPWSTO I OPERATION Was INSTE CMP 1149 OPWCRE I OPERATION WAS INSTE CMP 1217 BADDSCR I OPERATION WAS INSTE CMP 1218 BADDIR I OPERATION WAS INSTE CMP 1218 BADDIR I OPERATION WAS INSTE CMP 1217 BADDSCR I OPERATION WAS INSTE CMP 1218 BADDIR I OPERATION WAS INSTE CMP 1218 BADDIR I OPERATION WAS INSTE CMP 1217 BADDSCR I OPERATION WAS INSTE CMP 1218 BADDIR I OPERATION WAS INSTE CMP 124 CANDAN WA	
CMP 1038 PASSUR2 W Passing %s for %s could give unexpected results CMP 1040 TRCMAT W %s was truncated to match CMP 1041 IMPCNV W Implicit conversion %s CMP 1042 STRWRN W Structure %s CMP 1043 OPTMIZ W %s CMP 1044 NONGEN CMP 1045 CRTEXT I %s %s CMP 1052 ERTEXT I %s %s CMP 1052 ERTEXT I %s %s CMP 1053 ERTXT2 I Operation was READ CMP 1144 OPWRDD I Operation was FIND CMP 1144 OPWRDD I Operation was READ CMP 1145 OPWRDS I Operation was READ CMP 1146 OPWDEL I CMP 1147 OPWSTO I Operation was STORE CMP 1148 OPWRI I OPERATOR OPERATOR OPERATOR OPERATOR OPERATOR OF STORE CMP 1149 OPWCRE I OPERATOR OF STORE CMP 1218 BADDIR CMP 1217 BADDSCR I COPERATOR WAS ISAMC CMS 2 NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 4 NAMECONFLT CPS 5 DELETEOR OF SAVECHANGS CPS 7 REPLACEFIL CPS 8 DELETEORP OF A re you want to delete "%a"? Do you want to replace the existing "%a"?	
CMP 1038 PASSUR2 W Passing %s for %s could give unexpected results CMP 1040 TRCMAT W %s was truncated to match CMP 1041 IMPCNV W Implicit conversion %s CMP 1042 STRWRN W Structure %s CMP 1043 OPTMIZ W %s CMP 1044 OVRQUAL W %s qualifier will override %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1052 ERTEXT I %s %s CMP 1053 ERTEXT I %s %s CMP 1143 OPWRED I Operation was READ CMP 1145 OPWRDS I Operation was FIND CMP 1145 OPWRDS I Operation was READ CMP 1146 OPWDEL I Operation was READS CMP 1147 OPWSTO I Operation was STORE CMP 1148 OPWRRI I Operation was STORE CMP 1149 OPWCRE I Operation was STORE CMP 1217 BADDSCR I COPERATION WAS ITABLE CMP 1218 BADDIR I CREATFALL CMP 1218 BADDIR I CR	
CMP 1039 ADDED2 W %s was truncated to match CMP 1041 TMCMY W limplicit conversion %s CMP 1042 STRWRN W Structure %s CMP 1043 OPTMIZ W %s CMP 1044 NONGEN E Type parameters passed to non-generic %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1052 ERTEXT I %s %s CMP 1053 ERTXTZ I S %s %s CMP 1144 OPWFND I Operation was READ CMP 1145 OPWFND I Operation was FIND CMP 1145 OPWFND I Operation was FIND CMP 1146 OPWDEL I Operation was FIND CMP 1147 OPWSTO I Operation was STORE CMP 1148 OPWWRI I OPERATION WS WRITE CMP 1149 OPWCRE I Operation was URITE CMP 1217 BADDSCR I Operation was URITE CMP 1218 BADDIR I Specified directory %s does not exist CMP 1218 BADDIR I The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. Therefore, although the change has because they do not share the same containing object This change only affects non-Windows environments. T	
CMP 1040 TRCMAT W % swas truncated to match CMP 1041 IMPCNV W Implicit conversion %s CMP 1042 STRWRN W Structure %s CMP 1043 OPTMIZ W %s CMP 1044 NONGEN E Type parameters passed to non-generic %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1052 ERTEXT I %s CMP 1053 ERTXTZ I %s %s CMP 1053 CRTXTZ I %s %s CMP 1143 OPWRED I Operation was READ CMP 1144 OPWFND I Operation was FIND CMP 1144 OPWFND I Operation was FEADS CMP 1146 OPWDEL I Operation was SEADS CMP 1146 OPWDEL I Operation was STORE CMP 1147 OPWSTO I Operation was WRITE CMP 1149 OPWCRE I Operation was WRITE CMP 1149 OPWCRE I Operation was ISAMC CMP 1149 OPWCRE I Operation was ISAMC CMP 1217 BADDSCR I Operation was ISAMC CMP 1217 BADDSCR I Specified directory %s does not exist CPS 1 CREATFAIL CPS 2 NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ Are you want to delete "%a"? CPS 6 SAVECHANGS CPS 7 REPLACEFIL CPS 6 DELETEGEP DO you want to replace the existing "%a"? Do you want to delete the selected objects?	
CMP	
CMP 1042 STRMEN W Structure %s %s CMP 1044 NONGEN E Type parameters passed to non-generic %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1052 ERTEXT I %s %s CMP 1053 ERTXT2 I %s %s CMP 1143 OPWRED I Operation was READ CMP 1144 OPWFND I Operation was FIND CMP 1145 OPWEDS I Operation was FIND CMP 1146 OPWDEL I Operation was DELETE CMP 1147 OPWSTO I Operation was STORE CMP 1148 OPWCRE I Operation was WRITE CMP 1149 OPWCRE I Operation was WRITE CMP 1217 BADDSCR I OPERATION OPE	
CMP 1044 NONGEN E Type parameters passed to non-generic %s CMP 1045 OVRQUAL W %s qualifier will override %s CMP 1052 ERTEXT I %s CMP 1053 ERTXTZ I %s %s CMP 1144 OPWFND I Operation was READ CMP 1144 OPWFND I Operation was FIND CMP 1145 OPWRDS I Operation was DELETE CMP 1146 OPWDEL I Operation was DELETE CMP 1147 OPWSTO I Operation was STORE CMP 1148 OPWGRE I Operation was STORE CMP 1149 OPWCRE I Operation was ISAMC CMP 1217 BADDSCR I Operation was ISAMC CMP 1218 BADDIR I Specified directory %s does not exist CPS 1 CREATFAIL CPS 2 NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ CPS 6 SAVECHANGS CPS 7 REPLACEFIL CPS 8 DELETEGRP DO you want to delete "%a"? Do you want to save changes to "%a"? Do you want to save changes to "%a"? Do you want to delete the selected objects?	
CMP 1044 NONGEN	
CMP 1045 OVRQUAL (MP 1052 ERTEXT I	
CMP 1052 ERTEXT I	
CMP 1053 ERTXT2 I Sertion was READ Operation was READ Operation was FIND Operation was FIND Operation was READ Operation was DELETE Operation was STORE Operation was STORE Operation was WRITE OPERATION OP	
CMP 1144 OPWFND I Operation was READ Operation was FIND Operation was FIND Operation was FIND Operation was READ Operation was FIND Operation was READS OPWDEL I Operation was DELETE OPERATION OPWSTO I Operation was STORE OPERATION OPWCRE I Operation was URITE OPERATION OPWCRE I OPERATION WAS ISAMC CMP 1217 BADDSCR I COrrupted descriptor: type = %d, class = %d OPWCRE I OPERATION OPWCRE I OP	
CMP 1144 OPWFND OPWRDS I OPWRDS I OPERATION WAS FIND OPERATION WAS READS CMP 1146 OPWDEL I OPWSTO I OPWSTO I OPERATION WAS STORE CMP 1147 OPWSTO I OPERATION WAS STORE CMP 1148 OPWWRI I OPWCRE I OPERATION WAS WRITE CMP 1217 BADDSCR I OPERATION WAS ISAMC CMP 1218 BADDIR I Specified directory %s does not exist CPS 1 CREATFAIL THE Create failed because you must first select a valid containing object CPS 2 NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ CPS 6 SAVECHANGS CPS 7 REPLACEFIL CPS 8 DELETEGRP CPS 8 DELETEGRP CPS 8 DELETEGRP T OPERATION WAS FIND OPERATION WAS READS OPERATION WAS PEADS OPERATION WAS PE	
CMP 1145 OPWRDS I Operation was READS Operation was DELETE OPERATION OPWSTO I OPERATION WAS STORE OPWRDS OPWRI I OPERATION WAS STORE OPWRI I OPERATION WAS STORE OPWRI I OPERATION WAS ISAMC CMP 1149 OPWCRE I OPERATION WAS ISAMC OPWRI I OPERATION WAS ISAMC CMP 1217 BADDSCR I COrrupted descriptor: type = %d, class = %d Specified directory %s does not exist The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same containing object This change only affects non-Windows environments. Therefore, although the change has been caused by the same caused by the sam	
CMP 1146 OPWDEL I Operation was DELETE CMP 1148 OPWGRI I OPWCRE CMP 1149 OPWCRE I Operation was WRITE CMP 1217 BADDSCR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION WAS ISAMC CMP 1218 BADDIR I OPERATION WAS ISAMC CARLAGE I OPERATION WAS WRITE CPS 2 NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ CPS 6 SAVECHANGS CPS 7 REPLACEFIL CPS 7 REPLACEFIL CPS 8 DELETEGRP Are you sure you want to delete "%a"? Do you want to save changes to "%a"? Do you want to replace the existing "%a"? Are you sure you want to delete the selected objects?	
CMP 1148 OPWSTO 1148 OPWRI I OPWSTO 1149 OPWCRE I Operation was WRITE OPERATION OPWSTO 1217 BADDSCR I COrrupted descriptor: type = %d, class = %d Specified directory %s does not exist The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has been caused and object to current group because they do not share the same containing object "%a" already exists Are you sure you want to delete "%a"? Do you want to save changes to "%a"? CPS 7 REPLACEFIL Do you want to replace the existing "%a"? Are you sure you want to delete the selected objects?	
CMP 1148 OPWWRI OPWCRE I Operation was WRITE Operation was ISAMC CMP 1217 BADDSCR I Corrupted descriptor: type = %d, class = %d Specified directory %s does not exist The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has been cannot add object to current group because they do not share the same containing object "%a" already exists Are you sure you want to delete "%a"? CPS	
CMP 1217 BADDSCR I Corrupted descriptor: type = %d, class = %d CMP 1218 BADDIR CPS 1 CREATFAIL CPS 2 NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ CPS 6 SAVECHANGS CPS 7 REPLACEFIL CPS 7 REPLACEFIL CPS 8 DELETEGRP COrrupted descriptor: type = %d, class = %d Specified directory %s does not exist The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has been containing object "%a" already exists Are you sure you want to delete "%a"? Do you want to save changes to "%a"? Do you want to replace the existing "%a"? Are you sure you want to delete the selected objects?	
CMP CPS 1 CREATFAIL The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments. Therefore, although the change has been containing object This change only affects non-Windows environments.	
CPS 1 CREATFAIL NONWINDOW CPS 3 GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ CPS 6 SAVECHANGS CPS 7 REPLACEFIL CPS 7 REPLACEFIL CPS 8 DELETEGRP The Create failed because you must first select a valid containing object This change only affects non-Windows environments. Therefore, although the change has been cause they do not share the same containing object "%a" already exists Are you sure you want to delete "%a"? Do you want to save changes to "%a"? Do you want to replace the existing "%a"? Are you sure you want to delete the selected objects?	
CPS 2 NONWINDOW GRPBADCONT CPS 4 NAMECONFLT CPS 5 DELETEOBJ SAVECHANGS CPS 7 REPLACEFIL CPS 7 REPLACEFIL CPS 8 DELETEGRP This change only affects non-Windows environments. Therefore, although the change has been containing object "%a"? Cannot add object to current group because they do not share the same containing object "%a" already exists Are you sure you want to delete "%a"? Do you want to save changes to "%a"? Do you want to replace the existing "%a"? Are you sure you want to delete the selected objects?	
CPS 3 GRPBADCONT CANNOT add object to current group because they do not share the same containing object "%a" already exists CPS 5 DELETEOBJ Are you sure you want to delete "%a"? CPS 6 SAVECHANGS CPS 7 REPLACEFIL Do you want to save changes to "%a"? CPS 8 DELETEGRP Do you want to delete the existing "%a"? Are you sure you want to delete the selected objects?	
CPS 4 NAMECONFLT	n added
CPS 5 DELETEOBJ Are you sure you want to delete "%a"? CPS 6 SAVECHANGS Do you want to save changes to "%a"? CPS 7 REPLACEFIL Do you want to replace the existing "%a"? CPS 8 DELETEGRP Are you sure you want to delete the selected objects?	
CPS 6 SAVECHANGS Do you want to save changes to "%a"? CPS 7 REPLACEFIL Do you want to replace the existing "%a"? CPS 8 DELETEGRP Are you sure you want to delete the selected objects?	
CPS 7 REPLACEFIL Do you want to replace the existing "%a"? CPS 8 DELETEGRP Are you sure you want to delete the selected objects?	
CPS 8 DELETEGRP Are you sure you want to delete the selected objects?	
CPS 8 DELETEGRY Are you sure you want to delete the selected objects? CPS 9 REMOVESCRP Are you sure you want to remove script "%a"?	
CPS 9 KEMOVESCRP Are you sure you want to remove script "%a"?	
CPS 10 FILEEXISTS The file could not be found. "%a" CPS 11 DECORINT %a can only be used with numeric fields	
CPS 11 DECORINT	
CPS 12 RIGOSI RIGHT JUSTIFICATION CANNOT be used with text fields CPS 13 CNTRJUST Center justification cannot be used with numeric or text fields	
CPS 14 BADSIZE Invalid field size specified	
CPS 15 NOALPHA A field viewed as a check box cannot be alphanumeric	
CPS 16 NOCHECKBOX An alphanumeric field cannot be viewed as a check box	
CPS 17 BADDCSSIZE Internal error: SYNDICT_DCS_SIZE is incorrect. Size specified was %d, correct size is	d.
CPS 18 DDINITFAIL Failed to initialize repository. %a. Main file "%a". Text file "%a".	
CPS 19 DDNOFIND Repository record not found	
CPS 20 DDOPNERR Repository file open error	
CPS 21 DDINVFNC Invalid repository function code	

Fac	Err #	Code	Sev	Message
CPS	22	DDSTRINF		Failed to load Structure information. %a. Structure name "%a"
CPS	23	DDFLDINF		Failed to load Field information. %a. Field name "%a"
CPS	24	DDTXTFAIL		Failed to load repository text entry. %a
CPS	25	SCRERROR		Error:
CPS	26	SCRWARNING		Warning:
CPS	27	SCRSUMMARY		Errors: %d, Warnings: %d
CPS	28	SCRBADCMD		Unrecognized command
CPS	29	SCRBADQUAL		Unrecognized qualifier
CPS	30	SCREXPECT		%a expected
CPS	31	SCRALREADY		%a already encountered
CPS	32	SCRBADEOF		Unexpected end of file encountered
CPS	33	SCRBADEOL		Unexpected end of line encountered
CPS	34	SCRHUH		Invalid object (<%a> created)
CPS	35	SCROPNFAIL		Could not open script file
CPS	36	SCRQUOTE		Invalid quoted string: Both single and double quotes encountered
CPS	37	SCRLINLEN		Input line too long: Maximum %d characters
CPS	38	SCRTOKEN		Token
CPS	39	SCRTRUNCAT		Token truncated to "%a" (%d characters)
CPS	40	SCRTYPSIZE		Type and size
CPS	41	SCRDIMNUM		Dimension not allowed on numeric fields
CPS	42	SCRBADPREC		Precision not allowed on fields of type %a
CPS	43	SCRPREC		Precision
CPS	44	SCRMAXSIZ		Maximum size exceeded for fields of type %a (%d)
CPS	45	SCRINTSIZ		Size for integer fields must be 1, 2, 4, or 8
CPS	46	SCRUNSUPP		Feature not supported (yet)
CPS	47	SCRNUMERIC		Qualifier invalid on non-numeric fields
CPS	48	SCRALPHA		Qualifier invalid on numeric fields
CPS	49	SCROUTSIDE		Position of %a extends outside container's bounds
CPS	50	INVNAME		Invalid name specified
CPS	51	SCRFIXED		Qualifier only valid on decimal fields with one or more decimal places
CPS	52	SCRNOTEXT		Qualifier not allowed on dimensioned fields
CPS	53	SCRBADNAME		Invalid name: Must begin with A-Z; subsequent characters A-Z, 0-9, \$ or _; maximum length %d
CPS	54	SCRDSPAREA		Display area must lie within window bounds. Modified to row %d, column %d, height %d, width %d.
CPS	55	FIELDNAME		Field name
CPS	56	SCRNOTFND		%a not defined
CPS	57	SCRFLDNSTR		Field already included in structure "%a"
CPS	58	FLDNINSTR		Field not a member of structure "%a"
CPS	59	STREMPTY		Structure "%a" contains no fields
CPS	60	STRUCTURE		Structure name
CPS	61	SCRBADSPOS		Illegal structure position specified (%d). Changed to 1.
CPS	62	STRINVPOS		"%a" is referenced in an input window structure. Deleting, moving or cutting it may invalidate o
CPS	63 64	SCREOLEXP		End-of-line expected
CPS	64	DDCONTROL		Failed to read repository control record
CPS	65 66	DDSTRDUP		"%a" already exists. Do you want to include the structure under a different name?
CPS	66 67	DDOPNERRM		Cannot open main repository file
CPS	67 69	DDDADVERC		Cannot open repository text file
CPS	68 60	DDBADVERS		Incompatible repository version
CPS	69 70	DDTYPCHG DDDEFSTR		Cannot change repository field type from %a to %a One or more sets reference the default structure. Composer will create a structure for those set
CPS CPS	70 71	DDDEFSTR		one or more sets reference the default structure. Composer will create a structure for those set Error retrieving field format. %a. Failed to find a format "%a" of the correct type for the fie
CPS	72	DOFORMAINF		The field type cannot be changed. The size or number of decimal places is invalid for a date or
CPS	73	READONLY		This file is read only. "%a"
CPS	74	STRHASSETS		This structure cannot be deleted. It is referenced by one or more sets.
CPS	7 4 75	SCRUNEXPEC		"%a" unexpected
CPS	75 76	PASTEFAIL		The Paste failed because you must first select a valid containing object
CPS	77	OBJNOTFIT		The %a failed because the object does not fit within the destination container
CPS	78	BTNINVRANG		Buttons per row or column must be between 0 and %d.
010	, 0	211,11,010,110		24000112 FOL 10. OI COLUMN MADE DE DECRECA O AMA OA.

Fac	Err #	Code	Sev	Message
CPS	79	DICTFAIL		The %a failed because one or more of the repository fields already exists
CPS	80	PASTE		Paste
CPS	81	MOVE		Move
CPS	82	COPY		Copy
CPS	83	INVRENAME		Structure cannot be renamed to its original name because one or more object names would not be un
CPS	84	INVBITMAP		The bitmap file "%a" could not be found or is invalid.
CPS	85	CREATE		Create
CPS	86	INCOMPQUAL		Incompatible field qualifiers: %a and %a
CPS	87	WNDTOOBIG		%a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio
CPS	88	NOCOMPILE		"%a" cannot be compiled until it is saved.
CPS	89	SCRFONTLEN		Font name too long: Maximum %d characters
CPS	90	FONTINIFIL		"%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru
CPS	91	NUMVALEXP		Numeric value expected.
CPS	92	SCRNOREAD		Check box, selection window, and radio button fields cannot be read-only.
CPS	93	SCRFLDONLY		Read-only fields cannot be viewed as check box, selection window, or radio buttons.
CPS	94	SCRNOBTN		Button "%a" is not defined in window "%a".
CPS	95	FOINUSE		The file "%a" is in use by another application and cannot be opened.
CPS	96	FSINUSE		The file "%a" is in use by another application and cannot be saved.
CPS	97	RPSFLDSIZ		The Create failed because the Repository defines this field as %d bytes, and no more than 99 are
CPS	98	NOSLICKEDT		Workbench must be running before you can define or edit a method routine. Start Workbench and try
CPS	99	DDFLDDUP		Field name not unique among members of structure. %a. Field name "%a"
CPS	100	BKPPROJ		A backup project "%a" was found. Do you want to recover it?
CPS	101	DCTDUPOMIT		%d fields were omitted from the list because their names were not unique within the structure.
CPS	102	LOSTOPTS		Saving as a version 6 project will not save any project-specific settings. Do you want to continu
CPS	103	NOTSYNPROJ		"%a" is not a Synergy project.
CPS	104	PRJWBSAVE		You must save the project file before Workbench can open it. Do you want to save now?
CPS	105	PRJSILENTS		&Automatically save without prompting
CPS	106	PRJSAVBEF		You must save the project before Composer can %a. Do you want to save now?
CPS	107	NOBACKUP		Cannot back up existing file "%a". %a. Save cancelled.
CPS	108	AUTOVIEWLN		Field %a does not fit in window; the visible width has been changed to %d.
CPS	109	BADINPDSPL		Invalid %a length for field: %d. Must be in the range of 0 to %d.
CPS	110	BADELEM		Invalid array element specification; must contain only comma-separated numbers enclosed in bracke
CPS	111	RPSELEM		Array element specification does not match Repository dimension definition; dimension %d
CPS	112	NOSCRIPTS		No scripts in this project
CPS	113	NOTCMPSPRJ		%a is not a Composer project
CPS	114	FLDNAMLEN		Input field name "%a" is longer than the maximum of %d characters
CPS	115	TXTTRUNC		%d text line%a longer than 255 characters encountered; truncated to 255 characters
CPS	116	OPENERR		The file "%a" could not be opened.\nError #%d: %a
CPS	117	SCRINTEGER		Qualifier only valid on integer fields
CPS	118	SCRTSSIZE8		Timestamp fields must be of size 8
DTK	1	DTKVER		UI Toolkit V%a - Compiled for %a
DTK	2	SYSMAX		Overall system maximums: DBL chns = %d, wnds = %d, env/dsp lvls = %d,
DTK	3	WNDINF		wnd plc say list = %d, hdr/ftr lins = %d, menu ctl area = %d,
DTK	4	COLINF		columns per menu = %d, entries per menu column = %d,
DTK	5	WNDINF2		flds per input window = %d, sets per input window = %d,
DTK	6	WNDINF3		info text per input wnd fld = %d, chars per text wnd row = %d
DTK	7	ENVSTS		Environment level %d, display level %d
DTK	8	ON		on
DTK	9	OFF		off
DTK	10	UCONLY		upper case only
DTK	11	LCALLOWED		lower case allowed
DTK	12	ALLOWED		allowed
DTK	13	IGNORED		ignored
DTK	14	TERMSTAT		Terminal states: Echo %a, cursor %a, %a, intr %a
DTK	15	DONTW		Don't w
DTK	16	W		W
DTK	17	DONT		Don't

Fac	Err #	Code	Sev	Message
DTK	18	WAITSTS		DBL prog states: %aait on record locks, %a wait on messages
DTK	19	LCLCHNS		Local channels:
DTK	20	LCLWNDS		Local windows:
DTK	21	LCLCOLS		Local columns:
DTK	22	PLCDCOLS		Placed columns:
DTK	23	PLCDWNDS		Placed windows:
DTK	24	NONE1		None.
DTK	25	CURLVL		Curr env level = %d, Curr disp level = %d
DTK	26	MEMSTS		Total window memory = %d, in use = %d (%d free)
DTK DTK	27 28	ALLWNDS ALLCHNS		All windows: All channels:
DTK	29	INVARG		Invalid argument
DTK	30	INVWND		Invalid window
DTK	31	NOWND		No windows in list
DTK	32	ERROR		*** ERROR *** ERROR *** ERROR *** ERROR *** ERROR *** ERROR ***
DTK	33	ERRTITLE		*** ERROR *** ERROR *** ERROR ***
DTK	34	EXPROMPT		Examine the window system (Y/N) ?
DTK	35	TERMMSG		Press RETURN to terminate:
DTK	36	MAXCHN		Maximum of %d channels already in use
DTK	37	MAXENV		No more environment channels available
DTK	38	INVCODE		Invalid %a code (%d)
DTK	39	BADOPN		Error opening file "%a" with
DTK	40	OPTS		OPTIONS = "%a"
DTK	41	NOWNDLOG		Could not log window %a (class should have been %d, was %d)
DTK DTK	42 43	CLSADVICE WNOTFREE		Window not classed as available
DTK	44	WNDNFND		Window hot classed as available Window %a not found in library %a
DTK	45	ENVOVFLW		Maximum of %d levels already in use
DTK	46	NONEWENV		Could not enter new local environment
DTK	47	NOOLDENV		Could not exit to previous environment
DTK	48	HDR		Header
DTK	49	INF		Information
DTK	50	FTR		Footer
DTK	51	UNK		**Unknown**
DTK	52	SECTNDEF		%a section not defined
DTK	53	FLDTOOSML		Return field too small (was %d, needed %d)
DTK	54	RENDNOCP		Could not copy display renditions on D_REND_ALL
DTK	55	WNDISCOL		Window %a is a menu column
DTK	56 57	MCOLONLY		These can only be processed by M_COLUMN
DTK DTK	5 / 58	WNDNOTCOL MNUOFLOW		Window %a is not a menu column Menu control area overflow (max of %d allowed)
DTK	50 59	COLNDSMOR		Column % a needed % d bytes, only % d left
DTK	60	CHN		channel
DTK	61	WND		window
DTK	62	MCOL		menu column
DTK	63	INVIDENT		Invalid %a identifier
DTK	64	IDOUTRANG		ID %d not in range %d to %d
DTK	65	FILE		file
DTK	66	REL		release
DTK	67	DEL		delete
DTK	68	COL		column
DTK	69	NOPROMO		Cannot promote local %a %a to global
DTK	70	NOTLCL		Cannot %a local %a %a
DTK DTK	71 72	CURRENV LCL2LVL		Current environment level is %d %a is local to level %d
DTK	73	COLNPLC		Could not place column %a
DTK	74	MAXCOLS		Maximum of %d columns already placed
DIK	/ =	1.12VCOTI9		rantmam of the columns afficacy praced

Fac	Err #	Code	Sev	Message
DTK	75	NOCOLACC		Could not access menu column %a
DTK	75 76	COLNOTPLC		Not placed on the current menu
DTK	77	IDNOACC		Could not access %a identifier %a
DTK	78	IDNOTFND		Not found in menu column %a
DTK	79	FLD		field
DTK	80	CHR		character
DTK	81	INVINP		Could not perform %a input using window %a
DTK	82	INS		insert
DTK	83	OVRSTRK		overstrike
DTK	84 85	FLDSTS		Input field at (%d,%d), length %d, in %a mode
DTK DTK	85 86	FAILDINP CANTDEL		Failed with data length %d, input position %d, Cannot delete %a %a
DTK	87	CURRDISP		Current display level is %d
DTK	88	WNDPLCMNT		%a is placed at level %d
DTK	89	REM		remove
DTK	90	PLC		place
DTK	91	MOV		move
DTK	92	CLOSE		close
DTK	93	PROCESS		process
DTK	94	OPERATE		<pre><operate?></operate?></pre>
DTK	95	RES		<resource?></resource?>
DTK	96	SYSRSRC		Cannot %a %a %a
DTK	97	CHN1		Channel
DTK	98 99	NOTOWNER		%a is owned by the utility system
DTK DTK	100	NOENTENV STKOVF		Could not enter environment level %d, display level %d Maximum of %d entries in the stack, needed %d
DTK	101	DSPSTKOVF		Display level save stack overflow
DTK	102	LINTOOLON		Text window %a lines are too long
DTK	103	MAXLINLEN		Required %d characters, max of %d allowed
DTK	104	NOTTXT		Window %a is not a text window
DTK	105	NOTTEXTEN		Entry %a in library %a not a text entry)
DTK	106	INVEXP		Text entry has invalid expansion control of %d
DTK	107	LIBENT		Entry %a in library %a
DTK	108	CORRENT		Entry is probably corrupted
DTK	109	NOTINPWND		Window %a is not an input set window
DTK	110	SET		Set
DTK	111	FLD1		Field
DTK	112	INPNOTFND		Input window %a does not contain %a %a
DTK DTK	113 114	NOTINSET NOTSELWND		Field %a not member of set %a for window %a Window %a is not a selection window
DTK	114	WRONGDBL		The version was %a, but %a or greater is required
DTK	116	BADDBL		Set created using an incompatible compiler
DTK	117	COLNOPRO		Could not promote menu column %a to global
DTK	118	GBLONLY		Columns can only be specified as global when loadedby the M_LDCOL routine
DTK	119	FILEINF		File "%a", mode "%a"
DTK	120	FILINF		File "%a"
DTK	121	NEEDMORE		Needed %d bytes, but only max of %d allowed
DTK	122	TXTTOOBIG		Channel entry text too large
DTK	123	DATAOVF		Data space overflow for channel %d
DTK	124	MOREBYTES		Needed %d bytes, but only %d available
DTK	125	WDNNOTPLC		Window %a not placed on the screen
DTK	126	EDTWND		Edit window %a, row %d, column %d
DTK DTK	127 128	COVERED NOTFND		Editing position covered by another window
DTK	128 129	NOTEND NOTCREATE		Could not load %a "%a" from library %a Could not create %a "%a"
DTK	130	DUPNAME		A window with that name already exists
DTK	131	WND2BIG		Window % is too large to fit on screen
DIK	± J ±	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		"That was to too sarge to the on better

DTK	Fac	Err #	Code	Sev	Message
DTK	איזים	132	NOMEM		NOT Enough window memory for %a on the screen
DTK 134					
DTK					
DTK 136 RNOERR DTK 137 VALEER Invalid numeric digit for value DTK 138 LSTERR No. and allowed entry required DTK 141 DATERR NO. and allowed entry required DTK 142 NEGERR No. and the provious invalid numeric digit for value DTK 143 OVFERR No. and the provious invalid numeric digit for value DTK 144 DATERR NO. and the provious invalid numeric digit for value DTK 143 OVFERR No. and the provious invalid numeric digit for value DTK 144 DATERR No. and the provious invalid numeric digit for value DTK 143 OVFERR No. and the provious invalid numeric digit for value DTK 145 DUBRIC NO. and the provious invalid numeric digit for value DTK 146 DUBRIC NO. and the provious invalid color palette code (not 1-16) DTK 150 UNRECG UNA single character is allowed DTK 151 INVOIR Invalid color palette code (not 1-16) DTK 152 INVOIR Invalid color palette code (not 1-16) DTK 153 SINGLACH Only a single character is allowed DTK 155 DOR DEFINITION NO. and the provious invalid color palette code (not 1-16) DTK 157 RIGHT DOWN DTK 158 UP UP DTK 158 UP UP DTK 159 NORMUTYP Non-menu function %a_KEY typed Non-menu fun					
DTK 137					
DTK 133 LSTERR Non-aero value required Non-black entry non-black entry required Non-black entry					
DTK 140 NONBLK Non-blank entry required DTK 141 DATER	DTK	138	LSTERR		
DYK 141 DATERR DYK 142 NGERR DYK 143 OVFERR DYK 144 UNKINDERR DYK 145 DUPMND DYK 145 UNFRUNC DYK 147 NORTHUNC DYK 147 NORTHUNC DYK 148 UNFRUNC DYK 148 UNDPND DYK 150 UNFRECR DYK 151 INVOOR DYK 151 INVOOR DYK 152 INVOOR DYK 153 SINGLECH DYK 154 DELL DYK 155 BOF DYK 155 BOF DYK 156 LEFT DYK 156 DUNN DYK 156 DUNN DYK 157 RIGHT DYK 157 RIGHT DYK 158 NORTHUNCE DYK 158 DOWN DYK 159 DUNN DYK 150 NONNOTYPE DYK 158 DOWN DYK 150 NONNOTYPE DYK 158 DOWN DYK 150 NONNOTYPE DYK 156 NONNOTYPE DYK 157 RIGHT DYK 158 DOWN DYK 160 NONNOTYPE DYK 161 SUNTERCH DYK 163 NEEDBOL DYK 165 NOTERMNAT DYK 166 NULLALLM DYK 167 NOTERMNAT DYK 168 SEPEC DYK 179 NOTERMNAT DYK 170 NOMESP DYK	DTK	139	REQERR		Non-zero value required
DTK 142 NGERR DTK 143 OVFER DTK 144 UNKINDERR DTK 144 UNKINDERR DTK 145 DUPNOD DTK 146 INPIRINC DTK 146 INPIRINC DTK 147 IGNFILE DTK 148 UDGF DTK 148 UDGF DTK 151 DURRECG DTK 151 DURRECG DTK 152 DURRECG DTK 153 SINGLECH DTK 154 DELI DTK 155 DOF DTK 156 LEFT DTK 157 RIGHT DTK 157 RIGHT DTK 157 RIGHT DTK 161 ENTRY DTK 161 ENTRY DTK 157 DVK 158 UD DWN DTK 161 ENTRY DTK 157 DVK 161 ENTRY DTK 163 NOMENOTYP DTK 166 NOMENOTYP DTK 167 NOMENOTYP DTK 167 NOMENOTYP DTK 168 SIDEXP DTK 168 SIDEXP DTK 169 STNGEXP DTK 169 STNGEXP DTK 169 STNGEXP DTK 170 NOMENOTYP DTK 169 STNGEXP DTK 170 NOMENOTYP DTK 169 STNGEXP DTK 170 NOMENOTYP D	DTK	140	NONBLK		Non-blank entry required
DTK 143 OVFERR DTK 145 DUPMND DTK 145 DUPMND DTK 147 (INSTRUCE DTK 148 UEOF DTK 149 NORND DTK 149 NORND DTK 149 NORND DTK 150 UNRECC DTK 151 INVOUR DTK 151 INVOUR DTK 153 STROLECH DTK 153 STROLECH DTK 154 DELI DTK 155 DUNN DTK 156 LEFT DTK 158 DTK DTK 158 DTK DTK 159 DOWN DTK 150 NONNNUTYP DTK 150 NONNNUTYP DTK 150 STROLECH DTK 151 SP DOWN DTK 152 DOWN DTK 153 STROLECH DTK 153 STROLECH DTK 154 DELI DTK 155 DUNN DTK 156 LEFT DTK 157 RIGHT DTK 158 DTK DTK 158 DTK DTK 158 DTK DTK 159 DOWN DTK 160 NONNNUTYP DTK 161 STROLECH DTK 161 STROLECH DTK 162 LIST DTK 163 NEEDEOL DTK 164 REFECT DTK 165 NOTERNNAT DTK 168 SIDEXP DTK 169 STNOEZP DTK 169 STNOEZP DTK 167 DENCR DTK 170 NUMEXP DTK 171 ROCCR DTK 171 ROCCR DTK 170 NUMEXP DTK 171 ROCCR DTK 170 NUMEXP DTK 171 ROCCR DTK 171 ROCCR DTK 172 ROCCR DTK 173 SCRPRMPT DTK 174 ROWNERPD DTK 175 NONNNUTYP DTK 177 NUMEXP DTK 177 NUMEXP DTK 177 NUMEXP DTK 178 ROWNERPD DTK 179 ROWN DTK 177 NUMEXP DTK 177 NUMEXP DTK 177 NUMEXP DTK 177 NUMEXP DTK 178 ROWNERPD DTK 179 ROWN DTK 179 ROWN DTK 179 ROCCR DTK 170 NUMEXP DTK 177 NUMEXP DTK 177 NUMEXP DTK 178 ROWNERPD DTK 179 ROWN DTK 179 R	DTK	141	DATERR		
DIK	DTK	142	NEGERR		
DTK	DTK		OVFERR		
DTK			-		
DTK 148 UEDF DTK 149 NOEND DTK 150 UNRECG DTK 151 INVCOLR DTK 152 INVOPT DTK 153 SINGLECH DTK 155 EOF DTK 156 LEFT DTK 156 LEFT DTK 157 RIGHT DTK 158 UP DTK 158 UP DTK 159 DOWN DTK 161 ENTRY DTK 161 ENTRY DTK 163 NEEDBOL DTK 163 NEEDBOL DTK 165 NOTERMNAT DTK 165 NOTERMNAT DTK 166 NOLINALLW DTK 167 NOTERMNAT DTK 167 NOWERP DTK 167 NOTERMNAT DTK 168 SIDEXP DTK 169 STNGEXP DTK 170 NOWERP DTK 171 PROCR DTK 171 HOROXAMPL DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 NOTVALINP DTK 177 NOTVALINP DTK 178 TOMANYFL DTK 178 TOMANYFL DTK 178 ROMATZRO DTK 178 ROMATZRO DTK 178 ROMATZRO DTK 178 ROMANYFL DTK 179 NOTVALINP DTK 177 NOTVALINP DTK 178 ROMANYFL DTK 179 ROMANYFL DTK 178 ROMANYFL DTK 179 ROMANYFL DTK 181 EXFLOWANY DTK 182 MNTHS DTK 183 CTIGGONT DTR 183 CTIGGONT DTR 184 REFECONT DTR 187 ROMANYFL DTR 188 CTIGGONT DTR 188 REFECONT DTR 189 REFECONT DTR 189 REFECONT DTR 180 ROMERO DTR 180 ROMERO DTR 180 REFECONT DTR					
DTK					
DTK 149 NOEND					
DTK 150					
DTK 151 INVOIR DTK 152 INVOPT DTK 153 SINGLECH DTK 154 DEL1 DTK 155 EOF DTK 155 EOF DTK 156 LEFT DTK 157 RIGHT DELEFE EOF DTK 157 RIGHT DDN DNN DTK 159 DONN DTK 161 ENTRY DTK 161 ENTRY DTK 163 NEEDEOL DTK 163 NEEDEOL DTK 164 EXPECT DTK 165 NOTENDAY DTK 167 DTK 168 SIDEXP DTK 167 DTK 168 SIDEXP DTK 167 DTK 167 DTK 167 DTK 168 SIDEXP DTK 169 SIDEXP DTK 170 NUMEXP DTK 171 PROCR DTK 171 PROCR DTK 172 VER DTK 173 SCEPRMST DTK 174 HORVERSXP DTK 175 NOTVALINP DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 DTK 178 TOMANYFL WHICH DIK 179 ROWLTZRO DTK 180 WINDEX SELECT DTK 181 OWNERS DTK 180 WINDEX SELECT DTK 181 WINDEX SELECT DTK 181 WINDEX SELECT DTK 181 WINDEX SELECT DTK 182 WINDEX SELECT DTK 179 ROWLTZRO DTK 181 EXPLOYED RIGHT OF FILLED expected Number of rows must be greater than zero DTK 181 WINDEX SELECT WINDEX SELECT WINDEX EXCEPTED TO SELECT WINDEX DTK 181 EXPLOYED RIGHT OF FILLED EXPECTED THE WAY SELECT OF THE WORLD AND WINDEX SELECT OF WINDEX SELECT					
DTK 152					
DTK					
DTK 159 DOWN DOWN DOWN DTK 160 NONMNUTYP NOn-menu function %a_KEY typed entry DTK 161 ENTRY entry DTK 162 LIST list list DTK 163 NEEDEOL DTK 165 NOTERMNAT DTK 166 NULLNALLW DTK 167 IDEXP Identifier expected DTK 167 STRGEXP STRGEXP TYPE TO NUMEXP DTK 170 NUMEXP DTK 171 PROCR DTK 171 PROCR DTK 172 VER DTK 173 SCRPRMPT DTK 174 HORVEREXP DTK 175 NOTVALINP DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 INVTXTCMD DTK 177 INVTXTCMD DTK 178 TOOMANYFL DTK 179 ROWLESSTS DTK 180 WNDEXISTS DTK 181 EXPLDMAX Exceeded Minuser of Selection Window Librs Strip expected DTK 179 ROWLESSTS DTK 181 EXPLDMAX Exceeded Minuser of Selection Fows must be greater than zero Selection Window Exceeded Minuser of Selection in the selection of the selection is the selection of the selection is the selection of the selection of the selection is the selection of the selection of the selection is the s					
DTK 160 NOMNUTYP DTK 161 ENTRY entry DTK 162 LIST list entry DTK 163 NEEDEOL EOL expected DTK 166 NOTERNAT NULLNALLW DTK 166 NULLNALLW DTK 167 IDEXP DTK 168 SIDEXP DTK 169 STNGEXP DTK 170 NUMEXP DTK 171 PROCR DTK 171 PROCR DTK 172 VER DTK 173 SCRPRMPT DTK 174 HORVEREXP DTK 175 NOTVALINP DTK 176 NOTVALINP DTK 177 NOTVALINP DTK 178 NOTVALINP DTK 179 ROWLTZRO DTK 180 WNDEXISTS DTK 181 EXFLDMAX Exceeded Maximum number of selection fields DTK 182 MNTHS DTK 183 CTLGCONT DTK 184 RETCONT Press RETURN to continue					
DTK 160 NONMNUTYP DTK 161 ENTRY DTK 162 LIST DTK 163 NEEDEOL DTK 164 EXPECT DTK 165 NOTERMNAT DTK 166 NULLNALLW DTK 167 IDEXP DTK 168 SIDEXP DTK 168 SIDEXP DTK 170 NUMEXP DTK 171 PROCR DTK 171 PROCR DTK 172 VER DTK 173 SCRPRMT DTK 174 HORVEREXP DTK 175 NOTVALINP DTK 175 NOTVALINP DTK 176 NOTVERMORD DTK 177 NOTVALINP DTK 178 TOOMANYFL DTK 179 DTK 176 NOTVALINP DTK 177 INVIXTCMD DTK 178 TOOMANYFL DTK 179 ROWLTZRO DTK 179 ROWLTZRO DTK 179 ROWLTZRO DTK 180 WNDEXISTS DTK 181 EXFLDMAX DTK 182 MNTHS DTK 182 MNTHS DTK 183 CTLGCONT DTK 184 RETCONT DTK 184 RETCONT DTK 184 RETCONT DTK 185 OCCUPANTA DTK 186 RETCONT DTK DTK 187 CLGCONT DTK DTK 188 RETCONT DTK DTK 188 RETCONT DTK DTK 188 RETCONT DTK DTK 184 RETCONT DTK DTK 184 RETCONT DTK DTK 184 RETCONT DTK DTK 184 RETCONT DTK DTK BAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTRESS TG Continue					
DTK 161 ENTRY DTK 162 LIST					
DTK 162 LIST NEEDEOL BCL expected DTK 164 EXPECT "%a" expected DTK 165 NOTERMNAT Unterminated quoted string DTK 166 NOULLNALLW Null string not allowed DTK 167 IDEXP Identifier expected DTK 168 SIDEXP SINGEXP STRINGEXP NUMEXP Number expected DTK 170 NUMEXP Number expected DTK 171 PROCR Processor DTK 172 VER Version DTK 173 SCRPRMPT Window Libr: DTK 174 HORVEREXP "HORIZONTAL" or "VERTICAL" expected DTK 175 NOTVALINP NOT VALINP Not valid within input windows DTK 176 POSEXP LEFT, CENTERED, RIGHT or FILLED expected DTK 177 TOMANYFL TOO many fields to be created DTK 179 ROWLTZRO Number of rows must be greater than zero DTK 181 EXPLIMAX Exceeded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue Press ^G to continue					
DTK 163 NEEDEOL EXPECT "%a" expected "%a" expected "%a" expected "Null.MALLW Unterminated quoted string Null.MALLW Identifier expected "%a" expected "%a" expected "%a" expected Unterminated quoted string Null string not allowed Identifier expected "%a" e					±
DTK 164 EXPECT					
DTK 165 NOTERMNAT NULLNALLW Null string not allowed DTK 166 IDEXP IDEXP DTK 168 SIDEXP Identifier expected Totk 169 STNGEXP String expected DTK 170 NUMEXP Number expected DTK 171 PROCR Processor DTK 172 VER Version DTK 173 SCRPRMPT Window Libr: TOTK 174 HORVEREXP THORIZONTALL OR TURNING WINDOWS DTK 175 NOTVALINP DTK 176 POSEXP LEFT, CENTERED, RIGHT or FILLED expected DTK 177 ROMANYFL Too many fields to be created DTK 178 TOOMANYFL Too many fields to be created DTK 180 WNDEXISTS DTK 181 EXFLDMAX DTK 182 MNTHS DTK 183 CTLGCONT Press G to continue DTK 184 RETCONT PROSE TETURN to continue					
DTK 166 NULLNALLW Identifier expected DTK 167 IDEXP Identifier expected DTK 168 SIDEXP "%a" expected DTK 169 STNGEXP String expected DTK 170 NUMEXP Number expected DTK 171 PROCR Processor DTK 172 VER Version DTK 173 SCRPRMPT Window Libr: DTK 174 HORVEREXP NOTVALINP NOT valid within input windows DTK 175 NOTVALINP Not valid within input windows DTK 176 POSEXP LEFT, CENTERED, RIGHT or FILLED expected DTK 177 TOWANYFL TOWANYFL TO many fields to be created DTK 178 TOOMANYFL TO many fields to be created DTK 180 WNDEXISTS Selection Window DTK 181 EXFLDMAX Exceeded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press RETURN to continue DTK 184 RETCONT PROME TO TOWANT TO CONTINUE DTK 185 TOWANT TOWANT TO CONTINUE DTK 186 TOWANT TO					
DTK 168 SIDEXP STNGEXP STNGEXP String expected DTK 170 NUMEXP Number expected DTK 171 PROCR Processor DTK 173 SCRPMPT Window Libr: DTK 175 NOTVALINP Not valid within input windows DTK 176 POSEXP LEFT, CENTERED, RIGHT or FILLED expected DTK 177 INVIXTCMD Troomany fields to be created DTK 178 ROWLTZRO Selection Window DTK 180 WNDEXISTS Selection Window DTK 181 EXFLDMAX Exceded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 184 RETCONT Press RETURN to continue	DTK	166	NULLNALLW		
DTK 170 NUMEXP DTK 171 PROCR DTK 172 VER DTK 173 SCRPRMPT DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 INVIXTCMD DTK 178 TOOMANYFL DTK 179 ROWLIZRO DTK 179 ROWLIZRO DTK 180 WNDEXISTS DTK 181 EXFLDMAX DTK 181 EXFLDMAX DTK 182 MNTHS DTK 183 CTLGCONT DTK 184 RETCONT DTK 184 RETCONT DTK 184 RETCONT DTK 185 CTLGCONT DTK 186 CTLGCONT DTK 187 CENTERED, RIGHT or FILLED expected Number of "VERTICAL" expected Not valid within input windows LEFT, CENTERED, RIGHT or FILLED expected Invalid text command Too many fields to be created Number of rows must be greater than zero Selection Window Exceded Maximum number of selection fields JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC Press G to continue DTK 184 RETCONT Press RETURN to continue	DTK	167	IDEXP		Identifier expected
DTK 170 NUMEXP PROCR Processor DTK 171 PROCR Version DTK 173 SCRPRMPT Window Libr: DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 INVTXTCMD DTK 178 TOOMANYFL DTK 179 ROWLTZRO DTK 181 EXFLDMAX DTK 181 EXFLDMAX DTK 181 EXFLDMAX DTK 183 CTLGCONT DTK 183 CTLGCONT DTK 183 CTLGCONT DTK 184 RETCONT Window Processor DTK 183 CTLGCONT Press RETURN to continue Number expected Processor Version Violation Volution	DTK	168	SIDEXP		"%a" expected
DTK 171 PROCR Version DTK 172 VER Version DTK 173 SCRPRMPT DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 INVTXTCMD DTK 178 TOOMANYFL DTK 179 ROWLTZRO DTK 180 WNDEXISTS DTK 181 EXFLDMAX DTK 182 MNTHS DTK 183 CTLGCONT DTK 184 RETCONT DTK 184 RETCONT Processor Version Window Libr: "HORIZONTAL" or "VERTICAL" expected Invalid within input windows LEFT, CENTERED, RIGHT or FILLED expected Invalid text command Too many fields to be created Number of rows must be greater than zero Selection Window Exceded Maximum number of selection fields JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC Press ^G to continue Press RETURN to continue	DTK	169	STNGEXP		String expected
DTK 172 VER DTK 173 SCRPRMPT DTK 174 HORVEREXP DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 INVTXTCMD DTK 178 TOOMANYFL DTK 179 ROWLTZRO DTK 180 WNDEXISTS DTK 181 EXFLDMAX DTK 182 MNTHS DTK 183 CTLGCONT DTK 183 CTLGCONT DTK 184 RETCONT DTK 184 RETCONT Version Window Libr: "HORIZONTAL" or "VERTICAL" expected Not valid within input windows LEFT, CENTERED, RIGHT or FILLED expected Invalid text command Townmand Too many fields to be created Number of rows must be greater than zero Selection Window Exceded Maximum number of selection fields JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC Press ^G to continue Press RETURN to continue	DTK	170	NUMEXP		Number expected
DTK 173 SCRPRMPT					
DTK 174 HORVEREXP NOTVALINP NOTVALINP DTK 175 NOTVALINP DTK 176 POSEXP LEFT, CENTERED, RIGHT or FILLED expected Invalid text command Invalid text command Too many fields to be created Number of rows must be greater than zero Selection Window Exceded Maximum number of selection fields JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 184 RETCONT Press RETURN to continue					
DTK 175 NOTVALINP DTK 176 POSEXP DTK 177 INVTXTCMD DTK 178 TOOMANYFL DTK 179 ROWLTZRO DTK 180 WNDEXISTS DTK 181 EXFLDMAX DTK 182 MNTHS DTK 183 CTLGCONT DTK 184 RETCONT DTK 184 RETCONT Not valid within input windows LEFT, CENTERED, RIGHT or FILLED expected Invalid text command Too many fields to be created Number of rows must be greater than zero Selection Window Exceded Maximum number of selection fields JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC Press ^G to continue Press RETURN to continue					
DTK 176 POSEXP LEFT, CENTERED, RIGHT or FILLED expected DTK 177 INVTXTCMD Invalid text command DTK 178 TOOMANYFL Too many fields to be created DTK 180 WNDEXISTS Selection Window DTK 181 EXFLDMAX Exceded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 177 INVTXTCMD Invalid text command DTK 178 TOOMANYFL TOO many fields to be created DTK 179 ROWLTZRO Number of rows must be greater than zero DTK 180 WNDEXISTS Selection Window DTK 181 EXFLDMAX Exceded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 178 TOOMANYFL Too many fields to be created Number of rows must be greater than zero Selection Window Exceded Maximum number of selection fields JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 184 RETCONT Press Continue Press RETURN to continue					
DTK 179 ROWLTZRO Number of rows must be greater than zero Selection Window DTK 181 EXFLDMAX Exceded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 180 WNDEXISTS Selection Window DTK 181 EXFLDMAX Exceded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 181 EXFLDMAX Exceded Maximum number of selection fields DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 182 MNTHS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 183 CTLGCONT Press ^G to continue DTK 184 RETCONT Press RETURN to continue					
DTK 184 RETCONT Press RETURN to continue					
I DTK I 185 I TERMPROC I I Make corrections or press RETURN to complete input	DTK	185	TERMPROC		Make corrections or press RETURN to complete input
DTK 186 FWD Forward					
DTK 187 REV Reverse					
DTK 188 INSRT Insert					

Fac	Err #	Code	Sev	Message
DTK	189	OVR		Overstrike
DTK	190	TXTRDCNT		T_TXTRD control
DTK	191	TXTWRTCNT		T TXTWRT control
DTK	192	UNKUTL		Unknown utility entry "%a" received
DTK	193	NOHELP		No help available for identifier "%a"
DTK	194	NOHLP		No help available
DTK	195	NOUSRSET		No user data set is defined
DTK	196	INVFLDSPC		Invalid field specification
DTK	197	DUPUSRSET		User data set has already been defined
DTK	198	URECDBG		Unrecognized debug command
DTK	199	BADSIZ		Library record size %d incorrect, %d required
DTK	200	OBSWND		Window %a obsolete or 32-64bit Mismatch; window library %a needs to be re-created using Script.
DTK	201	LIBRDERR		Error reading window library %a [#%d, %a]; loading window %a
DTK	202	LIBWRTERR		Error storing window %a into library %a [#%d]
DTK	203	NONE		* None **
DTK	204	MOS		JANFEBMARAPRMAYJUNJULAUGSEPOCTNOVDEC
DTK	205	SCRPRMT		Script File:
DTK DTK	206 207	CIWEXP DTKBAN		.SCRIPT, .COLUMN, .INPUT, .SELECT, .LISTCLASS or .WINDOW expected Developer's ToolKit v%a
DTK	207	RESTERR		Error restoring window
DTK	208	NOENDCOL		No .END for previous .COLUMN
DTK	210	ENTIDEXST		Entry identifier already exists
DTK	211	NOENTNCOL		No entries in the menu column
DTK	212	TOOMNYLST		Too many lists
DTK	213	HDENTALL		HEADER, ENTRIES, or ALL expected
DTK	214	TOOMNYROW		Too many rows
DTK	215	DUPLISTID		List identifier already exists
DTK	216	ENTIDNUL		Entry ID not defined
DTK	217	INVFNCT		Invalid function key code
DTK	218	INVSHCUT		Invalid shortcut specification
DTK	219	UNKOPT		Unrecognized option
DTK	220	SETCTLS		%a ctls for %a (in user data set)
DTK	221	EMWS		Exceeded Maximum Work Space
DTK	222	DUPFLD		Field name already defined
DTK	223	TOOMNYFDE		Too many .FIELD definitions (max of %d)
DTK	224	ADFEXP		A, D, or F expected
DTK	225	DIMTXTONL		Only text fields can be dimensioned
DTK DTK	226 227	MXLNNUM DUPRNG		Maximum numeric length is 28 RANGE already specified
DTK	227			ALWAYS, CHANGE, or RETURN expected
DTK	228	BRKQUAL LFRICTR		LEFT, RIGHT, or CENTER expected
DTK	230	DUPALLOW		ALLOW already specified
DTK	231	ZEROINV		Zero value invalid
DTK	232	DUPUSRDAT		USER data already defined
DTK	233	UNKFLDOPT		Unrecognized .FIELD option
DTK	234	DUPFLDQUA		SELECT, SELWND, or ALLOW already specified
DTK	235	D0RF		Field must be numeric
DTK	236	ALPH		Field must be alpha type
DTK	237	NOTEXT		Field cannot be text type
DTK	238	MATCH		EXACT or ALL expected
DTK	239	DUPDFLTSP		COPY, INCREMENT, DECREMENT, or DEFAULT already specified
DTK	240	DUPSTR		Structure name already defined
DTK	241	TOOMNYSTR		Too many .STRUCTURE definitions (max of %d)
DTK	242	PREVSTR		Cannot use all fields; previous .STRUCTURES defined
DTK DTK	243 244	NOFLDS		No fields defined for the structure Field already part of a structure
DTK	244	FLDINSTR FLDNOTDEF		Field already part of a structure Field %a not previously defined within the structure
אזע	∠ ₩3	TUDINOTDEL		ricia sa not previously defined within the structure

Fac	Err #	Code	Sev	Message
DTK	246	DUPSETNM		Set name already defined
DTK	247	MAXSETDEF		Too many .SET definitions (max of %d)
DTK	248	NOSTRNM		Structure name not defined
DTK	249	NOFLDSNSE		No fields defined for the input set
DTK	250	FLDNOTNSE		Field not within this set's structure
DTK	251	FLDNMUNDE		Field name not defined: %a
DTK	252	NOFLDNDFL		No fields defined for default structure
DTK	253	INVDEC		Invalid decimal value
DTK	254	DTYPE		Type must be D4 through D8, I2 or I4
DTK	255	BADQUAL		PERIOD only allowed on D4 and D6 fields
DTK	256	PERORTDY		PERIOD, TODAY, or SHORT expected
DTK	257	NOENVSAVD		Already at base level (No prior environment saved)
DTK	258	NOFLDRECS		No field records available
DTK	259	CTLRECNN		CTL NN - Dump generated ctl record NN
DTK	260	DSPCURRWND		DISPLAY - Display the current input window
DTK	261	DMPHDT		DMPHDR - Dump header info
DTK	262	DMPFLD		DMPFLD - Dump field info
DTK DTK	263 264	DMPBUF DUMP		DMPBUF - Dump work buffer info DUMP - Dump all current info
DTK	264 265	EXIT		EXIT - Exit debug routine
DTK	266	FLDNN		FLD NN - Dump generated field NN controls
DTK	267	GDMP		GDMP - DoDUMP just prior to window generation
DTK	268	HELP		HELP - Display available commands
DTK	269	INPUT		INPUT - Switch to input mode
DTK	270	NOLIB		NOLIB - Don't store generated windows
DTK	271	PAUSE		PAUSE - Pause and wait for terminal input to continue
DTK	272	REDRAW		REDRAW - Redraw the window screen
DTK	273	SELNN		SEL NN - Dump generated selection ctl rec NN
DTK	274	TEST		TEST - Don't do any input window generation
DTK	275	NOSELCTL		No selection control records available
DTK	276	INVDBGCOM		Invalid debug command (try HELP)
DTK	277	DBGCOM		Debug cmd:
DTK	278	UEOL		Unexpected End-of-Line
DTK	279	PROC		Compiler
DTK	280	DUPENUM		Duplicate enumeration specification
DTK	281	ENUMLEN		Enumeration display length must be non-zero
DTK	282	NOENUM		ALLOW, SELECT or SELWND required for enumeration
DTK	283	DUPPROMPT		Duplicate PROMPT qualifier
DTK DTK	284 285	RNDMNUENA		Enabled Menu Entry
DTK	285 286	RNDMNUDSA RNDMNUSEL		Disabled Menu Entry Selected Menu Entry
DTK	287	RNDMNUHOS		Menu Header Quick-Select
DTK	288	RNDMNUEQS		Menu Entry Quick-Select
DTK	289	RNDINPDSP		Input Field Display
DTK	290	RNDINPPRC		Input Field Processing
DTK	292	RNDINPCLR		Cleared Input Field
DTK	293	RNDINPBCK		Input Window Background
DTK	294	RNDINPTTL		Input Window Title
DTK	295	RNDINPBDR		Input Window Border
DTK	296	RNDSELSEL		Select Wnd Selected Item
DTK	297	RNDSELBCK		Selection Window Body
DTK	298	RNDSELTTL		Selection Window Title
DTK	299	RNDSELBDR		Selection Window Border
DTK	300	RNDWINBCK		Generic Window Body
DTK	301	RNDWINTTL		Generic Window Title
DTK	302	RNDWINBDR		Generic Window Border
DTK	303	RNDMSGBCK		Message Window Body

DTK	Fac	Err #	Code	Sev	Message
DTK	DTK	304	RNDMSGBDR		Message Window Border
DITK 306					
DTK					
DTK					
DTK					
DPK					
DTK 311					
DTK 312 RNDDLGBDR DIALOG Box Border DIALOG Box Border DTK 314 RNDDSS3 DTK 315 RNDDSS3 DTK 316 RNDDSS3 DTK 316 RNDDSS5 DTK 318 RMCRND DTK 318 RMCRND ROLLOGS DTK 319 RMCDLGRS DTK 320 RMBOLD BOLD BOLD REndition STATE DTK 321 RMBUNK BUINK BUINK					
DTK					
DTK					
DTK 316					
DTK 316					
DTK 318					
DTK 318					
DTK 319					
DTK 320					
DTK 321					
DTK 322					
DTK 324					
DTK 325					
DTK 325 RMECKCLR Background Color: DTK 326 RMFORCLE Foreground Color: DTK 327 RMSAMPLE Foreground Color: DTK 329 RMMNUBAR Menu Header DTK 330 RNMNUSEN Menu Bar DTK 331 RNMNUDSA Menu Enabled DTK 332 RNMNUDSA Menu Disabled DTK 334 RNINPTTL Input Window DTK 335 RNINPERC Cleared DTK 336 RMINPCLR Display DTK 337 RMINEXXX XXXXX DTK 338 RMSELWIN Select Window DTK 340 RMSELWIN Select Window DTK 341 RWINBCK Background DTK 342 RWINBCK Background DTK 343 RMINE Background DTK 344 RHLPTTL Help DTK 345 RHIPT					
DTK 326					
DTK 327					
DTK 328					
DTK 329 RMMNUBAR Menu Bar Menu Enabled DTK 331 RMMNUBAR Menu Disabled DTK 332 RMMNUBAR Menu Disabled DTK 333 RMINPTTL Input Window DTK 334 RMINPDSP DISABLER DTK 336 RMINPCLR Cleared DTK 337 RMINPXXX XXXXX DTK 338 RMSELWIN Selected Item DTK 339 RMSELITM Selected Item DTK 340 RMSELECK Background DTK 341 RMWINTTL Window DTK 341 RMWINTTL Window DTK 342 RMWINBCK Background DTK 343 RMSE MMSE MESE MESE MESE MESE MESE MESE					
DTK 330 RMMNUSNA Menu Enabled Menu Selected Menu Selected Menu Selected DTK 331 RMMNUSL Input Window Disabled Input Window Disabled Input Window DTK 335 RMINPPRC Process Cleared XXXXX STATE SELECT WINDOW Select Window DTK 339 RMSELITM Select Window Selected Item DTK 340 RMSELECK Background Window DTK 341 RMWINTTL Window Selected Item DTK 341 RMWINTTL Window Selected Item DTK 343 RMSG Menu DTK 344 RMHLPTL Window Selected Item DTK 345 RMHLPTL Help Totk 346 RMHLPTL Help Text Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMSELRD DTK 351 RMSELRD Select Renditions for Not on a Color Not on a Color Numeric code from 0-255 required					
DTK 331 RMMUUSEL Menu Selected Menu Disabled Input Window Display Process RMINPTC Cleared TXXXXX XXXX XXXX XXXX XXXX XXXX XXXX					
DTK 332 RMMNUDSA Menu Disabled Input Window Display Process RMINPPCL Cleared XXXXX Select Window Selected Item DTK 339 RMSELWIN Selected Item Background Window DTK 340 RMSELBCK DTK 341 RMINPTL Window Background Window DTK 342 RMWINBCK DTK 342 RMWINBCK DTK 343 RMSG Message DTK 344 RMLPTTL Help TX 345 RMHLPTXT Help TEXT DTK 346 RMHDR Screen Header DTK 347 RMINPO DTK 348 RMFTR Screen Header DTK 348 RMFTR Screen Footer DTK 348 RMFTR Screen Footer DTK 349 RMSELTTL Sclect Screen Area Select Screen Area Select Renditions for Not on a Color DTK 352 RMBADCLR Numeric code from 0-255 required					
DTK 333					
DTK 334 RMINPDSP Display Process DTK 335 RMINPCLR Cleared DTK 337 RMINPXXX Select Window Selected Item DTK 341 RMINTTL Background DTK 342 RMWINBCK Background DTK 343 RMSELBCK Background DTK 344 RMILPTTL Help DTK 345 RMHLPTXT Help Text DTK 346 RMINFO Information Line DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMSELTTL Select Screen Area DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 335					-
DTK 336 RMINPCLR XXXXX XXXX Select Window Selected Item DTK 337 RMSELITM Selected Item DTK 340 RMSELBCK Background DTK 341 RMWINTTL Window DTK 342 RMWINBCK Background DTK 343 RMSG Message DTK 344 RMHLPTTL Help DTK 345 RMHLPTXT Help Text DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 348 RMFTR Screen Footer DTK 349 RMDLG Screen Area DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Numeric code from 0-255 required					
DTK 337 RMINPXXX Select Window DTK 339 RMSELUTM Selected Item DTK 340 RMSELBCK Background DTK 341 RMWINTTL Window DTK 342 RMWINBCK Background DTK 343 RMMSG Message DTK 344 RMHLPTTL Help DTK 345 RMHDR Screen Header DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG DIAION Select Screen Area DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Numeric code from 0-255 required					
DTK 338 RMSELWIN Selected Item DTK 340 RMSELBCK Background DTK 341 RMWINTTL Window DTK 342 RMWINBCK Background DTK 343 RMSG Message DTK 344 RMHLPTTL Help DTK 345 RMHLPTXT Help Text DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG DTK 350 RMSELTTL Select Screen Area DTK 350 RMSELTTL Select Renditions for DTK 352 RMNOTCLR DTK 353 RMBADCLR Select Window Selected Item Background Message Help Help Text Screen Header Information Line Screen Footer Dialog? X Select Screen Area Select Renditions for Not on a Color Not on a Color					
DTK 339 RMSELITM Background DTK 341 RMWINTTL Window DTK 342 RMWINBCK Background DTK 343 RMMSG Message DTK 344 RMHLPTTL Help Help DTK 345 RMHLPTXT Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG DTK 351 RMSELTTL Select Screen Area DTK 351 RMSELRND DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR DTK 353 RMBADCLR Selected Item Background Window Background Message Help Help Text Screen Header Information Line Screen Footer Dialog? X Select Screen Area Select Renditions for Not on a Color Numeric code from 0-255 required					Select Window
DTK 340 RMSELBCK Window DTK 341 RMWINTTL Window Background DTK 342 RMWINBCK Background DTK 343 RMMSG Message DTK 344 RMHLPTTL Help DTK 345 RMHLPTXT Help Text DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG Dialog? X DTK 351 RMSELTTL Select Screen Area DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR DTM 353 RMBADCLR DTM 353 RMBADCLR DTM 353 RMBADCLR DTM 353 RMBADCLR DTM 353 RMBADCLR DTM 353 RMBADCLR DTM 353 RMBADCLR DTM 354 RMSELRND DTM 355 RMBADCLR DTM 356 RMSELRND DTM 357 RMBADCLR DTM 357 RMSELRND DTM 358 RMBADCLR DTM 359 RMBADCLR DTM 350 RMSELRND DTM 350 RMSELRND Numeric code from 0-255 required					
DTK 341 RMWINTTL Background DTK 342 RMMSG Message DTK 344 RMHLPTTL Help Text DTK 345 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG Dialog? X DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND DTK 352 RMNOTCLR DTK 353 RMBADCLR DTK 353 RMBADCLR Window Background Message Help Help Text Screen Header Dinterpretation Line Screen Footer Dialog? X Select Screen Area Select Renditions for Not on a Color					
DTK 342 RMWINBCK DTK 343 RMMSG DTK 344 RMHLPTTL DTK 345 RMHLPTXT DTK 346 RMHDR DTK 347 RMINFO DTK 348 RMFTR DTK 349 RMDLG DTK 349 RMDLG DTK 350 RMSELTTL DTK 351 RMSELRND DTK 352 RMNOTCLR DTK 353 RMBADCLR DTK 353 RMBADCLR Background Message Help Help Help Text Screen Header Information Line Screen Footer Dialog? X Select Screen Area Select Renditions for Not on a Color Numeric code from 0-255 required					
DTK 343 RMMSG Message DTK 344 RMHLPTTL DTK 345 RMHLPTXT DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG DTK 350 RMSELTTL DTK 351 RMSELRND DTK 352 RMNOTCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 355 RMSELTTL DTK 355 RMBADCLR DTK 355 RMBADCLR DTK 355 RMBADCLR DTK 356 RMSELTTL DTK 357 RMSELRND Numeric code from 0-255 required					
DTK 344 RMHLPTTL Help Text DTK 345 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND DTK 352 RMNOTCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 353 RMBADCLR DTK 355 RMBADCLR DTK 356 RMSELTTL Select Screen Area Select Renditions for Not on a Color Numeric code from 0-255 required					
DTK 345 RMHLPTXT Help Text DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line DTK 348 RMFTR Screen Footer DTK 349 RMDLG Dialog? X DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 346 RMHDR Screen Header DTK 347 RMINFO Information Line Screen Footer DTK 349 RMDLG Dialog? X DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 347 RMINFO Information Line Screen Footer DTK 349 RMDLG Dialog? X DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 348 RMFTR Screen Footer DTK 349 RMDLG Dialog? X DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 349 RMDLG Dialog? X DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 350 RMSELTTL Select Screen Area DTK 351 RMSELRND Select Renditions for DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 351 RMSELRND Select Renditions for Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 352 RMNOTCLR Not on a Color DTK 353 RMBADCLR Numeric code from 0-255 required					
DTK 353 RMBADCLR Numeric code from 0-255 required					
Date DOI IDELECTEDED DOILORE DOLLORE	DTK	354	EDTRNDSEL		Select Scheme
DTK 355 EDTRNDSCH Scheme Name:					
DTK 356 STORNDRPL Replace %a?					
DTK 357 EDTRNDNON No schemes currently defined					
DTK 358 EDTRNDDEL Delete %a?					
DTK 359 BADKEYNM Invalid Key Code passed to M_KEYTXT: %d - Valid range 1-99					
DTK 360 NOMAPFIL Cannot open the Toolkit key mapping file:	DTK	360	NOMAPFIL		

%d, %a) ignored e (code %d, %a)
(3040 04, 04,

Fac	Err #	Code	Sev	Message
DTK	418	F41_KEY		Function 41
DTK	419	F42_KEY		Function 42
DTK	420	F43_KEY		Function 43
DTK	421	F44_KEY		Function 44
DTK	422	F45_KEY		Function 45
DTK	423	F46_KEY		Function 46
DTK	424	F47_KEY		Function 47
DTK	425	F48_KEY		Function 48
DTK	426	F49_KEY		Function 49
DTK	427	F50_KEY		Function 50
DTK	428	F51_KEY		Function 51
DTK	429	F52_KEY		Function 52
DTK	430	F53_KEY		Function 53
DTK DTK	431 432	F54_KEY F55_KEY		Function 54 Function 55
DTK	432	F56_KEY		Function 56
DTK	434	F57_KEY		Function 57
DTK	435	F58_KEY		Function 58
DTK	436	F59_KEY		Function 59
DTK	437	F60_KEY		Function 60
DTK	438	F61_KEY		Function 61
DTK	439	F62 KEY		Function 62
DTK	440	F63_KEY		Function 63
DTK	441	SUB_MENU		Submenu Flag
DTK	442	KEYNUMS		Codes:
DTK	443	SHORTCUT		Menu Shortcut Text:
DTK	444	KEYCHR2		Alternate #1:
DTK	445	KEYCHR3		Alternate #2:
DTK	446	KEYSELINF		Select the Shortcut Function to Define
DTK	447	KEYSEQINF		Enter the Decimal character codes for the Key Sequence
DTK	448	KEYTXTINF		Enter the Shortcut Text to appear on the menu for this function
DTK	449	KEYACCINF		Press the desired key(s), followed by RETURN
DTK	450	KEYUPDTTL		Updating
DTK	451	KEYCHRS		Key Sequence:
DTK	452	NOENDSEL		No .END for previous .SELECT
DTK	453	SEL2DFLT		DEFAULT already specified on a previous ENTRY
DTK	454	NOENTNSEL		No entries in the selection window
DTK	455	TOOMNYSEL		Too many entries in selection window
DTK	456 457	FLDOVER		Warning: Field overlaps prompt Window %2 not found: no library gupplied
DTK DTK	457 458	NOWNDLIB NOCOLS		Window %a not found; no library supplied No columns currently placed
DTK	450	FLSBADCHN		Channel %d does not access a file stack
DTK	460	FLSTKNACT		The file stack system is not currently active.
DTK	461	FLSTKOVFL		The file stack system has overflowed.
DTK	462	FLSTKMAX		A maximum of %d files has already been stacked.
DTK	463	FLSTKNLFIL		No logical file is currently open.
DTK	464	FLSTKINVLV		Invalid file stack level
DTK	465	FLSTKVLEV		Valid levels are currently 1 to %d.
DTK	466	FLSTKINVR1		Invalid record number for stack level %d.
DTK	467	FLSTKINVR2		Currently %d records are at that level.
DTK	468	FLSTKINVR3		Requested transfer record number was %d.
DTK	469	AM		AM
DTK	470	PM		PM
DTK	471	TIMERR		Invalid Time
DTK	472	LLNOCURR		Linked List Error: No Current Record
DTK	473	LLNOTFND		Linked List Error: Requested record not found
DTK	474	LLFSERR		Linked List Error: File Stack Error

Fac	Err #	Code	Sev	Message
DTK	475	LLNOTTOP		Linked List Error: Cannot extend list, not at top level of file stack
DTK	476	LLNOTOPN		Linked List not opened; use LL_OPEN
DTK	477	DICTINIT		Error initializing repository
DTK	478	DICTEXIT		Error exiting repository
DTK	479	DICTSTRUCT		Error accessing repository structure %a
DTK	480	DICTFLD		Error accessing repository field %a in structure %a
DTK	481	DICTERR		Unknown error accessing repository
DTK	482	DICTNOFND		Requested repository record not found
DTK	483	DICTOPEN		Could not open file
DTK	484	DICTFUNC		Unknown repository function code
DTK	485	SAVTOMAP		Save current changes to %a ?
DTK DTK	486 487	SAVTERM		Enter name of terminal to save current changes Window id %d is not a scroll bar window
DTK	488	SBNOTSB RNDLSTENA		Enabled List
DTK	489	RNDLSTENA		Enabled List Border
DTK	490	RNDLSTTTL		Enabled List Title
DTK	491	RNDLSTDSA		Disabled List
DTK	492	RNDLSTSEL		Selected Item in List
DTK	493	RNDSCRBAR		Scroll Bar
DTK	494	RNDSCRIND		Scroll Bar Indicators
DTK	495	RMMLSTENA		Enabled List
DTK	496	RMMLSTBCK		List Item
DTK	497	RMMLSTSEL		Selected Item
DTK	498	RNDLSTDSS		Disabled Selected Item
DTK	499	MAXLIST		Maximum number of list entries (99) exceeded
DTK	500	IBBADCOL		Column specified (%d) lies outside window (1-%d)
DTK DTK	501 502	IBBADROW		Row specified (%d) lies outside window (1-%d)
DTK	502	NEGQUAL TTYPE		ALLOWED, ONLY, or ORZERO expected Type must be D4, D6, I2 or I4
DTK	504	AMPMORNOW		AMPM or NOW expected
DTK	505	UNKNLSTOPT		Unknown .LISTCLASS option: %a
DTK	506	RNDLSTHDR		Enabled List Header
DTK	507	RNDLSTFTR		Enabled List Footer
DTK	508	RMMLSTHDR		List Header
DTK	509	RMMLSTFTR		List Footer
DTK	510	TERMCOPY		Enter terminal type to copy from:
DTK	511	MNUSEL		Menu entry "%a" selected
DTK	512	CHRTYPED		Character "%a" typed
DTK	513	CTLTYPED		Control character "^%a" typed
DTK	514	NONMNUTYPD		Non-menu function "%a_KEY" typed
DTK DTK	515 516	FINDPRMPT		Find: UI Toolkit is not configured Please contact your Synergy supplier
DTK	516 517	NOTINST MAXUSER		Exceeded concurrent user capacity
DTK	517	TIMEOUT		This system has timed out Please contact your Synergy supplier
DTK	519	DUPCLASS		List Class %a already defined
DTK	520	CLSCREAT		Cannot create List class %a: %a
DTK	521	NOCLASS		List class %a not found
DTK	522	NOCLSLIB		List Class %a not loaded - no library supplied
DTK	523	NOTCLSWND		Id %d not a List class
DTK	524	PLCDPRLVL		List ID %d placed at a prior level
DTK	525	NOTLOCAL		List ID %d not local to the current environment
DTK	526	NOTFREE		List ID %d already in use
DTK	527	NOFREE		No List ID's available Maximum number of active Lists (%d) already reached.
DTK	528	NOTLST		ID %d is not an active List
DTK	529	CMDQOVF		List Request queue overflow
DTK	530 531	INPINUSE		Input window %d already associated with a List
DTK	531	NOSECT	1	List section %d not found

Fac	Err #	Code	Sev	Message
DTK	532	RMMLSTDSA		Disabled List
DTK	533	FLSTKDFLT		Default file stack already initialized
DTK	534	NEGOERR		Negative value only allowed
DTK	535	RPOSTXT		RETAIN_POSITION only valid for text fields
DTK	536	TXTPOS		I TXTPOS can only be used for text fields
DTK	537	HELPINFO		Browse help text, then press RETURN or [O_EXIT] to exit
DTK	538	FLAGOLD		Warning: .FLAG no longer supported; use renditions
DTK	539	RNDSELEQS		Sel Wnd Quick-Selects
DTK	540	SNAPLEN		I_SNAPSHOT argument too small: %d
DTK	541	LISTLEN		Maximum storage capacity for list data exceeded; max=%d, needed=%d
DTK	542	LLSIZE		Maximum storage capacity for linked list data exceeded; max=%d, needed=%d
DTK	543	ABOUT		About %a
DTK	544	VERSION		Version %a
DTK	545	COMPILED		Compiled on %a
DTK	546	DTKVERS		UI Toolkit Version %a
DTK	547	STRCTOVR		Too many item definitions in structure maximum of %d
DTK	548	SETOVR		Too many fields in set definition maximum of %d
DTK	549	BADINTLEN		Invalid size specified for integer field: %d
DTK	550	INTOVF		Value too large for field; range %a thru %a
DTK	551	HELPINFO2		Press RETURN or [O_EXIT] to exit help
DTK	552	BADDICTTYP		Fields of type %a not supported by the Toolkit
DTK	553	NAMESETID		%d is not a valid name set ID
DTK	554	NAMNOTUNIQ		"%a" is not a unique name within the set of %a
DTK	555	MAXNAME		Maximum number of %a exceeded
DTK	556	NOROUTINE		%a (or a routine it calls) missing, or GDS uninitialized.
DTK	557	NOARRIVE		Specified as the arrive method for field %a
DTK	558	BTNOK		OK General
DTK DTK	559 560	BTNCANCEL		Cancel Abort
DTK	561	BTNABORT BTNRETRY		Retry
DTK	562	BTNIGNORE		Ignore
DTK	563	BTNYES		Yes
DTK	564	BTNNO		No No
DTK	565	LISTINP		Input window %d is associated with list %d - you must use L_INPUT(_P) or L_INPFLD(_P) for input
DTK	566	WNDPLC		Could not place window
DTK	567	BADFLDLEN		Field %a must be in range %d-%d: %d
DTK	568	WROVERS		Wrong version of Toolkit library: %a\nExpected version: %a
DTK	569	COLORS		ANSI: 0=Black,1=Blue,2=Green,3=Cyan,4=Red,5=Purple,6=Yellow,7=White
DTK	570	FIND_MSG		Searching list - please wait
DTK	571	TOOMNYEOF		%d EOF characters encountered
DTK	572	BTNHELP		Help
DTK	573	BADBTN		Invalid button code passed to IB_STDBUTTONS: %d
DTK	574	SCRBADBTN		Invalid button name: %a
DTK	575	DEFFILTER		All files (*.*)
DTK	576	BIGFILTER		%U_GETFILENAME Error: Specified filters too large. Maximum of 8192 characters allowed
DTK	577	FILENAME		File
DTK	578	DIRCMD		Unable to build directory list.\nCommand was:\n%a
DTK	579	ALLFILES		All files (*.*)
DTK	580	MAXITEM		Max token length (%d) exceeded: %d chars encountered - token truncated
DTK	581	TOOLKIT		UI Toolkit
DTK	582	BADVERSN		Incompatible version of %a
DTK	583	MINVERSN		Minimum version required: %a
DTK	584	GOTVERSN		Version in use: %a
DTK	585	TIMOUT		O_TIMEOUT
DTK DTK	586 587	INVWAIT		Invalid wait qualifier Specified as the drill method for field %a
DTK	587 588	NODRILL		List has no associated data
LDIK	288	NOLSTDATA		mist mas mo associated data

Fac	Err #	Code	Sev	Message
DTK	589	LSTHASDATA		List has associated data but no parameter passed
DTK	590	NOLEAVE		Specified as the leave method for field %a
DTK	591	SCR2WIDE		Application screen width specified (%d) exceeds maximum of %d
DTK	592	NOSELRADIO		'Radio' specified without associated selection window
DTK	593	NOHYPER		Specified as the hyperlink method for field %a
DTK	594	SCRINCOMP		Incompatible field qualifiers: %a and %a
DTK	595	NOENUMLIST		Field specified as enumerated, but no selection or allow list specified
DTK	596	DICTOPENM		Could not open main repository
DTK	597	DICTOPENT		Could not open repository text file
DTK	599	DICTWROVER		Repository is not a version %a repository
DTK	600	DICTFLDNA		Repository field %a not available to the Toolkit
DTK	601	SCRALREADY		%a already encountered
DTK	602	NOTTSET		%d is not a tabset id in routine %a.
DTK	603	MAXTABS		Maximum number of tab items created for tabset %d.
DTK	604	NOTTITM		%d is not a valid tab item.
DTK	605	TABITEM		tab item
DTK	606	TASSOC		Window ID %d is already associated with a tab set.
DTK	607	RTNNFDTK		Method %a not found in routine %a.
DTK	608	TOOMNYBTNS		Maximum number of buttons per window (%d) exceeded. Maximum number of libraries (%d) exceeded.
DTK DTK	609 610	SCRMAXLIB SCRMAXSCR		Maximum number of libraries (%d) exceeded. Maximum number of scripts (%d) exceeded.
DTK	611	SCRMAXSCR SFWFSETDEL		Illegal operation attempted which would result in the destruction of the input set which is being
DTK	612	INPUTWND		Script compiler used for input window %a
DTK	613	LWNDEVENT		Failed to assign window event set %d to list ID %d
DTK	614	WNDEVENT		Failed to assign window event set %d to window ID %d
DTK	615	BADFONT		Invalid font name specified.
DTK	616	FONTSPEC		Invalid font name specified in %a - "%a".
DTK	617	CRWNDFAIL		Could not create window %a with %d rows and %d columns.
DTK	618	NOTAXWID		%d is not the ID of an ActiveX Container window.
DTK	619	BTNNAME		%a is not a valid button name in window ID %d
DTK	620	INPOVFLOW		Insufficient data space passed to input routine for storage of field:
DTK	621	INPOVFLOW2		%a. Needed %d, passed data size is %d.
DTK	622	AXLISTLOAD		ActiveX list control load failure: OCX/DLL file(s) missing or not registered.
DTK	623	BADAXLSVRS		Mismatched ActiveX list control version: %a; expected %a
DTK	624	WROVERSN		Mismatched versions of %a and %a
DTK	625	REQVERSN		Version of %a: %a
DTK	626	BADMCLASS		U_WNDEVENTS: Argument 2 (%d) is not a valid method set ID for D_ASSIGN
DTK	627	BADBLDID		%a: %d is not a valid input window build ID
DTK	628	NOAXCNTR		AX_TKWIN: Could not create ActiveX container window. For more information, run again with AXDEBU
DTK	629	RNGERROR		Value %d not in range %d to %d in %a
DTK	630	INVADDRSIZ		Integer address must be of size %d
DTK	631	INVUTYP		Invalid user type: %d. Alphanumeric argument required.
DTK	632	RPSDUPFLD		Repository field name %a is not unique among members of structure %a
DTK	633	BADENV		Environment level specified (%d) not in range 1 to %d
DTK	634	LABORT		List %d aborted; reason code %d (%a)
DTK DTK	635 636	LABTNORECS LABTILLREQ		Empty list not allowed NONULL specified in list class but no records loaded
DTK	636	LABTILLREQ		Illegal request Load request not honored check the load method
DTK	638	LABTUNKNWN		Unknown abort reason
DTK	639	TOOMNYTBS		Maximum number of toolbars (%d) exceeded.
DTK	640	NOTBLOG		Could not log Toolbar %d.
DTK	641	TBNOTFREE		Toolbar not classed as available.
DTK	642	NOSUCH		No such %a logged with the Toolkit.
DTK	643	TOOLBAR		Toolbar
DTK	644	SELTOOBIG		Selection window exceeds 32767 bytes.
DTK	645	NOUSTART		The Synergy/DE UI Toolkit has not been initialized (U_START was not called)
DTK	646	BTNPOS		Invalid button position specified for window %d: %d (Valid range is 1 through %d)

DTK	Err #	Code	Sev	Message
	647	BADDEC		Decimal places specified (%d) not in range 0-28
DTK	648	FLDTOOBIG		Field %a does not fit in the window; maximum width: %d, field width: %d.
DTK	649	LDNAMOVF		Overflow loading %a names: %as beginning with %a (index %d) will not be accessible by name.
DTK	650	RPSRTNNF		Repository access routine %a not found.
DTK	651	BTNNDX		%d is not a valid button index in window ID %d
DTK	652	FLDNAMOVF		Field name with element specification exceeds maximum of %d characters.
DTK	653	BADELEMSPC		Invalid array element: %a, at character %d: '%a'
DTK	654	LNGELEMSPC		Element specification results in field name longer than %d characters: %a
DTK	655	MNYELEMSPC		Element specification contains more than 4 dimensions: %a
DTK	656	RPSELEMERR		Element does not match Repository dimension specification:
DTK	657	RPSELEMER2		%a, dimension %d
DTK	658	ELEMNORPS		Element specification not allowed on local field: %a
DTK	659	BLANKENTRY		Menu entry name may not be blank
DTK	660	INPEXACT		Incorrect size of data space passed to routine for storage of field:
DTK	661	FLDSELENUM		Field %a is enumerated and has no allow list; cannot remove selection window.
DTK	662	NOTCTR		%d is not the ID of a valid UI Toolkit container window
DTK	663	CHLDALREDY		ID %d (type %d) is already a child of container %d
DTK	664	NOTCHLD		%d is not the ID of a contained window
DTK	665	TOOMNYROWS		Field %a does not fit in the window; number of rows specified: %d; truncated to %d.
DTK	666	KEYFRDONLY		Keymap file is read-only
DTK	667	NORNDFIL		Unable to update renditions file: %a
DTK	668	RNDFRDONLY		Renditions file is read-only
DTK	669	MSIGCONF		M_SIGNAL overwriting pending menu entry: %a with %a\nContinue?
DTK	670	DICTFLDLST		Error building field list for repository structure %a; validate repository
DTK	671	NOSTARTM		Specified as the USTART_METHOD passed to U_START
DTK	672	CONTINUE		Continue?
DTK	673	IUSERARG		I_USER argument %d smaller than user string for field %a (%d passed, needed %d)
DTK	674	IUSERARGE		I_USER argument %d is not exactly the same size as the user string for field %a (%d passed, expec
DTK	675	BOUNDSFAIL		DTK_BOUNDS failure (level %d)
DTK	676	BADRTNADDR		Invalid method address: %d
DTK	677	INCOMPTYP		Incompatible data type passed to %a for field %a
DTK	678	TSTYPE		Type must be I8 for timestamp fields
DTK	679	AMPMORSHRT	_	AMPM or SHORT expected
LBR	1	BADFIL	F	Corrupted file: %s
LBR	2	CLOSIN	F	Cannot close: %s
LBR	3	CMDBIG	F F	Command line too long: %s
LBR	4 5	CONOPT	F	Conflicting options on command line Cannot delete non-existing module: %s
LBR LBR	6	DNXSTMD	F	Cannot add existing module: %s
LBR	7	EXSTMOD INFXP	F	Indirect command file name expected
LBR	8	INPFXP	F	Input file expected
LBR	9	INSMEM	F	Insufficient memory for attempted operation
LBR	10	INVFN	F	Invalid command file name
LBR	11	OLDINVOPT	E	Invalid command line option
LBR	12	INVTR	F	Invalid command file option, [NO]TRACE expected
LBR	13	LERROR	F	Internal error: %s
LBR	14	MAXIF	F	Exceeded maximum input file limit
LBR	15	MAXIND	F	Exceeded maximum indirect command file limit
LBR	16	MAXMOD	F	Exceeded maximum number of module names
LBR	17	FILSPC	E	Bad filename
LBR	18	MODXP	F	Module name expected
LBR	19	NONAME	F	No name specified for command line option
LBR	20	NOTSUBR	F	Module %s is not a subroutine
LBR	21	OBJXP	F	Object file expected: %s
LBR	22	OLBXP	F	Object library expected: %s
LBR	23	OPENIN	F	Cannot open input file: %s
LBR	24	OPOUT	F	Cannot open output file: %s

Fac	Err #	Code	Sev	Message
LBR	25	RNXSTMD	W	Warning - Replacing non-existing module: %s
LBR	26	XNXSTMD	F	Extracting non-existing module: %s
LBR	28	OPTXP	F	Option expected
LBR	29	DUPMOD	W	Warning - Duplicate module %s in library %s
LBR	30	WRTERR	F	Out of disk space for output file
LBR	31	MODSIZ	F	Module length too large %s
LBR	32	DUPMTH	F	Duplicate method specified: %s
LBR	33	IOERR	F	I/O error reading file: %s
LBR	34	OPPNDN	F	Module %s built opposite 'endian'
LBR	35	BADNDN	F	Unrecognized module id in %s
LBR	36	OPPBIT	F	Module %s built with opposite bit size
LBR	37	NDNOPP	F	Library built with opposite 'endian'
LBR	38	NDNBAD	F	Unrecognized library ID
LBR	39	BITOPP	F	Library built with opposite bit size
LBR	40	FILTOOBIG	F	File too big
LBR	41	MAXTF	F	Exceeded maximum number of files
LBR	509	OPENF	E	Cannot open %s
LBR	516	INVOPT	F	Invalid option: %s
LBR	517	INTERR	F	Internal Error: %d
LNK	1	BIGSEG	F	Segment exceeds maximum size in module: %s
LNK	2	CMDBIG	F	Command line exceeds maximum length
LNK	3	COMERR	F	Compiler errors in module: %s
LNK	4	COMNF	F	COMMON record undefined: %s in module %s
LNK	5	COMWAR	W	Compile warnings in module: %s
LNK	6	DUPMOD	F	Duplicate module name: %s
LNK	7	DUPSYM	F	Duplicate symbol definition: %s
LNK	8	GLOBNF	F	Global psect %s not in module %s
LNK	9	INSMEM	F	Insufficient memory for attempted operation
LNK	10	INVFN	F	Invalid command file name
LNK	11	OLDINVOPT	E	Invalid command line option
LNK	12	INVSOF	F	Invalid switch or file name
LNK	13	INVSTK	F	Invalid stack size specification
LNK	14	INVTR	F	Invalid trace option, -T or -N expected
LNK	15	LIBMAX	F	Too many library input files
LNK	16	MAXIF	F	Too many input files open
LNK	17	FILSPC	E	Bad filename
LNK	18	MAXTF	F	Too many files
LNK	19	NOGLOB	F	No global or common records allowed in library
LNK	20	NOLIB	F	No library input allowed for library output
LNK	21	NOMAIN	F	No main-line or primary module specified
LNK	22	NONAME	F	No file name specified with OUTPUT
LNK	23 24	ONEINI	E F	Global data section %s has duplicate , INIT
LNK	24 25	ONEPRI	F	Second main-line or primary module illegal: %s Cannot open: %s
LNK	25 26	OPENIN	F	Cannot open: %s Cannot open input file: %s
LNK LNK	26 27	OPFNF OPOUT	F	Cannot open output file: %s
LNK	28	OPTXP	F	Option expected
LNK	28 29	SUBRLB	F	No main-line's allowed in executable libraries module %s
LNK	30	WRTERR	F	Out of disk space for output file
LNK	31	XCLREF	F	Too many subroutine references from ELB module
LNK	32	XUNDEF	F	XCALL routine undefined: %s
LNK	34	INVNUM	F	Option requires numeric value specification
LNK	35	NOTELB	F	Invalid ELB format in file: %s
LNK	36	ERRCNT	F	Too many errors; compilation aborted
LNK	37	BADFIL	F	Bad record format in file: %s
LNK	38	GBLPSNF	F	Global psect {%s} not found
LNK	39	E65K	F	Shared data symbols > 65K
	,		1 -	

Fac	Err #	Code	Sev	Message
LNK	40	NOMOD	F	Module %s not found in library
LNK	41	NOTINI	E	Global data section '%s' not initialized
LNK	42	NOENDMOD	F	Internal error: No ENDMOD record in %s
LNK	43	ELBNAM	F	ELB name specified is too long: %s
LNK	44	ELBREF	E	Undefined common/global data reference '%s'
LNK	45	REFER	F	Fatal referencing errors
LNK	46	ELBSUB	I	In subroutine '%s', ELB '%s'
LNK	47	SUNDEF	E	COMMON symbol '%s' undefined in module %s
LNK	48	OPPNDN	F	Module %s built opposite 'endian' (%s)
LNK	49	BADNDN	F	Unrecognized module id 0x%x in %s
LNK	50 51	CMNGBL	E F	COMMON '%s' conflicts with GLOBAL DATA SECTION in module %s Duplicate common symbol definition: %s in module %s
LNK LNK	52	COMDUP FILINUSE	F	File %s is open by another user
LNK	53	PROTEC	F	File %s is not writable
LNK	54	CIRELB	F	Circular ELB reference in file %s
LNK	55	NOCOMP	F	Incompatible options specified: %s
LNK	56	OLDELB	F	Old ELB file format%s detected: relink %s
LNK	57	NOCLS	F	Class not found
LNK	58	CLSERR	F	Class definition error
LNK	59	CLSCRC	F	Class CRC mismatch: class %s in module %s
LNK	60	CLSUND	F	Undefined class: %s
LNK	61	OLDDBG	F	Old debug object record, recompile: %s
LNK	62	TEXT	I	%5
LNK	63	DUPCOMN	E	Duplicate Global Common: %s in ELB %s
LNK	64 65	DUPLIT	E	Duplicate Global Literal: %s in ELB %s
LNK LNK	66	DUPGDS DUPSREC	E E	Duplicate Global Data Section: %s in ELB %s Duplicate Static Record: %s in ELB %s
LNK	67	DUPGBL	E	Duplicate global: %s in ELB %s
LNK	68	DUPCLS	E	Duplicate class: %s in ELB %s
LNK	69	DUPRTN	W	Duplicate routine: %s in %s
LNK	70	DUPLICATES	E	Duplicate symbols
LNK	71	FRSTDEF	I	Symbol %s first defined in %s
LNK	72	FRSTRTN	I	Routine %s first found in %s
LNK	73	COMNDUP	W	Duplicate Global Common: %s in ELB %s
LNK	74	LITDUP	W	Duplicate Global Literal: %s in ELB %s
LNK	75	GDSDUP	W	Duplicate Global Data Section: %s in ELB %s
LNK	76	SRECDUP	W	Duplicate Static Record: %s in ELB %s
LNK	77	GBLDUP	W	Duplicate global: %s in ELB %s
LNK LNK	78 79	CLSDUP	W F	Duplicate class: %s in ELB %s Module length too large %s
LNK	79 80	MODSIZ NAMSIZ	F	Module length too large %s Module name table too large %d
LNK	81	NOINF	F	No input module specified
LNK	82	NOTOLB	F	Invalid OLB format in file: %s
LNK	83	RUNDEF	W	Undefined routine: %s in %s
LNK	84	REFBIG	W	Global data reference larger than definition: '%s'
LNK	85	NORTN	F	No routines in OLB file: %s
LNK	86	IOERR	F	I/O error reading file: %s
LNK	87	NDNOPP	F	File %s built with opposite 'endian'
LNK	88	NDNBAD	F	Unrecognized file ID in %s
LNK	89	BITOPP	F	File %s built with opposite bit size
LNK	90	OPPBIT	F	Module %s built with opposite bit size (%d)
LNK	91	BADOBJ	F F	Bad DBO file: %s Bad module compile: %s compiled for %s
LNK	92 93	BADCMP E65KXREF	F	External module references > 65K (%d)
LNK LNK	93 94	MAXMODS	F	Too many modules: %d
LNK	95	NONPRIMELB	W	Resolved %s from non-primary ELB %s
	96		E	LITERAL symbol '%s' undefined in module %s
LNK	96	LUNDEF	E	LITERAL symbol '%s' undefined in module %s

Fac	Err #	Code	Sev	Message
LNK	97	MAXIND	F	Too many indirect command files
LNK	509	OPENF	E	Cannot open %s
LNK	516	INVOPT	F	Invalid option: %s
LNK	517	INTERR	F	Internal error %d
LNK	648	FILTOOBIG	F	File too big
LNK	1004	LINKING	I	Linking %s
PRO	1	VERSLBL		UI Toolkit Prototyping System
PRO	2	KEYINFO		[O_HELP]-Help [U_DIR]-Dir [U_VIEW]-View [O_EXIT]-Exit
PRO	3	NOLIB		No library open
PRO	4	DIRHDR		Directory, pg %d of %d
PRO	5	EMPTYLIB		Empty window library
PRO	6 7	LIBEXIST		Error: %a already exists
PRO PRO	8	CREATERR LIBNF		Cannot create %a\n%a Library %a not found
PRO	9	OPENERR		Cannot open %a
PRO	10	NOCOLS		No columns in current window library
PRO	11	NOWNDS		No non-input windows in current window library
PRO	12	NOINPS		No input windows in current window library
PRO	13	ALRDYLD		%a already loaded by Proto
PRO	14	COLLOD		Column %a loaded (not placed)
PRO	15	COLNF		Column %a not found
PRO	16	MAXCOL		Reached maximum number of loaded columns
PRO	17	WNDNF		Window %a not found
PRO	18	MAXWND		Reached maximum number of loaded windows
PRO	19	INPNF		Input window %a not found
PRO	20	MAXINP		Reached maximum number of input windows
PRO PRO	21 22	NOINPLD BRKFLD		No input windows loaded Processing break field %a
PRO	23	MENUENT		Processing menu entry %a
PRO	24	RDERR		Error reading window library
PRO	25	WORKING		Working
PRO	26	SCRERR		Errors processing script file
PRO	27	SELHDR		Page %d of %d
PRO	28	MENUSEL		Selected menu entry %a
PRO	29	NOCOLLD		No columns loaded
PRO	30	ALLCOLRM		All columns removed
PRO	31	NOWNDPLC		No windows placed
PRO	32	NOWNDLD		No windows loaded
PRO	33	NOHELP		No help text available
PRO PRO	34 35	APPKEY		Application keypad mode set
PRO	35 36	NOAPPKEY NOSELS		Application keypad mode reset No selection windows in current window library
PRO	36 37	SELNF		Selection windows in current window library Selection window %a not found
PRO	38	MAXSEL		Reached maximum number of selection windows
PRO	39	NOSELLD		No selection windows loaded
PRO	40	SELENT		Processing selection window entry %a (#%d)
PRO	41	HDRCL		Create Library
PRO	42	HDRMM		Main Menu
PRO	43	HDROL		Open Library
PRO	44	HDRPS		Process Scripts
PRO	45	HDRTW		Test Windows
RDL	1	RPTNOT1ST		REPORT must be first keyword in RDL file.
RDL	2	INVMAINKW		Invalid main keyword.
RDL	3	TMPFLDNOT		Temp field %a not unique. Invalid type for calculation field (%a).
RDL RDL	4 5	INVCALTYP INVCALEXP		Invalid type for calculation field (%a). Invalid expression (%a) for calculation field (%a).
RDL	5 6	INVCALEXP		Invalid expression (%a) for calculation field (%a). Invalid justification for calculation field (%a).
חתא	U	TIMACUTION		invalid jubilification for carculation field (%a).

Fac	Err #	Code	Sev	Message
RDL	7	RELUNDEFI		Relation undefined for file (%a).
RDL	8	INVCALFLD		Invalid calculation field (%a).
RDL	9	INVCALDAT		Invalid date storage type for calculation field (%a).
RDL	10	INVQRYTYP		Invalid type for question field (%a).
RDL	11	INVÕRYDAT		Invalid date storage type for question field (%a).
RDL	12	INVQRYJST		Invalid justification for question field (%a).
RDL	13	INVQRYFLD		Invalid question field (%a).
RDL	14	INVENVTYP		Invalid type for environment field (%a).
RDL	15	INVENVDAT		Invalid date storage type for environment field (%a).
RDL	16	INVENVJST		Invalid justification for environment field (%a).
RDL	17	INVENVFLD		Invalid environment field (%a).
RDL	18	INVSUBFLD		Invalid subtotal field (%a).
RDL	19	INVLINTYP		Invalid type for line statement.
RDL	20	NOPOSSPEC		No position specified in text statement.
RDL	21	INVTXTPOS		Invalid position for text statement.
RDL	22	INVFILEID		Invalid file ID in file statement.
RDL	23	INVPARENT		Invalid parent file ID in file statement.
RDL	24	INVRELNAM		Invalid relation name in file statement.
RDL	25	INVFLDPOS		Invalid position for field statement.
RDL	26	INVFLDJST		Invalid justification for field statement.
RDL	27	INVFMTTRN		Invalid format truncation for field statement.
RDL	28	INVOPRTOR		Invalid operator in conditional specification.
RDL	29	INVSUBSCR		Invalid subscript in field specification.
RDL RDL	30 31	INVSRTSUB		Sort fields can not be subscripted. Invalid range in field specification.
RDL	32	INVRANGED		Sort fields can not be ranged.
RDL	33	INVSRTRNG INVNSTING		Nested subscripts and ranges are not allowed.
RDL	34	MAXREFS		Maximum number of referenced fields (%d) has been defined.
RDL	35	NOTRNG		You must use a numeric field for ranges.
RDL	36	FILE		File %a loading
RDL	37	SELECTION		Selection loading
RDL	38	SORT		Sort loading
RDL	39	CALC		Calculation temp field %a loading
RDL	40	TEMPTEXT		Text temp field %a loading
RDL	41	QUESTION		Question temp field %a loading
RDL	42	ENVIRON		Environment temp field %a loading
RDL	43	SUBTOTAL		Subtotal temp field %a loading
RDL	44	LINE		%a type line loading
RDL	45	FIELD		Field %a loading
RDL	46	TEXT		Text loading
RDL	47	MISC		Miscellaneous loading
RDL	48	GFILE		File %a generating
RDL	49	GSELECT		Selection generating
RDL	50	GSORT		Sort generating
RDL	51	GCALC		Calculation temp field %a generating
RDL	52	GTEMPTEXT		Text temp field %a generating
RDL	53	GQUESTION		Question temp field %a generating
RDL	54	GENVIRON		Environment temp field %a generating
RDL	55	GSUBTOTAL		Subtotal temp field %a generating
RDL	56 57	GLINE		%a type line generating
RDL	57 58	GFIELD		Field %a generating Text generating
RDL RDL	58 59	GTEXT GMISC		Miscellaneous generating
RDL	60	INVBRKREF		Invalid break field reference for (%a) temp field.
RDL	61	INVBRAREF ICSVER		invalid bleak lield lefelence for (%a) temp lield.
RDL	62	GENSUMMARY		%d reports generated.
RDL	63	LODSUMMARY		%d errors logged. %d reports loaded.
KD11	0.5	TODOO!!!!AKT		ta circib roggea. ta reporte rodaca.

Fac	Err #	Code	Sev	Message
DDI	C 1	TMICON		Turnelid cout statement
RDL	64 65	INVSRT		Invalid sort statement.
RDL RDL	66	LDEXIST LDREPLACE		Report %a already exists. Do you wish to create a new report? Report %a exists. Do you want to replace it?
RDL	67	EXISTINFO		Select "Yes" to replace the existing report.
RDL	68	CRENEW		Do you want to create a new report?
RDL	69	BLANK		bo you want to create a new report:
RDL	70	CRENEWINFO		Select "Yes" to create a new report; "No" to skip this report.
RDL	70	INVNAM		Invalid report name specified.
RDL	72	RPTEXISTS		Duplicate report name specified. Please enter another report name.
RDL	73	ERRFIL		Report %a could not be deleted.
RDL	74	NOLIN		FIELD specified when LINE is not defined.
RNT	1	EOF	E	End of file
RNT	2	NOCALL	E	Return with no CALL or XCALL
RNT	5	RECEXTCAL	E	Recursive XCALL routine %s
RNT	6	WROARG	E	Incorrect number of subroutine arguments
RNT	7	SUBSCR	E	Invalid subscript specified
RNT	8	WRTLIT	E	Writing to a literal or missing argument
RNT	9	NOMEM	E	Not enough memory for desired operation
RNT	10	ILLCHN	E	Illegal channel number specified
RNT	11	NOOPEN	E	Channel has not been opened
RNT	12	ONLYWR	E	Attempt to open output device in input mode
RNT	13	BACKPEND	E	Backup mode is On
RNT	14	BIGALPHA	E	Alpha temporary result exceeds 65535
RNT	15	BIGNUM	E	Arithmetic operand exceeds maximum size
RNT	16	CHNUSE	E	Channel is in use
RNT	17	FILSPC	E	Bad filename
RNT	18	FNF	E	File not found
RNT	19	NOTAVL	E	Device not available
RNT	20	DIGIT	E	Bad digit encountered
RNT	21	FILOPT	E	Invalid operation for file type
RNT	22	IOFAIL	E	Failure during I/O operation
RNT	23	TOOBIG	E	Input data size exceeds destination size
RNT	24	NOSPAC	E	No space exists for file on device
RNT	25	FILFUL	E	Output file is full
RNT	27	UPDNFD	E	Update of non-file device
RNT	28	RECNUM	E	Illegal record number specified
RNT	29	BADCMP	F	Compile not compatible with execution system
RNT	30	DIVIDE	E	Attempt to divide by zero
RNT	31	ARGSIZ	E	Argument specified with wrong size
RNT	32	REPLAC	E	Cannot supersede existing file
RNT	33	CHNEXC	E	Too many files open
RNT	37	DEVUSE	E	Device in use
RNT	38	FINUSE	E	File in use by another user
RNT	39	OUTRDO	E	Output to read-only device
RNT	40	LOCKED	E	Record is locked
RNT	41	BACKUPMODE	E	Backup mode error or SYNERGYDE64/32 improperly set
RNT	44	ELBREF	W	Undefined global data reference '%s'
RNT	52	BADKEY	E	Illegal key specified
RNT	53	KEYNOT	E	Key not same
RNT	54	NODUPS	E	Duplicate key specified
RNT	56	NOTISM	E	Not an ISAM file
RNT	61	NOCURR	E	No current record
RNT	62	PROTEC	E	Protection violation
RNT	64	RNF	E	Record not found
RNT	67 77	VMSERROR	F	Unexpected VMS system error Arguments out of order for PAK or UNPAK
RNT	77 78	ARGORD	E	
RNT	/ ۲	ARGREC	E	PAK/UNPAK fields not in record

	Err #	Code	Sev	Message
RNT	80	NOSQL	E	SOL Connection installation error or DBLOPT 48 not set
RNT	82	AORDXP	E	Alpha or decimal variable expected
RNT	86	RECLNG	E	Invalid record length
RNT	87	ARGMIS	E	Argument missing
RNT	95	OPNERR	E	OPEN error
RNT	98	INTRPT	E	Interrupt character detected
RNT	100	RMSERROR	E	Unexpected RMS error
RNT	101	NOCHAIN	E	Stop chain not allowed in callback on Windows
RNT RNT	102 103	RUNERR FILORG	F E	Internal runtime failure: %s Invalid file organization
RNT	103	OUTRNG	E	Value out of range
RNT	104	EXQUOTA	E	Exceeded quota
RNT	107	DEVNOTRDY	E	Device not ready
RNT	108	IOMODE	E	Bad mode specified
RNT	111	TIMOUT	E	Terminal input operation timeout
RNT	115	BLKSIZ	E	Invalid value specified for BLKSIZ
RNT	120	EXCACT	E	Too many activation characters
RNT	122	QUEUENOTAV	E	Invalid queue specified on LPQUE
RNT	128	VMSRMS	F	Unexpected VMS or RMS error
RNT	129	TSXERR	F	Unexpected TSX error
RNT	131	SMERR	E	SORT or MERGE error
RNT	132	SAMOP	E	Operands must be both alpha or both numeric
RNT RNT	141 144	MAXIF	E E	Too many input files open Nymeria digit(a) and at most one degimal point sympated
RNT	144	ARGDIGPT BDIGXP	E	Numeric digit(s) and at most one decimal point expected Binary digits expected in argument (%s)
RNT	146	HDIGXP	E	Hexadecimal digits expected in argument (%s)
RNT	147	ODIGXP	E	Octal digits expected in argument (%s)
RNT	151	ARGDIG	Ē	Numeric digit(s) expected in argument
RNT	153	DECXPT	E	Decimal expected
RNT	154	IORDXP	E	Only integer and decimal operands allowed
RNT	155	RNDVAL	E	Invalid round value: %s
RNT	156	IRNDVAL	E	Invalid round value for integer operand: %d
RNT	157	INVFORENT	E	Invalid entry to FOR loop
RNT	158	IDXP	E	Implied data type required
RNT	159	INVHDL	E	Invalid memory handle
RNT	160	ADDRSIZ	E	Invalid address size
RNT RNT	161 162	HSIZERR NOMETHOD	E E	Map outside bounds of field or handle Method's routine not found
RNT	162	INVCLASS	E	Class is invalid for operation
RNT	164	DUPEVENT	E	Event code already specified
RNT	165	NOTOBJID	E	Not an object identifier
RNT	166	NUMXP	E	Numeric argument expected
RNT	216	FLSPCW	Ī	File specification was %s
RNT	223	INVDIM	E	Invalid number of dimensions
RNT	224	INVPRC	E	Invalid fractional precision
RNT	226	MRGERR	E	Merge error
RNT	243	SRTFAI	E	SORT failure
RNT	254	NOXCAL	E	Undefined XCALL referenced
RNT	255	DUPFIL	E	Too many duplicate files open
RNT	256	LPQERR	E	LPQUE failed
RNT	301	RECBLK	E E	Record size must be a multiple of block size
RNT RNT	302 303	INTISM INTLCK	E	Internal Isam error - File may be corrupt Unexpected system locking error
RNT	303	INVRD	E	Invalid READ, %s
RNT	304	MAXPRC	E	Too many processes
RNT	309	INVACT	E	Invalid action for XCALL FATAL
RNT	311	NOFORK	E	Cannot fork

Fac	Err #	Code	Sev	Message
RNT	313	RELREC	E	Invalid relative record
RNT	316	IRCSIZ	E	Invalid record size
RNT	317	INVALRFA	E	Invalid record's file address
RNT	318	DELREC	E	Deleted record
RNT	319	CLNTERR	E	Client server error, host: %s
RNT	320	NETPROB	E	Network problem reaching server %s
RNT	321	NOSERVER	E	Synergy server on %s is not running or has been shut down
RNT	322	NULARG	E	Improper use of null argument
RNT	323	SETTYP	E	SET data types must be the same
RNT	324	MSGFAIL	E	SEND/RECV message failure
RNT	325	BADHOST	E	Unknown host "%s" in server spec
RNT	326	BADUSER	E	Bad username, login rejected on %s
RNT	327	UNDEFERR	E	Undefined error
RNT	329	WNDERR	E	Window Manager error %d: %s
RNT	330	LIBMAX	E	Maximum open libraries exceeded
RNT	331	NETCONFIG	E	Local network configuration error
RNT	332	SQLERR	E	SQL Connection error
RNT	333	NOMORECURS	E	SQL: No more available open cursors
RNT	334	CURSERR	E	SQL: Error on cursor
RNT	335	BADDATATYP	E	SQL: Invalid data type for this operation
RNT	336	SQLSTACK	E	SQL: Stack variable still bound/defined on routine exit
RNT	337	SQLDYN	E	SQL: ^M variable still bound/defined on dynamic memory deletion
RNT	338	RCBDYN	E	RCB: ^M variable still bound on dynamic memory deletion%s
RNT	339	RCBSTACK	E	RCB: Stack variable still bound on routine exit%s
RNT	340	INVKVAL	E	Invalid key value
RNT	341	INVPKEY	E	Invalid partial key
RNT	342	BADXDLF	E	Bad XDL file
RNT	343 400	BADXDLS	E F	Bad XDL string
RNT RNT	417	MSGNOTFND	E	Error message number %d not found or internal failure Invalid external function data type
RNT	417	INVEXFTYP INVARG	E	Invalid external function data type Invalid argument
RNT	421	AXERR	E	Error HRESULT (0x%08X) while processing an ActiveX control
RNT	422	AXNOLOAD	E	Could not load ActiveX control
RNT	423	AXNOSUB	E	Could not find subroutine or function
RNT	424	AXINOSUB	E	Unsupported feature
RNT	425	AXNOFIND	E	ActiveX parameter not found
RNT	426	MISSMETH	E	Method/Delegate not found
RNT	427	MISSFLD	E	Field/Type/Property/Event not found
RNT	428	NOLOAD	E	Could not load assembly
RNT	429	NULLREF	E	Invalid use of NULL object
RNT	430	NODOTNET	E	Could not load the .NET CLR
RNT	431	RECNOT	E	Record not same
RNT	432	NETCRYPT	E	File requires network encryption
RNT	433	DATACRYPT	E	Error %s data field: %s
RNT	434	SALTIV	E	Error getting salt/initialization vector: %s
RNT	500	INVFATERR	F	Invalid fatal error number for XCALL FATAL
RNT	503	NOTDBR	F	%s is not a DBR file
RNT	506	STKOVR	F	Runtime stack overflow
RNT	507	UNSUP	E	Unsupported command
RNT	508	SIGNAL	F	Signal trap
RNT	509	OPENF	E	Cannot open %s
RNT	510	STPMSG	S	STOP
RNT	511	RTNNF	E	Cannot access external routine %s
RNT	512	GBLNF	E	Cannot access named global %s
RNT	513	BADSYS	F	License management problem
RNT	514	LMFAIL	F	Licensing failure
RNT	515	CMDBIG	F	Command line too long

Fac	Err #	Code	Sev	Message
RNT	516	INVOPT	F	Invalid option
RNT	517	INTERR	F	Internal failure: %d
RNT	518	NODBLOPT	Ē	DBLOPT %d is obsolete, use %s
RNT	519	ALPHARG	E	Alpha argument required
RNT	520	WRTERR	F	write failure
RNT	521	INTARG	E	Integer argument required
RNT	522	AORIARG	E	Integer or alpha argument required
RNT	523	FNOTFOUND	E	Function not found
RNT	524	NOTWIN32S	E	Not running with Win32s
RNT	525	BADFORMAT	E	Bad format string
RNT	526	BADHANDLE	E	Bad DLL handle
RNT	527	INVDATE	E	Invalid date
RNT	528	DLLOPNERR	E	DLL could not be opened: %s
RNT	529	DLLCLSERR	E	DLL could not be closed
RNT	530	PURGE	E	DCL purge error
RNT	531	BADADDR	E	Bad address detected: %s
RNT	532	BADELB	E	Bad ELB detected: %s
RNT	533	NOFDL	E	Invalid open mode for FDL usage
RNT	534	SRVRLICNS	E	Server license limit reached on %s
RNT	535	DEADLOCK	E	Operation would cause deadlock
RNT	536	SRVLICERR	E	Licensing error on server %s
RNT	537	SRVLICTIMO	E	Licensing timed out on server %s
RNT	538	WINRSRC	E	Windows resource exhausted
RNT	539	BADFONTNAM	E	Invalid font name specified: %s
RNT	540	DUPFONTNAM	E	Duplicate font name specified: %s
RNT	541	FONTINUSE	E	Font %d in use, cannot delete
RNT	542	BADFONTID	E	Invalid font ID specified: %d
RNT	543	WNFNCERR	E	Windows API function failure: %s
RNT	544	INVRPTHND	E	Invalid report handle
RNT	545	INVPNHAND	E	Invalid pen handle
RNT	546	INVCLLSEQ	E	Invalid calling sequence
RNT	547	OPTINV	E	Invalid option
RNT	548	DLLOPNMOD	E	Associated DLL not in path or not found
RNT	549	BADWNDID	E	Window %d bad or no longer open
RNT	550	XFBADPKTID	E	Incorrect packet identifier
RNT	551	XFBADMTHID	E	Method ID too long
RNT	552	XFNUMPARMS	E	Invalid parameter count
RNT	553	XFBADPKT	E	Packet format error
RNT	554	XFBADTYPE	E	Invalid parameter type
RNT	555 556	XFREQPARM	E E	Required parameter not sent
RNT	556 557	XFBADARRAY		Error mapping array element
RNT	557 558	XFIOERR	E E	File I/O error occurred on server Method key not found
RNT		XFMETHKNF	E	•
RNT	559 560	XFRTNNF	E	Cannot access remote routine
RNT RNT	560 561	XFNOCONN XFHALT	E	No connection to remote host Fatal error occurred on server
RNT	562	XFNOINIT	E	RX_DEBUG_START called without RX_DEBUG_INIT
RNT	562 563	SRVNOTSUP	E	Unsupported server version/Feature not available
RNT	563 564	XFUNKERR	E	Unknown error reported by xfServerPlus
RNT	565	XFNOCDT	E	Unable to open method catalog file
RNT	566	XFNOCDI	E	Unable to open method catalog life Unable to open method parameter file
RNT	567	XFNOELB	E	Unable to open ELB file
RNT	568	INVDSCR	E	Invalid descriptor
RNT	569	SYNSOCK	E	Synsock error %d
RNT	570	INVRCBHND	E	Invalid RCB handle
RNT	570 571	INVNETHND	E	Invalid network handle
RNT	572	INVWNDHND	E	Invalid window handle
1/1/1	J / Z	714 A MINDITIND		Invalla "Indo" numico

Fac	Err #	Code	Sev	Message
RNT	573	INVNAMHND	E	Invalid namespace handle
RNT	574	INVCLSHND	E	Invalid class handle
RNT	575	INVOBJHND	E	Invalid object handle
RNT	576	PRTOBJHND	E	Protected object handle cannot be deleted
RNT	580	NOTRCBHND	E	Handle is not an RCB handle
RNT	581	NOTNETHND	E	Handle is not a network handle
RNT	582	NOTWNDHND	E	Handle is not a window handle
RNT	583	NOTNAMHND	E	Handle is not a namespace handle
RNT	584	NOTCLSHND	E	Handle is not a class handle
RNT	585	NOTOBJHND	E	Handle is not an object handle
RNT	588	NOTRPTHND	E	Handle is not a report handle
RNT	589	NOTPNHAND	E	Handle is not a pen handle
RNT	590	EXECF1	E	Cannot execute: s
RNT	591	SDMSERR	E	SDMS error
RNT	592	XFINCALL	E	Remote call already in progress
RNT	593	XFNOCALL	E	No current call in progress
RNT	594	OLDDBR	F	Old DBR file format%s detected: relink %s
RNT	595	OLDELB	E	Old ELB file format%s detected: relink %s
RNT	596	XFMETHCRYP	E	Method requires encryption
RNT	597	XFSERVNOSE	E	Encryption not enabled on server
RNT	598	NDNOPP	E	File built with opposite 'endian': %s
RNT	599	BITOPP	E	File built with opposite bit size: %s
RNT	600	INCPTCLS	E	Incompatible classes %s
RNT	601	NOOBJ	E	No object for handle
RNT	602	NOTOHND	E	Both source and destination must be object handles
RNT	603	CLSMTCH	E	Class mismatch between routines
RNT	604	OHNDREQ	E	Object handle required
RNT	605	IDPARMREQ	E	Implied-decimal parameter required
RNT	606	OHNDCPY	E	Invalid copy of an object handle
RNT	607	NODBGPORT	E	Debug port number not specified: %s
RNT	608	BADDBGPORT	E	Invalid debug port number: %s. Must be an integer within the range 1024 to 65535, inclusive
RNT	609	BADDBGTMOT	E	Invalid remote debug timeout value: %s
RNT	610	DBGNOSOCK	E	Unable to attach to remote debug port
RNT	611	DBGNOCONN	E	No debug client connection was established
RNT	612	DBGSOCKER	E	Remote debug socket error; continuing without debug
RNT	613	DBGCLOSED	E	Remote debug client closed the connection; continuing without debug
RNT	614	TOOLKIT	E	Toolkit error
RNT	615	SEQRDS	E	Sequential read caching error
RNT	616	EXCEPT	E	Exception of type '%s'
RNT	617	INVCAST	E	Invalid cast operation %s
RNT	618	SINGLEDIM	E	Array is not a one-dimensional array Index is outside the bounds of the array
RNT	619 620	ARRAYBNDS DIFDIMS	E	Arrays must have the same number of dimensions
RNT			E E	
RNT	621	UNHANDLED	E	Unhandled exception: %s
RNT RNT	622 623	NORETURN OBJPASSED	E	Leaving local scope where a CALLed subroutine is still active
RNT	624	STRMTCH	E	Unexpected object handle passed as argument Structure mismatch between routines
RNT	625	HNDCORUPT	E	Handle has been modified; possible subscripting violation
RNT	626	ALCOMPAT	F	ArrayList compatibility issue. See the 9.1.5 release notes
RNT	627	INVOPER	E	Invalid operation: %s
RNT	628	HKNOOPS	E	No I/O hook operations specified; at least one is required
RNT	629	HKNOTACT	E	I/O hooks no longer active on channel
RNT	630	HKNOTIMP	E	Referenced I/O hook operation(s) not implemented: %s
RNT	631	HKACTIVE	E	Attempted I/O on hooked channel from within hook routine
RNT	632	COMPATISAM	E	Incompatible ISAM file - unsupported by this Synergy version
RNT	633	INVATIME	E	Invalid timestamp key exceeds current time
RNT	634	NONETSHR	E	Network share is not allowed with this file
1/1/1	0.0-1	1101111 1 01110	۳.	Medical blade 15 hot allowed with this life

Fac	Err #	Code	Sev	Message
RNT	635	REVUNSUP	E	Specified file revision not supported (ISAMC_REV)
RNT	636	SRVREXP	E	Server session has expired or has been terminated
RNT	637	SRVCONRTY	E	Server connection retry failure
RNT	638	SIZLIMIT	E	File size limit exceeded
RNT	639	RECLIMIT	E	File record limit exceeded
RNT	640	SRVFILCL	E	Remote file has been closed
RNT	641	GBLSIZ	F	Reference exceeds allocated size of global data: %s
RNT	642	JOINKEYREQ	E	Inner table requires key reference: %s
RNT	643	JOINOUTREF	E	Outer table reference required for inner table: %s
RNT	644	JOINOPER	E	Invalid Join predicate operator
RNT	645	JOINONREQ	E	Valid On expression required
RNT	646	JOINISMREQ	E	ISAM file required for inner table: %s
RNT	647	JOINENUM	E	Invalid enumerator type for Select object with Join
RNT	648	FILTOOBIG	F	File Too Big
RNT	659	FILSYNC	E	Indexed file is out of sync
RNT	660	WRONGSYNC	E	Internal file synchronization failure
RNT	700	BADALLOC	E	Bad file pre-allocation control - Only read-only access allowed
RNT	701	WRONGTHREA	E	.NET xfServer client I/O on wrong thread
RNT	900	CATCH	E	new catch error menemonic
RNT	901	SQLOBJ	F F	SQL: Class variable still bound/defined on destruction
RNT RNT	902 903	SQLREL RCBREL	F	SQL: Variable bound/defined to local record on memory reclaim Routine: %s
RNT	903	RCBCALL	E	RCB: Variable bound to local record on memory reclaim Routine: %s%s RCB: Call in progress
RNT	905	RCBOBJ	E	RCB: Class variable still bound/defined on destruction%s
RNT	1001	ACCVIO	I	Access violation
RNT	1001	ALITXP	I	Alpha literal expected
RNT	1002	ARGWAS	I	Argument number was %d
RNT	1011	BADIND	Ī	Bad index: %d
RNT	1012	BADRNG	Ī	Bad range value: %d,%d
RNT	1013	BADRNGR	Ī	Bad range value: %d:%d
RNT	1021	CHNWAS	I	Channel specified: %u
RNT	1022	CHRSPC	I	Character specified: %s
RNT	1029	COLEQL	I	Colon or equal sign expected
RNT	1030	CREFIL	I	Error creating file
RNT	1040	DBLDIR	I	DBLDIR not set
RNT	1041	DCMPER	I	Data compression/uncompression error
RNT	1042	DECXP	I	Decimal expected
RNT	1043	DELFIL	I	Error deleting file
RNT	1046	DINCON	I	Data incongruity
RNT	1047	DRCSIZ	I	Destination record size: %d
RNT	1052	ERTEXT	I	%s
RNT	1053	ERTXT2	I	%S %S
RNT	1054	ERTXTN	I	%s %d
RNT	1055	EQLEXP	I	Equal sign expected
RNT	1056	EXECF	I	Cannot execute: %s
RNT	1061	FILWAS	I	File specification was %s
RNT	1063	FRCSIZ	+	File record size: %d
RNT RNT	1070 1076	IINCON INVCMD	I	Index incongruity Invalid I/O command: %s
RNT	1076	OPTWAS	I	Invalid 1/0 command. %s Invalid option: %s
RNT	1077	INVSW	I	Invalid option. %s Invalid switch
RNT	1078	INVSW	I	Invalid OPEN submode ??
RNT	1080	INVVAL	I	Invalid value for %s
RNT	1084	IOOPN	Ī	Cannot open %s
RNT	1088	IOERR2	Ī	Channel %d, open mode %s
RNT	1101	KEYSPC	Ī	Could not locate key with identifier %s
RNT	1120	MAXSIZ	I	Maximum record size is %u

Fac	Err #	Code	Sev	Message
RNT	1132	NOEOFC	I	No EOF character found. Physical EOF was used
RNT	1134	NUMSPC	I	Number specified: %ld
RNT	1140	OPNFIL	Ī	Cannot open file
RNT	1142	OPTSPC	I	Option specified %s
RNT	1143	OPWRED	I	Operation was READ
RNT	1144	OPWFND	I	Operation was FIND
RNT	1145	OPWRDS	I	Operation was READS
RNT	1146	OPWDEL	I	Operation was DELETE
RNT	1147	OPWSTO	I	Operation was STORE
RNT	1148	OPWWRI	I	Operation was WRITE
RNT	1149	OPWCRE	I	Operation was ISAMC
RNT	1160	RBKXP	I	Right bracket expected
RNT	1162	READER	I	Cannot read input file
RNT	1163	NUMWAS	I	Record number: %ld
RNT	1164	RECWAS	I	Record size specified: %u
RNT	1166	RENFIL	I	Error renaming file
RNT	1168	RORKXP	I	Record or key expected
RNT	1169	RPEXP	I	Right parenthesis expected
RNT	1185	TTSBMD	I	Submode ignored for terminal open
RNT	1191	VALSPC	I	Value specified is %ld
RNT	1192	VALRNG	I	Value range is %d to %d
RNT	1193	ATLIN	I	At line %d in routine %s
RNT	1194	CALFRO	I	Called from line %d
RNT	1195	ATLINE	I	At line %s in routine %s
RNT	1196	CALFRM	I	Called from line %s
RNT	1205 1207	WRTFIL	I	Cannot write to file
RNT RNT	1207	MSGBIG MSGEXP	I	Message exceeds maximum size Message communication timeout
RNT	1208	SYSFLT	I	System fault (%d)
RNT	1210	NOLMD	I	Cannot access Synergy License Manager
RNT	1211	DEVFUL	I	Device full
RNT	1212	INTCON	I	Internal consistency failure
RNT	1213	EXPLIC	I	This system has expired
RNT	1214	EXUSER	Ī	Exceeded concurrent user capacity
RNT	1215	NOTCONF	I	Synergy Runtime license is not installed
RNT	1216	CONSUP	I	Please contact your Synergy/DE supplier
RNT	1217	BADDSCR	I	Corrupted descriptor: type = %d, class = %d
RNT	1218	AMBKWD	I	Ambiquous XDL keyword: %s
RNT	1219	MLTKWD	I	Keyword specified multiple times: %s
RNT	1220	REQKWD	I	Missing required keyword: %s
RNT	1221	NOVAL	I	No value supplied with keyword: %s
RNT	1222	INVAVAL	I	Invalid %s value: %s
RNT	1223	INVDVAL	I	Invalid %s value: %d
RNT	1224	AMBVAL	I	Ambiguous %s value: %s
RNT	1225	KEYSPEC	I	Key specified: %d
RNT	1226	INVIVAL	I	Numeric return argument expected
RNT	1227	INVBUFF	I	Alpha return argument expected
RNT	1228	ERTEXTT	I	%5
RNT	1229	DIMSPC	I	Dimension specified: %d
RNT	1230	DIMEXP	I	Dimensions of passed argument: %d
RNT	1231	STKTRC	I	in %s:line %s
RPS	1	DDTITLE		Repository
RPS RPS	2	YES		Y N
RPS	3 4	NO STRIPCHRS		N .
RPS	5	BLANK1		
RPS	6	AVLSTR		Available Structures
KPS	U	YATOTV		AVAITABLE DELUCEULES

Fac	Err #	Code	Sev	Message
RPS	7	AVLTMP		Available Templates
RPS	8	AVLFLD		Available Fields
RPS	9	AVLFMT		Available Formats
RPS	10	AVLKEY		Available Keys
RPS	11	AVLFIL		Available Files
RPS	12	AVLALS		Available Aliases
RPS	13	AVLENMS		Available Enumerations
RPS	15	MAINMENU		Main Menu
RPS	16	MODSTR		Modify Structures
RPS	17	VEWSTR		View Structures
RPS	18	ADDSTR		Add Structure
RPS	19	CPYSTR		Copy Structure
RPS	20	EDTSTR		Edit Structure
RPS	21	FNDSTR		Find Structure
RPS	22	VIWSTR		View Structure
RPS	23	MODFIL		Modify Files
RPS	24	VEWFIL		View Files
RPS	25	ADDFIL		Add File
RPS	26	CPYFIL		Copy File
RPS	27	EDTFIL		Edit File
RPS RPS	28 29	FNDFIL VIWFIL		Find File View File
RPS	30	MODTMP		Modify Templates
RPS	31	VEWTMP		View Templates
RPS	32	ADDTMP		Add Template
RPS	33	CPYTMP		Copy Template
RPS	34	EDTTMP		Edit Template
RPS	35	FNDTMP		Find Template
RPS	36	VIWTMP		View Template
RPS	37	MODGFMT		Modify Formats
RPS	38	VEWGFMT		View Formats
RPS	39	ADDGFMT		Add Format
RPS	40	CPYGFMT		Copy Format
RPS	41	EDTGFMT		Edît Format
RPS	42	FNDGFMT		Find Format
RPS	43	VIWGFMT		View Format
RPS	44	MODENM		Modify Enumerations
RPS	45	VEWENM		View Enumerations
RPS	46	ADDENM		Add Enumeration
RPS	47	CPYENM		Copy Enumeration
RPS	48	EDTENM		Edit Enumeration
RPS	49	FNDENM		Find Enumeration
RPS	50	VIWENM		View Enumeration
RPS	51	MODATTR		Edit Attributes
RPS	52	VIWATTR		View Attributes
RPS	53	MODFLDA		Edit Field Attributes
RPS	54	MODRETA		Edit Key Attributes
RPS	55 56	MODRELA		Edit Relation Attributes
RPS RPS	56 57	MODFMTA MODTAGA		Edit Format Attributes Edit Tag Attributes
RPS	57 58	MODIAGA MODALSA		Edit Alias Attributes
RPS	58 59	WUDALSA VIWFLDA		View Field Attributes
RPS	60	VIWKEYA		View Key Attributes
RPS	61	VIWRELA		View Relation Attributes
RPS	62	VIWEMTA		View Format Attributes
RPS	63	VIWTAGA		View Tormat Attributes View Tag Attributes
RPS	64	VIWALSA		View Alias Attributes
ICI D	0 1	V T 111111011		VICW 11114D 110011D400D

Fac	Err #	Code	Sev	Message
RPS	65	ADDFLD		Add Field
RPS	66	CPYFLD		Copy Field
RPS	67	EDTFLD		Edit Field
RPS	68	FNDFLD		Find Field
RPS	69	VIWFLD		View Field
RPS	70	MOVFLD		Move Field
RPS	71	ADDKEY		Add Key
RPS	72	CPYKEY		Copy Key
RPS	73	EDTKEY		Edit Key
RPS	74	FNDKEY		Find Key
RPS	75	VIWKEY		View Key
RPS	76	MOVKEY		Move Key
RPS	77	ADDREL		Add Relation
RPS	78	CPYREL		Copy Relation
RPS	79	EDTREL		Edit Relation
RPS	80	FNDREL		Find Relation
RPS	81	VIWREL		View Relation
RPS	82	MOVREL		Move Relation
RPS	83	EXREL		Examine Relation
RPS	84	ADDFMT		Add Format
RPS	85	CPYFMT		Copy Format
RPS	86	EDTFMT		Edit Format
RPS	87	FNDFMT		Find Format
RPS	88	VIWFMT		View Format
RPS	89	MOVFMT		Move Format
RPS RPS	90 91	ADDTAG		Add Tag Copy Tag
RPS	92	CPYTAG EDTTAG		Edit Tag
RPS	93	FNDTAG		Find Tag
RPS	94	VIWTAG		View Tag
RPS	95	MOVTAG		Move Tag
RPS	96	MOVMBR		Move Member
RPS	97	ADDALS		Add Alias
RPS	98	CPYALS		Copy Alias
RPS	99	EDTALS		Edit Alias
RPS	100	FNDALS		Find Alias
RPS	101	VIWALS		View Alias
RPS	102	MOVALS		Move Alias
RPS	103	GENDEF		Generate Definition File
RPS	104	PRTDCT		Print Repository Definitions
RPS	105	VFYDCT		Verify Repository
RPS	106	GSCHEM		Generate Repository Schema
RPS	107	LSCHEM		Load Repository Schema
RPS	108	CRTDCT		Create New Repository
RPS	109	XGENU		Generate Cross-Reference File
RPS	110	VALIDA		Validate Repository
RPS	111	SETDFLT		Set Default Repository
RPS	112	CMPR		Compare Repository to Files
RPS	113	CREATE		Creating
RPS	114	WORK		Working
RPS RPS	115 116	DELETE		Deleting
RPS RPS	116	ADD COPY		Adding Copying
RPS	117	FIND		Finding
RPS	118	SAVE		Saving
RPS	120	EXIT		Exiting
RPS	121	ABANDON		Abandoning
111 0	421	-111111011		

Fac	Err #	Code	Sev	Message	
RPS	122	TERMINATE		Terminating	
RPS	123	UPDATE		Updating	
RPS	124	LDATTR		Loading Attributes	
RPS	125	LDFLDS		Loading Fields	
RPS	126	GENDEF_P		Generating Definition File	
RPS	127	PRTDCT_P		Printing Definitions	
RPS	128	VFYDCT_P		Verifying Repository	
RPS	129	GSCHEM_P		Generating Schema	
RPS	130	LSCHEM_P		Loading Schema	
RPS	131	CRTDCT_P		Creating New Repository	
RPS	132	XGENU_P		Generating Cross-Reference File	
RPS	133	VALDCT_P		Validating Repository	
RPS	134	STRHDR		STRUCTURE NAME	DESCRIPTION TYPE
RPS	135	STRFTR		STRUCTURES [%04d]	
RPS	136	STRTITLE		Structure Definitions	
RPS	137	FILHDR		FILE NAME	DESCRIPTION TYPE
RPS	138	FILFTR		FILES [%04d]	
RPS	139	FILTITLE		File Definitions	
RPS	140	FSTRHDR		STRUCTURE NAME	
RPS	141	FSTRFTR		STRUCTURES [%04d]	
RPS	142	FSTRTITLE		Assigned Structures	DEGCE TOWN
RPS	143	TMPHDR		TEMPLATE NAME	DESCRIPTION
RPS	144	TMPFTR		TEMPLATES [%04d]	
RPS	145	TMPTITLE		Template Definitions	TYPE FORMER CERTIFIC
RPS RPS	146 147	FMTHDR FMTFTR		FORMAT NAME FORMATS [%04d]	TYPE FORMAT STRING
RPS	147	ENMHDR		ENUMERATION NAME	DESCRIPTION
RPS	149	ENMFTR		ENUMERATION NAME ENUMERATIONS [%04d]	DESCRIPTION
RPS	150	ENMTITLE		Enumeration Definitions	
RPS	151	FMTTITLE		Format Definitions	
RPS	152	FLDHDR		FIELD NAME	TYPE SIZE PREC DIMENSION OVERLAY? GROUP?
RPS	153	FLDFTR		FIELDS [%03d] SIZE [%05d]	THE BIZE TREE DIPERSION CVERENT. GROOT.
RPS	154	FLDTITLE		Field Definitions	
RPS	155	KEYHDR		KEY NAME	TYPE ORDER DUPS SEGMENTS SIZE
RPS	156	KEYFTR		KEYS [%02d]	222
RPS	157	KEYTITLE		Key Definitions	
RPS	158	RELHDR		NAME FROM KEY	TO STRUCTURE : TO KEY
RPS	159	RELFTR		RELATIONS [%02d]	
RPS	160	RELTITLE		Relation Definitions	
RPS	161	LFMTHDR		FORMAT NAME	TYPE FORMAT STRING
RPS	162	LFMTFTR		FORMATS [%03d]	
RPS	163	LFMTTITLE		Format Definitions	
RPS	164	TAGHDR		NAME FIELD	VALUE
RPS	165	TAGFTR		TAGS [%02d]	
RPS	166	TAGTITLE		Tag Definitions	
RPS	167	ALSHDR		ALIAS NAME	
RPS	168	ALSFTR		ALIASES [%04d]	
RPS	169	ALSTITLE		Alias Definitions	
RPS	170	FSTRASG		%d structures assigned	
RPS	171	FNDFRWD		Find forward	
RPS	172	FNDRVRS		Find reverse	
RPS RPS	173 174	NAMHDR DSCHDR		NAME DESCRIPTION	
RPS	174 175	DSCHDR FMTLHDR		FORMAT	
RPS	175 176	EMBRHDR		MEMBER NAME	VALUE
RPS	176	EMBRETR EMBRETR		MEMBERS [%03d]	AUTOR
RPS	178	BLANK2		וייייייייייייייייייייייייייייייייייייי	
IVE D	1/0	האוויר			

Fac	Err #	Code	Sev	Message
RPS	180	PRTREFTMP		Template %a
RPS	181	PRTTREFCT		Referenced by %d templates
RPS	182	GDHDRLIN1		; Structure : %a
RPS	183	GDHDRLIN2		; File Type : %a
RPS	184	GDHDRLIN3		; Creation Date : %a, %a
RPS	185	GDHDRLIN4		; Description : %a
RPS	186	GDHDRLIN5		; Record Size : %d
RPS	187	GDHDRLIN6		; # of Files : %d
RPS	188	GDHDRLIN7		; # of Fields : %d
RPS	189	GDHDRLIN8		; # of Keys : %d
RPS	190	GDHDRLIN9		; # of Relations : %d
RPS	191	PRTHDR1		; "PRINT REPOSITORY DEFINITIONS" OUTPUT
RPS	192	PRTHDR3		; REPOSITORY : %a
RPS	193	PRTHDR4		; : %a
RPS	194	PRTHDR5		; : Version %a
RPS	195	PRTHDR7		; GENERATED : %a, %a
RPS	196	PRTHDR8		; : Version %a
RPS	197	TMPPRT		Template %a printed
RPS	198	FMTPRT		Format %a printed
RPS	199	STRPRT		Structure %a printed
RPS	200	ENMPRT		Enumeration %a printed
RPS	201	FLDPRT		Structure %a Field %a printed
RPS	202	GRPPRT		Structure %a Group %a printed
RPS	203	FLPRT		File %a printed
RPS	204	KEYPRT		Structure %a Key %a printed
RPS	205	RELPRT		Structure %a Relation %a printed
RPS	206	LFMTPRT		Structure %a Format %a printed
RPS	207	PRTTMPREF		Structure %a Field %a
RPS	208	PRTFLDREF		Referenced by %d fields
RPS	209	PRTFLASG		Assigned structures : %d
RPS	210	PRTFLDCT		Field count : %d
RPS	211	PRTFMTCT		Format count : %d
RPS	212	PRTKEYCT		Key count : %d
RPS	213	PRTRELCT		Relation count : %d
RPS	214	PRTRECSZ		Record size [%d]
RPS	215	PRTSTRFL		Files assigned to : %d
RPS	216	PRTFLINE		
RPS	217	PRTKLINE		
RPS	218	PRTRLINE		
RPS	219	PRTLLINE		
RPS	220	XGENCOMP		Generated cross-reference file "%a".
RPS	221	CRCOMP		Created repository files "%a" and "%a".
RPS	222	VFYCMP1		Repository files created : %a\n
RPS	223	VFYCMP2		: %a\n\n
RPS	224	VFYCMP3		Verification log file created : %a
RPS	225	VFYCOMP		%d logical records read: %d logical records written
RPS	226	VFYMSG1		%d logical records read %d logical records written
RPS	227	VFYMSG2		%d logical records written %d structures verified
RPS	228 229	VFYMSG3		%d files verified
RPS	229	VFYMSG4		%d formats verified
RPS	230 231	VFYMSG5		%d templates verified
RPS RPS	231	VFYMSG6 VFYMSG7		%d aliases verified
RPS	232	VFYMSG/ VFYMSG8		%d enumerations verified
RPS	233	ALSVFYD		Alias structure %a verified
RPS	234	ALSVFID		Alias structure %a verified Alias field %a verified
RPS	236	ELVFYD		Template %a verified
KPS	∠30	חדה אדה		rembrace sa serrited

Fac	Err #	Code	Sev	Message
RPS	237	FLVFYD		File %a verified
RPS	238	FMTVFYD		Format %a verified
RPS	239	STRVFYD		Structure %a verified
RPS	240	ENMVFYD		Enumeration %a verified
RPS	241	FLDVFYD		Structure %a Field %a verified
RPS	242	KEYVFYD		Structure %a Key %a verified
RPS	243	RELVFYD		Structure %a Relation %a verified
RPS	244	LFMTVFYD		Structure %a Format %a verified
RPS	245	TAGVFYD		Structure %a Tag %a verified
RPS	246	FLSTRVFYD		File %a Assigned structures verified
RPS	247	ENMBRVFYD		Enumeration %a Members verified
RPS	248	FDREFVFYD		Field reference verified for template %a
RPS RPS	249 250	TMREFVFYD		Template reference verified for template %a Enumeration reference verified for field %a
RPS	250	ENMREFVFYF ENMREFVFYT		Enumeration reference verified for template %a
RPS	252	STRREFVFYD		Structure reference verified for field %a
RPS	253	FLREFVFYD		File reference verified for structure %a
RPS	254	KYREFVFYD		Key reference verified for structure %a
RPS	255	FDSREFVFYD		Field reference verified for structure %a
RPS	256	FILREFVFYD		References verified for file %a's assigned structures.
RPS	257	KEYREFVFYD		References verified for structure %a's keys.
RPS	258	RELREFVFYD		References verified for structure %a's relations.
RPS	259	RECVFYD		%a verified
RPS	260	STRNDFLD		Checking for stranded field definitions
RPS	261	STRNDALS		Checking for stranded alias field definitions
RPS	262	BADDICT		"%a" is not a version 7 or version 10 repository.
RPS	263	BADDICT10		"%a" is not a version 10 repository.
RPS	264 265	BADDICT10C		"%a" is not a version 10 repository. Do you want to convert it? Default repository changed to "%a" and "%a".
RPS RPS	266	SDCOMP CMPRCOMP		Comparison complete. See %a for details.
RPS	267	CMPRFAIL		Could not open %a. Try: %a at the command line.
RPS	270	BLANK5		could not open va. If , va at the command line.
RPS	271	PRTD		printed.
RPS	272	GND		generated.
RPS	273	ELGND		Template %a generated
RPS	274	FLGND		File %a generated
RPS	275	FMTGND		Format %a generated
RPS	276	STRGND		Structure %a generated
RPS	277	ENMGND		Enumeration %a generated
RPS	278	FLDGND		Structure %a Field %a generated
RPS	279	GRPGND		Structure %a Group %a generated
RPS	280	KEYGND		Structure %a Key %a generated
RPS RPS	281 282	RELGND LFMTGND		Structure %a Relation %a generated
RPS	282 283	TAGGND		Structure %a Format %a generated Structure %a Tag generated
RPS	284	FLSTRGND		File %a Assigned structure generated
RPS	285	ALFGND		Alias field %a generated for structure %a
RPS	286	ALSGND		Alias structure %a generated
RPS	287	NODEF		No definitions
RPS	288	CRCTSCH		Review the log file. Correct errors in schema file and reload.
RPS	289	INVKEYWD		Load terminatedunrecognized keyword found at line %1d
RPS	290	RSLVTMP		Cannot resolve one or more templates
RPS	291	RSLVSTR		Cannot resolve one or more structures
RPS	292	BLANK6		
RPS	300	RELS		%d relations
RPS	301	STRUCTS		%d structures
RPS	302	FILES		%d files

Fac	Err #	Code	Sev	Message
RPS	303	TEMPS		%d templates
RPS	304	FMTS		ed formats
RPS	305	ALIASES		%d aliases
RPS	306	ENUMS		%d enumerations
RPS	307	LDDERR		%d errors logged
RPS	308	LDD		loaded
RPS	309	UPD		updated
RPS	310	ADDD		added
RPS	311	ELLDD		Template %a loaded
RPS	312	FLLDD		File %a loaded
RPS	313	FMTLDD		Format %a loaded
RPS	314	STRLDD		Structure %a loaded
RPS	315	ENMLDD		Enumeration %a loaded
RPS	316	FLDLDD		Structure %a Field %a loaded
RPS	317	GRPLDD		Structure %a Group %a loaded
RPS	318	KEYLDD		Structure %a Key %a loaded
RPS	319	RELLDD		Structure %a Relation %a loaded
RPS	320	LFMTLDD		Structure %a Format %a loaded
RPS	321	TAGLDD		Structure %a Tag loaded
RPS	322	ALSLDD		Alias structure %a loaded
RPS	323	ALFLDD		Alias field %a loaded
RPS	324	FLSTRLDD		Assigned structures loaded for file %a
RPS	325	FLDREFLDD		Field reference loaded for template %a
RPS	326	TMPREFLDD		Parent reference loaded for template %a
RPS	327	FLREFLDD		File reference loaded for structure %a
RPS	328	KYREFLDD		Key reference loaded for structure %a
RPS	329	FLDREFLDD2		Field reference loaded for structure %a
RPS	330	FLDREFLDD3		Field reference loaded for enumeration %a
RPS	331	TMPREFLD		Template reference loaded for enumeration %a
RPS	339	BLANK7		
RPS	340	TMPCNV		Template %a converted
RPS	341	FLCNV		File %a converted
RPS	342	FMTCNV		Format %a converted
RPS	343	STRCNV		Structure %a converted
RPS	344	FLDCNV		Field %a for structure %a converted
RPS	345	KEYCNV		Key %a for structure %a converted
RPS	346	RELCNV		Relation %a for structure %a converted
RPS	347	LFMTCNV		Format %a for structure %a converted
RPS	348	TAGCNV		Tag %a for structure %a converted
RPS	349	NOTINST		Repository is not configured Please contact your Synergy supplier
RPS	350	MAXUSER		Exceeded concurrent user capacity
RPS	351	TIMEOUT		This system has timed out Please contact your Synergy supplier
RPS	352	NOMSGAVL		No message available
RPS	353	NOHELPAVL		No help available
RPS	354	NOHELPAVL1		No help available at this level
RPS	355	NOSHARE		SHARE not loaded/NOSHR not set. Program will terminate.
RPS	356	BLANK8		
RPS	357	SREFINUSE		Record locked. Structure references cannot be saved. After exiting this dialog, select Cancel to
RPS	358	TREFINUSE		Record locked. Template references cannot be saved. After exiting this dialog, select Cancel to d
RPS	360	STREXIT		Structure has been modified. Do you want to save changes?
RPS	361	INUSE		Record locked. Please try again later.
RPS	362	DCTINUSE		Record locked. Do you want to view the definition?
RPS	363	DCTVIEW		You have chosen to "view" a definition. Modifications will not be saved.
RPS	364	STRDEL		Delete structure "%a"?
RPS	365	FILDEL		Delete file "%a"?
RPS	366	TMPDEL		Delete template "%a"?
RPS	367	FMTDEL		Delete format "%a"?

Fac	Err #	Code	Sev	Message
RPS	368	ENMDEL		Delete enumeration "%a"?
RPS	369	ENMBRDEL		Delete member "%a"?
RPS	370	FLDDEL		Delete field "%a"?
RPS	371	KEYDEL		Delete key "%a"?
RPS	372	RELDEL		Delete relation "%a"?
RPS	373	FLSTRDEL		Delete structure assignment "%a"?
RPS	374	TAGDEL		Delete tag "%a"?
RPS	375	ALSDEL		Delete alias "%a"?
RPS	376	BLANK10		
RPS	380	NOSTRAVL		No available structure definitions
RPS	381	NOFILAVL		No available file definitions
RPS	382	NOTMPAVL		No available template definitions
RPS	383	NOFMTAVL		No available format definitions
RPS	384	NOENMAVL		No available enumeration definitions
RPS	385	NOKEYAVL		No available key definitions
RPS	386	NOFLDAVL		No available field definitions
RPS	387	NOALSAVL		No available alias definitions
RPS	388	BLANK11		
RPS	390	MAXALFS		Maximum number of alias fields (%d) has been defined.
RPS	391	MAXFLSTR		Maximum number of structures (%d) has been assigned to the file.
RPS	392	MAXSTRCTS		Maximum number of structures (%d) has been defined.
RPS	393	MAXFILS		Maximum number of files (%d) has been defined.
RPS	394 395	MAXTMPS		Maximum number of templates (%d) has been defined. Maximum number of formats (%d) has been defined.
RPS RPS	395	MAXGFMTS MAXALS		Maximum number of alias structures (%d) has been defined.
RPS	390	MAXALS		Maximum number of enumerations (%d) has been defined.
RPS	398	MAXENMBR		Maximum number of members (%d) has been defined.
RPS	399	MAXFLDS		Maximum number of fields (%d) has been defined.
RPS	400	MAXFLDLOD		Maximum number of fields (%d) has been loaded.
RPS	401	MAXKEYS		Maximum number of keys (%d) has been defined.
RPS	402	MAXRELS		Maximum number of relations (%d) has been defined.
RPS	403	MAXFMTS		Maximum number of structure-specific formats (%d) has been defined.
RPS	404	MAXKREF		Maximum number of key references (%d) has been defined for structure "%a".
RPS	405	MAXFLREF		Maximum number of file references (%d) has been defined for structure "%a".
RPS	406	MAXTREF		Maximum number of template references (%d) has been defined for parent template "%a".
RPS	407	MAXTFREF		Maximum number of field references (%d) has been defined for template "%a".
RPS	408	MAXTAGS		Maximum number of tags (%d) has been defined.
RPS	409	DUPSTR		A structure with the same name already exists.
RPS	410	DUPFIL		A file with the same name already exists.
RPS	411	DUPTMP		A template with the same name already exists.
RPS	412	DUPFMT		A format with the same name already exists.
RPS	413	DUPENM		An enumeration with the same name already exists.
RPS	414	DUPFLD		A field or group with the same name already exists.
RPS	415	DUPKEY		A key with the same name already exists.
RPS	416	DUPREL		A relation with the same name already exists.
RPS	417	DUPALIAS		An alias with the same name already exists.
RPS	418	DUPMBR		A member with the same name already exists.
RPS	419 420	DUPTAG		A tag with the same name already exists. Validation specifications are incomplete.
RPS RPS	420	INCVAL INCXGEN		Cross-reference specifications are incomplete.
RPS	421	INCAGEN		Definition specifications are incomplete.
RPS	422	INCGENDER		Print specifications are incomplete.
RPS	424	INCVFY		Verification specifications are incomplete.
RPS	425	INCINST		Creation specifications are incomplete.
RPS	426	INCSCHEMA		Schema specifications are incomplete.
RPS	427	BLANK15		
RPS	430	INCSTR		Structure definition is incomplete.
	- *			L

Fac	Err #	Code	Sev	Message
RPS	431	INCFIL		File definition is incomplete.
RPS	432	INCTMP		Template definition is incomplete.
RPS	433	INCENM		Enumeration definition is incomplete.
RPS	434	INCFLD		Field definition is incomplete.
RPS	435	INCKEY		Key definition is incomplete.
RPS	436	INCREL		Relation definition is incomplete.
RPS	437	INCFMT		Format definition is incomplete.
RPS	438	INCTAG		Tag definition is incomplete.
RPS	439	INCALS		Alias definition is incomplete.
RPS	440	INCFLDLD		Load fields information is incomplete.
RPS	441	INCSETDEF		Set specifications are incomplete.
RPS	442	BLANK16		
RPS	448	INVALSDEL		Alias cannot be deleted. Field reference exists.
RPS	449	INVSTRDELK		Structure cannot be deleted. Key reference exists.
RPS	450	INVSTRDELR		Structure cannot be deleted. File reference exists.
RPS	451	INVSTRDELD		Structure cannot be deleted. Field reference exists.
RPS	452	INVTMPDEL		Template cannot be deleted. Field reference exists.
RPS	453	INVTMPDEL2		Template cannot be deleted. Template reference exists.
RPS	454	INVENMDEL		Enumeration cannot be deleted. Field reference exists.
RPS	455	INVENMDEL2		Enumeration cannot be deleted. Template reference exists.
RPS	456	INVFLDDELK		Field cannot be deleted. It is defined as a key.
RPS	457 458	INVFLDDELS		Field cannot be deleted. It is defined as an external key segment. Field cannot be deleted. It is defined as a tag field.
RPS	458 459	INVFLDDELT		Field cannot be deleted. It is defined as a tag field. Field cannot be deleted. It is defined as an alias.
RPS RPS	459	INVFLDDELA		Structure is assigned to a file, and therefore at least one field must be defined.
RPS	460	INVFLDDELL INVFLDDELG		Structure is assigned to a fire, and therefore at least one field must be defined. Structure is referenced as a group or structfield, and therefore at least one field must be defin
RPS	462	INVELDELG		Key cannot be deleted. Key reference exists.
RPS	463	INVKEYDELF		Key cannot be deleted. It is defined as a "FROM" KEY in a relation.
RPS	464	INVENTOEL		Format cannot be deleted. It is assigned to a field.
RPS	465	BLANK17		Tormat cannot be dereced. It is absigned to a freig.
RPS	470	NOTGTYPMOD		Tag fields are defined for this structure. Tag type cannot be modified.
RPS	471	NOSTRFTMOD		Structure is assigned to a file. File type cannot be modified.
RPS	472	NOFTMODACC		Access keys are defined for this structure. File type cannot be modified.
RPS	473	MAXTMPREF		Internal reference buffer is full. Please exit to save changes.
RPS	474	BLANK18		-
RPS	480	NOLFILEXST		File no longer exists.
RPS	481	NOLSTREXST		Structure no longer exists.
RPS	482	NOLENMEXST		Enumeration no longer exists.
RPS	483	DUPFILSTR		Selected structure is already assigned.
RPS	484	NOFILFTMOD		Structures are assigned to this file. File type cannot be modified.
RPS	485	DIFFILTYP		File type of specified structure does not match that of the file definition.
RPS	486	DIFKEYDEF		Structure's primary key does not match those of other assigned structures.
RPS	487	NOFLDDEF		At least one field must be defined for the structure you are trying to assign.
RPS	488	NOFLDGDEF		At least one field must be defined for the structure you are trying to reference.
RPS	489	NOLTMPEXST		Template no longer exists.
RPS	490	INVKEYCHG		Structure's primary key does not match those of other structures assigned to the same file.
RPS	491	BLANK19		Modifying template "%a" will affect one or
RPS	499 500	ELMOD1		Modifying template "%a" will affect one or more template, field, and key definitions.
RPS RPS	500 501	ELMOD2 ELMOD3		Are you sure you want to save your modifications?
RPS	501	ELMOD3 ENMOD1		Modifying enumeration "%a" will affect one or more template and field definitions.
RPS	502	ELSAMENM		Template name and parent template cannot be the same.
RPS	503	GRPDEL1		Field "%a" is a group. Deleting it will delete all
RPS	505	GRPDEL2		group members as well. Do you want to continue?
RPS	506	GRPCLR1		Field "%a" contains group members. Clearing the "Group" field
RPS	507	GRPCLR2		will delete all group members. Do you want to continue?
RPS	508	STRMOD1		Structure "%a" is referenced as an implicit group or structfield.
KPS	308	PIKMODI		structure sa is referenced as an implicit group of structileid.

Fac	Err #	Code	Sev	Message
RPS	509	STRMOD2		Modifying it will affect one or more field and key definitions.
RPS	510	STRMOD3		Are you sure you want to save your modifications?
RPS	511	STRMOD4		Structure modifications cannot be saved. They will cause one or
RPS	512	STRMOD5		more referencing structures to exceed the maximum number of fields (%d).
RPS	513	BLANK20		
RPS	515	DELKFLD1		This field is defined as a key. All affected keys in the
RPS	516	DELKFLD2		current structure will be updated when you save changes.
RPS	517	DELKFLDQ		Are you sure you want to make modifications?
RPS	518	DELKFLD4		This field is defined as an external segment by another
RPS RPS	519 520	DELKFLD3 DELKFLD5		structure. All affected keys in all external structures
RPS	520 521	NOOVRFLD		will be updated when you save changes. Overlaid field does not exist.
RPS	521	MAXFLDSIZ		Maximum field size (%d) has been exceeded.
RPS	523	MAXFXDSIZ		Maximum implied-decimal field size (%d) has been exceeded.
RPS	524	MAXPREC		Maximum precision (%d) has been exceeded.
RPS	525	INVPRECT		'Precision' can only be specified with decimal and user type fields.
RPS	526	MISFLDDIM		Missing array dimension
RPS	527	INVGRP		%a type field cannot be a group.
RPS	528	NOSZMOD		Size of %a type fields cannot be modified.
RPS	529	MULTFLD		Multiple field or group specifications.
RPS	530	EMPTYGRP		Missing group member definition. At least one member must be defined.
RPS	531	INVGRPREF		Referenced structure cannot be the current structure.
RPS	532	FMTNOTFND		Format "%a" referenced by field "%a" no longer exists.
RPS	533	NOLFMTEXST		Format no longer exists.
RPS RPS	534 535	INVOVRLAY INVOVRDEL		Field modifications will invalidate overlay field "%a". Deleting the current field will invalidate overlay field "%a".
RPS	536	INVOVRDEL		Moving the current field will invalidate its overlay specification.
RPS	537	INVOVRMOV2		Moving the current field will invalidate an overlay specification.
RPS	538	INVDTYMOD		Field data type modification will invalidate key "%a".
RPS	539	BLANK21		and cype meaning main and and year
RPS	545	INVIMPGRP		'Structure' can only be specified when no explicit group members are defined.
RPS	546	INVABSPOS		Absolute position value cannot be negative.
RPS	547	INVUCTYPE		'Uppercase' can only be used on alpha and user type fields.
RPS	548	INVJUSTR		This field cannot be right-justified.
RPS	549	INVJUSTC		This field cannot be centered.
RPS	550	INVNODEC		'Nodecimal' can only be used on numeric fields.
RPS	551	INVBZRO		'Blank if zero' can only be used on numeric fields.
RPS	552	INVNEGALW		'Negative allowed' can only be used on numeric fields.
RPS RPS	553 554	INVINCR INVDECR		'Increment' can only be used on numeric fields. 'Decrement' can only be used on numeric fields.
RPS	55 4 555	INVNOECHO		'Noecho' can only be used on alpha and user type fields.
RPS	556	INVECHOCHR		'Echo character' can only be used on alpha and user type fields.
RPS	557	INVECTOOR		'Date (today)' can only be used on date type fields.
RPS	558	INVDTSHORT		'Date (short)' can only be used on date type fields.
RPS	559	INVTMNOW		'Time (now)' can only be used on time type fields.
RPS	560	INVTMAMPM		'Time (ampm)' can only be used on time type fields.
RPS	561	INVALWENT		Blank allow list entries are not allowed.
RPS	562	INVALWSEL		'Allow list' and 'Selections' cannot be specified together.
RPS	563	INVALWNOEC		'Allow list' and 'Noecho' cannot be specified together.
RPS	564	INVMATCH		'Match' values can only be used on alpha and user type fields.
RPS	565	INVSELCLS		'Selections' cannot be used with date and time type fields.
RPS	566	INVSELENT		Blank selection list entries are not allowed.
RPS	567 568	INVENUMTYP		'Enumerated' can only be used on numeric fields. 'Range' cannot be specified with allow or selection lists.
RPS RPS	569	INVRANGE INVRNGTYP		'Range' cannot be specified with allow or selection fists. 'Range' can only be used on numeric fields.
RPS	570	INVRNGMAX		Range maximum must be greater than or equal to range minimum.
RPS	571	INVRETPOS		'Retain position' can only be used on text (multi-dimension alpha) fields.
T.F.D	J / 1	TIMVICITE OD		Results position can only be abea on text (mater atmension alpha) fretas.

Fac	Err #	Code	Sev	Message
RPS	572	INVKCHG		Key type cannot be FOREIGN. It is defined as a "TO" KEY in a relation.
RPS	573	INVRADCHK		'Radio buttons' and 'Check box' cannot be specified together.
RPS	574	INVENMSPC		'Enumerated' can only be specified in conjunction with a selection list or window or an allow lis
RPS	575	INVENMCHK		'Enumerated' cannot be specified with 'Check box'.
RPS	576	INVRDONLY		'Read-only' cannot be specified for Radio button, Check box, or Selection fields.
RPS	577	INVINTSIZ		The size of integer fields must be 1, 2, 4, or 8.
RPS	578	INVDSPMTH		'Display method' cannot be specified for Radio button, Check box, or Selection fields.
RPS	579	INVEDFMTH		'Edit format method' cannot be specified for Radio button, Check box, or Selection fields.
RPS	580	INVVIEWAS		'View as' must be set to 'Field' if a 'Display method' or 'Edit format method' is specified.
RPS	581	INVSELMTH		'Selections' cannot be specified in conjunction with 'Display method' or 'Edit format method'.
RPS	582	INVSEGDTY		Invalid key segment type.
RPS	583	INVSEGORD		Invalid key segment order.
RPS	584	INVINPLEN		'Input length' cannot be specified for Radio button, Check box, or Selection fields.
RPS	585	INVDSPLEN		'Display length' cannot be specified for Radio button, Check box, or Selection fields.
RPS	586 587	INVVWLEN		'View length' cannot be specified for Radio button or Check box fields.
RPS RPS	587 588	INPLENRING		Input length must be in the range 0 to 65535. Display length must be in the range 0 to 65535.
RPS	589	DSPLENRNG VWLENRNG		View length must be in the range 0 to 9999.
RPS	590	INVBLNSIZ		The size of boolean fields must be 4.
RPS	591	INVENMSIZ		The size of enum fields must be 4.
RPS	592	INVNULL		'Null allowed' can only be used on alpha, decimal, date, and time fields.
RPS	593	INVNULLDT		A Nullable DateTime field must have 'Null allowed' set to Default or Yes.
RPS	594	INVENMVAL		Enumeration value must be numeric.
RPS	595	EMPTYENUM		Missing member definition. At least one member must be defined.
RPS	596	NOENUMNM		Missing enumeration name
RPS	597	NONBLANK		Non-blank entry required
RPS	598	INVAUTSIZ		The size of sequence and timestamp autokey fields must be 8.
RPS	599	AUTOFLDRO		Autokey fields must be read only.
RPS	600	AUTOFLDNN		Autokey fields must be no null allowed.
RPS	601	MISKEYSEG		Missing segment definition
RPS	602	NOKSEGDEF		Missing segment definition. At least one segment must be defined.
RPS	603	NOKFLDDEF		Missing field name
RPS	605	NOKSTRDEF		Missing structure name
RPS RPS	606 607	NOKSEGTYP		Missing segment type
RPS	608	INVKLIT INVKEXT		Access keys cannot contain literal segments. Access keys cannot contain external segments.
RPS	609	MAXKEYSIZ		Maximum key size (%d) has been exceeded. Data beyond %d will be ignored.
RPS	610	MAXKEYSEG	1 1	Maximum number of key segments (%d) has been exceeded.
RPS	611	INVEXTKEY	1 1	External segment structure cannot be the current structure.
RPS	612	MAXRECKEY	1 1	An access key already exists for this relative file type.
RPS	613	INVKREC	1 1	Foreign keys cannot contain record number segments.
RPS	614	INVKRCORD	1 1	The sort order for a relative file type access key must be ASCENDING.
RPS	615	INVKRCDPS	1 1	The dups allowed value for a relative file type access key must not be set.
RPS	616	INVKRCNSG	1 1	Only one segment can be defined for a relative file type access key.
RPS	617	INVKRCSGT	1 1	The segment type for a relative file type access key must be 'RECORD NUMBER'.
RPS	618	LITTRUNC	1 1	Maximum literal length exceeded. Truncated to 30.
RPS	619	INVKDEN	1 1	Key density must be in the range 50 to 100.
RPS	620	INVFDEN		Key density must be in the range 50 to 100.
RPS	621	INVKTYPE	1 1	"TO" KEY must be an ACCESS key.
RPS	622	MSGFTYPE	1 1	Missing TYPE keyword for format.
RPS RPS	623 624	INVEXREL	1 1	Relation cannot be examined. Specifications are invalid. Invalid value
RPS RPS	624 625	INVVALUE INVTAGOP		Invalid value Invalid tag comparison operator
RPS	626	INVTAGOP	1 1	Invalid tag comparison operator Invalid tag comparison connector
RPS	627	TAGSET	1 1	Multiple tag specifications.
RPS	628	INVALSTR	1 1	Alias is not for the current structure.
RPS	629	NOCURALS	1 1	No current alias structure defined.

Fac	Err #	Code	Sev	Message
RPS	630	NOUNQALSTR		Alias structure name cannot match that of a real structure.
RPS	631	NOUNQALFLD		Alias field name cannot match that of a real field name.
RPS	632	BLANK24		11-140 1-1614 1-1616 04-160 1-160 01 4 1-641 1-1616
RPS	633	INVSTRN		Invalid structure name specified.
RPS	634	INVSTRN2		Invalid structure name specified "%a".
RPS	635	INVFILN		Invalid file definition name specified.
RPS	636	INVELN		Invalid template name specified.
RPS	637	INVFMTN		Invalid format name specified.
RPS	638	INVENUMN		Invalid enumeration name specified.
RPS	639	INVFLDN		Invalid field name specified.
RPS	640	INVKEYN		Invalid key name specified.
RPS	641	INVFMTYP		Invalid format type specified.
RPS	642	INVFILTYP		Invalid file type specified.
RPS	643	INVRECTYP		Invalid record type specified.
RPS	644	INVPGSIZ		Invalid page size specified.
RPS	645	INVADDR		Invalid addressing specified.
RPS	646	INVDATYP		Invalid data type specified.
RPS	647	INVSTORE		Invalid storage format specified.
RPS	648	INVOVRFLD		Invalid overlay field specified.
RPS	649	INVOVROFF		Invalid overlay offset specified.
RPS	650	INVOVRSPC		Invalid overlay specification. Invalid precision specified.
RPS RPS	651 652	INVPREC INVDFMTDSP		Invalid display format selected for given Date storage type.
RPS	653	INVFLDSPEC		Invalid field specifications.
RPS	654	SMALLGRP		Invalid freid specifications. Invalid group size specified. Group size must be equal to or larger than the size of its members
RPS	655	INVKSPEC		Invalid key specifications.
RPS	656	INVKEYTYP		Invalid key type specified.
RPS	657	INVFLDSIZ		Invalid field size specified.
RPS	658	INVRPTN		Invalid report name specified.
RPS	659	INVTAGFLD		Invalid tag field specified.
RPS	660	INVALSTYP		Invalid alias type specified.
RPS	661	INVALSN		Invalid alias name specified.
RPS	662	INVFMTJST		Invalid justification specified.
RPS	663	INVKEYN2		Invalid key name specified "%a".
RPS	664	INVTAGTYP		Invalid tag type specified.
RPS	665	INVFLDN2		Invalid field name %a specified.
RPS	666	INVODBCFLD		Invalid alternate name specified.
RPS	667	INVFONT		Invalid font name specified.
RPS	668	INVCOLOR		Color palette number must be between 1 and 16, inclusive.
RPS	669	INVODBCTBL		Invalid ODBC table name specified.
RPS	670	INVPREFIX		Invalid prefix specified.
RPS	671	INVSTRN3		Invalid structure name specified. Recursive references not allowed.
RPS	672	MISFILNAM		Missing file definition name.
RPS	673	INVPARENT		Invalid parent template specified. Recursive references not allowed.
RPS	674	INVCOERTYP		Invalid coerced type specified. Invalid member name specified.
RPS	675 676	INVMBRN INVAUTOKEY		
RPS RPS	676 677	BLANK25		Invalid autokey specification.
RPS	696	NOALSEXIST		Alias does not exist.
RPS	697	NOFLDEXIST		Field does not exist.
RPS	698	NOKEYEXIST		Key does not exist.
RPS	699	NORELEXIST		Relation does not exist.
RPS	700	NOSTREXIST		Structure does not exist.
RPS	701	NOFILEXIST		File definition does not exist.
RPS	702	NOELEXIST		Template does not exist.
RPS	703	NOFMTEXIST		Format does not exist.
RPS	704	NOENMEXIST		Enumeration does not exist.

RPS 705 NOEXSTSTR RPS 706 NOEXSTFLD RPS 707 CANTFREEID RPS 708 UNDEFSTRID RPS 709 MISFLNAME RPS 710 LDCTLERR RPS 711 LDFLDERR RPS 712 NOGRPNAME RPS 713 XENDGRP RPS 714 INVFNAME RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME RPS 720 Original repository cannot be replaced. RPS 720 Original repository cannot be replaced. RPO 723 NORENAME RPS 723 NORENAME RPS 723 NORENAME RPS 723 NORENAME RPS 726 ONEXSTS REPOSITORY CANNOT DATE AND APPLIANCE OF THE PLANE APPLIANCE OF THE PLA	sitory utility to free i
RPS 706 RPS 707 CANTFREID RPS 708 UNDEFSTRID RPS 709 MISFLNAME RPS 710 LDCTLERR RPS 711 LDFLDERR RPS 711 XENDGRP RPS 713 XENDGRP RPS 714 INVFNAME RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 718 QDELETE RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME RPS 723 NORENAME RPS 723 NORENAME RPS 720 DIPFILNS RPS 720 DUPFILNS RPS 721 COMERGE RPS 722 QMERGE RPS 723 NORENAME RPS 723 NORENAME RPS 728 NORENAME RPS 729 OF REPOSITORY CANNOT be replaced. Run the Verify Repository cannot be freed. Run the Verify Repository cannot be freed. Run the Verify Repository Repository cannot be freed. Run the Verify Repository Repository cannot be freed. Run the Verify Repository and the Verify Repository Repository and the Verify Repository Endown to the Verify Repository And The Verify Repository Endown to The Verify Repository Repository Endown to The Verify Repository Repository Endown to The Verify Repository Repository Cannot be freed. Run the Verify Repository Repository Endown to The Verify Repository Repository Endown to Transpare Cannot Defined Structure ID Wissing open filename Error occurred while storing control record. Error occurred while storing control rec	sitory utility to free i
RPS 707 CANTFREEID UNDEFSTRID RPS 708 UNDEFSTRID RPS 709 MISFLNAME Undefined structure ID Missing open filename Error occurred while storing control record. RPS 711 LDFLDERR RPS 712 NOGRPNAME RPS 713 XENDGRP TO many Endgroup statements encountered. RPS 714 INVFNAME CANTOPN CANTOPN RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME REPOSITORY CANNOT CONTROL TO THE PROPERTY OF THE PROPERTY	sitory utility to free i
RPS 709 MISFLNAME 710 LDCTLERR 711 LDFLDERR 711 LDFLDERR 712 NOGRPNAME 713 XENDGRP 714 INVFNAME 715 CANTOPN 716 EXISTS 717 APNDORDEL 718 QDELETE 719 ENTERFIL 720 DUPFILNS 721 LONGLINE 722 QMERGE 723 NORENAME 720 DUPGLO 723 NORENAME 724 QMERGE 723 NORENAME 724 QMERGE 723 NORENAME 725 QMERGE 723 NORENAME 726 QMERGE 727 NORENAME 727 QMERGE 728 NORENAME 728 MISSING open filename Error occurred while storing control record. Error occurred while storing field definition. Missing field name 720 many Endgroup statements encountered. Invalid filename specified "%a". Cannot open file "%a". Cannot create file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Please enter another filename. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 710 LDCTLERR RPS 711 LDFLDERR RPS 712 NOGRPNAME RPS 713 XENDGRP RPS 714 INVFNAME RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME RPS 723 NORENAME RPS 723 NORENAME RPS 721 LONGENAME RPS 723 NORENAME RPS 722 QMERGE RPS 723 NORENAME RPS 721 LONGENAME RPS 722 QMERGE RPS 723 NORENAME RPS 723 NORENAME Error occurred while storing control record. Error occurred while storing field definition. Missing field name Too many Endgroup statements encountered. Invalid filename specified "%a". Cannot open file "%a". Cannot create file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 711 LDFLDERR RPS 712 NOGRPNAME RPS 713 XENDGRP RPS 714 INVFNAME RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME RPS 723 NORENAME RPS 723 NORENAME RPS 721 LDFLDERR Missing field name Too many Endgroup statements encountered. Invalid filename specified "%a". Cannot open file "%a". Cannot create file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Please enter another filename. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 712 NOGRPNAME RPS 713 XENDGRP RPS 714 INVFNAME RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME Missing field name Too many Endgroup statements encountered. Invalid filename specified "%a". Cannot open file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Please enter another filename. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 713 XENDGRP Too many Endgroup statements encountered. RPS 714 INVFNAME CANTOPN CANTOPN CANNO Open file "%a". RPS 715 CANTOPN CANTOPN CANNO Open file "%a". RPS 716 EXISTS CANTOPN CANNO Open file "%a". RPS 717 APNDORDEL ODEL TE File "%a" already exists. RPS 718 ENTERFIL File "%a" already exists. Do you want to delete it. RPS 720 DUPFILNS RPS 721 LONGLINE REPOSITORY filenames cannot be the same. RPS 722 QMERGE RPS 723 NORENAME Original repository cannot be replaced. Files are in use.	
RPS 714 INVFNAME RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME Invalid filename specified "%a". Cannot open file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Please enter another filename. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 715 CANTOPN RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME Cannot open file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Flease enter another filename. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 716 EXISTS RPS 717 APNDORDEL RPS 718 QDELETE RPS 719 ENTERFIL RPS 720 DUPFILNS RPS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME Cannot create file "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? File "%a" already exists. Do you want to delete it? File "%a" already exists. Do you want to delete it. File "%a" already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a". File already exists. Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 717 APNDORDEL 718 QDELETE 719 ENTERFIL 720 DUPFILNS 721 LONGLINE RPS 722 QMERGE RPS 723 NORENAME Select "No" to append output to the existing file; "Yes" to delete it. File "%a" already exists. Do you want to delete it? Please enter another filename. Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. Repository files already exist. Do you want to merge the schema? Original repository cannot be replaced. Files are in use.	
RPS 718 QDELETE File "%a" already exists. Do you want to delete it? RPS 719 ENTERFIL Please enter another filename. RPS 720 DUPFILNS RPS 721 LONGLINE Line %d too long (len=%d, max=%d) Truncated. RPS 722 QMERGE RPS 723 NORENAME Original repository cannot be replaced. Files are in use.	
RPS 719 ENTERFIL Please enter another filename. RPS 720 DUPFILNS RPS 721 LONGLINE Line %d too long (len=%d, max=%d) Truncated. RPS 722 QMERGE RPS 723 NORENAME Original repository cannot be replaced. Files are in use.	
RPS 720 DUPFILNS Repository filenames cannot be the same. Line %d too long (len=%d, max=%d) Truncated. RPS 722 QMERGE Repository files already exist. Do you want to merge the schema? RPS 723 NORENAME Original repository cannot be replaced. Files are in use.	
RPS 722 QMERGE Repository files already exist. Do you want to merge the schema? RPS 723 NORENAME Original repository cannot be replaced. Files are in use.	
RPS 723 NORENAME Original repository cannot be replaced. Files are in use.	
RPS 724 NOCOPY Original repository cannot be copied. Files are in use.	
RPS 725 VFYERR1 WARN: Blank structure ID found: type = %a: name = %a	
RPS 726 VFYERR2 INFO: Stranded sequential record found: access = %a: name = %a	
RPS 727 VFYERR3 WARN: Unknown record found: access = %a: type = %a: name = %a RPS 728 VFYERR10 INFO: Old structure count = %d, Actual structure count = %d	
RPS 728 VFYERR10 INFO: Old structure count = %d, Actual structure count = %d RPS 729 VFYERR11 INFO: Old file count = %d, Actual file count = %d	
RPS 730 VFYERR12 INFO: Old first count = %d, Actual format count = %d	
RPS 731 VFYERR13 INFO: Old template count = %d, Actual template count = %d	
RPS 732 VFYERR14 INFO: Old alias structure count = %d, Actual alias structure count = %d	
RPS 733 VFYERR14A INFO: Old enumeration count = %d, Actual enumeration count = %d	
RPS 734 VFYERR14B INFO: Old alias structure count = %d, Actual alias structure count = %d.	Exceeds d3 variable. No
RPS 735 VFYERR15 INFO: Structure %a: Field %a: Old parent ID = %a, Actual parent ID = %a	
RPS 736 BLANK30	
RPS 737 VFYERR16 INFO: Stranded field reference for template %a: field: %a, structure: %a	
RPS 738 VFYERR17 INFO: Description text not found for template %a. Description reference c	
RPS 739 VFYERR18 INFO: Template %a's description stranded. New description reference create	
RPS 740 VFYERR19 INFO: Long description text not found for template %a. Description referen	
RPS 741 VFYERR20 INFO: Template %a's long description was stranded. New description reference RPS 742 VFYERR21 INFO: Stranded file-structures record %a found	nce created.
RPS 742 VFYERR21 INFO: Stranded file-structures record %a found RPS 743 VFYERR22 WARN: Missing file-structures record for file %a	
RPS 744 VFYERR22 WARN: Missing ODBC tables names record for file %a	
RPS 745 VFYERR25 WARN' MISSING ODEC tables names record for file %a was %d; updated to actual country of the	t. %d
RPS 746 VFYERR26 INFO: Assigned structure %a does not exist	-,
RPS 747 VFYERR27 INFO: File reference %a for structure %a did not exist. It was created.	
RPS 748 VFYERR28 INFO: Description text not found for file %a. Description reference clear	ed.
RPS 749 VFYERR29 INFO: File %a's description was stranded. New description reference create	ed.
RPS 750 VFYERR30 INFO: Long description text not found for file %a. Description reference	
RPS 751 VFYERR31 INFO: File %a's long description was stranded. New description reference	
RPS 752 VFYERR32 INFO: Text not found for file %a's user text. User text reference cleared	•
RPS 753 VFYERR33 INFO: File %a's user text was stranded. New user text reference created.	
RPS 754 VFYERR34 INFO: Template %a not found for field %a. Template cleared in field defin	
RPS 755 VFYERR35 INFO: Template reference %a not found for field %a. Template reference creates 756 VFYERR34A INFO: Enumeration %a not found for field %a. Field definition changed to	
RPS 756 VFYERR34A INFO: Enumeration %a not found for field %a. Field definition changed to all RPS 757 VFYERR34B INFO: Structure %a not found for field %a. Field definition changed to all	
RPS 758 VFYERR35A INFO: Structure %a not found for field %a. Friend definition changed to all RPS 758 VFYERR35A INFO: Enumeration reference %a not found for field %a. Enumeration reference	
RPS 750 VFIERRSSA INFO: Enumeration reference %a not found for field %a. Enumeration reference %	
RPS 760 VFYERR36 INFO: Text not found for field %a's description. Description reference classification and the second sec	
RPS 761 VFYERR37 INFO: Field %a's description was stranded. New description reference crea	

Fac	Err #	Code	Sev	Message
RPS	762	VFYERR38		INFO: Long description text not found for field %a. Description reference cleared.
RPS	763	VFYERR39		INFO: Field %a's long description was stranded. New description reference created.
RPS	764	VFYERR40		INFO: Text not found for field %a's heading. Heading reference cleared.
RPS	765	VFYERR41		INFO: Field %a's heading was stranded. New heading reference created.
RPS	768	VFYERR43		INFO: Structure %a: Field %a: Group members not found. Group flag cleared.
RPS	769	VFYERR43A		INFO: Structure %a: Field %a: Implicit group not found. Group flag cleared.
RPS	770	VFYERR44		INFO: Structure %a: Old field count = %d, new field count = %d
RPS	771	VFYERR44A		INFO: Structure %a: Old field count = %d, actual field count = %d. Exceeds d3 variable. No change
RPS	772	VFYERR45		INFO: Structure %a: Old key count = %d, new key count = %d
RPS	773	VFYERR46		INFO: Structure %a: Old relation count = %d, new relation count = %d
RPS	774	VFYERR47		INFO: Structure %a: Old format count = %d, new format count = %d
RPS	775	VFYERR44B		INFO: Structure %a: Old child count = %d, new child count = %d
RPS	776	VFYERR44C		INFO: Structure %a: Group %a: Old child count = %d, new child count = %d
RPS	777	VFYERR48		INFO: Structure %a: Old tag count = %d, new tag count = %d
RPS	778	VFYERR48A		INFO: Structure %a: Old alias count = %d, new alias count = %d
RPS	779	VFYERR49		INFO: Blank file reference record found for structure %a
RPS	780	VFYERR50		INFO: File reference count = %d; Number of files for structure %a = %d
RPS	781	VFYERR51		INFO: Duplicate file reference %a found for structure %a
RPS	782	VFYERR52		INFO: Stranded file reference %a found for structure %a
RPS	783	VFYERR53		INFO: Blank key reference record found for structure %a
RPS	784	VFYERR55		INFO: Stranded key reference found for structure %a: key: %a, structure: %a
RPS	785	VFYERR56		INFO: Stranded relation reference found for structure %a: structure: %a, relation: %a
RPS	786	VFYERR57		WARN: Invalid key reference found for structure %a: reference type = %a
RPS	787	VFYERR58		INFO: Description text not found for structure %a. Description reference cleared.
RPS	788	VFYERR59		INFO: Structure %a's description was stranded. New description reference created.
RPS	789	VFYERR60		INFO: Long description text not found for structure %a. Description reference cleared.
RPS	790	VFYERR61		INFO: Structure %a's long description was stranded. New description reference created.
RPS	791	VFYERR62		INFO: Text not found for structure %a's user text. User text reference cleared.
RPS	792	VFYERR63		INFO: Structure %a's user text was stranded. New user text reference created.
RPS	795	VFYERR64		INFO: Duplicate structure id found (%a) for structure %a.
RPS	796	VFYERR65		INFO: Stranded %a record: access code = %a; name = %a
RPS	797	VFYERR66		INFO: Blank field reference record found for template %a
RPS	798	VFYERR67		INFO: Old file/structures count = %d, Actual file/structures count = %d
RPS	799	VFYERR69		INFO: Relation reference %a not found for structure %a. Relation reference created.
RPS	800	VFYERR70		INFO: Key reference %a not found for structure %a. Key reference created.
RPS	801	VFYERR71		INFO: Heading text not found for template %a. Heading reference cleared.
RPS	802	VFYERR72		INFO: Template %a's heading was stranded. New heading reference created.
RPS	803	VFYERR73		INFO: Prompt text not found for template %a. Prompt reference cleared.
RPS RPS	804 805	VFYERR74 VFYERR75		INFO: Template %a's prompt was stranded. New prompt reference created. INFO: Help text not found for template %a. Help reference cleared.
RPS	805	VFYERR75		INFO: Help text not found for template %a. Help reference cleared. INFO: Template %a's help text was stranded. New help text reference created.
RPS	807	VFYERR76		INFO: Info line text not found for template %a. Info line reference cleared.
RPS	808	VFYERR78		INFO: INFO line text not found for template %a. Info line reference created. INFO: Template %a's info line text was stranded. New info line reference created.
RPS	809	VFYERR79		INFO: User text not found for template %a. User text reference cleared.
RPS	810	VFYERR80		INFO: User text not round for template %a. User text reference created. INFO: Template %a's user text was stranded. New user text reference created.
RPS	811	VFYERR81		INFO: Template % a S user text was stranded. New user text reference created. INFO: User type text not found for template % a. User type reference cleared.
RPS	812	VFYERR82		INFO: User type text not found for template %a. User type reference created. INFO: Template %a's user type text was stranded. New user type reference created.
RPS	813	VFYERR83	1 1	INFO: Default value not found for template %a. Default value reference cleared.
RPS	814	VFYERR84	1 1	INFO: Delault value not found for template %a. Belault value reference created. INFO: Template %a's default value was stranded. New default value reference created.
RPS	815	VFYERR85		INFO: Allow list not found for template %a. Allow list reference cleared.
RPS	816	VFYERR86		INFO: Template %a's allow list was stranded. New allow list reference created.
RPS	817	VFYERR87		INFO: Selection info not found for template %a. Selection info reference cleared.
RPS	818	VFYERR88		INFO: Template %a's selection info was stranded. New selection info reference created.
RPS	819	VFYERR89		INFO: Enumerated info not found for template %a. Enumerated info reference cleared.
RPS	820	VFYERR90		INFO: Template %a's enumerated info was stranded. New enumerated info reference created.
RPS	821	VFYERR91		INFO: Range info not found for template %a. Range info reference cleared.
RPS	822	VFYERR92		INFO: Template %a's range info was stranded. New range info reference created.
V.P.O	044	4 L T L K K 2 Z		TARTO. Temptace sa a tange tinto was actanded. New tange tinto reference created.

Fac	Err #	Code	Sev	Message
RPS	823	VFYERR93		INFO: Prompt text not found for field %a. Prompt reference cleared.
RPS	824	VFYERR94		INFO: Field %a's prompt was stranded. New prompt reference created.
RPS	825	VFYERR95		INFO: Help text not found for field %a. Help reference cleared.
RPS	826	VFYERR96		INFO: Field %a's help text was stranded. New help text reference created.
RPS	827	VFYERR97		INFO: Info line text not found for field %a. Info line reference cleared.
RPS	828	VFYERR98		INFO: Field %a's info line text was stranded. New info line reference created.
RPS	829	VFYERR99		INFO: User text not found for field %a. User text reference cleared.
RPS	830	VFYERR100		INFO: Field %a's user text was stranded. New user text reference created.
RPS	831	VFYERR101		INFO: User type text not found for field %a. User type reference cleared.
RPS	832	VFYERR102		INFO: Field %a's user type text was stranded. New user type reference created.
RPS	833	VFYERR103		INFO: Default value not found for field %a. Default value reference cleared.
RPS	834	VFYERR104		INFO: Field %a's default value was stranded. New default value reference created.
RPS	835	VFYERR105		INFO: Allow list not found for field %a. Allow list reference cleared.
RPS	836	VFYERR106		INFO: Field %a's allow list was stranded. New allow list reference created.
RPS	837	VFYERR107		INFO: Selection info not found for field %a. Selection info reference cleared.
RPS	838	VFYERR108		INFO: Field %a's selection info was stranded. New selection info reference created.
RPS	839	VFYERR109		INFO: Enumerated info not found for field %a. Enumerated info reference cleared.
RPS	840	VFYERR110		INFO: Field %a's enumerated info was stranded. New enumerated info reference created.
RPS	841	VFYERR111		INFO: Range info not found for field %a. Range info reference cleared.
RPS	842	VFYERR112		INFO: Field %a's range info was stranded. New range info reference created.
RPS	843	VFYERR113		INFO: Structure %a: Old record size = %d, new record size = %d
RPS	844	VFYERR114		INFO: Stranded template reference for parent %a.
RPS	845	VFYERR115		INFO: Parent %a not found for template %a. Parent cleared in template definition.
RPS	846	VFYERR116		INFO: Template reference %a not found for template %a. Template reference created.
RPS	847	VFYERR117		INFO: Blank template reference record found for template %a
RPS	848	VFYERR118		INFO: Duplicate structure id found (%a) for alias structure %a.
RPS	849	VFYERR119		INFO: Stranded %a alias record: access code = %a; name = %a
RPS	850	VFYERR120		INFO: Field %a, aliased by %a:%a no longer exists.
RPS	851	VFYERR121		NOTE: Text not found for key %a's null value. Null value reference cleared.
RPS	852	VFYERR122		NOTE: Key %a's null value was stranded. New null value reference created.
RPS	853 854	VFYERR123		NOTE: Description text not found for key %a. Description reference cleared.
RPS	855	VFYERR124 VFYERR125		NOTE: Key %a's description was stranded. New description reference created. INFO: Arrive method info not found for template %a. Arrive method reference cleared.
RPS RPS	856	VF1ERR125 VFYERR126		INFO: Template %a's arrive method info was stranded. New arrive method reference created.
RPS	857	VFYERR127		INFO: Leave method info not found for template %a. Leave method reference cleared.
RPS	858	VFYERR128		INFO: Template %a's leave method info was stranded. New leave method reference created.
RPS	859	VFYERR129		INFO: Drill method info not found for template %a. Drill method reference cleared.
RPS	860	VFYERR130		INFO: Template %a's drill method info was stranded. New drill method reference created.
RPS	861	VFYERR131		INFO: Hyperlink method info not found for template %a. Hyperlink method reference cleared.
RPS	862	VFYERR132		INFO: Template %a's hyperlink method info was stranded. New hyperlink method reference created.
RPS	863	VFYERR133		INFO: Arrive method info not found for field %a. Arrive method reference cleared.
RPS	864	VFYERR134		INFO: Field %a's arrive method info was stranded. New arrive method reference created.
RPS	865	VFYERR135		INFO: Leave method info not found for field %a. Leave method reference cleared.
RPS	866	VFYERR136		INFO: Field %a's leave method info was stranded. New leave method reference created.
RPS	867	VFYERR137		INFO: Drill method info not found for field %a. Drill method reference cleared.
RPS	868	VFYERR138		INFO: Field %a's drill method info was stranded. New drill method reference created.
RPS	869	VFYERR139		INFO: Hyperlink method info not found for field %a. Hyperlink method reference cleared.
RPS	870	VFYERR140		INFO: Field %a's hyperlink method info was stranded. New hyperlink method reference created.
RPS	871	VFYERR141		INFO: Text not found for field %a's alternate name. Alternate name reference cleared.
RPS	872	VFYERR142		INFO: Field %a's alternate name was stranded. New alternate name reference created.
RPS	873	VFYERR143		INFO: Text not found for template %a's alternate name. Alternate name reference cleared.
RPS	874	VFYERR144		INFO: Template %a's alternate name was stranded. New alternate name reference created.
RPS	877	VFYMAXTMRF		WARN: Maximum template references have been exceeded. Reference for template %a lost.
RPS	878	VFYMAXFLRF		WARN: Maximum file references have been exceeded. Reference for structure %a lost.
RPS	879	VFYMAXKRF		WARN: Maximum key references have been exceeded. Reference for structure %a lost.
RPS	880	VFYMAXRRF		WARN: Maximum relation references have been exceeded. Reference for structure %a lost.
RPS	881	VFYMAXFDRF		WARN: Maximum field references have been exceeded. Reference for template %a lost.

Fac	Err #	Code	Sev	Message
RPS	882	VFYMAXFSRF		WARN: Maximum field references have been exceeded. Reference for structure %a lost.
RPS	883	VFYMAXGRRF		WARN: Maximum group references have been exceeded. Reference for structure %a lost.
RPS	884	VFYMAXENMT		WARN: Maximum enumeration references have been exceeded. Reference for template %a lost.
RPS	885	VFYMAXENMF		WARN: Maximum enumeration references have been exceeded. Reference for field %a lost.
RPS	886	VFYMAXSSRF		WARN: Maximum structure references have been exceeded. Reference for structure %a lost.
RPS	889	ALSVALD		Alias structure %a validated
RPS	890	ELVALD		Template %a validated
RPS	891	FLVALD		File %a validated
RPS	892	FMTVALD		Format %a validated
RPS	893	STRVALD		Structure %a validated
RPS	894	ENMVALD		Enumeration %a validated
RPS	895	FLDVALD		Field %a validated for structure %a
RPS	896	GRPVALD		Group %a validated for structure %a
RPS RPS	897 898	KEYVALD		Key %a validated for structure %a Relation %a validated for structure %a
RPS	899	RELVALD LFMTVALD		Format %a validated for structure %a
RPS	900	TAGVALD		Tag %a validated for structure %a
RPS	901	NOXREF		Cannot open repository cross-reference file "%a".
RPS	902	NOMAIN		Cannot open main repository file "%a".
RPS	903	NOTEXT		Cannot open repository text file "%a".
RPS	904	NOLIST		Cannot open repository list file "%a".
RPS	905	NOMSG		Cannot open message file "%a".
RPS	906	NOTEMP		Cannot open repository temporary file "%a".
RPS	907	NODSCRPT		Cannot open Repository window library "%a".
RPS	908	CANTCRT		Cannot create file "%a". %a.
RPS	911	BLANK32		
RPS	912	RECTOOSML		Data record (a_rec) too small
RPS	913	TRLCTOOLG		Tree-lock record too long
RPS	914	UNDEFIOCD		Unsupported I/O code
RPS	915	IOERR		Unexpected I/O error %d
RPS	927	IOKEYNSM		"Key not same" error. Program will terminate.
RPS	928	IODUPKEY		"Duplicate key" error. Program will terminate.
RPS	929	BLANK33		
RPS	930	CONVERT		Old %a name = "%a", New name = "%a"
RPS	931 932	FLDFTR2		FIELDS [%03d of %03d] SIZE [%05d] FIELDS [%03d of %03d]
RPS RPS	932	FLDFTR3 VFYERR145		INFO: Text not found for field %a's font name. Font name reference cleared.
RPS	940	VFYERR145		INFO: Text not found for field %a's font name. Font hame reference created. INFO: Field %a's font name was stranded. New font name reference created.
RPS	941	VFYERR147		INFO: Field %a's font name was stranded. New font name reference cleared. INFO: Text not found for template %a's font name. Font name reference cleared.
RPS	943	VFYERR148		INFO: Template %a's font name was stranded. New font name reference created.
RPS	944	VFYERR149		INFO: Text not found for field %a's prompt font name. Font name reference cleared.
RPS	945	VFYERR150		INFO: Field %a's prompt font name was stranded. New font name reference created.
RPS	946	VFYERR151		INFO: Text not found for template %a's prompt font name. Font name reference cleared.
RPS	947	VFYERR152		INFO: Template %a's prompt font name was stranded. New font name reference created.
RPS	948	VFYERR153		INFO: Change method info not found for field %a. Change method reference cleared.
RPS	949	VFYERR154		INFO: Field %a's change method info was stranded. New change method reference created.
RPS	950	VFYERR155		INFO: Change method info not found for template %a. Change method reference cleared.
RPS	951	VFYERR156		INFO: Template %a's change method info was stranded. New change method reference created.
RPS	954	VFYERR159		INFO: Text not found for file %a's portable integer info. Portable integer info reference cleared
RPS	955	VFYERR160		INFO: File %a's portable integer info was stranded. New portable integer info reference created.
RPS	956	VFYERR161		INFO: Text not found for field %a's referenced structure. Structure reference cleared.
RPS	957	VFYERR162		INFO: Field %a's referenced structure was stranded. New structure reference created.
RPS	958	VFYERR163		INFO: Text not found for field %a's prefix. Prefix reference cleared.
RPS	959 960	VFYERR164		INFO: Field %a's prefix was stranded. New prefix reference created. INFO: Stranded field reference for structure %a: field: %a, parent: %a
RPS RPS	960 961	VFYERR165 VFYERR166		INFO: Stranded field reference for structure %a: field: %a, parent: %a INFO: Structure %a not found for field %a, parent %a. Structure cleared in field definition.
RPS	961	VFYERR166		INFO: Structure %a not found for field %a, parent %a. Structure cleared in field definition. INFO: Group reference %a not found for field %a, parent %a. Structure reference created.
KPS	20△	AT. T T. IV. IV. IV. IV. IV. IV. IV. IV. IV. IV		into. Gloup reference sa not found for freed sa, parent sa. Structure reference created.

Fac	Err #	Code	Sev	Message
RPS	963	VFYERR167A		INFO: Structure reference %a not found for field %a, parent %a. Structure reference created.
RPS	964	VFYERR168		INFO: Display method info not found for field %a. Display method reference cleared.
RPS	965	VFYERR169		INFO: Field %a's display method info was stranded. New display method reference created.
RPS	966	VFYERR170		INFO: Editfmt method info not found for field %a. Editfmt method reference cleared.
RPS	967	VFYERR171		INFO: Field %a's editfmt method info was stranded. New editfmt method reference created.
RPS	968	VFYERR172		INFO: Display method info not found for template %a. Display method reference cleared.
RPS	969	VFYERR173		INFO: Template %a's display method info was stranded. New display method reference created.
RPS	970	VFYERR174		INFO: Editfmt method info not found for template %a. Editfmt method reference cleared.
RPS	971	VFYERR175		INFO: Template %a's editfmt method info was stranded. New editfmt method reference created.
RPS	972	VFYERR176		INFO: Structure %a: Implicit group %a: Old field size = %d, New field size = %d
RPS	973 974	VFYERR177 VFYERR178		INFO: Description text not found for enumeration %a. Description reference cleared.
RPS RPS	974 975	VFYERR176 VFYERR179		INFO: Enumeration %a's description was stranded. New description reference created. INFO: Long description text not found for enumeration %a. Description reference cleared.
RPS	975 976	VFYERR180		INFO: Enumeration %a's long description was stranded. New description reference created.
RPS	977	VFYERR181		WARN: Missing members record for enumeration %a
RPS	978	VFYERR182		INFO: Member count for enumeration %a was %d; updated to actual count, %d
RPS	979	VFYERR183		INFO: Blank field reference record found for enumeration %a
RPS	980	VFYERR184		INFO: Stranded field reference for enumeration %a: field: %a, structure: %a
RPS	981	VFYERR185		INFO: Blank template reference record found for enumeration %a
RPS	982	VFYERR186		INFO: Stranded template reference for enumeration %a: template: %a
RPS	983	VFYERR187		INFO: Enumeration %a not found for template %a. Template definition changed to integer.
RPS	984	VFYERR188		INFO: Enumeration reference %a not found for template %a. Enumeration reference created.
RPS	985	VFYERR189		INFO: Text not found for file %a's file text info. File text info reference cleared.
RPS	986	VFYERR190		INFO: File %a's file text info was stranded. New file text info reference created.
RPS	987 1000	GRPREFVFYD		References verified for structure %a's implicit groups.
RPS RPS	1000	ARVMETH LVMETH		%a_ARRIVE %a_LEAVE
RPS	1001	DRLMETH		%a_DRILL
RPS	1002	HYPMETH		%a_HYPER
RPS	1004	CHGMETH		%a_CHANGE
RPS	1005	DSPMETH		%a DISPLAY
RPS	1006	FMTMETH		%a_EDITFMT
RPT	1	RPTHDR		ReportWriter
RPT	2	VIEW		View Report Format
RPT	3	EXIT		Exit ReportWriter
RPT	4	UTILS		Utility Functions
RPT	5	MAIN		Main Menu
RPT	6	CREATE		Create New Report
RPT RPT	7 8	LOAD DISPLAY		Load Report Display Report
RPT	9	PRINT		Print Report
RPT	10	RPTFIL		Generate Report File
RPT	11	CLEAR		Clear Report
RPT	12	RENAME		Rename Current Report
RPT	13	SAVE		Save Report
RPT	14	DELETE		Delete Report
RPT	15	FILES		Files to Read
RPT	16	CREFLD		Fields to Create
RPT	17	FIELDS		Fields to Print
RPT	18	SELECT		Selections to Make
RPT RPT	19 20	KEYS HDER		Fields to Sort Header/Footer Layout
RPT	20 21	MISC		Miscellaneous
RPT	22	FILHDR		Files to Read
RPT	23	FLDHDR		Fields to Print
RPT	24	KEYHDR		Sort Fields
RPT	25	SELHDR		Selection Fields

Fac	Err #	Code	Sev	Message
RPT	26	CALC		Calculation Fields
RPT	27	QUERY		Ouestion Fields
RPT	28	TEXT		Text Fields
RPT	29	ENVIRON		Environment Fields
RPT	30	SUBTOTAL		Subtotal Access Fields
RPT	31	CNDHDR		Conditions
RPT	32	RPTHDRINF		Report Header
RPT	33	RPTFTRINF		Report Footer
RPT	34	PAGHDRINF		Page Header
RPT	35	PAGFTRINF		Page Footer
RPT	36	DATNUMINF		Date and Page #
RPT	37	EDRENDHDR		Edit Renditions
RPT	38	GENDEFHDR		Print Report Definitions
RPT	39	GENREFHDR		Generate Cross-Reference
RPT	40	LDDEFHDR		Load Report Definitions
RPT	41	AVLFIL		Available Files
RPT	42	AVLSTR		Available Structures
RPT	43	AVLREL		Available Relations
RPT	44	NORELAVL		No relation available
RPT	45	ULDDEFHDR		Unload Report Definitions
RPT	46	LDRPT		Loading Report %a
RPT	47	BDRPT		Building Report
RPT	48	GNRPT		Generating Report
RPT	49	LDFIL		Loading Files
RPT	50	LDFLD		Loading Fields
RPT	51	GETFLD		Processing Files
RPT	52	LDTFLD		Loading Temporary Fields
RPT	53	LDBFLD		Loading Break Line Fields
RPT	54	GENDEF		Printing Definition
RPT	55	LDDEF		Loading Definition
RPT	56	UNLDDEF		Unloading Definition
RPT	57	GENREF		Generating Cross-Reference
RPT	58	LDRDLHDR		Load Report Schema
RPT	59	UNRDLHDR		Generate Report Schema
RPT	60	EXTRPT		Exiting ReportWriter
RPT	61	GENINF		Menu-<^P> %a-<%a> %a-<%a>
RPT	62	CMDINF		%a-<%a>
RPT	63	CNCLRPT		Press Interrupt key to abort report generation.
RPT	64	NORPTNAM		No Loaded Report
RPT	65	RPTFTR		%a (%a)
RPT	66	NOTINST		ReportWriter is not configured.
RPT	67	MAXUSER		Exceeded concurrent user capacity
RPT	68 60	TIMEOUT		This system has timed-out
RPT	69 70	CONTACT		Please contact your Synergy supplier
RPT	70 71	PRRPT		Printing Report
RPT		GENNAMHDR		# FLAGS NAMES
RPT	72 73	GENDSCHDR		# FLAGS DESCRIPTIONS # FLAGS CONNECT CONDITIONS
RPT	73 74	CNDCRIHDR		# FLAGS CONNECT CONDITIONS # FLAGS CONNECT SELECTIONS
RPT	74 75	SELCRIHDR		# FLAGS CONNECT SELECTIONS # TYPE DATA TEMPORARY FIELD NAMES
RPT	75 76	TMPNAMHDR TMPDSCHDR		# TYPE DATA TEMPORARY FIELD NAMES # TYPE DATA TEMPORARY FIELD DESCRIPTIONS
RPT RPT	76 77	FILNAMHDR		# TYPE DATA TEMPORARY FIELD DESCRIPTIONS # PARENT NAMES
RPT	77 78	FILDSCHDR		# PARENT NAMES # PARENT DESCRIPTIONS
RPT	76 79	FILFTR		# PARENT DESCRIPTIONS FILES [%2a]
RPT	80	FLDFTR		DETAIL FIELDS [%2a] of (%a)
RPT	81	FLDFTR1		DETAIL FIELDS [%2a] DETAIL FIELDS [%2a]
RPT	82	PREFLDFTR		PRE-BREAK LINE FIELDS [%2a]
IVF I	UΔ	EVELUDETE		IND DREAK BIND [820]

Fac	Err #	Code	Sev	Message
RPT	83	PSTFLDFTR		POST-BREAK LINE FIELDS [%2a]
RPT	84	CNDFTR		CONDITION CRITERIA [%1a]
RPT	85	SELFTR		SELECTION CRITERIA [%2a]
RPT	86	TMPFLDFTR		TEMPORARY FIELDS [%3a]
RPT	87	SRTFLDFTR		SORT FIELDS [%2a]
RPT	88	FLDFRMFIL		%a (File %d of %d)
RPT	89	PAGE		Page
RPT	90	CLCAFTSRT		After Sort
RPT	91	CLCBEFSEL		Before Selection
RPT	92	MPPARALLEL		Together
RPT	93	MPTANDEM		Separately
RPT	94	CNDMSG		- Conditioned
RPT	95	OVERST		OVERST
RPT	96	INSERT		INSERT
RPT	97	TOTCNT		total (count
RPT	98	TOTSCNT		totals (count
RPT	99	TOTCNTCLS):
RPT	100	TOTAL		total:
RPT	101	TOTALS		totals:
RPT	102	COUNT		count:
RPT	103	REPORT		Report
RPT	104	DSCFIL		XRPT%d.ZZQ
RPT	105	BLDFIL		RB%d.TMP
RPT	106	SRTFIL		RG%d.TMP
RPT	107	SRTMSG		SORT %a
RPT	108	DTLMSG		Detail line %d of %d -
RPT	109	PREMSG		Pre-break line
RPT	110	PSTMSG		Post-break line
RPT	111	RPTACTV		An active report exists. Save or abandon loaded report first.
RPT	112	SUPPBLMSG		%a - Blank line suppressed
RPT	113	FMTHDR		FORMAT
RPT	114	VFYDEL		Are you sure you want to delete %a %a?
RPT	115	TMPFLD		temporary field
RPT	116	REPORTLC		report
RPT	117	TMPFNAM		TEMP
RPT	118	TMPFDSC		Temporary File
RPT	119	ARRGFLD		Arranging line %d of %d (%d through %d)
RPT	120	LINEMSG		Line %d of %d - %e
RPT	121	LINEMSG1		%a - %d of %d
RPT	122	HDRPOS		(%d through %d)
RPT	123	NAMHDR		NAME
RPT	124	DSCHDR		DESCRIPTION
RPT	125	OPRADD		+ : Addition
RPT	126	OPRSUB		- : Subtraction
RPT	127	OPRMUL		* : Multiplication / : Division
RPT	128	OPRDIV		
RPT	129	LEFTVW		L D
RPT	130	RIGHTVW		R
RPT	131 132	PGUPVW		U D
RPT	132	PGDWVW		${ t T}$
RPT	133	PGTPVW		
RPT RPT	134	PGBTVW TOTFLG		B T
RPT	136	REVFLG		R
RPT	130	BRKFLG		В
RPT	137	STRBLK		S S
RPT	139	CNDFLG		C
KPI	133	CINDLING		

Fac	Err #	Code	Sev	Message
RPT	140	MRGFLG		М
RPT	141	AND		AND
RPT	142	OR		OR
RPT	143	EQ		EQ
RPT	144	NE		NE
RPT	145	LE		LE
RPT	146	LT		LT
RPT	147	GE		GE
RPT	148	GT		GT
RPT	149	BFLDFLG		P
RPT	150	RDONLYFLG		<r></r>
RPT	151	BLANK		
RPT	152	DFLTDTFMT		MM/DD/YY
RPT	153	RPTSBT		<report></report>
RPT	154	CNTSBT		<count></count>
RPT	155	RPTNAM		%a
RPT	156	RPTNAM_M		%a (modified)
RPT	157	RPTNAM_C		%a (%d wide)
RPT	158	RPTNAM_CM		%a (%d wide, modified)
RPT RPT	159 160	YESCHAR NOCHAR		Y N
RPT	161	WORK		Working
RPT	162	INSERTS		Adding
RPT	163	DELETES		Deleting
RPT	164	RELHDR		FROM KEY: TO KEY
RPT	165	APNDCHR		A
RPT	166	LINEMSG2		
RPT	167	LDSEL		Loading Selection Criteria
RPT	168	LDCND		Loading Conditions
RPT	169	LDSRT		Loading Sort Fields
RPT	170	LDLIST		Loading Field List
RPT	171	LDSTR		Loading Structure List
RPT	172	LDREL		Loading Relation List
RPT	173	LDLST		Loading List
RPT	174	LDLFIL		Loading File List
RPT	175	HDRFLDFTR		HEADER/FOOTER FIELDS [%2a]
RPT	176	ARRGFLD1		Arranging line (%d through %d)
RPT	177	FDSCHDR		NAME CREATED MODIFIED
RPT	178	FDFWD		Find forward
RPT	179	FDBWD		Find reverse
RPT	180 181	RTNMSG_NU RTNMSG U		%a: ^Z(END) %a: ^D(END)
RPT RPT	181	RTNMSG_U RTNMSG_NUL		%a : ^D(END) L(eft); R(ight); %a : ^Z(END)
RPT	183	RTNMSG_NUL RTNMSG_UL		L(eft); R(ight); %a : ^D(END)
RPT	184	RINMSG_OL RPTSVD		Report saved
RPT	185	DELRPT		Report deleted
RPT	186			Temporary field %a deleted!
RPT	187	RTNMSG_UD		U(p); D(own); T(op); B(ottom)
RPT	188	RTNMSG		RETURN(cont.); %a
RPT	189	RTNMSG_UNU		^Z(END)
RPT	190	RTNMSG_UU		^D(END)
RPT	191	CREFIL		Create Report Definition File
RPT	192	FILCRE		New report definition file created.
RPT	193	INCMPLT		%a is incomplete.
RPT	194	INCRNG		Range specification
RPT	195	INCSUB		Subscript specification
RPT	196	INCTMP		Temporary field definition

Fac	Err #	Code	Sev	Message
RPT	197	INCCRI		Criterion specification
RPT	198	INVCNCL		Cannot abandon changes after field modifications.
RPT	199	VFYCLR		Are you sure you want to clear the current report?
RPT	200	LNKFRMFIL		Link Fields from %a
RPT	201	NOLNKAVL		No name link relations available
RPT	202	NAMLINK		NAME_LINK_KEY
RPT	301	NODEFRPT		No reports defined
RPT	302	NOHELP		No help available
RPT	303	NOMSG		No message available
RPT	304	NOFMT		No available formats
RPT	305	NOACTRPT		No report is currently loaded. No available reports
RPT RPT	306 308	NORPTAVL NOINPFIL		No input files have been defined for this report.
RPT	308	NOFILDEF		No files have been defined in the repository.
RPT	310	NOPNTR		No line printer is connected to the system.
RPT	311	NOBRKFLD		No break fields defined
RPT	312	NORPT		Report not found
RPT	313	BLNKNAM		A report name may not start with a blank.
RPT	314	INCFLD		Report is incomplete. Please select fields to print.
RPT	315	RPTINUSE		Report "%a" cannot be loaded at this time. Please try again later.
RPT	316	TOOWIDE		Maximum report width (255 columns) has been reached.
RPT	317	MAXITMPS		Maximum number of individual temporary fields (%d) has been defined.
RPT	318	MAXFILS		Maximum number of files (%d) has been selected.
RPT	319	MAXFLDS		Maximum number of fields to print (%d) has been selected.
RPT	320	MAXKEYS		Maximum number of sort fields (%d) has been selected.
RPT RPT	321 322	MAXSELS MAXSUBS		Maximum number of selections (%d) has been defined. Maximum number of subscripted fields (%d) has been defined.
RPT	323	MAXLFLD		Maximum number of fields to print per line (%a) has been defined.
RPT	323	MAXCNDS		Maximum number of conditions (5) has been defined.
RPT	326	MAXFSIZ		Field %a exceeds the maximum field size (99).
RPT	327	MAX_BFLD		Maximum number of break line fields (%a) has been defined.
RPT	329	MAXVWLNS		Too many lines to view in the report format. It has been truncated.
RPT	330	NOTSUB		You must use a numeric field for subscripts.
RPT	331	ALPJUST		Alpha fields cannot be right-justified.
RPT	332	BADTMP		Selected field is not a 'created' field.
RPT	333	FILREF		File cannot be deleted. Structure %a is referenced.
RPT	334	NOTNMBR		Only numeric fields may be totaled.
RPT	335	INVNUM		Invalid numeric value
RPT	336	INVDAT		Invalid date specification
RPT RPT	337 338	INVSEL INVVAL		Invalid selection criteria specification Invalid value
RPT	339	INVCMPFLD		Invalid value Invalid comparison field type
RPT	341	FILLNK		File cannot be deleted. "%a" is linked to it.
RPT	342	FLDLNK		File cannot be deleted. Field "%a" %a
RPT	344	TMPLNK		Field cannot be deleted. It %a
RPT	345	LNKSRT		is used as a sort field.
RPT	346	LNKCRI		is used in a criterion definition.
RPT	347	LNKEXP		is used in a calculation expression.
RPT	348	LNKSUB		is used as a subscript.
RPT	349	LNKRNG		is used as a range offset or length.
RPT	350	LNKRHDR		is printed on a report header line.
RPT	351	LNKRFTR		is printed on a report footer line.
RPT	352	LNKPHDR		is printed on a page header line.
RPT RPT	353 354	LNKPFTR LNKPBRK		is printed on a page footer line. is printed on a pre-break line.
RPT	354 355	LNKSBRK		is printed on a pre-break line. is printed on a post-break line.
RPT	356	LNKDATA		is printed on a detail line.
IVE I	330	אזאייידעזא		to princed on a decarr time.

Fac	Err #	Code	Sev	Message
RPT	357	LNKSBT		is used in a subtotal access field.
RPT	358	ERRGENDEF		Cannot generate report '%a': report not stored properly.
RPT	359	BADSUB		Invalid subscript field type
RPT	360	DUPTMPNAM		Temporary field %a already exists. Please enter another name.
RPT	363	NUMJUST		Numeric fields cannot be centered.
RPT	364	INVDEC		Invalid precision specification
RPT	365	DUPRPT		Report cannot be saved into an existing report.
RPT	366	INVSUBREF		An arrayed field cannot be referenced for subscripting.
RPT	367	NOTBRK		Field %a is not defined as a break field.
RPT	368	SUBTDEP		Field %a is computed after selections and cannot be used here.
RPT	369	SUBTKEY		Field used as break level in subtotal field %a. Cannot clear break.
RPT	371	TOOMNYLNK		Too many related files (%d) - only %d will be used
RPT	372	NOTMULTI		Multiple projections not possible for the relation to this file.
RPT	373	NOSISTER		No previous file at the same read level.
RPT	374	MRGFRST		Cannot merge first sort field.
RPT	375	MRGTYPLEN		Merged sort fields must be the same type and length.
RPT RPT	376 377	MRGDEL MRGADD		Sort field cannot be deleted. It is merged with the next field. Cannot add a sort field immediately before a merged field.
RPT	377	MRGBRK		Cannot change break status on merged field.
RPT	376	MRGDIR		Cannot change sort order on merged field.
RPT	380	MRGSEL		Cannot move merged field.
RPT	381	NOUTIL		Unrecognized utility option %a
RPT	382	NOENMCNV		No enumerated information found. Field will be processed as numeric.
RPT	383	BRKMRG		Cannot merge break field.
RPT	384	INVRPT		Invalid report version %a cannot be loaded with the current ReportWriter.
RPT	385	MRGORD		Merged sort fields must have the same sort order.
RPT	390	SIZTMP		Field size cannot be changed. It is selected to print.
RPT	391	TNDLNK		File cannot be deleted. It is used in a multiple projection.
RPT	392	NAMTMP		Temporary field name cannot be changed.
RPT	393	MAXRNGS		Maximum number of ranged fields (%d) has been defined.
RPT	394	INVSIZ		Invalid size specification.
RPT	395	MAXDLINS		Maximum number of detail lines (10) has been defined.
RPT	396	MAXHLINS		Maximum number of page header lines (10) has been defined.
RPT	397	INVLNK		Invalid name link relation.
RPT	398 401	BRKCNTKEY		Field used within %BRKCNT in calculation field %a. Cannot clear break.
RPT	401	EXPBIG		Selected field name %a will not fit in the expression. Ambiguous field reference: %a
RPT RPT	402	EXPAMBFLD EXPNOOPND		Missing operand: %a
RPT	403	EXPOUOTED		Quoted string encountered in expression: %a
RPT	404	EXPBADCHR		Unrecognized character in expression: %a
RPT	406	EXPBADTKN		Unrecognized token in expression: %a
RPT	407	EXPNOEPAR		Missing ")" or "]" in expression %a
RPT	408	EXPEXOPND		Missing operator in expression: %a
RPT	409	EXPBADUNY		"%a" cannot be used as a unary operator in an expression.
RPT	410	EXPNSTPAR		Maximum nesting depth for parentheses and brackets (99) exceeded: %a
RPT	411	EXPNOBPAR		Too many close parentheses in expression: %a
RPT	412	TOOMNYNDX		Too many dimensioned fields used in report
RPT	413	EXPBADCLN		Period out of place in expression: %a
RPT	414	BADFUNC		Unrecognized intrinsic function reference: %a
RPT	415	EXPBADPCT		Percent sign out of place: %a
RPT	416	FNCARGEXP		Function argument expected: %a
RPT	417	FNCFILARG		File/structure specification expected: %a
RPT	418	TOOMNYCLN		Too many colons in file/structure specification: %a Unexpected end of expression
RPT	419 420	EXPEOL		Unexpected end of expression Ambiguous file/structure reference: %a
RPT RPT	420	AMBGFIL EXPALPHA		Alpha field not allowed: %a
RPT	421	AMBGREF		Ambiguous field reference: %a
I WET	144	THE CIVEL	1	Immigadab IIcia Iciciciace. aa

Fac	Err #	Code	Sev	Message
RPT	423	EXPNULL		Null value not allowed in expression: %a
RPT	424	EXPNOIDENT		"%a" must follow a field name.
RPT	425	EXPNOTDIM		"%a" can only be used in a subscript or range reference.
RPT	426	NORGTPAR		Missing ')' or ']' in RG EXPR
RPT	427	FBADSRCTYP		Bad src type %d in FORMAT_IT
RPT	428	EXPDIMERR		Wrong number of dimensions specified: %a
RPT	429	INVEXPR		Expression error #%d at position %d,
RPT	430	EXPALPHOP		Operator (%a) not allowed with alpha operand.
RPT	431	EXPRNGERR		Invalid ranging specification.
RPT	432	EXPNOTRNG		"%a" can only be used in a range reference.
RPT	433	FILEXST		Report definition file "%a" cannot be created. The file already exists.
RPT	436	BLNKFNAM		A report definition filename may not start with a blank.
RPT	437	FILCREER		Cannot create report definition file %a - error #%d.
RPT	503	DICTERR		Error occurred while scanning the repository.
RPT	504	NODCTMFIL		Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repos
RPT	505	NODCTTFIL		Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repos
RPT	506	NOWNDFIL		Cannot open ReportWriter window library.
RPT RPT	507 508	NODEFFIL NOKEY		Cannot open report definition file "%a". Key %a not found for structure %a
RPT	500	NOKE 1 NOKRF		Key of reference %d not found for structure %a
RPT	510	BADQRYFID		Unknown field id for question field: %d
RPT	511	BADENVFID		Unknown field id for environment field: %d
RPT	512	BADNUMLIT		Numeric literal in conditional contains invalid characters for type: %a
RPT	513	BADFIL		File/structure not found: %a
RPT	514	NORPTFLD		Field "%a" not found in file "%a"
RPT	515	NOHDR		Field %a heading not found
RPT	516	NODSCR		Field %a description record not found
RPT	517	NODEFFLD		Field %a not defined
RPT	518	BADSUBFLD		Subtotal not defined for field %a
RPT	519	INVFLDREF		Invalid field '%a' referenced
RPT	520	NOSTRCT		Structure %a not found
RPT	521	NOSTRCT1		Structure %a not found. Cannot load fields.
RPT	522	NOFILERR		File %a not found
RPT	523	BADLNKS		Relation linkage corrupted. Report cannot be loaded.
RPT	524	NOFLDS1		Fields for structure %a not found
RPT	525	NORELS1		Relation records for %a not found
RPT	526	INVRELS		Relation %a is not for structure %a.
RPT	527	NOLNKSTRCT		Linked structure %a not found
RPT	529	NOTAGFLD		Tagged field not found
RPT	530	PACKERR		Error while packing report: %a
RPT	602	FILRDSERR		FILE READS ERROR: Could not read file %a
RPT	603	FILRDERR		FILE READ ERROR: Could not read file %a
RPT	604 605	FILOPNERR		FILE OPEN ERROR: Could not open file %a
RPT RPT	605 606	BLDERRNUM DELERR		Error #%d: Error #%d on DELETE %a %d
RPT	606	RDSERR		Error #8d on READS of %a
RPT	608	RDERR		Error #%d on READ of %a
RPT	609	WRTERR		Error #%d on WRITE saving %a
RPT	610	STRERR		Error #%d on STORE saving %a
RPT	611	OOPNERR		Could not open output file "%a"
RPT	612	LDRPTERR		Error #%d while loading report %a
RPT	613	RPTIOERR		Report library I-O error #%d
RPT	701	SUBSCR		Subscript error: value %d
RPT	702	BADSUBLIT		Subscript value '%a' must be in the range 1 to %d.
RPT	703	CTLOVFLW		Report control structure overflow
RPT	704	MAXTOTS		Too many total fields. Program will terminate.
RPT	705	MAXCHKPTR		Checkpoint area too small, Maximum %d, short by %d

Fac	Err #	Code	Sev	Message
RPT	706	PPOOLOVF		Report Memory Pool Overflow; Report too complex
RPT	708	INVFMT		Invalid format identifier assigned to field %a.
RPT	709	PARSERR		RU_MTHREF: Expression Parsing Error
RPT	710	MAXRDSCR		REPORT ERROR: Too many report descriptors
RPT	711	INVOP		Invalid OP_xxxx code
RPT	712	INVFNC		Invalid FNC_xxxx code
RPT	713	INVFLD		Invalid FLD_xxxx code
RPT	714	TOOMNOPND		Internal error: too many operands in RG_EXPR
RPT	715	TOOMNRGTP		Too many)'s or]'s in RG_EXPR
RPT	716	INVCOLNP		Colon out of place in RG_EXPR
RPT	717	ERSKOVFLW		Operator stack overflow in RG_EXPR
RPT	718	MXTMPOUT		Out of available a-temps in RG_EXPR
RPT	719	EDSKOVFLW		Operand stack overflow in RG_EXPR
RPT	720	NOOPRND		Missing operand in RG_EXPR
RPT	721	LNSKOVFLW		Line stack overflow in DO_EXECUTE
RPT	722	RPSKOVFLW		Report SP overflow in DO_CALL
RPT	723	BADRTNCL		OP_RETURN without OP_CALL in DO_OPCODES
RPT RPT	724 725	RPTSKOVF1		Report stack overflow in OP_PUSH
RPT	725	BADALP_A BADALP_S		operand encountered in DO_ADD Alpha operand encountered in DO_SUBTRACT
RPT	720	BADALP_M		Alpha operand encountered in DO_SUBTRACT Alpha operand encountered in DO_MULTIPLY
RPT	727	BADALP_D		Alpha operand encountered in DO_MonTiful Alpha operand encountered in DO DIVIDE
RPT	729	BADALP_N		Alpha operand encountered in DO_NEGATE
RPT	730	BADMTHFID		INTERNAL ERROR: BAD CALCULATION FIELD ID
RPT	731	BADTXTFID		INTERNAL ERROR: BAD TEXT FIELD ID
RPT	732	BADTMPFLD		INTERNAL ERROR: TEMP FIELD %a NOT FOUND
RPT	733	DIMERR		INTERNAL ERROR (RG_CODE): Field indexing error dimensions: %d, indices: %d
RPT	734	BADSEGSIZ		INTERNAL ERROR (RP ADD) : Segment size invalid
RPT	735	BADFSDIDX		INTERNAL ERROR : Bad FSD index specified, %d %d
RPT	736	EXPRSTKOV		Operator stack overflow; expression too complex: %a
RPT	737	EXPNOATMP		Out of available a-temps; expression too complex: %a
RPT	738	EXPDSTKOV		Operand stack overflow; expression too complex: %a
RPT	739	EXPREFOVF		Reference list overflow; too many fields used in expressions: %a
RPT	740	BADFSO		File stack error; field identified: %d, error code: %d
RPT	741	INVOPCOD		Invalid report opcode %d in DO_OPCODES; pc=%d
RPT	742	INVFNSTR		Invalid FLD_NSTR code %d in DO_PUSH
RPT	743	INVFFUNC		Invalid FLD_FUNC code %d in DO_PUSH
RPT	744	INVFXXXX		Invalid FLD_xxxx code %d in DO_PUSH
RPT	745	BADDSTTYP		Bad dst type %d in STORE_IT
RPT	746	BATDGT		Bad digit in STORE_IT, pc=%d, dst=%d, src=%d
RPT	747	BADSRCTYP		Bad src type %d in STORE_IT
RPT RPT	748 749	INVENTY		Unrecognized entry "%a" selected Associated structures for file %a not found
RPT	749 750	NOSTRCT2 TOOMNLFTP		Too many ('s or ['s in RG EXPR
RPT	750 751	INVSGLSTR		Single-quoted string encountered in RG_EXPR
RPT	751	INVSGLSIR		Double-quoted string encountered in RG_EXPR
RPT	753	INVTKN		Unrecognized token type code %d in RG_EXPR
RPT	754	INVCHR		Unrecognized character %s in RG_EXPR
RPT	755	MAXPARN		Exceeded maximum paren nesting depth (99) in RG_EXPR
RPT	756	INVTERM		OP_TERMINATE without OP_EXECUTE in DO_OPCODES
RPT	757	CTLTST		At arg=%d, Max=%d, needed=%d, used=%d
RPT	758	INVUNARY		%s used as a unary operator in RG_EXPR
RPT	759	MULCOLNS		Multiple colons in ident %s in RG_EXPR
RPT	760	BADSBTFID		INTERNAL ERROR: BAD SUBTOTAL FIELD ID
RPT	761	BADDIGIT		Bad Digits in Numeric source: %a
RPT	762	CNDLNK		File cannot be deleted. Field %a is used in a conditional.
RPT	763	DIVZERO		Division by zero attempted

Fac	Err #	Code	Sev	Message
RPT	764	RNGERR		INTERNAL ERROR (RG_CODE): Field ranging error - indices: %d
RPT	765	BADRNGLIT		Range value '%a' must be in the range 1 to 99.
RPT	766	BADRNGRNG		Range offset plus length '%a' must be within the field size.
RPT	801	DEFHDR1		Report Name : %a
RPT	802	DEFHDR2		Generation Date : %a, %a
RPT	803	DEFHDR3		Definition File : %a
RPT	804	DEFHDR4		Report Version : %a
RPT	805	DEFHDR5		Report Size : %d
RPT	806	SMMSEC		**************************************
RPT	807	DTLSEC		***************************** Detailed Section ************************************
RPT	808	LINES		Data Lines
RPT	809	FILDSC		Filename Description Structure Level ParentFile Tandem External
RPT	810	FLDDSC		Field Name Type Size Cond Totl Strp Frmt Hder Indx Line Pos Just
RPT	811	PAGSIZ		Lines Per Page
RPT RPT	812 813	DETAIL COUNTS		Detailed Report Detail Record Count
RPT	814	BLNKSPR		Blank Lines Between Records
RPT	815	SUPFRM		Form Feeds
RPT	816	SUPDSH		Dashed Lines
RPT	817	SUPDSC		Total Descriptions
RPT	818	SELDSC		Connect Selection Field Indexed Operator Comparison Indexed
RPT	819	KEYDSC		Sort Field Name Indexed Merged Reversed Break
RPT	820	HDRDSC		Visible Separate BlankLines Modified
RPT	821	FLLDSC		**************************************
RPT	822	NOSAVRPT		Cannot save this report. Loaded as a non-updatable report.
RPT	823	ENDDEF		**************************************
RPT	824	RELDEFTTL		# FromStructure FromKeyName ToStructure ToKeyName
RPT	825	FILDEFTTL		FileName FileType OpenFilename
RPT	826	FLDDEFTTL		Field Name Heading Line # Position
RPT	827	FMTDEFENT1		%eFormat : %a
RPT	828	FMTDEFENT2		%eFormat: %a
RPT	829	CNDDEFENT		%eConditional: Operand 1 Operator Operand 2
RPT	830	SELFLDENT		%d) Selection Field - %15a: %a
RPT	831	CMPFLDENT		%d) Comparison Field - %15a: %a
RPT RPT	832 833	CMPVALENT		%d) Comparison Value - %a
RPT	834	SRTFLDENT PREBRKENT		%d) Sort Key Field - %a.%a %ePre-Break Field
RPT	83 4 835	PREBRKCND		%ePre-Condtns: Operand1 Operator Operand 2
RPT	836	PSTBRKENT		%ePost-Break Field
RPT	837	PSTBRKENT		%ePost-Condts: Operand1 Operator Operand 2
RPT	838	MTHCNDENT		%eMath-Condts: Operand1 Operator Operand 2
RPT	839	MTHDSC1		%e%e:- Type:%a Size:%d Just:%a Prec:%d
RPT	840	MTHDSC2		%e%e Promote:%a Class:%a
RPT	841	MTHEXPR1		%eExpression =[%a]
RPT	842	MTHEXPR2		%eExpression1=[%a]
RPT	843	DSCDEFENT		%eDescription: %a
RPT	844	QRYDSC1		%e%e:- Type:%a Size:%d Just:%a Prec:%d
RPT	845	QRYDSC2		%e%e Upcase:%a BlankZero:%a Negative:%a Required:%a
RPT	846	QRYDFLT		%eDefault : %a
RPT	847	QRYINFLN		%eInfo Line : %a
RPT	848	QRYPRMT		%ePrompt : %a
RPT	849	ENVUSRTXT		%eUser Text : %a
RPT	850	SUBFLDENT		%eSubtotal Field:%a:%a
RPT	851	SUBTOTVAL		%eSubtotaled : %a
RPT	852	SUBBRKFLD		%eBreak Level Field:%a:%a
RPT RPT	853 854	SUBBRKLVL		%eBreak Level: %a %eRunning Total: %a
KPI	654	SUBRUNNG		sermining incar. sa

Fac	Err #	Code	Sev	Message
RPT	855	INDEXED		%eINDEXED BY : %a
RPT	856	NEWTCDSC		New Report Summary Description
RPT	857	SUMARGSYN		%SUM requires array[beg:end] %a
RPT	858	SUM1DIM		%SUM can only be used on a 1-dimensional array.
RPT	859	TYPDECEXP		Decimal type expected: %a
RPT	860	FILREFHDR		Report Name: File Definition - Open Filename
RPT	861	LCKRPTDEL		Report cannot be deleted. It is being used by another user.
RPT	862	LCKRPTSAV		Report cannot be saved. It is being used by another user.
RPT	863	INVFNAM		Invalid filename specified "%a".
RPT	864	CANTOPN		Cannot open file "%a".
RPT	865	ENTERFIL		Please enter another filename.
RPT	866	ERRLDRPT		Cannot load report %a from the specified input file.
RPT	867	ERRRPTLD		Cannot load report %a into the specified report definition file.
RPT	868	ERRDUPLD		Cannot load duplicate report %a.
RPT	869	ERRULDRPT		Cannot unload report %a into the specified output file.
RPT	870	ERRRPTULD		Cannot unload report %a from the specifed report definition file.
RPT	871	INCLOAD		Load specifications are incomplete.
RPT	872	INCUNLOAD		Unload specifications are incomplete.
RPT	873	NODTFMT		No date data format has been defined.
RPT	874	RANGED		%eRANGED BY : %a
RPT	875	ALLINES		Total Lines
RPT	876	BLNKSRB		Blank Lines Between Breaks
RPT	877	PAGTOOSML		Cannot generate report: page size %d too small for %d lines per page Report in use. Do you want to load the report anyway?
RPT RPT	878 879	RDONLY		Report in use. Do you want to load the report anyway? Report has been modified. Do you want to save changes?
RPT	880	SAVRPT		A report already exists with that name. Use it anyway?
RPT	881	DUPRPTQ DELETEQ		File already exists. Do you want to delete it?
RPT	882	APNDORDEL		Select "No" to append output to the existing file; "Yes" to delete it
RPT	883	BRKCNTS		Break Field Count
RPT	884	INVNAM		Invalid report name specified.
RPT	885	NO_WILDGEN		To generate all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be bl
RPT	886	NO_WILDLD		To load all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be blank.
RPT	887	NO_SPACE		Spaces are not allowed in temporary field names.
RPT	888	O_HELP		Press [O HELP] for Help
RPT	889	POOLSTS		Total memory pool available: %d bytes. Number of bytes used: %d.
RPT	890	NODATALIN		No detail lines have been selected to print in this report.
RPT	891	INTEXPR		Integer field not allowed: %a.
RPT	892	INTRNG		Integer fields cannot be ranged.
RPT	893	INVCDAT		Calculation resulted in invalid date.
RPT	894	INVCTIM		Calculation resulted in invalid time.
RPT	895	NOMSGCTL		Message controller not running or invalid message. Do you want to continue?
RPT	896	FNF		File "%a" not found.
RPT	897	RTNNF		Routine "%a" not found.
RPT	898	TSTDGT		Invalid parameter to RW_INIT: "%a".
RPT	899	PROTECT		Protection violation in access of "%a".
RPT	900	UNEXP		Unexpected error in "%a".
RPT	901	RW_INIT		ReportWriter methods cannot be overloaded outside of RW_INIT.
RPT	902	NORW_INIT		ReportWriter utilities cannot be called without calling %RW_INIT.
RPT	903 904	TMPFLDNAM INVPARM		Invalid temporary field name. Invalid parameter in %a.
RPT RPT	904	INVPARM INT_INHER		Question fields cannot inherit attributes from an integer field.
RPT	906	NOINIT		ReportWriter not initialized due to error in RW_INIT.
RPT	907	INVTIM		Invalid time specified.
RPT	908	BADDICT		%a is not a version 7 or version 10 repository.
RPT	909	NORECS		No records selected by report.
		-		