

# Test Report

Caudata Hynobiidae

Daniel Pincheira-Donoso

Queen's University Belfast

School Of Biological Sciences

# Amphibians

## Contents:

Lorem ipsum dolor sit amet: [lorem](#)

Lorem ipsum dolor sit amet: [lorem](#)

Lorem ipsum dolor sit amet: [lorem](#)

Lorem ipsum dolor sit amet: [lorem](#)

Lorem ipsum dolor sit amet: [lorem](#)

# Caudata, Hynobiidae, Batrachuperus, londongensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Batrachuperus
Species:	londongensis
Body Size Male:	118.0
Body Size Female:	114.4
Nesting Site:	Unknown
Fecundity:	0.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	3.75
Activity:	Unknown
Micro Habitat:	Aquatic
Geography:	Asia

# Caudata, Hynobiidae, Hynobius, abuensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	abuensis
Body Size Male:	64.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	82.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	2.3
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu(Japan)

# Caudata, Hynobiidae, Hynobius, akiensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	akiensis
Body Size Male:	60.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	117.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	2.63
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu/Shikoku (Japan)

# Caudata, Hynobiidae, Hynobius, amjiensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	amjiensis
Body Size Male:	86.5
Body Size Female:	84.5
Nesting Site:	water
Fecundity:	123.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	3.5
Activity:	Unknown
Micro Habitat:	Terrestrial
Geography:	Asia

# Caudata, Hynobiidae, Hynobius, arisanensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	arisanensis
Body Size Male:	69.0
Body Size Female:	65.7
Nesting Site:	water
Fecundity:	12.0
Age Maturity:	Unknown
Egg Hatching:	60.0
Parity Mode:	Larval
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	Semi-aquatic
Geography:	Taiwan

# Caudata, Hynobiidae, Hynobius, bakan



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	bakan
Body Size Male:	63.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	194.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Unknown
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu/Kyushu (Japan)



# Caudata, Hynobiidae, Hynobius, formosanus



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	formosanus
Body Size Male:	61.7
Body Size Female:	56.7
Nesting Site:	water
Fecundity:	28.0
Age Maturity:	Unknown
Egg Hatching:	90.0
Parity Mode:	Larval
Egg Diameter:	4.25
Activity:	Nocturnal
Micro Habitat:	Terrestrial
Geography:	Taiwan

# Caudata, Hynobiidae, Hynobius, fossigenus



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	fossigenus
<b>Body Size Male:</b>	80.9
<b>Body Size Female:</b>	82.5
<b>Nesting Site:</b>	water
<b>Fecundity:</b>	28.0
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	Unknown
<b>Parity Mode:</b>	larval
<b>Egg Diameter:</b>	5.25
<b>Activity:</b>	Unknown
<b>Micro Habitat:</b>	semi-aquatic
<b>Geography:</b>	Honshu(Japan)

# Caudata, Hynobiidae, Hynobius, fucus



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	fucus
Body Size Male:	53.4
Body Size Female:	54.8
Nesting Site:	Unknown
Fecundity:	19.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	Terrestrial
Geography:	Taiwan

# Caudata, Hynobiidae, Hynobius, glacialis



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	glacialis
<b>Body Size Male:</b>	67.4
<b>Body Size Female:</b>	65.8
<b>Nesting Site:</b>	Unknown
<b>Fecundity:</b>	19.0
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	Unknown
<b>Parity Mode:</b>	Larval
<b>Egg Diameter:</b>	Unknown
<b>Activity:</b>	nocturnal
<b>Micro Habitat:</b>	Terrestrial
<b>Geography:</b>	Taiwan

# Caudata, Hynobiidae, Hynobius, guabangshanensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	guabangshanensis
Body Size Male:	87.5
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	155.0
Age Maturity:	Unknown
Egg Hatching:	47.0
Parity Mode:	Larval
Egg Diameter:	2.35
Activity:	Unknown
Micro Habitat:	Terrestrial
Geography:	Asia

# Caudata, Hynobiidae, Hynobius, guttatus



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	guttatus
Body Size Male:	67.0
Body Size Female:	66.0
Nesting Site:	Unknown
Fecundity:	13.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	5.1
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu(Japan)

# Caudata, Hynobiidae, Hynobius, ikioi



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	ikioi
<b>Body Size Male:</b>	93.2
<b>Body Size Female:</b>	93.0
<b>Nesting Site:</b>	water
<b>Fecundity:</b>	39.0
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	Unknown
<b>Parity Mode:</b>	larval
<b>Egg Diameter:</b>	5.0
<b>Activity:</b>	Unknown
<b>Micro Habitat:</b>	Terrestrial
<b>Geography:</b>	Kyushu (Japan)

# Caudata, Hynobiidae, Hynobius, iwami



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	iwami
Body Size Male:	58.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	90.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu (Japan)



# Caudata, Hynobiidae, Hynobius, katoi



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	katoi
<b>Body Size Male:</b>	64.0
<b>Body Size Female:</b>	66.1
<b>Nesting Site:</b>	Unknown
<b>Fecundity:</b>	11.0
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	Unknown
<b>Parity Mode:</b>	Larval
<b>Egg Diameter:</b>	4.9
<b>Activity:</b>	Unknown
<b>Micro Habitat:</b>	terrestrial
<b>Geography:</b>	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, kimurae



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	kimurae
Body Size Male:	93.1
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	32.0
Age Maturity:	Unknown
Egg Hatching:	51.0
Parity Mode:	Larval
Egg Diameter:	4.6
Activity:	day/night
Micro Habitat:	Terrestrial
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, kuishiensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	kuishiensis
Body Size Male:	66.0
Body Size Female:	70.0
Nesting Site:	Unknown
Fecundity:	Unknown
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Unknown
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Unknown

# Caudata, Hynobiidae, Hynobius, leechii



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	leechii
Body Size Male:	60.21
Body Size Female:	65.74
Nesting Site:	water
Fecundity:	155.0
Age Maturity:	Unknown
Egg Hatching:	18.75
Parity Mode:	Larval
Egg Diameter:	3.5
Activity:	nocturnal
Micro Habitat:	Terrestrial
Geography:	Asia

# Caudata, Hynobiidae, Hynobius, mikawaensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	mikawaensis
Body Size Male:	60.6
Body Size Female:	60.3
Nesting Site:	water
Fecundity:	37.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	3.55
Activity:	Unknown
Micro Habitat:	semi-aquatic
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, naevius



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	naevius
Body Size Male:	84.5
Body Size Female:	94.7
Nesting Site:	water
Fecundity:	26.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	2.75
Activity:	Day/night
Micro Habitat:	Terrestrial
Geography:	Honshu/Shikoku/Kyushu (Japan)

# Caudata, Hynobiidae, Hynobius, nebulosus



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	nebulosus
<b>Body Size Male:</b>	67.0
<b>Body Size Female:</b>	Unknown
<b>Nesting Site:</b>	water
<b>Fecundity:</b>	119.0
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	27.5
<b>Parity Mode:</b>	Larval
<b>Egg Diameter:</b>	2.0
<b>Activity:</b>	nocturnal
<b>Micro Habitat:</b>	Semi-aquatic
<b>Geography:</b>	Honshu/Shikoku/Kyushu (Japan)

# Caudata, Hynobiidae, Hynobius, oyamai



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	oyamai
Body Size Male:	89.0
Body Size Female:	86.0
Nesting Site:	water
Fecundity:	36.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	5.225
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Kyushu(Japan)



# Caudata, Hynobiidae, Hynobius, quelpaertensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	quelpaertensis
Body Size Male:	68.14
Body Size Female:	71.2
Nesting Site:	water
Fecundity:	105.0
Age Maturity:	1095.0
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	Unknown
Activity:	diurnal
Micro Habitat:	Semi-aquatic
Geography:	Asia/Jeju Island

# Caudata, Hynobiidae, Hynobius, sematonotos



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	sematonotos
Body Size Male:	81.0
Body Size Female:	82.0
Nesting Site:	water
Fecundity:	25.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	5.333
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, setoi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	setoi
Body Size Male:	69.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	96.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	2.6
Activity:	Unknown
Micro Habitat:	aquatic
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, setouchi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	setouchi
Body Size Male:	58.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	98.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	2.7
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu/Shikoku/Awaji (Japan)

# Caudata, Hynobiidae, Hynobius, shinichisatoi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	shinichisatoi
Body Size Male:	92.4
Body Size Female:	95.8
Nesting Site:	Unknown
Fecundity:	43.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	a
Geography:	Kyushu (Japan)

# Caudata, Hynobiidae, Hynobius, sonani



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	sonani
Body Size Male:	66.7
Body Size Female:	64.4
Nesting Site:	water
Fecundity:	32.0
Age Maturity:	Unknown
Egg Hatching:	90.0
Parity Mode:	Larval
Egg Diameter:	5.0
Activity:	nocturnal
Micro Habitat:	Terrestrial
Geography:	Taiwan

# Caudata, Hynobiidae, Hynobius, stejnegeri



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	stejnegeri
<b>Body Size Male:</b>	72.0
<b>Body Size Female:</b>	70.9
<b>Nesting Site:</b>	Water
<b>Fecundity:</b>	36.5
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	Unknown
<b>Parity Mode:</b>	Larval
<b>Egg Diameter:</b>	Unknown
<b>Activity:</b>	Unknown
<b>Micro Habitat:</b>	Terrestrial
<b>Geography:</b>	Kyushu (Japan)

# Caudata, Hynobiidae, Hynobius, takedai



Male Image



Female Image

<b>Order:</b>	Caudata
<b>Family:</b>	Hynobiidae
<b>Genus:</b>	Hynobius
<b>Species:</b>	takedai
<b>Body Size Male:</b>	62.2
<b>Body Size Female:</b>	60.9
<b>Nesting Site:</b>	water
<b>Fecundity:</b>	87.0
<b>Age Maturity:</b>	Unknown
<b>Egg Hatching:</b>	Unknown
<b>Parity Mode:</b>	Larval
<b>Egg Diameter:</b>	Unknown
<b>Activity:</b>	Unknown
<b>Micro Habitat:</b>	Terrestrial
<b>Geography:</b>	Honshu (Japan)



# Caudata, Hynobiidae, Hynobius, tokyoensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	tokyoensis
Body Size Male:	66.9
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	103.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	2.75
Activity:	Day/Night
Micro Habitat:	Terrestrial
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, tosashimizuensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	tosashimizuensis
Body Size Male:	72.7
Body Size Female:	69.0
Nesting Site:	Unknown
Fecundity:	Unknown
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	semi-aquatic
Geography:	Shikoku (Japan)

# Caudata, Hynobiidae, Hynobius, tsurugiensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	tsurugiensis
Body Size Male:	72.0
Body Size Female:	74.0
Nesting Site:	Unknown
Fecundity:	23.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	6.0
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Shikoku (Japan)

# Caudata, Hynobiidae, Hynobius, unisacculus



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	unisacculus
Body Size Male:	60.26
Body Size Female:	59.93
Nesting Site:	Unknown
Fecundity:	52.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Unknown
Egg Diameter:	Unknown
Activity:	Unknown
Micro Habitat:	terrestrial
Geography:	Oenaro-do Island (South Korea)

# Caudata, Hynobiidae, Hynobius, utsunomiyaorum



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	utsunomiyaorum
Body Size Male:	60.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	41.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	3.36666
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, vandenburghi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	vandenburghi
Body Size Male:	67.0
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	77.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	2.5
Activity:	Unknown
Micro Habitat:	Unknown
Geography:	Honshu (Japan)

# Caudata, Hynobiidae, Hynobius, yangi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Hynobius
Species:	yangi
Body Size Male:	57.98
Body Size Female:	61.37
Nesting Site:	water
Fecundity:	76.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	2.75
Activity:	Unknown
Micro Habitat:	Semi-aquatic
Geography:	Asia

# Caudata, Hynobiidae, Liua, shihi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Liua
Species:	shihi
Body Size Male:	65.0
Body Size Female:	74.0
Nesting Site:	water
Fecundity:	30.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	7.0
Activity:	Unknown
Micro Habitat:	Aquatic
Geography:	Asia



# Caudata, Hynobiidae, Liua, tsinpaensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Liua
Species:	tsinpaensis
Body Size Male:	71.0
Body Size Female:	Unknown
Nesting Site:	Water
Fecundity:	14.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	5.2
Activity:	Nocturnal
Micro Habitat:	Terrestrial
Geography:	Asia

# Caudata, Hynobiidae, Onychodactylus, fischeri



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Onychodactylus
Species:	fischeri
Body Size Male:	80.0
Body Size Female:	83.0
Nesting Site:	water
Fecundity:	46.0
Age Maturity:	3285.0
Egg Hatching:	Unknown
Parity Mode:	larval
Egg Diameter:	5.5
Activity:	Nocturnal
Micro Habitat:	Semi-aquatic
Geography:	Asia

# Caudata, Hynobiidae, Onychodactylus, japonicus



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Onychodactylus
Species:	japonicus
Body Size Male:	75.3
Body Size Female:	77.3
Nesting Site:	burrows
Fecundity:	21.5
Age Maturity:	Unknown
Egg Hatching:	150.0
Parity Mode:	larval
Egg Diameter:	5.1
Activity:	diurnal
Micro Habitat:	Terrestrial
Geography:	Honshu/Shikoku(Japan)

# Caudata, Hynobiidae, Onychodactylus, koreanus



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Onychodactylus
Species:	koreanus
Body Size Male:	77.9
Body Size Female:	78.6
Nesting Site:	burrows
Fecundity:	15.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	a
Egg Diameter:	6.05
Activity:	Unknown
Micro Habitat:	Terrestrial
Geography:	Asia

# Caudata, Hynobiidae, Onychodactylus, nipponoborealis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Onychodactylus
Species:	nipponoborealis
Body Size Male:	75.9
Body Size Female:	72.2
Nesting Site:	Unknown
Fecundity:	0.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	a
Egg Diameter:	Unknown
Activity:	Nocturnal
Micro Habitat:	Semi-aquatic
Geography:	Honshu(Japan)

# Caudata, Hynobiidae, Onychodactylus, zhangyapingi



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Onychodactylus
Species:	zhangyapingi
Body Size Male:	67.6
Body Size Female:	84.2
Nesting Site:	Unknown
Fecundity:	18.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	4.25
Activity:	Nocturnal
Micro Habitat:	Semi-aquatic
Geography:	Asia

# Caudata, Hynobiidae, Onychodactylus, zhaoermii



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Onychodactylus
Species:	zhaoermii
Body Size Male:	68.1
Body Size Female:	81.2
Nesting Site:	water
Fecundity:	13.5
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	4.25
Activity:	Nocturnal
Micro Habitat:	Semi-aquatic
Geography:	Asia

# Caudata, Hynobiidae, Pseudohynobius, jinfo



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Pseudohynobius
Species:	jinfo
Body Size Male:	86.1
Body Size Female:	76.1
Nesting Site:	Unknown
Fecundity:	0.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	Unknown
Activity:	day/night
Micro Habitat:	semi-aquatic
Geography:	Asia



# Caudata, Hynobiidae, Pseudohynobius, puxiongensis



Male Image



Female Image

Order:	Caudata
Family:	Hynobiidae
Genus:	Pseudohynobius
Species:	puxiongensis
Body Size Male:	71.4
Body Size Female:	Unknown
Nesting Site:	water
Fecundity:	34.0
Age Maturity:	Unknown
Egg Hatching:	Unknown
Parity Mode:	Larval
Egg Diameter:	3.25
Activity:	Unknown
Micro Habitat:	Terrestrial
Geography:	Asia

# Index

Caudata, Hynobiidae, *Batrachuperus*, *londongensis* - 4596  
Caudata, Hynobiidae, *Hynobius*, *abuensis* - 4597  
Caudata, Hynobiidae, *Hynobius*, *akiensis* - 4598  
Caudata, Hynobiidae, *Hynobius*, *amjiensis* - 4599  
Caudata, Hynobiidae, *Hynobius*, *arisanensis* - 4600  
Caudata, Hynobiidae, *Hynobius*, *bakan* - 4601  
Caudata, Hynobiidae, *Hynobius*, *formosanus* - 4602  
Caudata, Hynobiidae, *Hynobius*, *fossigenus* - 4603  
Caudata, Hynobiidae, *Hynobius*, *fucus* - 4604  
Caudata, Hynobiidae, *Hynobius*, *glacialis* - 4605  
Caudata, Hynobiidae, *Hynobius*, *guabangshanensis* - 4606  
Caudata, Hynobiidae, *Hynobius*, *guttatus* - 4607  
Caudata, Hynobiidae, *Hynobius*, *ikioi* - 4608  
Caudata, Hynobiidae, *Hynobius*, *iwami* - 4609  
Caudata, Hynobiidae, *Hynobius*, *katoi* - 4610  
Caudata, Hynobiidae, *Hynobius*, *kimurae* - 4611  
Caudata, Hynobiidae, *Hynobius*, *kuishiensis* - 4612  
Caudata, Hynobiidae, *Hynobius*, *leechii* - 4613  
Caudata, Hynobiidae, *Hynobius*, *mikawaensis* - 4614  
Caudata, Hynobiidae, *Hynobius*, *naevius* - 4615  
Caudata, Hynobiidae, *Hynobius*, *nebulosus* - 4616  
Caudata, Hynobiidae, *Hynobius*, *oyamai* - 4617  
Caudata, Hynobiidae, *Hynobius*, *quelpaertensis* - 4618  
Caudata, Hynobiidae, *Hynobius*, *sematonotos* - 4619  
Caudata, Hynobiidae, *Hynobius*, *setoi* - 4620  
Caudata, Hynobiidae, *Hynobius*, *setouchi* - 4621  
Caudata, Hynobiidae, *Hynobius*, *shinichisatoi* - 4622  
Caudata, Hynobiidae, *Hynobius*, *sonani* - 4623  
Caudata, Hynobiidae, *Hynobius*, *stejnegeri* - 4624  
Caudata, Hynobiidae, *Hynobius*, *takedai* - 4625  
Caudata, Hynobiidae, *Hynobius*, *tokyoensis* - 4626  
Caudata, Hynobiidae, *Hynobius*, *tosashimizuensis* - 4627  
Caudata, Hynobiidae, *Hynobius*, *tsurugiensis* - 4628  
Caudata, Hynobiidae, *Hynobius*, *unisacculus* - 4629  
Caudata, Hynobiidae, *Hynobius*, *utsunomiyaorum* - 4630  
Caudata, Hynobiidae, *Hynobius*, *vandenburghi* - 4631  
Caudata, Hynobiidae, *Hynobius*, *yangi* - 4632  
Caudata, Hynobiidae, *Liua*, *shihi* - 4633  
Caudata, Hynobiidae, *Liua*, *tsinpaensis* - 4634  
Caudata, Hynobiidae, *Onychodactylus*, *fischeri* - 4635  
Caudata, Hynobiidae, *Onychodactylus*, *japonicus* - 4636

Caudata, Hynobiidae, Onychodactylus, koreanus - 4637  
Caudata, Hynobiidae, Onychodactylus, nipponoborealis - 4638  
Caudata, Hynobiidae, Onychodactylus, zhangyapingi - 4639  
Caudata, Hynobiidae, Onychodactylus, zhaoermii - 4640  
Caudata, Hynobiidae, Pseudohynobius, jinbo - 4641  
Caudata, Hynobiidae, Pseudohynobius, puxiongensis - 4642