## Fluffy Doodle - because payments should be

## easy 1.0.0

[ Base URL: localhost:8080/v1/api ]

This is a prototype transaction/payment restful webservice. If using editor.swagger.io there's obviously CORS issues when interacting with this directly but swagger-ui running locally will allow interaction with the API. I've included this file under swagger/

Peter Turner - Website Send email to Peter Turner

400

405

Invalid json

Invalid payment type (has to be Payment for this demo)

Schemes HTTP **API** Payment handling payments POST /payments Create payment Minimal payment object represented here. Full object in model/payment.go Try it out **Parameters** Name Description body \* required Payment object that needs creating (body) Example Value Model "type": "Payment", "id": "09a8fe0d-e239-4aff-8098-7923eadd0444", "version": 0, "organisation id": "12345678-1234-1234-1234-123456789abc" Parameter content type application/json Responses Response content type application/json Description Code 201 Successfully created

PUT /payments Update an existing payment or create a new payment Minimal payment object represented here. Full object in model/payment.go **Parameters** Try it out Description Name body \* required Payment object that needs updating/creating (body) Example Value Model "type": "Payment", "id": "09a8fe0d-e239-4aff-8098-7923eadd0444", "version": 0, "organisation\_id": "12345678-1234-1234-1234-123456789abc" Parameter content type application/json Responses Response content type application/json Code Description 200 Payment found based on ID and updated 201 Successfully created 400 Invalid json 405 Invalid payment type (has to be Payment for this demo) **GET** /payments List all payments List all payments in the database (no pagination :)) **Parameters** Try it out No parameters Responses Response content type application/json Description Code

```
Code Description

Successfully found

Example Value Model

{
    "type": "Payment",
    "id": "09a8fe0d-e239-4aff-8098-7923eadd0444",
    "version": 0,
    "organisation_id": "12345678-1234-1234-123456789abc"
}
```

```
GET
           /payments/{paymentID} Find payment
Returns a single payment
Parameters
                                                                                                         Try it out
Name
                                                               Description
paymentID * required
                                                               ID of payment to return
integer($int64)
(path)
Responses
                                                                      Response content type
                                                                                             application/json
                  Description
Code
200
                   Successfully found
                  Example Value Model
                      "type": "Payment",
                      "id": "09a8fe0d-e239-4aff-8098-7923eadd0444",
                      "version": 0,
                      "organisation_id": "12345678-1234-1234-1234-123456789abc"
404
                   Payment not found
```

```
Parameters

Try it out

Name

Description

paymentID * required integer ($int64) (path)

Payment id to delete
```

Code	Description
204	No content - deletion success
404	Payment not found

Response content type | application/json

Responses

```
Models
                                                                                                              \leftarrow
    Payment
       type
                            string
                            Enum:
                                [ Payment, Holiday, Car, Insurance ]
       id
                            string($string)
                            example: 09a8fe0d-e239-4aff-8098-7923eadd0444
                            integer($int32)
       version
       organisation_id
                            string($string)
                            example: 12345678-1234-1234-1234-123456789abc
    }
```