
Your Brand

Component Library

An indicative UI kit — a feel for the interface.

Primary

Secondary

Active

Tag

Overview

This is an indicative component set for Your Brand — enough to give a feel for how the interface will look, not a full production kit. Every component uses the shared token palette, so it matches the brand guide. Replace the placeholder tokens in `component-build/components.py` with your own and re-run to regenerate this document.

- **Buttons** — variants, sizes, and states.
- **Form controls** — inputs, selection, and toggles.
- **Badges & alerts** — status indicators and messages.
- **Cards** — contained content surfaces.
- **Navigation** — navbar, tabs, breadcrumb, pagination.
- **Avatars & feedback** — identity and progress elements.

Buttons

Buttons trigger actions. Use one primary action per section; lower-emphasis actions take the secondary or ghost style. Every button keeps a minimum 44 x 44 px touch target.

Variants



One primary action per section; secondary and ghost for lower-emphasis actions.

Sizes



States



Icon-only buttons require an accessible label; disabled buttons drop to a muted fill.

Form Controls

Form controls capture user input. Every field pairs a clear label with a bordered control; state is communicated through border colour and supporting text rather than colour alone, to satisfy WCAG 2.2 AA.

Border colour signals state: neutral (default), accent (focus), error (invalid). Never rely on colour as the sole cue.

Text Input

Email

Default resting state with a neutral border and placeholder text.

Focused Input

Password

The accent border indicates keyboard focus; the value is masked.

Error Input

Postcode

Please enter a valid value.

An error border is always paired with a short, specific message.

Textarea

Message

A multi-line control for longer free text; grows with content.

Checkboxes

☒ Subscribe to the monthly newsletter

☐ Send me occasional product updates

Independent options; any number may be selected.

Radio Group

☒ Standard delivery (3–5 days)

☐ Express delivery (next day)

Mutually exclusive options; exactly one is selected.

Switch / Toggle

Email alerts ☒ ☐ On

SMS alerts ☐ ☒ Off

A binary control for settings that take effect immediately.

Select

Country

Choose an optionv

The trailing 'v' marks a collapsed dropdown; opens to a list on click.

Badges & Chips

Badges and chips are compact, non-interactive (or lightly interactive) labels. Use **solid badges** to communicate fixed status, and **soft chips** for removable tags and filter selections.

Status badges



Solid, white-text badges carry a single word of state. Map colour to meaning consistently: primary for neutral identity, success for healthy, warning for attention, error for blocking, info for advisory.

Chips / tags



Soft outlined chips label removable tags and active filters. They read as lighter than badges, invite dismissal (an 'x' affordance in the live component), and can wrap freely across a filter bar.

When to use which

- **Badge** – fixed, system-owned status the user cannot remove (Active, Overdue).
- **Chip** – user-owned, removable selection: applied filters, assigned tags, chosen categories.
- Keep labels to one or two words; never sentence-length. Prefer a tooltip for detail.

Alerts

Alerts communicate a page-level status or system message to the reader. Each alert pairs a coloured frame and title with a soft tinted background, so the message reads clearly without competing with the surrounding content. Use them for feedback that applies to the whole page or a completed action.

Alert Variants

Information

A short informational message for the reader.

Success

Your changes have been saved successfully.

Caution

This action may take a few minutes to complete.

Error


Something went wrong. Please try again.

Alerts are for page-level messages, not inline field validation. Reserve the error variant for genuine failures, and pair the success variant with an action the reader has just completed.

Cards

Cards group related content into a bordered container. Compose them in fixed-width minipages to build a responsive grid; keep body copy short so cards in a row align in height.

Card grid



Three card patterns: a feature card with a call to action, a testimonial card with an avatar identity, and a case-study card with a media placeholder and category chips. Each sits in a 0.31 \linewidth minipage separated by \hfill.

Navigation

Navigation components orient the user and move them between views. Each pattern below is built only from brand tokens so top bars, tabs, and pagination stay consistent across the marketing site and the admin portal.

Navbar — light




Light top bar on a panel surface — ghost links for low-emphasis destinations, one solid accent CTA on the right.

Navbar — dark



Same layout inverted onto the primary brand fill — paper-white wordmark and links, accent CTA carried across for continuity.

Tabs



The active tab is inked and underlined in accent; inactive tabs stay muted with a neutral panel rule.

Breadcrumb

Home / Section / **Current page**

Trail of ancestors in muted text; only the current page is inked and bold. Separate levels with a spaced forward slash.

Pagination



Solid primary controls step between pages; soft chips mark the numbered range. Disable the prev/next control at the first and last page.

Avatars & Feedback

Identity markers, progress indicators, and loading placeholders. Avatars carry initials in a rounded square; progress and skeleton components share the same bar primitive at different fills.

Avatars

A single avatar renders the member's initials on a coloured tile.




Single avatar, accent tile with initials.

Stacked into a group row, avatars summarise a team; the trailing muted tile counts the overflow.



Avatar group – three members plus a '+3' overflow tile.


Beside a name and role, the avatar anchors a member list row.



Member list – avatar, name, and muted role per row.

Progress


Progress bars compose a filled accent segment against a panel remainder; the two widths always sum to the same track length.



Three fills across a 100mm track. Pair every bar with a numeric label for screen readers.

Skeleton

Stacked grey bars stand in for content while data loads, hinting at the shape of the rows to come.



Skeleton placeholder – varied line widths suggest a loading text block; replace with real content on arrival.

Tooltip

Tooltip text

A tooltip surfaces supplementary help on hover or keyboard focus, and dismisses on blur. Keep the copy to a short phrase; never place essential actions inside it.