CAS SciFinder Task History

Initiating Search

November 10, 2025, 8:07 PM

Search:

CAS Lexicon Search:

Azide-alkyne 1,3-dipolar cycloaddition reaction - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (6,994)	References	View Results
Exported: Retrieved Related Reaction Results + Filters (1,437) Filtered By: Yield: **90-100%, 80-89%, 70-79%** Document Type: **Journal** Publication Name: **Bioorganic & Medicinal Chemistry Letters, European Journal of Medicinal Chemistry, Medicinal Chemistry Research, Bioorganic & Medicinal Chemistry, Organic Process Research & Development, Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry**	Reactions	View Results

CAS SciFinder

Reactions (50)

View in CAS SciFinder

Scheme 1 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (2) Suppliers (14)

31-287-CAS-5580707 Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate, Benzenes ulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1: 2:3)
Solvents: *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 2 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10)

31-287-CAS-11555274 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 3 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-12944921	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 4 (1 Reaction)

Steps: **1** Yield: **100%**



Absolute stereochemistry shown

Absolute stereochemistry shown

31-287-CAS-10941091	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium azide **Solvents:** Dimethylformamide; 18 h, 80 °C
1.2	**Catalysts:** Copper **Solvents:** *tert*-Butanol, Water; 12 h, 65 °C
Experimental Protocols	

Synthesis and properties of double-stranded RNA-bindable oligodiaminogalactose derivatives conjugated with vitamin E

By: Iwata, Rintaro; et al

Bioorganic & Medicinal Chemistry (2014), 22(4), 1394-1403.

Scheme 5 (1 Reaction)

Steps: **1** Yield: **100%**



Suppliers (52)

31-287-CAS-14557034	Steps: **1** Yield: **100%**
1.1	**Reagents:** Tris[(1-benzyl-1H-1,2,3-triazol-4-yl)methyl]amine **Catalysts:** Sodium ascorbate, Copper sulfate **Solvents:** *tert*-Butanol, Water; rt; 16 h, rt
Experimental Protocols	

Protein enrichment by capture-release based on strain-promoted cycloaddition of azide with bicyclononyne (BCN)

By: Temming, Rinske P.; et al

Bioorganic & Medicinal Chemistry (2012), 20(2), 655-661.

Scheme 6 (1 Reaction)

Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-10497147 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 7 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10) Suppliers (49)

31-287-CAS-12173142 Steps: **1** Yield: **100%**

1.1 **Reagents:** 2,6-Lutidine, Diisopropylethylamine
Catalysts: Cuprous iodide
Solvents: Acetonitrile; 16 h, rt

Systematic replacement of amides by 1,4-disubstituted[1,2,3] triazoles in Leu-enkephalin and the impact on the delta opioid receptor activity

By: Proteau-Gagne, Arnaud; et al

Bioorganic & Medicinal Chemistry Letters (2013), 23(19), 5267-5269.

Scheme 8 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-3481125 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 9 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (18)

31-287-CAS-13666419 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 10 (1 Reaction) Steps: **1** Yield: **100%**



Absolute stereochemistry shown, Rotation (+)

Absolute stereochemistry shown

Suppliers (66)

31-287-CAS-20580776 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Cupric acetate
Solvents: *tert*-Butanol, Water; overnight, rt

Experimental Protocols

L-Type amino acid transporter 1 activity of 1,2,3-triazolyl analogs of L-histidine and L-tryptophan

By: Hall, Colton; et al

Bioorganic & Medicinal Chemistry Letters (2019), 29(16), 2254-2258.

Scheme 11 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10)

31-287-CAS-13324932 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 12 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10)

31-287-CAS-9073724	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 13 (1 Reaction) Steps: **1** Yield: **100%**



Supplier (1) Suppliers (14)

31-287-CAS-1053618	Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate, Benzenes ulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1: 2:3)
Solvents: *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 14 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (2) Suppliers (14)

31-287-CAS-5299570	Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate, Benzenes ulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1: 2:3)
Solvents: *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 15 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (2) Suppliers (14) Suppliers (7)

31-287-CAS-3465976 Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate, Benzenesulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1:2:3)
Solvents: *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 16 (1 Reaction) Steps: **1** Yield: **100%**



Supplier (1) Suppliers (14)

31-287-CAS-1321247 Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate, Benzenesulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1:2:3)
Solvents: *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 17 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (18)

31-287-CAS-5114311 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 18 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-2892212 Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 19 (1 Reaction) Steps: **1** Yield: **100%**



Absolute stereochemistry shown, Rotation (-)

Suppliers (41)

Absolute stereochemistry shown, Rotation (-)

Supplier (1)

31-287-CAS-22404969 Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate
Solvents: Dichloromethane, Water; overnight, rt

Experimental Protocols

Design, synthesis and evaluation of novel levoglucosenone derivatives as promising anticancer agents

By: Tsai, Yi-hsuan; et al

Bioorganic & Medicinal Chemistry Letters (2020), 30(14), 127247.

Scheme 20 (1 Reaction) Steps: **1** Yield: **100%**



Supplier (1)

Suppliers (14)

31-287-CAS-7719011 Steps: **1** Yield: **100%**

1.1 **Catalysts:** Sodium ascorbate, Copper sulfate, Benzenesulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1:2:3)
Solvents: *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 21 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-10210503	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 22 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10)

31-287-CAS-6937351	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 23 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (18)

31-287-CAS-2991263	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 24 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10)

31-287-CAS-15454787	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 25 (1 Reaction) — Steps: **1** Yield: **100%**



Suppliers (3) Suppliers (14)

31-287-CAS-7430755	Steps: **1** Yield: **100%**
1.1	**Catalysts:** Sodium ascorbate, Copper sulfate, Benzenes ulfonic acid, 1,10-phenanthroline-4,7-diylbis-, sodium salt, hydrate (1: 2:3) **Solvents:** *tert*-Butanol, Water; 15 min, 110 °C

A novel series of G-quadruplex ligands with selectivity for HIF-expressing osteosarcoma and renal cancer cell lines

By: Lombardo, Caterina M.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(18), 5984-5988.

Scheme 26 (1 Reaction) — Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-6234940	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 27 (1 Reaction) — Steps: **1** Yield: **100%**



Absolute stereochemistry shown, Rotation (+)

Suppliers (44)

Absolute stereochemistry shown

31-287-CAS-20580773	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Cupric acetate **Solvents:** *tert*-Butanol, Water; overnight, rt
Experimental Protocols	

L-Type amino acid transporter 1 activity of 1,2,3-triazolyl analogs of L-histidine and L-tryptophan

By: Hall, Colton; et al

Bioorganic & Medicinal Chemistry Letters (2019), 29(16), 2254-2258.

Scheme 28 (1 Reaction) Steps: **1** Yield: **100%**



31-287-CAS-22404970	Steps: **1** Yield: **100%**
1.1	**Catalysts:** Sodium ascorbate, Copper sulfate **Solvents:** Dichloromethane, Water; overnight, rt
Experimental Protocols	

Design, synthesis and evaluation of novel levoglucosenone derivatives as promising anticancer agents

By: Tsai, Yi-hsuan; et al

Bioorganic & Medicinal Chemistry Letters (2020), 30(14), 127247.

Scheme 29 (1 Reaction) Steps: **1** Yield: **100%**



31-287-CAS-4804683	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 30 (1 Reaction) Steps: **1** Yield: **100%**



31-287-CAS-5278953	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 31 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-12289028	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 32 (1 Reaction) Steps: **1** Yield: **100%**



Absolute stereochemistry shown, Rotation (+)

Suppliers (69)

Absolute stereochemistry shown

31-287-CAS-20580769	Steps: **1** Yield: **100%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Cupric acetate **Solvents:** *tert*-Butanol, Water; overnight, rt

Experimental Protocols

L-Type amino acid transporter 1 activity of 1,2,3-triazolyl analogs of L-histidine and L-tryptophan

By: Hall, Colton; et al

Bioorganic & Medicinal Chemistry Letters (2019), 29(16), 2254-2258.

Scheme 33 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (18)

31-287-CAS-7017464	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 34 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (10)

31-287-CAS-8746305	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 35 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-14089809	Steps: **1** Yield: **100%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 36 (1 Reaction) Steps: **1** Yield: **100%**



Absolute stereochemistry shown, Rotation (+)

Absolute stereochemistry shown

Suppliers (8)

31-287-CAS-6349344	Steps: 1 Yield: 100%
1.1 **Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate **Solvents:** Tetrahydrofuran, Water; 2 d, rt	
1.2 **Reagents:** Ethylenediaminetetraacetic acid **Solvents:** Water; 1 h, rt	

Clusters of ligands on dendrimer surfaces

By: Schlick, Kristian H.; et al

Bioorganic & Medicinal Chemistry Letters (2011), 21(17), 5078-5083.

Scheme 37 (1 Reaction) Steps: **1** Yield: **100%**



Absolute stereochemistry shown, Rotation (+)

Suppliers (73)

Absolute stereochemistry shown

31-287-CAS-20580779	Steps: 1 Yield: 100%
1.1 **Reagents:** Sodium ascorbate **Catalysts:** Cupric acetate **Solvents:** *tert*-Butanol, Water; overnight, rt	
Experimental Protocols	

L-Type amino acid transporter 1 activity of 1,2,3-triazolyl analogs of L-histidine and L-tryptophan

By: Hall, Colton; et al

Bioorganic & Medicinal Chemistry Letters (2019), 29(16), 2254-2258.

Scheme 38 (1 Reaction) Steps: **1** Yield: **100%**



Suppliers (5)

31-287-CAS-1044861	Steps: 1 Yield: 100%
1.1 **Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt	

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 39 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (18)

31-287-CAS-2728178 Steps: **1** Yield: **99%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 40 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (68)

31-287-CAS-19206213 Steps: **1** Yield: **99%**

1.1 **Reagents:** Triethylamine, Sodium azide
Catalysts: Cuprous iodide
Solvents: Acetonitrile, Water; 5 min, 100 °C

Experimental Protocols

Dihydropyrimidinone/1,2,3-triazole hybrid molecules: Synthesis and anti-varicella-zoster virus (VZV) evaluation

By: Kaoukabi, Hanane; et al

European Journal of Medicinal Chemistry (2018), 155, 772-781.

Scheme 41 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (5)

31-287-CAS-12659119 Steps: **1** Yield: **99%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 42 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (5)

31-287-CAS-5339187 Steps: **1** Yield: **99%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 43 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (86) Supplier (1) Supplier (1)

31-287-CAS-13290221 Steps: **1** Yield: **99%**

1.1 **Reagents:** Sodium azide
Catalysts: Copper sulfate
Solvents: Methanol; 1 - 4 h, rt

1.2 **Reagents:** Sodium ascorbate
Solvents: Water; 2 - 8 h, rt

Experimental Protocols

Diminutive effect on T and B- cell proliferation of non-cytotoxic α-santonin derived 1,2,3-triazoles: A report

By: Chinthakindi, Praveen K.; et al

European Journal of Medicinal Chemistry (2013), 60, 365-375.

Scheme 44 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (18)

31-287-CAS-883551 Steps: **1** Yield: **99%**

1.1 **Reagents:** Sodium ascorbate
Catalysts: Copper sulfate pentahydrate
Solvents: Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 45 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (65)

31-287-CAS-19206205	Steps: **1** Yield: **99%**
1.1	**Reagents:** Triethylamine, Sodium azide **Catalysts:** Cuprous iodide **Solvents:** Acetonitrile, Water; 3 min, 100 °C
Experimental Protocols	

Dihydropyrimidinone/1,2,3-triazole hybrid molecules: Synthesis and anti-varicella-zoster virus (VZV) evaluation

By: Kaoukabi, Hanane; et al

European Journal of Medicinal Chemistry (2018), 155, 772-781.

Scheme 46 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (5)

31-287-CAS-14757963	Steps: **1** Yield: **99%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 47 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (5)

31-287-CAS-1353917	Steps: **1** Yield: **99%**
1.1	**Reagents:** Sodium ascorbate **Catalysts:** Copper sulfate pentahydrate **Solvents:** Dimethyl sulfoxide, *tert*-Butanol, Water; 12 h, rt

Stereoselective synthesis of bio-hybrid amphiphiles of coumarin derivatives by Ugi-Mannich triazole randomization using copper catalyzed alkyne azide click chemistry

By: Pramitha, P.; et al

Bioorganic & Medicinal Chemistry Letters (2012), 22(7), 2598-2603.

Scheme 48 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (2) Suppliers (84) Supplier (1)

31-287-CAS-2550279	Steps: **1** Yield: **99%**	**Efficient synthesis and in vitro antitub ercular activity of 1,2,3-triazoles as inhibitors of Mycobacterium tuberculosis**
1.1	3 min, rt → 100 °C; rt	By: Shanmugavelan, Poovan; et al Bioorganic & Medicinal Chemistry Letters (2011), 21(24), 7273-7276.

Scheme 49 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (2) Suppliers (81)

31-287-CAS-4986358	Steps: **1** Yield: **99%**	**Efficient synthesis and in vitro antitub ercular activity of 1,2,3-triazoles as inhibitors of Mycobacterium tuberculosis**
1.1	3 min, rt → 100 °C; rt	By: Shanmugavelan, Poovan; et al Bioorganic & Medicinal Chemistry Letters (2011), 21(24), 7273-7276.

Scheme 50 (1 Reaction) Steps: **1** Yield: **99%**



Suppliers (65) Supplier (1)

31-287-CAS-19206212	Steps: **1** Yield: **99%**	**Dihydropyrimidinone/1,2,3-triazole hybrid molecules: Synthesis and anti-varicella-zoster virus (VZV) evaluation**
1.1	**Reagents:** Triethylamine, Sodium azide **Catalysts:** Cuprous iodide **Solvents:** Acetonitrile, Water; 5 min, 100 °C	By: Kaoukabi, Hanane; et al European Journal of Medicinal Chemistry (2018), 155, 772-781.
Experimental Protocols		