

Initiating Search

November 10, 2025, 9:05 PM

•• Search:

CAS Lexicon Search:

Hydrazones, hydroximino - Preferred Concept

AND Hydrazones, hydroximino - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (9)	 References	View Results
Exported: Retrieved Related Reaction Results (20)	 Reactions	View Results


Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.

Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

 Reactions (20)[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 98%

 Suppliers (3) Suppliers (29)

Double bond geometry shown

31-310-CAS-17952844

Steps: 1 Yield: 98%

1.1 Solvents: Methanol; 2 min, 0 °C; 5 min, 0 °C


Aza Diels-Alder Reactions of Nitriles, N, N-Dimethylhydrazones and Oximino Ethers. Application in Formal [2+2+2] Cycloadditions for the Synthesis of Pyridines

By: Hamzik, Philip J.; et al

Journal of Organic Chemistry (2017), 82(24), 12975-12991.

Scheme 2 (1 Reaction)

Steps: 1 Yield: 94%

 Suppliers (53)

31-310-CAS-14022464

Steps: 1 Yield: 94%


1.1 Reagents: Silica
Solvents: Benzene; rt; 4.0 h, reflux**Novel and efficient synthesis of N, N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2**

By: Kumar, Rajesh; et al

Molecules (2007), 12(8), 1632-1640.

Scheme 3 (1 Reaction)


Steps: 1 Yield: 93%

 Suppliers (53)

31-310-CAS-972367	Steps: 1 Yield: 93%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 4.2 h, reflux		

Scheme 4 (1 Reaction)

Steps: 1 Yield: 87%




Suppliers (79)

31-310-CAS-7347752	Steps: 1 Yield: 87%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.0 h, reflux		

Scheme 5 (1 Reaction)

Steps: 1 Yield: 86%




Suppliers (79)

31-310-CAS-4614054	Steps: 1 Yield: 86%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.8 h, reflux		

Scheme 6 (1 Reaction)

Steps: 1 Yield: 86%




Suppliers (79)

31-310-CAS-7076782	Steps: 1 Yield: 86%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.2 h, reflux		

Scheme 7 (1 Reaction)

Steps: 1 Yield: 85%




Suppliers (29)

Double bond geometry shown

31-310-CAS-17952846	Steps: 1 Yield: 85%	Aza Diels-Alder Reactions of Nitriles, N,N-Dimethylhydrazones and Oximino Ethers. Application in Formal [2+2+2] Cycloadditions for the Synthesis of Pyridines By: Hamzik, Philip J.; et al Journal of Organic Chemistry (2017), 82(24), 12975-12991.
1.1 Solvents: Methanol; 2 min, 0 °C; 5 min, 0 °C		

Scheme 8 (1 Reaction)

Steps: 1 Yield: 85%



Suppliers (69)


Suppliers (77)

Supplier (1)

31-614-CAS-45322231	Steps: 1 Yield: 85%	Green preparation of phenyl(trifluoromethyl)triazoles Assignee: Qujing Normal University China, CN119977896 A 2025-05-13 PatentPak available
1.1 Solvents: Acetonitrile; 24 h, rt		

Scheme 9 (1 Reaction)


Steps: 1 Yield: 85%



Suppliers (79)

31-310-CAS-2829820 Steps: 1 Yield: 85%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.2 h, reflux	


Scheme 10 (1 Reaction)

Steps: **1** Yield: **85%**

Suppliers (53)

31-310-CAS-2495362 Steps: 1 Yield: 85%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.5 h, reflux	


Scheme 11 (1 Reaction)

Steps: **1** Yield: **82%**

Suppliers (79)

31-310-CAS-11608519 Steps: 1 Yield: 82%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.3 h, reflux	

Scheme 12 (1 Reaction)


Steps: **1** Yield: **81%**

Suppliers (79)

31-310-CAS-6128837	Steps: 1 Yield: 81%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2
1.1 Reagents: Silica Solvents: Benzene; rt; 3.0 h, reflux		By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.

Scheme 13 (1 Reaction)

Steps: 1 Yield: 79%




Suppliers (53)

31-310-CAS-4905404	Steps: 1 Yield: 79%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2
1.1 Reagents: Silica Solvents: Benzene; rt; 3.6 h, reflux		By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.

Scheme 14 (1 Reaction)

Steps: 1 Yield: 78%




Suppliers (53)

31-310-CAS-13739738	Steps: 1 Yield: 78%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2
1.1 Reagents: Silica Solvents: Benzene; rt; 3.3 h, reflux		By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.

Scheme 15 (1 Reaction)

Steps: 1 Yield: 76%




Suppliers (79)

31-310-CAS-3082946	Steps: 1 Yield: 76%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 4.3 h, reflux		

Scheme 16 (1 Reaction)

Steps: 1 Yield: 74%




Suppliers (53)

31-310-CAS-9484201	Steps: 1 Yield: 74%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.1 h, reflux		

Scheme 17 (1 Reaction)

Steps: 1 Yield: 73%




Suppliers (79)

31-310-CAS-326928	Steps: 1 Yield: 73%	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
1.1 Reagents: Silica Solvents: Benzene; rt; 3.1 h, reflux		

Scheme 18 (1 Reaction)

Steps: 1 Yield: 72%




Suppliers (53)

31-310-CAS-5199463 Steps: 1 Yield: 72% 1.1 Reagents: Silica Solvents: Benzene; rt; 4.5 h, reflux	Novel and efficient synthesis of N,N-dialkylamino- and O-alkylphenyl-2-(1-alkyl/phenyl-2-oxopropylidene)phosphono hydrazido oximes - potential marine fish toxin analogs. Part 2 By: Kumar, Rajesh; et al Molecules (2007), 12(8), 1632-1640.
---	--

Scheme 19 (1 Reaction)

Steps: 1 Yield: 62%




Suppliers (29)

Double bond geometry shown

31-310-CAS-17952845 Steps: 1 Yield: 62% 1.1 Solvents: Tetrahydrofuran; 2 min, 0 °C; 5 min, 0 °C	Aza Diels-Alder Reactions of Nitriles, N,N-Dimethylhydrazones and Oximino Ethers. Application in Formal [2+2+2] Cycloadditions for the Synthesis of Pyridines By: Hamzik, Philip J.; et al Journal of Organic Chemistry (2017), 82(24), 12975-12991.
--	---

Scheme 20 (1 Reaction)

Steps: 1 Yield: 59%



Double bond geometry shown

Double bond geometry shown

Suppliers (21)

Supplier (1)

31-310-CAS-8612161 Steps: 1 Yield: 59% 1.1 Reagents: Acetic acid, Hydrazine Solvents: Ethanol	Configuration of 1,2-diketone hydrazone oximes By: Gnichtel, Horst; et al Liebigs Annalen der Chemie (1989), (11), 1071-4.
--	---