

Initiating Search

November 10, 2025, 9:13 PM

• Search:

CAS Lexicon Search:

Passerini reaction - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (605)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (1,935)	 Reactions	View Results
Filtered By:		
Yield:	90-100%, 80-89%, 70-79%	
Document Type:	Journal	

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)


[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)


Steps: 1 Yield: 100%



+




+



+

 Suppliers (81)

 Suppliers (90)

 Suppliers (188)

31-614-CAS-24180825

Steps: 1 Yield: 100%

1.1 Solvents: Methanol; 22 h, rt

Experimental Protocols


Synthesis of Conformationally Constrained Peptidomimetics using Multicomponent Reactions

By: Scheffelaar, Rachel; et al


Journal of Organic Chemistry (2009), 74(2), 660-668.

Scheme 2 (1 Reaction)


Steps: 1 Yield: 100%



+




+



→

 Suppliers (29)

 Suppliers (324)


31-356-CAS-6015001

Steps: 1 Yield: 100%

1.1 Solvents: Dichloromethane; 24 h, rt

Experimental Protocols


Regioselective Passerini and Passerini-Knoevenagel Reactions with vic-Diketo Amides

By: Rossbach, Jan; et al

European Journal of Organic Chemistry (2014), 2014(5), 993-1006.

Scheme 3 (1 Reaction)


Steps: 1 Yield: 100%



Suppliers (54)

Suppliers (81)

Suppliers (72)



31-389-CAS-6193181

Steps: 1 Yield: 100%

Multicomponent isocyanide-based synthesis of reactive styrenic and (meth)acrylic monomers and their RAFT (co) polymerization

1.1 Solvents: Water; 24 h, rt


Experimental Protocols

By: Schmidt, Sonja; et al

Polymer Chemistry (2015), 6(1), 44-54.


Scheme 4 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (44)

Suppliers (324)



31-356-CAS-10273941

Steps: 1 Yield: 100%

Regioselective Passerini and Passerini-Knoevenagel Reactions with vic-Diketo Amides

1.1 Solvents: Dichloromethane; 21 h, rt


Experimental Protocols

By: Rossbach, Jan; et al

European Journal of Organic Chemistry (2014), 2014(5), 993-1006.

Scheme 5 (1 Reaction)


Steps: 1 Yield: 100%



Suppliers (21)

Suppliers (91)

Suppliers (324)



31-389-CAS-13986120

Steps: 1 Yield: 100%

Organic Synthesis "on Water" vs "on Liquids": A Comparative Analysis

1.1 Solvents: Perfluorooctane; 30 min, rt


By: Sela, Tal; et al

Experimental Protocols

Organic Letters (2014), 16(7), 1964-1967.

Scheme 6 (1 Reaction)

Steps: 1 Yield: 100%




Absolute stereochemistry shown

Absolute stereochemistry shown,
Rotation (-)

Suppliers (63)

Suppliers (84)



Absolute stereochemistry shown

31-389-CAS-1264791

Steps: 1 Yield: 100%

Novel branched isocyanides as useful building blocks in the Passerini-amine deprotection-acyl migration (PADAM) synthesis of potential HIV-1 protease inhibitors

1.1 Solvents: Dichloromethane; 3 d, rt


By: Gravestock, David; et al

Experimental Protocols


Tetrahedron Letters (2012), 53(26), 3225-3229.

Scheme 7 (1 Reaction)

Steps: 1 Yield: 100%


Absolute stereochemistry shown,
Rotation (+)

Supplier (1)



Suppliers (65)

Suppliers (100)

Absolute stereochemistry shown,
Rotation (+)

31-356-CAS-186644

Steps: 1 Yield: 100%

Regio- and Diastereoselective Synthesis of β -Lactam-Triazole Hybrids via Passerini/CuAAC Sequence

By: Alcaide, Benito; et al

Journal of Organic Chemistry (2012), 77(16), 6917-6928.


1.1 Solvents: Dichloromethane; 6 h, rt

1.2 Reagents: Sodium bicarbonate
Solvents: Dichloromethane, Water; rt


Experimental Protocols

Scheme 8 (1 Reaction)

Steps: 1 Yield: 100%


Absolute stereochemistry shown,
Rotation (+)

Supplier (1)



Suppliers (65)

Suppliers (324)

Absolute stereochemistry shown,
Rotation (+)

31-356-CAS-6334934

Steps: 1 Yield: 100%

Regio- and Diastereoselective Synthesis of β -Lactam-Triazole Hybrids via Passerini/CuAAC Sequence

By: Alcaide, Benito; et al

Journal of Organic Chemistry (2012), 77(16), 6917-6928.


1.1 Solvents: Dichloromethane; 4 h, rt

1.2 Reagents: Sodium bicarbonate
Solvents: Dichloromethane, Water; rt

Experimental Protocols

Scheme 9 (1 Reaction)


Steps: 1 Yield: 100%



Suppliers (72)

Suppliers (98)

Suppliers (324)



Supplier (1)

31-389-CAS-19483061

Steps: 1 Yield: 100%

A Passerini/Michael Pathway towards Butyrolactones

1.1 2 d, rt


By: Jia, Shuanglong; et al

Experimental Protocols

European Journal of Organic Chemistry (2018), 2018(46), 6457-6464.

Scheme 10 (1 Reaction)


Steps: 1 Yield: 100%



Suppliers (72)

Suppliers (64)

Suppliers (91)



31-389-CAS-5142715

Steps: 1 Yield: 100%

Tunable Polymers Obtained from Passerini Multicomponent Reaction Derived Acrylate Monomers

1.1 Solvents: Dichloromethane; 24 h, rt


By: Sehlinger, Ansgar; et al

Experimental Protocols

Macromolecules (Washington, DC, United States) (2013), 46(15), 6031-6037.

Scheme 11 (1 Reaction)


Steps: 1 Yield: 100%



Relative stereochemistry shown

Suppliers (90)

Suppliers (188)



Relative stereochemistry shown

31-614-CAS-24180834

Steps: 1 Yield: 100%

Synthesis of Conformationally Constrained Peptidomimetics using Multicomponent Reactions

1.1 Solvents: Dichloromethane; 48 h, rt


Experimental Protocols

By: Scheffelaar, Rachel; et al

Journal of Organic Chemistry (2009), 74(2), 660-668.

Scheme 12 (1 Reaction)


Steps: 1 Yield: 100%



Suppliers (54)

Suppliers (15)

Suppliers (64)



31-389-CAS-10446142

Steps: 1 Yield: 100%

Multicomponent isocyanide-based synthesis of reactive styrenic and (meth)acrylic monomers and their RAFT (co) polymerization

1.1 Solvents: Water; 24 h, rt


Experimental Protocols

By: Schmidt, Sonja; et al

Polymer Chemistry (2015), 6(1), 44-54.

Scheme 13 (1 Reaction)

Steps: 1 Yield: 100%




Absolute stereochemistry shown

Absolute stereochemistry shown,
Rotation (-)

Suppliers (82)

Suppliers (63)



Absolute stereochemistry shown

31-389-CAS-14335588

Steps: 1 Yield: 100%

Novel branched isocyanides as useful building blocks in the Passerini-amine deprotection-acyl migration (PADAM) synthesis of potential HIV-1 protease inhibitors

By: Gravestock, David; et al


Tetrahedron Letters (2012), 53(26), 3225-3229.

1.1 Solvents: Dichloromethane; 3 d, rt

Experimental Protocols

Scheme 14 (1 Reaction)


Steps: 1 Yield: 100%



Suppliers (15)

Suppliers (64)

Suppliers (91)



31-389-CAS-14401399

Steps: 1 Yield: 100%

Tunable Polymers Obtained from Passerini Multicomponent Reaction Derived Acrylate Monomers

By: Sehlinger, Ansgar; et al


Macromolecules (Washington, DC, United States) (2013), 46(15), 6031-6037.

1.1 Solvents: Dichloromethane; 24 h, rt

Experimental Protocols

Scheme 15 (1 Reaction)

Steps: 1 Yield: 100%



31-389-CAS-20803062

Steps: 1 Yield: 100%

Supramolecular Fluorine Magnetic Resonance Spectroscopy
Probe Polymer Based on Passerini Bifunctional Monomer

1.1 Solvents: Dichloromethane; 30 min, rt

1.2 2 h, rt


By: Couturaud, Benoit; et al

Experimental Protocols

ACS Macro Letters (2019), 8(11), 1479-1483.

Scheme 16 (1 Reaction)

Steps: 1 Yield: 100%



31-389-CAS-10732063

Steps: 1 Yield: 100%

Hydrophobicity and Mixing Effects on Select Heterogeneous,
Water-Accelerated Synthetic Reactions

1.1 Solvents: Water; 30 min, rt


Experimental Protocols

By: Pirrung, Michael C.; et al

Journal of Organic Chemistry (2008), 73(22), 8723-8730.


Scheme 17 (1 Reaction)

Steps: 1 Yield: 100%




Absolute stereochemistry shown,
Rotation (+)


Supplier (1)



Suppliers (79)



Suppliers (175)



Absolute stereochemistry shown,
Rotation (+)

31-356-CAS-13013382

Steps: 1 Yield: 100%

Regio- and Diastereoselective Synthesis of β -Lactam-Triazole Hybrids via Passerini/CuAAC Sequence

By: Alcaide, Benito; et al

Journal of Organic Chemistry (2012), 77(16), 6917-6928.

1.1 Solvents: Dichloromethane; 72 h, rt


1.2 Reagents: Sodium bicarbonate

Solvents: Dichloromethane, Water; rt


Experimental Protocols

Scheme 18 (1 Reaction)


Steps: 1 Yield: 100%




Suppliers (54)



Suppliers (72)



Suppliers (116)



31-356-CAS-13182748

Steps: 1 Yield: 100%

Multicomponent isocyanide-based synthesis of reactive styrenic and (meth)acrylic monomers and their RAFT (co) polymerization

By: Schmidt, Sonja; et al


Polymer Chemistry (2015), 6(1), 44-54.

1.1 Solvents: Water; 24 h, rt

Experimental Protocols

Scheme 19 (1 Reaction)

Steps: 1 Yield: 100%



31-389-CAS-7987431

Steps: 1 Yield: 100%

Multicomponent isocyanide-based synthesis of reactive styrenic and (meth)acrylic monomers and their RAFT (co) polymerization

1.1 Solvents: Water; 24 h, rt


Experimental Protocols

By: Schmidt, Sonja; et al

Polymer Chemistry (2015), 6(1), 44-54.

Scheme 20 (1 Reaction)

Steps: 1 Yield: 100%



31-032-CAS-14540292

Steps: 1 Yield: 100%

Smiles Rearrangements in Ugi- and Passerini-Type Couplings: New Multicomponent Access to O- and N-Arylamides

1.1 Solvents: Methanol; 20 h, 40 °C


Experimental Protocols

By: El Kaïem, Laurent; et al

Journal of Organic Chemistry (2007), 72(11), 4169-4180.

Scheme 21 (1 Reaction)

Steps: 1 Yield: 99%



31-367-CAS-18385414

Steps: 1 Yield: 99%

A green multicomponent synthesis of tocopherol analogues with antiproliferative activities

1.1 6 h, 60 °C


Experimental Protocols

By: Ingold, Mariana; et al

European Journal of Medicinal Chemistry (2018), 143, 1888-1902.

Scheme 22 (1 Reaction)

Steps: 1 Yield: 99%



31-389-CAS-12169306

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

1.1 **Reagents:** Sulfuric acid magnesium salt (1: 1)
Catalysts: (11b*R*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1-*d*:1',2'-*f*][1,3,2]dioxaphosphepin 4-oxide
Solvents: Chloroform; 10 min, -20 °C

1.2 **Solvents:** Chloroform; 36 h, -20 °C


Experimental Protocols

By: Zhang, Jian; et al

Journal of the American Chemical Society (2015), 137(44), 14039-14042.

Scheme 23 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (100)

Suppliers (11)

Suppliers (64)



31-614-CAS-34665224

Steps: 1 Yield: 99%

Combining High-Throughput Synthesis and High-Throughput Protein Crystallography for Accelerated Hit Identification

By: Sutanto, Fandi; et al

Angewandte Chemie, International Edition (2021), 60(33), 18231-18239.

1.1 Reagents: Ammonium hydroxide


Solvents: 2,2,2-Trifluoroethanol, Water; 15 min, rt

1.2 overnight, rt


Experimental Protocols

Scheme 24 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (324)



31-356-CAS-14530066

Steps: 1 Yield: 99%

Regioselective Passerini and Passerini-Knoevenagel Reactions with vic-Diketo Amides

By: Rossbach, Jan; et al


European Journal of Organic Chemistry (2014), 2014(5), 993-1006.

1.1 Solvents: Dichloromethane; 16 h, rt

Experimental Protocols

Scheme 25 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (85)

Suppliers (72)

Suppliers (175)



31-389-CAS-12900835

Steps: 1 Yield: 99%

Synthesis of novel α -(acyloxy)- α -(quinolin-4-yl)acetamides by a three-component reaction between an isocyanide, quinoline-4-carbaldehyde, and arenecarboxylic acids

By: Taran, Jafar; et al


Helvetica Chimica Acta (2014), 97(8), 1088-1096.

1.1 Solvents: Water; 1 h, rt

Experimental Protocols

Scheme 26 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (70)

Suppliers (90)

Suppliers (57)



Absolute stereochemistry shown

31-389-CAS-6282787

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

By: Zhang, Jian; et al

Journal of the American Chemical Society (2015), 137(44), 14039-14042.

1.1 Reagents: Sulfuric acid magnesium salt (1:1)
Catalysts: (11b*R*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1- α :1',2'- η][1,3,2]dioxaphosphepin 4-oxide


Solvents: Chloroform; 10 min, -20 °C

1.2 Solvents: Chloroform; 36 h, -20 °C


Experimental Protocols

Scheme 27 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (70)



Suppliers (57)



Suppliers (54)



Absolute stereochemistry shown

31-389-CAS-1525111

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

- 1.1 **Reagents:** Sulfuric acid magnesium salt (1:1)
Catalysts: (1*bR*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1-*d'*:1',2'-*f*][1,3,2]dioxaphosphepin 4-oxide
Solvents: Chloroform; 10 min, -20 °C
- 1.2 **Solvents:** Chloroform; 36 h, -20 °C


By: Zhang, Jian; et al

Journal of the American Chemical Society (2015), 137(44), 14039-14042.


Experimental Protocols

Scheme 28 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (18)



Suppliers (39)



Suppliers (74)



31-389-CAS-11429783

Steps: 1 Yield: 99%

A novel and green synthesis of indolone-*N*-amino acid derivatives via the Passerini three-component reactions in water

- 1.1 **Solvents:** Water; 1 h, 35 °C


By: Li, Rong-Kun; et al

Chinese Chemical Letters (2016), 27(3), 345-348.

Experimental Protocols

Scheme 29 (1 Reaction)

Steps: 1 Yield: 99%




Absolute stereochemistry shown

Absolute stereochemistry shown,
Rotation (-)

Suppliers (84)

Suppliers (63)



Absolute stereochemistry shown

31-389-CAS-12206460

Steps: 1 Yield: 99%

Novel branched isocyanides as useful building blocks in the Passerini-amine deprotection-acyl migration (PADAM) synthesis of potential HIV-1 protease inhibitors

By: Gravestock, David; et al


Tetrahedron Letters (2012), 53(26), 3225-3229.

1.1 Solvents: Dichloromethane; 3 d, rt

Experimental Protocols

Scheme 30 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (86)

Suppliers (72)

Suppliers (106)



31-389-CAS-1006236

Steps: 1 Yield: 99%

Green synthesis and characterization of novel α -acyloxycarboxamides through three-component reaction between pyridine carbaldehydes, cyclohexyl isocyanide, and benzoic acid derivatives

By: Vessally, Esmail; et al


Monatshefte fuer Chemie (2011), 142(11), 1143-1147.

1.1 Solvents: Water; 10 min, rt; 1 h, rt

Experimental Protocols

Scheme 31 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (4)

Suppliers (106)

Suppliers (54)



31-389-CAS-2775481

Steps: 1 Yield: 99%

Elaboration of peptidomimetics derived from a PADAM approach: synthesis of polyfunctionalised 2(1H)-pyrazinones via an unexpected aromatisation

By: Basso, Andrea; et al


Synlett (2011), (14), 2009-2012.

1.1 Solvents: Dichloromethane; 18 h, rt

Experimental Protocols

Scheme 32 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (69)

Suppliers (46)

Suppliers (324)



31-389-CAS-9607526

Steps: 1 Yield: 99%

Synthesis of novel, peptidic kinase inhibitors with cytostatic /cytotoxic activity


By: Szymanski, Wiktor; et al

Bioorganic & Medicinal Chemistry (2014), 22(5), 1773-1781.

1.1 Solvents: Dichloromethane; rt

Scheme 33 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (88)

Suppliers (90)

Suppliers (54)



Absolute stereochemistry shown

31-389-CAS-15126591

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

By: Zhang, Jian; et al


Journal of the American Chemical Society (2015), 137(44), 14039-14042.

- 1.1 **Reagents:** Sulfuric acid magnesium salt (1:1)
Catalysts: (11b*R*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1-*d'*:1',2'-*f*][1,3,2]dioxaphosphepin 4-oxide
Solvents: Chloroform; 10 min, -20 °C
- 1.2 **Solvents:** Chloroform; 36 h, -20 °C

Experimental Protocols


Scheme 34 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (54)

Suppliers (96)



31-389-CAS-23036538

Steps: 1 Yield: 99%

Azirine-containing dipeptides and depsipeptides: Synthesis, transformations and antibacterial activity


By: Rostovskii, Nikolai V.; et al

Organic & Biomolecular Chemistry (2020), 18(46), 9448-9460.


- 1.1 24 - 48 h, rt

Scheme 35 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (70)



Suppliers (65)



Suppliers (54)



Absolute stereochemistry shown

31-389-CAS-7909639

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

By: Zhang, Jian; et al


Journal of the American Chemical Society (2015), 137(44), 14039-14042.

- 1.1 **Reagents:** Sulfuric acid magnesium salt (1:1)
Catalysts: (1*bR*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1-*d'*:1',2'-*f*][1,3,2]dioxaphosphepin 4-oxide
Solvents: Chloroform; 10 min, -20 °C
- 1.2 **Solvents:** Chloroform; 36 h, -20 °C


Experimental Protocols

Scheme 36 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (72)



Suppliers (92)



Suppliers (106)



31-389-CAS-3403928

Steps: 1 Yield: 99%

Green synthesis and characterization of novel α -acyloxycarboxamides through three-component reaction between pyridine carbaldehydes, cyclohexyl isocyanide, and benzoic acid derivatives

By: Vessally, Esmail; et al


Monatshefte fuer Chemie (2011), 142(11), 1143-1147.

- 1.1 **Solvents:** Water; 10 min, rt; 1 h, rt

Experimental Protocols


Scheme 37 (1 Reaction)

Steps: 1 Yield: 99%

Absolute stereochemistry shown,
Rotation (-)

Suppliers (63)

Suppliers (84)



Absolute stereochemistry shown

31-389-CAS-11936250

Steps: 1 Yield: 99%

Novel branched isocyanides as useful building blocks in the Passerini-amine deprotection-acyl migration (PADAM) synthesis of potential HIV-1 protease inhibitors

By: Gravestock, David; et al


Tetrahedron Letters (2012), 53(26), 3225-3229.

1.1 Solvents: Dichloromethane; 3 d, rt

Experimental Protocols

Scheme 38 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (88)

Suppliers (72)

Suppliers (175)



31-614-CAS-37350913

Steps: 1 Yield: 99%

Strain and Complexity, Passerini and Ugi Reactions of Four-Membered Heterocycles and Further Elaboration of TOSMIC Product

By: Sztano, Gabor; et al


ChemistryOpen (2023), 12(8), e202200083.

1.1 Solvents: Toluene; 2 d, 40 °C

Experimental Protocols

Scheme 39 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (18)

Suppliers (39)

Suppliers (65)



31-389-CAS-12959706

Steps: 1 Yield: 99%

A novel and green synthesis of indolone- N-amino acid derivatives via the Passerini three-component reactions in water

1.1 Solvents: Water; 1 h, 35 °C


Experimental Protocols

By: Li, Rong-Kun; et al

Chinese Chemical Letters (2016), 27(3), 345-348.


Scheme 40 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (54)

Suppliers (78)



31-356-CAS-14487617

Steps: 1 Yield: 99%

Regioselective Passerini and Passerini-Knoevenagel Reactions with vic-Diketo Amides

1.1 Solvents: Dichloromethane; 1.8 h, rt


Experimental Protocols

By: Rossbach, Jan; et al


European Journal of Organic Chemistry (2014), 2014(5), 993-1006.

Scheme 41 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (72)



Suppliers (78)



Suppliers (54)



31-614-CAS-31898012

Steps: 1 Yield: 99%

Protection-Free Strategy for the Synthesis of Boro- Depsipeptides in Aqueous Media under Microwave-Assisted Conditions

1.1 Solvents: Water; 6 min, 45 °C

1.2 2.5 h, 45 °C


Experimental Protocols

By: Qiu, Shuo-Bei; et al


Molecules (2022), 27(7), 2325.

Scheme 42 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (70)



Suppliers (75)



Suppliers (54)



Absolute stereochemistry shown

31-389-CAS-3648049

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

1.1 Reagents: Sulfuric acid magnesium salt (1:1)

Catalysts: (11*b**R*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1-*a*:1',2'-*f*][1,3,2]dioxaphosphepin 4-oxide

Solvents: Chloroform; 10 min, -20 °C

1.2 Solvents: Chloroform; 36 h, -20 °C


Experimental Protocols

By: Zhang, Jian; et al


Journal of the American Chemical Society (2015), 137(44), 14039-14042.

Scheme 43 (1 Reaction)


Steps: 1 Yield: 99%




Suppliers (70)



Suppliers (57)



Suppliers (57)



Absolute stereochemistry shown

31-389-CAS-6604743

Steps: 1 Yield: 99%

Phosphoric Acid-Catalyzed Asymmetric Classic Passerini Reaction

By: Zhang, Jian; et al




Journal of the American Chemical Society (2015), 137(44), 14039-14042.

- 1.1 **Reagents:** Sulfuric acid magnesium salt (1:1)
Catalysts: (1*bR*)-2,6-Di-9-anthracenyl-4-hydroxydinaphtho[2,1-*d'*:1',2'-*f'*][1,3,2]dioxaphosphepin 4-oxide
Solvents: Chloroform; 10 min, -20 °C
- 1.2 **Solvents:** Chloroform; 36 h, -20 °C

Experimental Protocols


Scheme 44 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (4)

Suppliers (48)



31-389-CAS-23354995

Steps: 1 Yield: 99%

Synthesis and Encapsulation of Uniform Star-Shaped Block-Macromolecules

By: Waibel, Kevin A.; et al


Macromolecular Rapid Communications (2021), 42(6), 2000467.

- 1.1 **Solvents:** Dichloromethane; 2 - 3 d

Experimental Protocols

Scheme 45 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (74)

Suppliers (69)

Suppliers (324)



Supplier (1)

31-389-CAS-11938586

Steps: 1 Yield: 99%

Studies on the application of the Passerini reaction and enzymatic procedures to the synthesis of tripeptide mimetics

1.1 Solvents: Dichloromethane; 70 h, rt


Experimental Protocols

By: Szymanski, Wiktor; et al

Tetrahedron (2007), 63(32), 7647-7653.

Scheme 46 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (81)

Suppliers (46)

Suppliers (324)



31-389-CAS-13858264

Steps: 1 Yield: 99%

Synthesis of novel, peptidic kinase inhibitors with cytostatic /cytotoxic activity


1.1 Solvents: Dichloromethane; rt

By: Szymanski, Wiktor; et al

Bioorganic & Medicinal Chemistry (2014), 22(5), 1773-1781.

Scheme 47 (1 Reaction)


Steps: 1 Yield: 99%



Suppliers (64)

Suppliers (46)

Suppliers (40)



31-049-CAS-19005696

Steps: 1 Yield: 99%

Facile Conversion of α -Acyloxy Amides into 3-Hydroxy-lactams

1.1 **Reagents:** Hydrogen
Catalysts: Palladium
Solvents: Ethanol; 18 h, rt


By: Koszelewski, Dominik; et al

European Journal of Organic Chemistry (2018), 2018(25), 3280-3290.

Experimental Protocols

Scheme 48 (1 Reaction)

Steps: 1 Yield: 99%




Absolute stereochemistry shown,
 Rotation (+)

Absolute stereochemistry shown,
 Rotation (+)

Suppliers (5)

Suppliers (101)

Suppliers (102)



Absolute stereochemistry shown,
 Rotation (-)

31-356-CAS-4773863

Steps: 1 Yield: 99%

 α -Amino acids as acid components in the Passerini reaction: influence of N-protection on the yield and stereoselectivity1.1 **Solvents:** Cyclohexanone; 16 h, 40 °C


By: Berlozecki, Stanislaw; et al

Tetrahedron (2008), 64(41), 9780-9783.

Experimental Protocols

Scheme 49 (1 Reaction)

Steps: 1 Yield: 99%



31-389-CAS-17167563

Steps: 1 Yield: 99%

Synthesis of structurally diverse 3,4-dihydropyrimidin-2(1H)-ones via sequential Biginelli and Passerini reactions

By: Boukis, Andreas C.; et al

Beilstein Journal of Organic Chemistry (2017), 13, 54-62.


1.1 Solvents: Dimethyl sulfoxide, Dichloromethane; > 1 min, rt

1.2 3 - 5 d, rt

Experimental Protocols

Scheme 50 (1 Reaction)

Steps: 1 Yield: 99%



31-614-CAS-42417609

Steps: 1 Yield: 99%

Deuterated reagents in multicomponent reactions to afford deuterium-labeled products

By: Schofield, Kevin; et al

Beilstein Journal of Organic Chemistry (2024), 20, 2270-2279.

1.1 Solvents: Methanol; 24 h, rt