

Initiating Search

November 11, 2025, 9:18 PM

• Search: 2-Iodoxybenzoic acid

Filtered By:

Yield: 90-100%, 80-89%, 70-79%

Document Type: Journal

Publication Year: 2015 to 2025

Search Tasks

Task	Result Type	View
Exported: Returned Reaction Results + Filters (1,622)	 Reactions	View Results

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-19430062

Steps: 1 Yield: 100%

First Total Synthesis of Oxirapentyn D, a Highly Oxidized Chromene Natural Product

By: Sakai, Takahiro; et al


Synlett (2018), 29(10), 1351-1357.

- 1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Dimethyl sulfoxide; 2 h, rt
- 1.2 Solvents: Water; rt

Experimental Protocols

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-35507330

Steps: 1 Yield: 100%

Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation

By: Othman, Raja Ben; et al


Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.

- 1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 1 h, reflux

Experimental Protocols

Scheme 3 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-41496847

Steps: 1 Yield: 100%

Total Synthesis, Structure Reassignment, and Biological Evaluation of the Anti-Inflammatory Macrolactone 13-Hydroxy-14-deoxyoxacyclododecindione

By: Seipp, Kevin; et al


Journal of Natural Products (2024), 87(4), 1131-1149.

- 1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 4 h, rt

Experimental Protocols

Scheme 4 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-19452362

Steps: 1 Yield: 100%

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: 1,2-Dichloroethane; 8 h, reflux

Experimental Protocols


**Steric/ π -Electronic Insulation of the carbo-Benzene Ring:
Dramatic Effects of tert-Butyl versus Phenyl Crowns on
Geometric, Chromophoric, Redox, and Magnetic Properties**

By: Listunov, Dymytrii; et al

Chemistry - A European Journal (2018), 24(42), 10699-10710.

Scheme 5 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-19857307

Steps: 1 Yield: 100%

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 3 h, reflux

Experimental Protocols


**Design, biological evaluation and X-ray crystallography of
nanomolar multifunctional ligands targeting simultaneously
acetylcholinesterase and glycogen synthase kinase-3**

By: Oukoloff, Killian; et al

European Journal of Medicinal Chemistry (2019), 168, 58-77.

Scheme 6 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-41033946

Steps: 1 Yield: 100%

1.1 Reagents: Diisobutylaluminum hydride
Solvents: Dichloromethane, Hexane; 10 min, -78 °C

1.2 Reagents: Monopotassium monosodium tartrate tetrahydrate; -78 °C → rt; overnight, rt

1.3 Reagents: 2-Iodoxybenzoic acid
Solvents: Dimethyl sulfoxide; 2 h, rt

1.4 Reagents: Sodium sulfite; rt

Experimental Protocols


**Semisynthesis and antitumor activity of endertiin B and
related triterpenoids from Ganoderma lucidum**

By: Liu, Yu; et al

Organic & Biomolecular Chemistry (2024), 22(24), 4978-4986.

Scheme 7 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-32746845

Steps: 1 Yield: 100%

Design, synthesis, and cytotoxic activity of new tubulysin analogues

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 5 h, reflux


By: Le, Hai Van; et al

Experimental Protocols

Synlett (2022), 33(2), 187-195.

Scheme 8 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-21747513

Steps: 1 Yield: 100%

4-Substituted 2-amino-3,4-dihydroquinazolines with a 3-hairpin turn side chain as novel inhibitors of BACE-1

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 8 h, 80 °C


By: Jagtap, Ajit Dhananjay; et al

Experimental Protocols

Bioorganic Chemistry (2020), 95, 103135.

Scheme 9 (1 Reaction)

Steps: 1 Yield: 100%



Double bond geometry shown

Suppliers (8)

Double bond geometry shown

Suppliers (60)

31-480-CAS-23429548

Steps: 1 Yield: 100%

Microconine [N-methyl-2-methyl-3-methoxy-6-(deca-1',3',5'-tri-enyl)piperidine, an alkaloid from *Microcos paniculata*]:
Synthesis, stereochemistry and spectroscopic data

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Dimethyl sulfoxide; 12 h, rt


By: Davies, Stephen G.; et al

Experimental Protocols

Tetrahedron (2021), 79, 131860.

Scheme 10 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (2)

Supplier (1)

31-480-CAS-16424816

Steps: 1 Yield: 100%

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; rt → reflux; 30 min, reflux

Experimental Protocols


Substrate-Controlled Diastereoselectivity Reversal in NHC-Catalyzed Cross-Benzoin Reactions Using N-Boc-N-Bn-Protected α -Amino Aldehydes

By: Haghshenas, Pouyan; et al

Journal of Organic Chemistry (2016), 81(24), 12075-12083.

Scheme 11 (1 Reaction)

Steps: 1 Yield: 100%



Relative stereochemistry shown

31-480-CAS-16778257

Steps: 1 Yield: 100%

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 16 h, reflux

Experimental Protocols


Synthesis of Complex Tertiary Glycolates by Enantioconvergent Arylation of Stereochemically Labile α -Keto Esters

By: Bartlett, Samuel L.; et al

Journal of the American Chemical Society (2017), 139(10), 3911-3916.

Scheme 12 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-45992717

Steps: 1 Yield: 100%

1.1 Reagents: 2-Iodoxybenzoic acid; 2 h, 90 °C

Experimental Protocols


Design, Synthesis, Theoretical Study, and Antioxidant Activity of Aromaticity-Extended Resveratrol Derivatives Incorporating Chalcogen

By: Ko, Sangwon; et al

International Journal of Molecular Sciences (2025), 26(12), 5872.

Scheme 13 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-6001502

Steps: 1 Yield: 100%

Substituent effect on di- π -methane reactions of benzopyr
azinobarrelenes and benzoquinoxalinobarrelenes

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Dichloromethane; 12 h, reflux


By: Chuang, Gary J.; et al

Experimental Protocols

Tetrahedron (2016), 72(10), 1301-1315.

Scheme 14 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-35507341

Steps: 1 Yield: 100%

Effect of uridine protecting groups on the diastereoselectivity
of uridine-derived aldehyde 5'-alkynylation

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Acetonitrile; 45 min, reflux


By: Othman, Raja Ben; et al

Experimental Protocols

Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.

Scheme 15 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-10844583

Steps: 1 Yield: 100%

Substituent effect on di- π -methane reactions of benzopyr
azinobarrelenes and benzoquinoxalinobarrelenes

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Dichloromethane; 12 h, reflux


By: Chuang, Gary J.; et al

Experimental Protocols

Tetrahedron (2016), 72(10), 1301-1315.

Scheme 16 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (3)

Supplier (1)

31-480-CAS-18395341	Steps: 1 Yield: 100%	A comparative study of warheads for design of cysteine protease inhibitors By: Silva, Daniel G.; et al Bioorganic & Medicinal Chemistry Letters (2017), 27(22), 5031-5035.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; 6 h, 60 °C		

Scheme 17 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-24053444	Steps: 1 Yield: 100%	Synthesis and anticancer activity of triazole linked macrocycles and heterocycles By: Srinivas, Avula; et al Acta Chimica Slovenica (2021), 68(2), 404-413.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Dichloromethane; 0 °C; 6 h, rt		
Experimental Protocols		

Scheme 18 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-20817265	Steps: 1 Yield: 100%	Heteromultifunctional Oxazolones as Versatile Linkers for Click Chemistry Reactions By: Pantin, Mathilde; et al European Journal of Organic Chemistry (2019), 2019(44), 7359-7366.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Dimethyl sulfoxide; 16 h, 50 °C		
Experimental Protocols		

Scheme 19 (1 Reaction)


Steps: 1 Yield: 100%



31-614-CAS-35507352	Steps: 1 Yield: 100%	Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation By: Othman, Raja Ben; et al Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Acetonitrile; 45 min, reflux		
Experimental Protocols		

Scheme 20 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (4)

Suppliers (2)

31-480-CAS-23688337

Steps: 1 Yield: 100%

Dual Nickel- and Photoredox-Catalyzed Reductive Cross-Coupling to Access Chiral Trifluoromethylated Alkanes

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Dimethyl sulfoxide; 15 min, rt; 2 h, rt


By: Zhou, Pan; et al

Experimental Protocols

Organic Letters (2021), 23(12), 4683-4687.

Scheme 21 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-19430063

Steps: 1 Yield: 100%

First Total Synthesis of Oxirapentyn D, a Highly Oxidized Chromene Natural Product

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Dimethyl sulfoxide; 1 h, rt

By: Sakai, Takahiro; et al


1.2 Solvents: Water; 0 °C

Synlett (2018), 29(10), 1351-1357.

Experimental Protocols

Scheme 22 (1 Reaction)

Steps: 1 Yield: 100%



31-614-CAS-35507329

Steps: 1 Yield: 100%

Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Acetonitrile; 45 min, reflux


By: Othman, Raja Ben; et al

Experimental Protocols

Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.

Scheme 23 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-12182173	Steps: 1 Yield: 100%	A Convergent Synthesis of Gonytolide C Using an Intramolecular Oxa-Michael Addition
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; 3 h, reflux		By: Li, Freda F.; et al
Experimental Protocols		European Journal of Organic Chemistry (2016), 2016(6), 1145-1155.

Scheme 24 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-15813845	Steps: 1 Yield: 100%	Elastase-like Activity Is Dominant to Chymotrypsin-like Activity in 20S Proteasome's $\beta 5$ Catalytic Subunit
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Dimethyl sulfoxide; 12 h, rt		By: Bensinger, Dennis; et al
Experimental Protocols		ACS Chemical Biology (2016), 11(7), 1800-1804.

Scheme 25 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-19750087	Steps: 1 Yield: 100%	Enantioselective Visible-Light-Mediated Formation of 3-Cyclopropylquinolones by Triplet-Sensitized Deracemization
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; 4 h, 80 °C		By: Troester, Andreas; et al
Experimental Protocols		Angewandte Chemie, International Edition (2019), 58(11), 3538-3541.

Scheme 26 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-7646451	Steps: 1 Yield: 100%	Enantioselective Total Synthesis of Terreumols A and C from the Mushroom Tricholoma terreum
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; 4 h, reflux		By: Frichert, Alex; et al
Experimental Protocols		Angewandte Chemie, International Edition (2016), 55(8), 2916-2919.

Scheme 27 (1 Reaction)

Steps: 1 Yield: 100%



31-480-CAS-20201604

Steps: 1 Yield: 100%


A remarkably useful sulfur bridge as synthetic lever in an approach to javanicin B

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 3 h, rt → reflux

By: Dion, Amelie; et al
Heterocycles (2017), 95(2), 894-919.

Scheme 28 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (43)

31-614-CAS-30043068

Steps: 1 Yield: 100%

Site-specific incorporation of 5'-methyl DNA enhances the therapeutic profile of gapmer ASOs


1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 4 h, 70 °C

By: Vasquez, Guillermo; et al
Nucleic Acids Research (2021), 49(4), 1828-1839.

Experimental Protocols

Scheme 29 (1 Reaction)

Steps: 1 Yield: 100%



Supplier (1)

31-480-CAS-18425741

Steps: 1 Yield: 100%

Palladium-catalyzed diastereoselective synthesis of β,β -diarylpropionic acid derivatives and its application to the total synthesis of (R)-tolterodine and the enantiomer of a key intermediate for MK-8718


1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; overnight, reflux

By: Zhi, Wubin; et al
Tetrahedron Letters (2018), 59(6), 537-540.

Experimental Protocols

Scheme 30 (1 Reaction)

Steps: 1 Yield: 100%



Absolute stereochemistry shown

31-614-CAS-35507334

Steps: 1 Yield: 100%

Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 1 h, reflux


By: Othman, Raja Ben; et al

Experimental Protocols

Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.

Scheme 31 (1 Reaction)

Steps: 1 Yield: 100%



Absolute stereochemistry shown

Suppliers (2)

31-614-CAS-40028231

Steps: 1 Yield: 100%

Muraymycin nucleoside antibiotics: structure-activity relationship for variations in the nucleoside unit

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 2 h, reflux; reflux → 0 °C; 30 min, 0 °C


By: Heib, Anna; et al

Experimental Protocols

Molecules (2020), 25(1), 22.

Scheme 32 (1 Reaction)

Steps: 1 Yield: 100%



Absolute stereochemistry shown

Supplier (1)

Suppliers (296)

31-301-CAS-251869

Steps: 1 Yield: 100%

Synthesis of 1'-C-Cyano Pyrimidine Nucleosides and Characterization as HCV Polymerase Inhibitors

1.1 Reagents: Ethyl acetate, 2-Iodoxybenzoic acid; 15 min, rt
1.2 Solvents: Acetonitrile; 30 min, 80 °C


By: Kirschberg, Thorsten A.; et al

Experimental Protocols

Nucleosides, Nucleotides & Nucleic Acids (2015), 34(11), 763-785.

Scheme 33 (1 Reaction)

Steps: 1 Yield: 100%



Double bond geometry shown

Double bond geometry shown

Suppliers (2)

Suppliers (2)

31-480-CAS-18656482

Steps: 1 Yield: 100%

Copper-Catalyzed Vinylogous Aerobic Oxidation of Unsaturated Compounds with Air

By: Zhang, Hai-Jun; et al


Journal of the American Chemical Society (2018), 140(15), 5300-5310.

1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Dimethyl sulfoxide; rt

Scheme 34 (1 Reaction)

Steps: 1 Yield: 100%

Absolute stereochemistry shown,
Rotation (-)Absolute stereochemistry shown,
Rotation (-)

Suppliers (84)

Suppliers (62)

31-614-CAS-32746823

Steps: 1 Yield: 100%

Design, synthesis, and cytotoxic activity of new tubulysin analogues

By: Le, Hai Van; et al

Synlett (2022), 33(2), 187-195.


1.1 Reagents: 2-Iodoxybenzoic acid

Solvents: Ethyl acetate; 5 h, reflux

Experimental Protocols

Scheme 35 (2 Reactions)

Steps: 1 Yield: 100%



Absolute stereochemistry shown

Absolute stereochemistry shown

Suppliers (58)

Suppliers (2)

31-614-CAS-40028236

Steps: 1 Yield: 100%

Muraymycin nucleoside antibiotics: structure-activity relationship for variations in the nucleoside unit

By: Heib, Anna; et al

Molecules (2020), 25(1), 22.

1.1 Reagents: 2-Iodoxybenzoic acid


Solvents: Acetonitrile; 1 h, reflux; reflux → 0 °C; 30 min, 0 °C

Experimental Protocols

31-480-CAS-15657699 Steps: 1 Yield: 100% 1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Acetonitrile; 30 min, reflux	NAA-modified DNA oligonucleotides with zwitterionic backbones: stereoselective synthesis of A-T phosphoramidite building blocks By: Schmidtgal, Boris; et al Beilstein Journal of Organic Chemistry (2015), 11, 50-60, 11 pp..
---	--

Scheme 36 (1 Reaction)

Steps: 1 Yield: 100%




Supplier (1)

31-614-CAS-35507345 Steps: 1 Yield: 100% 1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Acetonitrile; 45 min, reflux Experimental Protocols	Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation By: Othman, Raja Ben; et al Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.
---	---

Scheme 37 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-10320955 Steps: 1 Yield: 100% 1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Dimethyl sulfoxide; 0 °C; 0.5 h, rt Experimental Protocols	Discovery of New Monocarbonyl Ligustrazine-Curcumin Hybrids for Intervention of Drug-Sensitive and Drug-Resistant Lung Cancer By: Ai, Yong; et al Journal of Medicinal Chemistry (2016), 59(5), 1747-1760.
--	--

Scheme 38 (1 Reaction)

Steps: 1 Yield: 100%




Supplier (1)

Suppliers (2)

31-480-CAS-3477836	Steps: 1 Yield: 100%	Synthesis of Denosomin-Vitamin D₃ Hybrids and Evaluation of Their Anti-Alzheimer's Disease Activities By: Sugimoto, Kenji; et al Organic Letters (2015), 17(23), 5910-5913.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; 4 h, 80 °C		
Experimental Protocols		

Scheme 39 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-18928703	Steps: 1 Yield: 100%	Total Synthesis of (-)-Peniphenone A By: Pantin, Mathilde; et al Journal of Organic Chemistry (2018), 83(13), 7049-7059.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Dimethyl sulfoxide; 3 h, rt		
Experimental Protocols		

Scheme 40 (1 Reaction)


Steps: 1 Yield: 100%



31-480-CAS-17934143	Steps: 1 Yield: 100%	Tuning the Reactivity of Functionalized Diallylic Alcohols: Bronsted versus Lewis Acid Catalysis By: Lempenauer, Luisa; et al Chemistry - A European Journal (2017), 23(43), 10285-10288.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Dimethyl sulfoxide, Tetrahydrofuran; 2.5 h, rt		
Experimental Protocols		

Scheme 41 (1 Reaction)


Steps: 1 Yield: 100%



31-614-CAS-35507360	Steps: 1 Yield: 100%	Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation By: Othman, Raja Ben; et al Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Acetonitrile; 1 h, reflux		
Experimental Protocols		

Scheme 42 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (20)

Supplier (1)

31-614-CAS-35507337

Steps: 1 Yield: 100%

Effect of uridine protecting groups on the diastereoselectivity of uridine-derived aldehyde 5'-alkynylation

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 45 min, reflux


By: Othman, Raja Ben; et al

Experimental Protocols

Beilstein Journal of Organic Chemistry (2017), 13, 1533-1541.

Scheme 43 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (45)

Suppliers (18)

31-614-CAS-37310968

Steps: 1 Yield: 100%

Total Synthesis and Biological Evaluation of the Anti-Inflammatory (13R,14S,15R)-13-Hydroxy-14-deoxyoxacyclododecindione


1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 4 h, rt

By: Seipp, Kevin; et al

Journal of Natural Products (2023), 86(4), 924-938.

Scheme 44 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (55)

Suppliers (19)

31-614-CAS-41496829

Steps: 1 Yield: 100%

Total Synthesis, Structure Reassignment, and Biological Evaluation of the Anti-Inflammatory Macrolactone 13-Hydroxy-14-deoxyoxacyclododecindione

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Acetonitrile; 24 h, rt


By: Seipp, Kevin; et al

Experimental Protocols

Journal of Natural Products (2024), 87(4), 1131-1149.

Scheme 45 (2 Reactions)

Steps: 1 Yield: 100%



Suppliers (63)

Suppliers (57)

31-614-CAS-41260170

Steps: 1 Yield: 100%

Halogen-Bond-Promoted Direct Cross-Coupling of Trifluoromethylated Alkyl Bromides with Coumarins/Quinolinones: Unraveling Trifluoromethyl Effects

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 4 h, rt → reflux

By: Guo, Peng; et al

Organic Letters (2024), 26(15), 3097-3102.

Experimental Protocols

31-614-CAS-41257863

Steps: 1 Yield: 100%

Catalytic reduction of trifluoromethylated alkyl bromides and synthesis of alkylated heterocycles under visible light irradiation: synergetic action of a halogen bond and Ni catalysis

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Ethyl acetate; 4 h, rt → reflux


By: Wang, Gai-Rong; et al

Organic Chemistry Frontiers (2024), 11(17), 4722-4729.

Experimental Protocols

Scheme 46 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

Suppliers (67)

31-480-CAS-19863697

Steps: 1 Yield: 100%

Total synthesis of (±)-ramariolides C and D

1.1 Reagents: 2-Iodoxybenzoic acid
Solvents: Dimethyl sulfoxide; 2.5 h, rt


By: Kuse, Masaki; et al

Chemistry Letters (2017), 46(9), 1409-1411.

1.2 Reagents: Sodium thiosulfate
Solvents: Water; 30 min, rt

Scheme 47 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (83)

Suppliers (60)

31-480-CAS-18306664	Steps: 1 Yield: 100%	Diastereoselective C-H Bond Amination for Disubstituted Pyrrolidines
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; 4 h, rt → reflux		By: Iovan, Diana A.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2017), 56(49), 15599-15602.

Scheme 48 (1 Reaction)

Steps: 1 Yield: 99%



31-480-CAS-16326038	Steps: 1 Yield: 99%	Synthesis and evaluation of phenylalanine-derived trifluoromethyl ketones for peptide-based oxidation catalysis
1.1 Reagents: 2-Iodoxybenzoic acid Solvents: Ethyl acetate; rt → 77 °C; 45 h, 77 °C; 30 min, 77 °C → -5 °C		By: Featherston, Aaron L.; et al
Experimental Protocols		Bioorganic & Medicinal Chemistry (2016), 24(20), 4871-4874.