

Initiating Search

November 10, 2025, 8:50 PM

• Search:

CAS Lexicon Search:

Sulfur fluoride exchange - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (212)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (126)	 Reactions	View Results
Filtered By:		
Yield:	90-100%, 80-89%, 70-79%	
Document Type:	Journal	

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (60)

Suppliers (60)

Suppliers (53)

31-614-CAS-42726433

Steps: 1 Yield: 100%

Lewis Acid-Catalyzed Sulfur Fluoride Exchange

1.1 Reagents: Dabco

Catalysts: Calcium bis(trifluoromethane sulfone)imide

Solvents: 1,4-Dioxane; 24 h, 50 °C


By: Yassa, Theodore D.; et al

Organic Letters (2024), 26(46), 9897-9902.

Experimental Protocols

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (115)

31-614-CAS-31383671

Steps: 1 Yield: 100%

Radical 1-Fluorosulfonyl-2-alkynylation of Unactivated Alkenes

1.1 Reagents: Triethylamine

Solvents: Acetonitrile, Tetrahydrofuran, Water; 18 h, 80 °C


By: Frye, Nils Lennart; et al

Angewandte Chemie, International Edition (2022), 61(12), e202115593.

Experimental Protocols

Scheme 3 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (2)

Suppliers (60)

31-260-CAS-22361435	Steps: 1 Yield: 99%	But-3-ene-1,3-disulfonyl difluoride (BDF): a highly selective Su FEx clickable hub for the quick assembly of sultam-containing aliphatic sulfonyl fluorides
1.1 Solvents: Acetonitrile; 5 - 20 min, rt		By: Li, Chen; et al Chemical Communications (Cambridge, United Kingdom) (2020), 56(58), 8075-8078.

Scheme 4 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (109)

31-614-CAS-41545960	Steps: 1 Yield: 99%	Intramolecular chalcogen bonding activated Su FEx click chemistry for efficient organic-inorganic linking
1.1 Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 2 h, rt		By: Wang, Minlong; et al Nature Communications (2024), 15(1), 6849.
Experimental Protocols		

Scheme 5 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (71)


Suppliers (46)

Suppliers (4)

31-614-CAS-42726397	Steps: 1 Yield: 99%	Lewis Acid-Catalyzed Sulfur Fluoride Exchange
1.1 Reagents: Dabco, Trimethylsilyl triflate Catalysts: Calcium bis(trifluoromethane sulfone)imide Solvents: 1,4-Dioxane; 16 h, 50 °C		By: Yassa, Theodore D.; et al Organic Letters (2024), 26(46), 9897-9902.
Experimental Protocols		

Scheme 6 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (27)


Suppliers (60)

Suppliers (5)

31-614-CAS-42726424	Steps: 1 Yield: 99%	Lewis Acid-Catalyzed Sulfur Fluoride Exchange
1.1 Reagents: Dabco Catalysts: Calcium bis(trifluoromethane sulfone)imide Solvents: 1,4-Dioxane; 24 h, 50 °C		By: Yassa, Theodore D.; et al Organic Letters (2024), 26(46), 9897-9902.
Experimental Protocols		

Scheme 7 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (139)

Suppliers (49)

31-614-CAS-44100854	Steps: 1 Yield: 99%	Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β-Sultams
1.1 Reagents: Silica Solvents: Dichloromethane; 16 h, rt		By: Qin, Xinshu; et al Organic Letters (2025), 27(7), 1596-1601.
Experimental Protocols		

Scheme 8 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (49)


Suppliers (67)

Suppliers (2)

31-614-CAS-44100839	Steps: 1 Yield: 99%	Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β-Sultams
1.1 Reagents: Silica Solvents: Dichloromethane; 16 h, rt		By: Qin, Xinshu; et al Organic Letters (2025), 27(7), 1596-1601.
Experimental Protocols		

Scheme 9 (1 Reaction)

Steps: 1 Yield: 98%




Suppliers (206)

31-614-CAS-41545943	Steps: 1 Yield: 98%	Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking
1.1 Reagents: 2-tert-Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 2 h, rt		By: Wang, Minlong; et al Nature Communications (2024), 15(1), 6849.
Experimental Protocols		

Scheme 10 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (206)

31-614-CAS-41545958

Steps: 1 Yield: 98%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Catalysts:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 11 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (67)

31-614-CAS-41545921

Steps: 1 Yield: 98%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Reagents:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 12 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 12 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (51)

31-614-CAS-41545917

Steps: 1 Yield: 98%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Reagents:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 12 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 13 (1 Reaction)

Steps: 1 Yield: 98%



Supplier (1)

Suppliers (75)

31-393-CAS-21992355

Steps: 1 Yield: 98%

A Simple Protocol for the Stereoselective Construction of Enaminyll Sulfonyle Fluorides

1.1 Solvents: 1,4-Dioxane; 12 h, rt


Experimental Protocols

By: Leng, Jing; et al

Organic Letters (2020), 22(11), 4316-4321.

Scheme 14 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (71)

Suppliers (55)

31-614-CAS-42726401

Steps: 1 Yield: 97%

Lewis Acid-Catalyzed Sulfur Fluoride Exchange

1.1 Reagents: Dabco, Trimethylsilyl triflate

Catalysts: Calcium bis(trifluoromethane sulfone)imide

Solvents: 1,4-Dioxane; 16 h, 50 °C


Experimental Protocols

By: Yassa, Theodore D.; et al

Organic Letters (2024), 26(46), 9897-9902.

Scheme 15 (1 Reaction)

Steps: 1 Yield: 97%

Absolute stereochemistry shown,
Rotation (+)

Absolute stereochemistry shown

Suppliers (59)

31-614-CAS-41545929

Steps: 1 Yield: 97%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-tert-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 12 h, rt


Experimental Protocols

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.

Scheme 16 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (88)

31-614-CAS-31383669

Steps: 1 Yield: 97%

Radical 1-Fluorosulfonyl-2-alkynylation of Unactivated Alkenes

1.1 Reagents: Triethylamine
Solvents: Acetonitrile; 18 h, 80 °C


By: Frye, Nils Lennart; et al

Angewandte Chemie, International Edition (2022), 61(12),
e202115593.

Experimental Protocols

Scheme 17 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (71)

Suppliers (69)

Suppliers (5)

31-614-CAS-42726399

Steps: 1 Yield: 97%

Lewis Acid-Catalyzed Sulfur Fluoride Exchange

1.1 Reagents: Dabco, Trimethylsilyl triflate
Catalysts: Calcium bis(trifluoromethane sulfone)imide
Solvents: 1,4-Dioxane; 16 h, 50 °C


By: Yassa, Theodore D.; et al

Organic Letters (2024), 26(46), 9897-9902.

Experimental Protocols

Scheme 18 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (80)

31-614-CAS-41545933

Steps: 1 Yield: 97%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-tert-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 12 h, rt


By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.

Experimental Protocols

Scheme 19 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (74)

Suppliers (49)

31-614-CAS-44100844

Steps: 1 Yield: 97%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt


By: Qin, Xinshu; et al

Experimental Protocols

Organic Letters (2025), 27(7), 1596-1601.

Scheme 20 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (34)

Suppliers (60)

Suppliers (39)

31-614-CAS-42726431

Steps: 1 Yield: 97%

Lewis Acid-Catalyzed Sulfur Fluoride Exchange

1.1 Reagents: Dabco

Catalysts: Calcium bis(trifluoromethane sulfone)imide

Solvents: 1,4-Dioxane; 24 h, 50 °C


By: Yassa, Theodore D.; et al

Organic Letters (2024), 26(46), 9897-9902.

Experimental Protocols

Scheme 21 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (66)

31-614-CAS-41545920

Steps: 1 Yield: 97%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 22 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (52)

31-614-CAS-36881310

Steps: 1 Yield: 96%

1.1 Reagents: 1,8-Diazabicyclo[5.4.0]undec-7-ene
Solvents: Dimethyl sulfoxide, Water; overnight, pH 7.4, 37 °C

Experimental Protocols


Sulfur-fluoride exchange (SuFEx)-enabled lead discovery of AChE inhibitors by fragment linking strategies

By: Zhang, Ziwen; et al

European Journal of Medicinal Chemistry (2023), 257, 115502.

Scheme 23 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (82)

31-614-CAS-41545928

Steps: 1 Yield: 96%

1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 12 h, rt

Experimental Protocols


Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.

Scheme 24 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (91)

Suppliers (49)

31-614-CAS-44100849

Steps: 1 Yield: 96%

1.1 Reagents: Silica
Solvents: Dichloromethane; 16 h, rt

Experimental Protocols


Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

By: Qin, Xinshu; et al

Organic Letters (2025), 27(7), 1596-1601.

Scheme 25 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (49)

Suppliers (85)

31-614-CAS-44100836

Steps: 1 Yield: 95%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt


By: Qin, Xinshu; et al

Experimental Protocols

Organic Letters (2025), 27(7), 1596-1601.

Scheme 26 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (100)

31-614-CAS-41545935

Steps: 1 Yield: 95%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 12 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 27 (1 Reaction)

Steps: 1 Yield: 95%



Double bond geometry shown

Suppliers (6)

Suppliers (81)

31-260-CAS-20213907

Steps: 1 Yield: 95%

Synthesis of novel 1,2,4-thiadiazinane 1,1-dioxides via three component SuFEx type reaction


1.1 Catalysts: 1,8-Diazabicyclo[5.4.0]undec-7-ene; 1 - 3 h, rt

By: Khumalo, Mzilikazi F.; et al

RSC Advances (2018), 8(65), 37503-37507.

Scheme 28 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (49)

Suppliers (79)

31-614-CAS-44100832

Steps: 1 Yield: 95%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt


By: Qin, Xinshu; et al

Experimental Protocols

Organic Letters (2025), 27(7), 1596-1601.

Scheme 29 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (49)

Suppliers (85)

Suppliers (3)

31-614-CAS-44100843

Steps: 1 Yield: 95%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt


By: Qin, Xinshu; et al

Experimental Protocols

Organic Letters (2025), 27(7), 1596-1601.

Scheme 30 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (84)

31-614-CAS-41545914

Steps: 1 Yield: 95%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 31 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (91)

31-614-CAS-41545962

Steps: 1 Yield: 94%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al


Nature Communications (2024), 15(1), 6849.

 1.1 Catalysts: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
 Solvents: Acetonitrile; 2 h, rt

Experimental Protocols

Scheme 32 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (83)

31-614-CAS-41545939

Steps: 1 Yield: 94%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al


Nature Communications (2024), 15(1), 6849.

 1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
 Solvents: Acetonitrile; 24 h, rt

Experimental Protocols

Scheme 33 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (53)

Suppliers (49)

31-614-CAS-44100845

Steps: 1 Yield: 94%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

By: Qin, Xinshu; et al


Organic Letters (2025), 27(7), 1596-1601.

 1.1 Reagents: Silica
 Solvents: Dichloromethane; 16 h, rt

Experimental Protocols

Scheme 34 (1 Reaction)

Steps: 1 Yield: 94%



Double bond geometry shown

Suppliers (6)

Suppliers (113)

31-260-CAS-20213906

Steps: 1 Yield: 94%

Synthesis of novel 1,2,4-thiadiazinane 1,1-dioxides via three component SuFEx type reaction


By: Khumalo, Mzilikazi F.; et al

RSC Advances (2018), 8(65), 37503-37507.

1.1 **Catalysts:** 1,8-Diazabicyclo[5.4.0]undec-7-ene; 1 - 3 h, rt

Scheme 35 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (46)

Suppliers (113)

Suppliers (71)

31-393-CAS-22008145

Steps: 1 Yield: 94%

SuFEx activation with Ca(NTf₂)₂: a unified strategy to access sulfamides, sulfamates and sulfon amides from S(VI) fluorides

By: Mahapatra, Subham; et al


Organic Letters (2020), 22(11), 4389-4394.

1.1 **Reagents:** Dabco, Calcium bis(trifluoromethane sulfone)imide
Solvents: Tetrahydrofuran; 3 h, rt

Experimental Protocols

Scheme 36 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (55)

Suppliers (46)

Supplier (1)

31-393-CAS-22008144

Steps: 1 Yield: 94%

SuFEx activation with Ca(NTf₂)₂: a unified strategy to access sulfamides, sulfamates and sulfon amides from S(VI) fluorides

By: Mahapatra, Subham; et al


Organic Letters (2020), 22(11), 4389-4394.

1.1 **Reagents:** Dabco, Calcium bis(trifluoromethane sulfone)imide
Solvents: Tetrahydrofuran; 30 min, rt

Experimental Protocols

Scheme 37 (1 Reaction)

Steps: 1 Yield: 93%



Double bond geometry shown

Suppliers (19)

Suppliers (22)

31-260-CAS-16216625

Steps: 1 Yield: 93%

1.1 Solvents: Dichloromethane, Water; 3 min, rt; 30 min, rt

Experimental Protocols


A Heck-Matsuda Process for the Synthesis of β -Arylethen esulfonyl Fluorides: Selectively Addressable Bis-electrophiles for SuFEx Click Chemistry

By: Qin, Hua-Li; et al

Angewandte Chemie, International Edition (2016), 55(45), 14155-14158.

Scheme 38 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (2)

Suppliers (69)

31-260-CAS-22361443

Steps: 1 Yield: 93%

1.1 Solvents: Acetonitrile; 5 - 20 min, rt


But-3-ene-1,3-disulfonyl difluoride (BDF): a highly selective Su FEx clickable hub for the quick assembly of sultam-containing aliphatic sulfonyl fluorides

By: Li, Chen; et al

Chemical Communications (Cambridge, United Kingdom) (2020), 56(58), 8075-8078.

Scheme 39 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (70)

Suppliers (49)

31-614-CAS-44100840

Steps: 1 Yield: 93%

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt

Experimental Protocols


Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

By: Qin, Xinshu; et al

Organic Letters (2025), 27(7), 1596-1601.

Scheme 40 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (44)

31-614-CAS-41545926

Steps: 1 Yield: 93%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al


Nature Communications (2024), 15(1), 6849.

 1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
 Solvents: Acetonitrile; 2 h, rt

Experimental Protocols

Scheme 41 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (55)

Suppliers (33)

31-393-CAS-22008146

Steps: 1 Yield: 93%

SuFEx activation with $\text{Ca}(\text{NTf}_2)_2$: a unified strategy to access sulfamides, sulfamates and sulfon amides from S(VI) fluorides

By: Mahapatra, Subham; et al


Organic Letters (2020), 22(11), 4389-4394.

 1.1 Reagents: Dabco, Calcium bis(trifluoromethane sulfone)imide
 Solvents: Tetrahydrofuran; 45 min, rt

Experimental Protocols

Scheme 42 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (76)

Suppliers (49)

31-614-CAS-44100838

Steps: 1 Yield: 93%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

By: Qin, Xinshu; et al


Organic Letters (2025), 27(7), 1596-1601.

 1.1 Reagents: Silica
 Solvents: Dichloromethane; 16 h, rt

Experimental Protocols

Scheme 43 (1 Reaction)

Steps: 1 Yield: 92%



Suppliers (2)

Suppliers (91)

31-260-CAS-22361450

Steps: 1 Yield: 92%

But-3-ene-1,3-disulfonyl difluoride (BDF): a highly selective Su FEx clickable hub for the quick assembly of sultam-containing aliphatic sulfonyl fluorides


By: Li, Chen; et al

Chemical Communications (Cambridge, United Kingdom) (2020), 56(58), 8075-8078.

1.1 Solvents: Acetonitrile; 5 - 20 min, rt

Scheme 44 (1 Reaction)

Steps: 1 Yield: 92%



Suppliers (108)

Suppliers (74)

31-393-CAS-21881687

Steps: 1 Yield: 92%

SuFEx-enabled, agnostic discovery of covalent inhibitors of human neutrophil elastase


By: Zheng, Qinheng; et al

Proceedings of the National Academy of Sciences of the United States of America (2019), 116(38), 18808-18814.

- 1.1 Reagents: Triethylamine
Solvents: Dichloromethane; rt; 4 h, rt
- 1.2 Reagents: Hydrochloric acid
Solvents: 1,4-Dioxane; overnight, rt
- 1.3 Reagents: Triethylamine, 1*H*-imidazolium, 3-(fluorosulfonyl)-1,2-dimethyl-, 1,1,1-trifluoromethanesulfonate (1:1)
Solvents: Acetone; 3 h, rt
- 1.4 Reagents: Water; rt

Scheme 45 (1 Reaction)

Steps: 1 Yield: 92%



Suppliers (104)

31-614-CAS-41545946

Steps: 1 Yield: 92%

Intramolecular chalcogen bonding activated Su FEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al


Nature Communications (2024), 15(1), 6849.

- 1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 12 h, rt

Experimental Protocols

Scheme 46 (1 Reaction)

Steps: 1 Yield: 91%



Double bond geometry shown

Suppliers (82)

Suppliers (6)

31-260-CAS-20213905

Steps: 1 Yield: 91%


Synthesis of novel 1,2,4-thiadiazinane 1,1-dioxides via three component SuFEx type reaction
1.1 **Catalysts:** 1,8-Diazabicyclo[5.4.0]undec-7-ene; 1 - 3 h, rt

By: Khumalo, Mzilikazi F.; et al

RSC Advances (2018), 8(65), 37503-37507.

Scheme 47 (1 Reaction)

Steps: 1 Yield: 91%



Suppliers (206)

31-614-CAS-31086899

Steps: 1 Yield: 91%

The chemistry of ferrocenesulfonyl fluoride revealed
1.1 **Reagents:** Cesium carbonate
Solvents: Acetonitrile; 14 h, 25 °C


By: Erb, William; et al

Dalton Transactions (2021), 50(45), 16483-16487.

Experimental Protocols

Scheme 48 (1 Reaction)

Steps: 1 Yield: 91%



Suppliers (74)

Suppliers (69)

Suppliers (2)

31-614-CAS-42726405

Steps: 1 Yield: 91%

Lewis Acid-Catalyzed Sulfur Fluoride Exchange
1.1 **Reagents:** Dabco, Trimethylsilyl triflate
Catalysts: Calcium bis(trifluoromethane sulfone)imide
Solvents: 1,4-Dioxane; 16 h, 50 °C


By: Yassa, Theodore D.; et al

Organic Letters (2024), 26(46), 9897-9902.

Experimental Protocols

Scheme 49 (1 Reaction)

Steps: 1 Yield: 91%



Suppliers (99)

Suppliers (49)

31-614-CAS-44100851

Steps: 1 Yield: 91%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt


By: Qin, Xinshu; et al

Experimental Protocols

Organic Letters (2025), 27(7), 1596-1601.

Scheme 50 (1 Reaction)

Steps: 1 Yield: 91%



Suppliers (49)

Suppliers (81)

Suppliers (5)

31-614-CAS-44100852

Steps: 1 Yield: 91%

Base-Free SuFEx Reaction Promoted by Silica Gel for the Synthesis of β -Sultams

1.1 Reagents: Silica

Solvents: Dichloromethane; 16 h, rt

By: Qin, Xinshu; et al

Experimental Protocols

Organic Letters (2025), 27(7), 1596-1601.