

Initiating Search

November 5, 2025, 4:50 PM

• Search:

CAS Lexicon Search:

Hydrazinolysis - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (1,274)	 References	View Results
Exported: Retrieved Related Reaction Results (1,347)	 Reactions	View Results

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%


 Suppliers (88)

 Suppliers (122)

Double bond geometry shown

31-310-CAS-21501498

Steps: 1 Yield: 100%

Study of the two steps and one-pot two-step mechanoc hemical synthesis of annulated 1,2,4-triazoles

By: Gonnet, Lori; et al

ACS Sustainable Chemistry & Engineering (2020), 8(8), 3114-3125.

1.1 Reagents: Sodium acetate


Solvents: Dichloromethane; 15 min, rt

1.2 Reagents: Bis(trifluoroacetoxy)iodobenzene; 45 min, rt

Experimental Protocols

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%


 Suppliers (88)

 Suppliers (122)

Double bond geometry shown

31-310-CAS-21508795

Steps: 1 Yield: 100%

Study of the two steps and one-pot two-step mechanoc hemical synthesis of annulated 1,2,4-triazoles

By: Gonnet, Lori; et al

ACS Sustainable Chemistry & Engineering (2020), 8(8), 3114-3125.


1.1 Reagents: Sodium acetate

Solvents: Ethanol; 1 h, reflux

Experimental Protocols

Scheme 3 (1 Reaction)

Steps: 1 Yield: 100%


 Suppliers (88)

 Suppliers (146)


Double bond geometry shown

 Supplier (1)

31-310-CAS-21501483 Steps: 1 Yield: 100% 1.1 Reagents: Sodium acetate; 15 - 45 min, rt Experimental Protocols	Study of the two steps and one-pot two-step mechanoc hemical synthesis of annulated 1,2,4-triazoles By: Gonnet, Lori; et al ACS Sustainable Chemistry & Engineering (2020), 8(8), 3114-3125.
--	---

Scheme 4 (1 Reaction)


Steps: 1 Yield: 99%



31-614-CAS-24692628 Steps: 1 Yield: 99% 1.1 Catalysts: Phosphoric acid Solvents: Ethanol; 0.5 - 2 h, reflux Experimental Protocols	Synthesis of Novel N-Acylhydrazones and Their C-N/N-N Bond Conformational Characterization by NMR Spectroscopy By: Munir, Rubina; et al Molecules (2021), 26(16), 4908.
---	--

Scheme 5 (1 Reaction)


Steps: 1 Yield: 98%



31-310-CAS-7065252 Steps: 1 Yield: 98% 1.1 Solvents: Methanol; 3 h, reflux Experimental Protocols	Synthesis of 2-amino- and 2-hydrazino-substituted 5-nitro-4,6-diphenylpyrimidines By: Sedova, V. F.; et al Chemistry of Heterocyclic Compounds (New York, NY, United States)(Translation of Khimiya Geterotsiklicheskih Soedinenii) (2002), 38(5), 564-570.
--	--

Scheme 6 (1 Reaction)


Steps: 1 Yield: 98%



31-310-CAS-6497534 Steps: 1 Yield: 98%	Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides By: Thiagarajan, G.; et al Research on Chemical Intermediates (2015), 41(6), 3949-3970.
1.1 Reagents: Acetic acid Solvents: Methanol; 3 min, 89 °C	

Scheme 7 (1 Reaction)


Steps: 1 Yield: 98%



31-310-CAS-11160447 Steps: 1 Yield: 98%	MAOS versus conventional synthesis of 4,5-di- and 3,4,5-triphenylimidazole-2-thione and their derivatives By: El Ashry, E. S. H.; et al ARKIVOC (Gainesville, FL, United States) (2007), (7), 30-40.
1.1 Catalysts: Acetic acid Solvents: Ethanol; 3 min, heated	

Scheme 8 (1 Reaction)


Steps: 1 Yield: 98%




31-310-CAS-15132055 Steps: 1 Yield: 98%	MAOS versus conventional synthesis of 4,5-di- and 3,4,5-triphenylimidazole-2-thione and their derivatives By: El Ashry, E. S. H.; et al ARKIVOC (Gainesville, FL, United States) (2007), (7), 30-40.
1.1 Catalysts: Acetic acid Solvents: Ethanol; 2 min, heated	

Scheme 9 (1 Reaction)


Steps: 1 Yield: 98%




31-614-CAS-45642017	Steps: 1 Yield: 98% Preparation of 1,3-dimethyl-5-pyrazolone
1.1 Solvents: Toluene; 60 s, 45 °C	Assignee: Shaanxi Damei Chemical Technology Co., Ltd. China, CN119528813 A 2025-02-28 PatentPak available

Scheme 10 (1 Reaction) Steps: 1 Yield: 98%	
  Suppliers (47)  Suppliers (92) Double bond geometry shown	

31-310-CAS-7609352	Steps: 1 Yield: 98% Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides
1.1 Reagents: Acetic acid Solvents: Methanol; 3 min, 77 °C	By: Thiyagarajan, G.; et al Research on Chemical Intermediates (2015), 41(6), 3949-3970.

Scheme 11 (1 Reaction) Steps: 1 Yield: 98%	
  Suppliers (90) Double bond geometry shown	


31-614-CAS-24692649	Steps: 1 Yield: 98% Synthesis of Novel N-Acylhydrazones and Their C-N/N-N Bond Conformational Characterization by NMR Spectroscopy
1.1 Catalysts: Phosphoric acid Solvents: Ethanol; 0.5 - 2 h, reflux	By: Munir, Rubina; et al
Experimental Protocols	Molecules (2021), 26(16), 4908.

Scheme 12 (1 Reaction) Steps: 1 Yield: 98%	
  Suppliers (38)  Suppliers (90) Absolute stereochemistry shown Double bond geometry unknown	

31-310-CAS-21908883	Steps: 1 Yield: 98%	Method for synthesis of benser azide hydrochloride from serine methyl ester hydrochloride
1.1 Solvents: Isopropanol; 20 h, rt		Assignee: Specpharms Scientific Research Limited China, CN110511159 A 2019-11-29 PatentPak available

Scheme 13 (1 Reaction)


Steps: 1 Yield: 97%



31-310-CAS-458682	Steps: 1 Yield: 97%	Synthesis of 2,6-dimethyl-3,5-pyridine aryl hydrazones in water
1.1 Catalysts: Acetic acid Solvents: Water; 1 - 10 min, rt; 30 min, rt		By: Cui, Li-ying; et al Shanghai Daxue Xuebao, Ziran Kexueban (2006), 12(4), 412-414.

Scheme 14 (1 Reaction)


Steps: 1 Yield: 97%



31-310-CAS-6878797	Steps: 1 Yield: 97%	Synthesis of 2,6-dimethyl-3,5-pyridine aryl hydrazones in water
1.1 Catalysts: Acetic acid Solvents: Water; 1 - 10 min, rt; 30 min, rt		By: Cui, Li-ying; et al Shanghai Daxue Xuebao, Ziran Kexueban (2006), 12(4), 412-414.

Scheme 15 (1 Reaction)


Steps: 1 Yield: 97%




31-310-CAS-10626752	Steps: 1 Yield: 97%	A facile synthesis of novel biologically active 4-hydroxy-N'-(benzylidene)-2H-benzo[e][1,2]thiazine-3-carbohydrazide 1,1-dioxides
1.1 Catalysts: Phosphoric acid Solvents: Methanol; 2 min, 25 °C		By: Zia-ur-Rehman, Muhammad; et al European Journal of Medicinal Chemistry (2009), 44(3), 1311-1316.

Scheme 16 (2 Reactions)

Steps: 1 Yield: 97%



Suppliers (65)




Suppliers (13)

31-310-CAS-6612647	Steps: 1 Yield: 97%	Transformations of 3-nitropyridin-4(1H)-one and 1-methyl-3-nitropyridin-4(1H)-one in reaction with hydrazine
1.1 Reagents: Hydrazine Solvents: Ethanol; 30 min, 70 - 80 °C		By: Smolyar, N. N.
Experimental Protocols		Russian Journal of Organic Chemistry (2010), 46(1), 122-125.


31-310-CAS-12579248	Steps: 1 Yield: 97%	Recyclization of the 4-(R-amino)-3-nitropyridines to the pyrazole derivatives under conditions of the hydrazinolysis
1.1 Reagents: Hydrazine Solvents: Ethanol; 0.5 h, 70 - 80 °C		By: Smolyar, N. N.; et al Ukrainskii Khimicheskii Zhurnal (Russian Edition) (2007), 73(3-4), 111-114.

Scheme 17 (1 Reaction)


Steps: 1 Yield: 97%



Suppliers (96)



Suppliers (22)




Suppliers (80)

31-614-CAS-45642020	Steps: 1 Yield: 97%	Preparation of 1,3-dimethyl-5-pyrazolone
1.1 Solvents: Toluene; 60 s, 45 °C		Assignee: Shaanxi Damei Chemical Technology Co., Ltd. China, CN119528813 A 2025-02-28 PatentPak available

Scheme 18 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (38)

31-614-CAS-24559148

Steps: 1 Yield: 97%

Synthesis and PTP1B inhibitory activity of novel chalcone derivatives bearing 1H-benz[d]imidazole or 1H-benzo[d][1,2,3]triazole moieties


By: Fu, Yang; et al

Youji Huaxue (2019), 39(4), 1029-1036.

1.1 **Catalysts:** Acetic acid
Solvents: Ethanol; rt → 50 °C; 4 h, 50 °C

Scheme 19 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (2)

Suppliers (76)

Suppliers (5)

31-310-CAS-1000777

Steps: 1 Yield: 96%

Synthesis of 2-amino- and 2-hydrazino-substituted 5-nitro-4,6-diphenylpyrimidines

By: Sedova, V. F.; et al


Chemistry of Heterocyclic Compounds (New York, NY, United States)(Translation of Khimiya Geterotsiklicheskikh Soedinenii) (2002), 38(5), 564-570.

1.1 **Solvents:** Ethanol; 4 h, reflux

Experimental Protocols

Scheme 20 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (2)

Suppliers (104)

Suppliers (3)

31-310-CAS-9801877

Steps: 1 Yield: 96%

Synthesis of 2-amino- and 2-hydrazino-substituted 5-nitro-4,6-diphenylpyrimidines

By: Sedova, V. F.; et al


Chemistry of Heterocyclic Compounds (New York, NY, United States)(Translation of Khimiya Geterotsiklicheskikh Soedinenii) (2002), 38(5), 564-570.

1.1 **Solvents:** Methanol; 3 h, reflux

Experimental Protocols

Scheme 21 (1 Reaction)

Steps: 1 Yield: 96%



Supplier (1)

Suppliers (92)

31-310-CAS-4119764

Steps: 1 Yield: 96%

MAOS versus conventional synthesis of 4,5-di- and 3,4,5-triphenylimidazole-2-thione and their derivatives


By: El Ashry, E. S. H.; et al

ARKIVOC (Gainesville, FL, United States) (2007), (7), 30-40.

- 1.1 **Catalysts:** Acetic acid
Solvents: Ethanol; 2 min, heated

Scheme 22 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (47)

Suppliers (99)

Double bond geometry shown

31-310-CAS-11898885

Steps: 1 Yield: 96%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

- 1.1 **Reagents:** Acetic acid
Solvents: Methanol; 3 min, 84 °C

Scheme 23 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (47)

Suppliers (122)

Double bond geometry shown

31-310-CAS-12238365

Steps: 1 Yield: 96%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

- 1.1 **Reagents:** Acetic acid
Solvents: Methanol; 3 min, 81 °C

Scheme 24 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (2)

Suppliers (32)

31-310-CAS-675730

Steps: 1 Yield: 96%

Synthesis of 2-amino- and 2-hydrazino-substituted 5-nitro-4,6-diphenylpyrimidines

1.1 Solvents: Methanol; 3 h, reflux


Experimental Protocols

By: Sedova, V. F.; et al

Chemistry of Heterocyclic Compounds (New York, NY, United States)(Translation of Khimiya Geterotsiklichesikh Soedinenii) (2002), 38(5), 564-570.

Scheme 25 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (128)

31-310-CAS-5576825

Steps: 1 Yield: 96%

Synthesis 1,4,7,10,13-benzopentaoxacyclopentadecin-15-sulfonic acid (arylmethylene)hydrazide derivatives and determination of their anion recognition properties

1.1 Solvents: Ethanol; 3 min, rt; 0.5 h, rt


Experimental Protocols

By: Wei, Tai-Bao; et al

Youji Huaxue (2007), 27(11), 1381-1385.

Scheme 26 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (47)

Suppliers (128)

Double bond geometry shown

31-310-CAS-13226633

Steps: 1 Yield: 96%


Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides1.1 Reagents: Acetic acid
Solvents: Methanol; 3 min, 83 °C

By: Thiyagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

Scheme 27 (1 Reaction)

Steps: 1 Yield: 96%



Supplier (1)

Suppliers (115)

31-310-CAS-9021442

Steps: 1 Yield: 96%

MAOS versus conventional synthesis of 4,5-di- and 3,4,5-triphenylimidazole-2-thione and their derivatives

1.1 **Catalysts:** Acetic acid
Solvents: Ethanol; 2 min, heated

By: El Ashry, E. S. H.; et al

ARKIVOC (Gainesville, FL, United States) (2007), (7), 30-40.

Scheme 28 (1 Reaction)

Steps: 1 Yield: 96%



31-310-CAS-4276944

Steps: 1 Yield: 96%

Synthesis, structure, and reactions of the first rotational isomers of stable thiobenzaldehydes, 2,4,6-tris[bis(trimethylsilyl)methyl]thiobenzaldehydes


1.1 **Reagents:** Hydrazine
Solvents: Ethanol, Dichloromethane

By: Takeda, Nobuhiro; et al

Chemistry - A European Journal (1997), 3(1), 62-69.

Scheme 29 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (10)

Suppliers (92)

Supplier (1)

31-310-CAS-4751982

Steps: 1 Yield: 96%

Synthesis of 2,6-dimethyl-3,5-pyridine aryl hydrazones in water


1.1 **Catalysts:** Acetic acid
Solvents: Water; 1 - 10 min, rt; 30 min, rt

By: Cui, Li-ying; et al

Shanghai Daxue Xuebao, Ziran Kexueban (2006), 12(4), 412-414.

Scheme 30 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (115)

31-310-CAS-3675157

Steps: 1 Yield: 96%

Glycosylation, Sugar Hydrazones, and Antimicrobial Evaluation of Some 6-Substituted-1,2,4-Triazines

1.1 Solvents: 1,4-Dioxane; 3 - 5 h, reflux


Experimental Protocols

By: El-Barbary, A. A.; et al

Nucleosides, Nucleotides & Nucleic Acids (2010), 29(1), 55-71.

Scheme 31 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (5)

Suppliers (72)

31-614-CAS-35066429

Steps: 1 Yield: 96%

Preparation of quinolone alkaloid derivative containing hydrazone for treating tobacco mosaic virus

1.1 Solvents: Methanol; 12 h, reflux


Assignee: Taiyuan University of Technology

China, CN115232070 A 2022-10-25

PatentPak available

Scheme 32 (1 Reaction)

Steps: 1 Yield: 96%



Supplier (1)

Suppliers (80)

31-310-CAS-10472240

Steps: 1 Yield: 96%

Preparation and characterization of some new nitrofurazomethines


1.1 Solvents: Methanol

By: Jugrestan, Florian; et al

Studia Universitatis Babes-Bolyai, Chemia (1993), 38(1-2), 115-119.

Scheme 33 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (5)

Suppliers (225)

 Absolute stereochemistry shown
 Double bond geometry unknown

31-310-CAS-12684284

Steps: 1 Yield: 95%

Synthesis and antiviral evaluation of sugar uracil-1-ylmethylhydrazones and their oxadiazoline derivatives

By: Ali, Omar M.; et al

Synthesis (2007), (18), 2823-2828.


1.1 Catalysts: Acetic acid

Solvents: Ethanol, Water; 5 h, reflux

Experimental Protocols

Scheme 34 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (81)

Double bond geometry shown

31-310-CAS-575640

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides

By: Thiagarajan, G.; et al


Research on Chemical Intermediates (2015), 41(6), 3949-3970.

1.1 Reagents: Acetic acid

Solvents: Methanol; 3 min, 81 °C

Scheme 35 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (99)

Double bond geometry shown

31-310-CAS-14647673

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides

By: Thiagarajan, G.; et al


Research on Chemical Intermediates (2015), 41(6), 3949-3970.

1.1 Reagents: Acetic acid

Solvents: Methanol; 3 min, 86 °C

Scheme 36 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (27)

Suppliers (60)

31-310-CAS-282814

Steps: 1 Yield: 95%

Design, synthesis and biological activity of novel (3- substituted phenyl-2-propen-1-ylidene)-benzoylhydrazones


1.1 Reagents: Acetic acid
Solvents: Ethanol; rt → 78 °C

By: Xu, Yan; et al

Youji Huaxue (2014), 34(6), 1118-1123.

Scheme 37 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (95)

Double bond geometry shown

31-310-CAS-14965963

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


1.1 Reagents: Acetic acid
Solvents: Methanol; 3 min, 86 °C

By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

Scheme 38 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (106)

Double bond geometry shown

31-310-CAS-8960038

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


1.1 Reagents: Acetic acid
Solvents: Methanol; 3 min, 79 °C

By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

Scheme 39 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (3)

Suppliers (83)

Double bond geometry shown

Supplier (1)

31-310-CAS-3611373

Steps: 1 Yield: 95%

A facile synthesis of novel biologically active 4-hydroxy-N'-(benzylidene)-2H-benzo[e][1,2]thiazine-3-carbohydrazide 1,1-dioxides


By: Zia-ur-Rehman, Muhammad; et al

European Journal of Medicinal Chemistry (2009), 44(3), 1311-1316.

1.1 Catalysts: Phosphoric acid
Solvents: Methanol; 1.5 min, 30 °C

Scheme 40 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (53)

Suppliers (82)

Double bond geometry shown

31-310-CAS-12453724

Steps: 1 Yield: 95%

Preparation and application of vanillic acid acylhydrazone derivatives

Assignee: Nanjing University


China, CN103044284 A 2013-04-17

PatentPak available

1.1 Catalysts: Acetic acid
Solvents: Ethanol; 4 - 6 h, rt

Scheme 41 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (10)

Suppliers (138)

Suppliers (3)

31-310-CAS-2620533

Steps: 1 Yield: 95%

Synthesis of 2,6-dimethyl-3-pyridine aryl hydrazones in water


By: Cui, Li-ying; et al

Shanghai Daxue Xuebao, Ziran Kexueban (2006), 12(4), 412-414.

1.1 Catalysts: Acetic acid
Solvents: Water; 1 - 10 min, rt; 30 min, rt

Scheme 42 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (80)

31-310-CAS-14731502

Steps: 1 Yield: 95%

Preparation and characterization of some new nitrofurazomethines


By: Jugrestan, Florian; et al

Studia Universitatis Babes-Bolyai, Chemia (1993), 38(1-2), 115-119.

1.1 Solvents: Methanol

Scheme 43 (1 Reaction)

Steps: 1 Yield: 95%



Absolute stereochemistry shown

Absolute stereochemistry shown
Double bond geometry unknown

Suppliers (81)

31-310-CAS-15150993

Steps: 1 Yield: 95%

Convenient synthesis of 1-substituted 4-methyl-5-oxo[1,2,4]triazolo[4,3-a]quinazolines


By: Fathalla, Walid; et al

ARKIVOC (Gainesville, FL, United States) (2007), (16), 173-186.

1.1 Solvents: Ethanol; 12 h, reflux

Scheme 44 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (80)

31-310-CAS-1334879

Steps: 1 Yield: 95%

Preparation and characterization of some new nitrofurazomethines


By: Jugrestan, Florian; et al

Studia Universitatis Babes-Bolyai, Chemia (1993), 38(1-2), 115-119.

1.1 Solvents: Methanol

Scheme 45 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (83)

31-310-CAS-972533

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

1.1 Reagents: Acetic acid
Solvents: Methanol; 3 min, 87 °C

Scheme 46 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (138)

31-310-CAS-3745224

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

1.1 Reagents: Acetic acid
Solvents: Methanol; 3 min, 85 °C

Scheme 47 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (47)

Suppliers (85)

31-310-CAS-8633471

Steps: 1 Yield: 95%

Convenient synthesis, antibacterial activity, and crystal structure of some biologically important hydrazinecarbonyl benzenesulfonamides


By: Thiagarajan, G.; et al

Research on Chemical Intermediates (2015), 41(6), 3949-3970.

1.1 Reagents: Acetic acid
Solvents: Methanol; 3 min, 86 °C

Scheme 48 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (3)

Suppliers (80)

31-310-CAS-12571987

Steps: 1 Yield: 95%

Preparation and characterization of some new nitrofurazomethines


By: Jugrestan, Florian; et al

Studia Universitatis Babes-Bolyai, Chemia (1993), 38(1-2), 115-119.

1.1 Solvents: Methanol

Scheme 49 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (5)

Suppliers (81)

31-614-CAS-35066422

Steps: 1 Yield: 95%

Preparation of quinolone alkaloid derivative containing hydrazone for treating tobacco mosaic virus

Assignee: Taiyuan University of Technology

China, CN115232070 A 2022-10-25

PatentPak available

1.1 Solvents: Methanol; 12 h, reflux