

Initiating Search

November 5, 2025, 8:27 PM

• Search:

CAS Lexicon Search:

Sulfur fluoride exchange - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (211)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (353)	 Reactions	View Results
Filtered By:		
Document Type:	Journal	

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (45)

Suppliers (54)

31-614-CAS-31115049

Steps: 1 Yield: 100%

Accelerated SuFEx Click Chemistry For Modular Synthesis

1.1 Reagents: Hexamethyldisilazane
Catalysts: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 5 min, rt


By: Smedley, Christopher J.; et al

Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Experimental Protocols

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (81)

31-614-CAS-40396715

Steps: 1 Yield: 100%

Iterative click reactions using trivalent platforms for sequential molecular assembly

1.1 Catalysts: 1,8-Diazabicyclo[5.4.0]undec-7-ene
Solvents: Acetonitrile; 24 h, rt


By: Orimoto, Gaku; et al

Chemical Communications (Cambridge, United Kingdom) (2024), 60(45), 5824-5827.

Experimental Protocols

Scheme 3 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (34)

Suppliers (86)

31-614-CAS-42835609 Steps: 1 Yield: 100% 1.1 Reagents: 1,8-Diazabicyclo[5.4.0]undec-7-ene Solvents: Acetonitrile- <i>d</i> ₃ ; 5 min, rt Experimental Protocols	Benzene-1,3-disulfonyl fluoride and Benzene-1,3,5-trisulfonyl fluoride: Low-Cost, Stable, and Selective Reagents for SuFEx-Driven Deoxyazidation By: Vishwakarma, Dharmendra S.; et al Advanced Synthesis & Catalysis (2024), 366(21), 4470-4477.
---	--

Scheme 4 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (98)

31-614-CAS-40396726 Steps: 1 Yield: 100% 1.1 Catalysts: 1,8-Diazabicyclo[5.4.0]undec-7-ene Solvents: Acetonitrile; 24 h, rt Experimental Protocols	Iterative click reactions using trivalent platforms for sequential molecular assembly By: Orimoto, Gaku; et al Chemical Communications (Cambridge, United Kingdom) (2024), 60(45), 5824-5827.
---	--

Scheme 5 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (77)

Suppliers (54)

31-614-CAS-31115074 Steps: 1 Yield: 100% 1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 5 min, rt Experimental Protocols	Accelerated SuFEx Click Chemistry For Modular Synthesis By: Smedley, Christopher J.; et al Angewandte Chemie, International Edition (2022), 61(4), e202112375.
---	---

Scheme 6 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (142)

31-614-CAS-40396714	Steps: 1 Yield: 100%	Iterative click reactions using trivalent platforms for sequential molecular assembly
1.1 Catalysts: 1,8-Diazabicyclo[5.4.0]undec-7-ene Solvents: Acetonitrile; 24 h, rt		By: Orimoto, Gaku; et al
Experimental Protocols		Chemical Communications (Cambridge, United Kingdom) (2024), 60(45), 5824-5827.

Scheme 7 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (32)

Suppliers (60)

31-614-CAS-31115078	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 30 min, rt		By: Smedley, Christopher J.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Scheme 8 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (125)


Suppliers (81)

Suppliers (3)

31-614-CAS-31115106	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 30 min, 60 °C		By: Smedley, Christopher J.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Scheme 9 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (109)

31-614-CAS-40396711	Steps: 1 Yield: 100%	Iterative click reactions using trivalent platforms for sequential molecular assembly
1.1 Catalysts: 1,8-Diazabicyclo[5.4.0]undec-7-ene Solvents: Acetonitrile; 24 h, rt		By: Orimoto, Gaku; et al
Experimental Protocols		Chemical Communications (Cambridge, United Kingdom) (2024), 60(45), 5824-5827.

Scheme 10 (1 Reaction)


Steps: 1 Yield: 100%

[Suppliers \(77\)](#)

31-614-CAS-31115153	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 5 min, rt		By: Smedley, Christopher J.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Scheme 11 (1 Reaction)


Steps: 1 Yield: 100%

[Suppliers \(84\)](#)[Suppliers \(33\)](#)

31-614-CAS-31115067	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 30 min, rt		By: Smedley, Christopher J.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Scheme 12 (1 Reaction)

Steps: 1 Yield: 100%

[Suppliers \(43\)](#)[Suppliers \(77\)](#)

Scheme 13 (1 Reaction)

Steps: 1 Yield: 100%

The reaction scheme shows the synthesis of a sulfonate ester. The first reactant is 4-(difluoromethyl)benzenesulfonyl fluoride, which consists of a benzene ring with a -CF₂ group at the para position and a -SO₂F group at the other para position. The second reactant is 1,3-benzodioxol-5-ol, which is a benzene ring fused to a 1,3-dioxole ring, with a hydroxyl group (-OH) at the 5-position. The product is 4-(4-(difluoromethyl)phenyl)phenyl 1,3-benzodioxole-5-sulfonate, where the hydroxyl group of the second reactant has been replaced by the 4-(difluoromethyl)phenylsulfonate group of the first reactant.

Suppliers (43)

Suppliers (109)

Scheme 14 (1 Reaction) Steps: 1 Yield: 100%

The reaction scheme shows the synthesis of 4-(4-cyanophenyl)phenyl 4-hydroxyphenyl sulfone. The reactants are 4-(4-cyanophenyl)butan-1-ol (a benzene ring with a hydroxyl group at the para position and a 4-cyanobutyl group at the other para position) and 4-fluorobenzenesulfonic acid (a benzene ring with a fluorine atom at the para position and a sulfonic acid group at the other para position). The product is 4-(4-cyanophenyl)phenyl 4-hydroxyphenyl sulfone, where the two phenyl rings are linked by a sulfonate group (-SO₂-) and each has a para-substituent (hydroxyl and cyano groups, respectively).

Oc1ccc(cc1)CCCC#N + OS(=O)(=O)c1ccc(F)cc1 → Oc1ccc(cc1)S(=O)(=O)c2ccc(cc2)CCCC#N

Suppliers (84)

Suppliers (69)

Suppliers (21)

Scheme 15 (1 Reaction)

Steps: 1 Yield: 100%


FC(=O)OCC1CCN(CC1)C(=O)C(=O)C#N.[Na+].[OH-]>>FC(=O)OCC1CCN(CC1)C(=O)C(=O)C#N.[Na+].[OH-]

Suppliers (207)

31-614-CAS-40396712	Steps: 1 Yield: 100%	Iterative click reactions using trivalent platforms for sequential molecular assembly
1.1 Catalysts: 1,8-Diazabicyclo[5.4.0]undec-7-ene Solvents: Acetonitrile; 24 h, rt		By: Orimoto, Gaku; et al
Experimental Protocols		Chemical Communications (Cambridge, United Kingdom) (2024), 60(45), 5824-5827.

Scheme 16 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (90)

Suppliers (33)

31-614-CAS-31115073	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 60 min, rt		By: Smedley, Christopher J.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Scheme 17 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (44)


Suppliers (618)

Suppliers (7)

31-614-CAS-31115094	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 30 min, rt		By: Smedley, Christopher J.; et al
Experimental Protocols		Angewandte Chemie, International Edition (2022), 61(4), e202112375.

Scheme 18 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (109)

Suppliers (54)

31-614-CAS-31115071	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 5 min, rt		By: Smedley, Christopher J.; et al Angewandte Chemie, International Edition (2022), 61(4), e202112375.
Experimental Protocols		

Scheme 19 (1 Reaction)


Steps: 1 Yield: 100%



31-614-CAS-31115066	Steps: 1 Yield: 100%	Accelerated SuFEx Click Chemistry For Modular Synthesis
1.1 Reagents: Hexamethyldisilazane Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 10 min, rt		By: Smedley, Christopher J.; et al Angewandte Chemie, International Edition (2022), 61(4), e202112375.
Experimental Protocols		

Scheme 20 (1 Reaction)


Steps: 1 Yield: 99%



31-614-CAS-31086910	Steps: 1 Yield: 99%	The chemistry of ferrocenesulfonyl fluoride revealed
1.1 Reagents: Sodium hydride Solvents: Tetrahydrofuran; 25 °C; 15 min, 25 °C 1.2 30 min, 25 °C		By: Erb, William; et al Dalton Transactions (2021), 50(45), 16483-16487.
Experimental Protocols		

Scheme 21 (1 Reaction)


Steps: 1 Yield: 99%



31-614-CAS-41545957	Steps: 1 Yield: 99%	Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking
1.1 Catalysts: 2- <i>tert</i> -Butyl-1,1,3,3-tetramethylguanidine Solvents: Acetonitrile; 2 h, rt		By: Wang, Minlong; et al Nature Communications (2024), 15(1), 6849.
Experimental Protocols		

Scheme 22 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (32)

Suppliers (80)

31-614-CAS-44586002

Steps: 1 Yield: 99%

N-Heterocyclic carbene-catalyzed SuFEx reactions of fluoroalkylated secondary benzylic alcohols

By: Wei, Zhihang; et al


Organic & Biomolecular Chemistry (2025), 23(14), 3465-3469.

1.1 **Catalysts:** 1,3-Dihydro-1,3-bis(1-methylethyl)-2*H*-imidazol-2-ylidene**Solvents:** Acetonitrile; 24 h, rt

Experimental Protocols

Scheme 23 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (34)

Suppliers (80)

31-614-CAS-44586009

Steps: 1 Yield: 99%

N-Heterocyclic carbene-catalyzed SuFEx reactions of fluoroalkylated secondary benzylic alcohols

By: Wei, Zhihang; et al


Organic & Biomolecular Chemistry (2025), 23(14), 3465-3469.

1.1 **Catalysts:** 1,3-Dihydro-1,3-bis(1-methylethyl)-2*H*-imidazol-2-ylidene**Solvents:** Acetonitrile; 24 h, rt

Experimental Protocols

Scheme 24 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (25)

Suppliers (82)

Suppliers (3)

31-614-CAS-31115110

Steps: 1 Yield: 99%

Accelerated SuFEx Click Chemistry For Modular Synthesis

By: Smedley, Christopher J.; et al


Angewandte Chemie, International Edition (2022), 61(4), e202112375.

1.1 **Reagents:** Hexamethyldisilazane
Catalysts: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine**Solvents:** Acetonitrile; 30 min, 60 °C

Experimental Protocols

Scheme 25 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (207)

Supplier (1)

31-614-CAS-41545972

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Reagents:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 0.5 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 26 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (67)

31-614-CAS-41545950

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Catalysts:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 27 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (207)

31-614-CAS-41545948

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Catalysts:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 28 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (106)

31-614-CAS-41545912

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.


1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 2 h, rt

Experimental Protocols

Scheme 29 (1 Reaction)

Steps: 1 Yield: 99%



Double bond geometry shown

Suppliers (69)

Double bond geometry shown

31-022-CAS-21992351

Steps: 1 Yield: 99%

A Simple Protocol for the Stereoselective Construction of Enaminyll Sulfonfyl Fluorides

By: Leng, Jing; et al

Organic Letters (2020), 22(11), 4316-4321.


1.1 Reagents: Potassium hydroxide

Solvents: Acetonitrile; 5 - 15 h, 50 °C

Experimental Protocols

Scheme 30 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (16)

Suppliers (207)

Suppliers (3)

31-614-CAS-41545969

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.


1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 0.5 h, rt

Experimental Protocols

Scheme 31 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (3)

31-614-CAS-41942649

Steps: 1 Yield: 99%

Bronsted base-catalyzed assembly of sulfochromeno[4,3-b]pyrrolidines via tandem [3 + 2] cycloaddition-SuFEx click reaction of ethenesulfonyl fluorides and o-hydroxyaryl azomethines

1.1 **Catalysts:** Triethylamine
Solvents: Acetonitrile; 24 h, rt


Experimental Protocols

By: Zhang, Fang; et al

Organic Chemistry Frontiers (2024), 11(21), 6177-6183.

Scheme 32 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (103)

31-614-CAS-41545956

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Catalysts:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt


Experimental Protocols

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.

Scheme 33 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (85)

31-614-CAS-41545890

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 **Reagents:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt


Experimental Protocols

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.

Scheme 34 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (95)

Suppliers (98)

Suppliers (17)

31-614-CAS-31112521

Steps: 1 Yield: 99%

SuFEx-enabled, chemoselective synthesis of triflates, triflamides and triflimidates

1.1 Reagents: Diisopropylethylamine, Potassium bifluoride

Solvents: Acetonitrile, Water; 18 h, rt

By: Li, Bing-Yu; et al

1.2 Reagents: Sodium hydroxide


Solvents: Water

Chemical Science (2022), 13(8), 2270-2279.

Experimental Protocols

Scheme 35 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (207)

31-614-CAS-41545980

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-tert-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 0.5 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 36 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (61)

31-614-CAS-41545874

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-tert-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 0.5 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 37 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (207)

31-614-CAS-41545865

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.


1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 2 h, rt

Experimental Protocols

Scheme 38 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (18)

Suppliers (69)

31-614-CAS-44586016

Steps: 1 Yield: 99%

N-Heterocyclic carbene-catalyzed SuFEx reactions of fluoroalkylated secondary benzylic alcohols

By: Wei, Zhihang; et al

Organic & Biomolecular Chemistry (2025), 23(14), 3465-3469.


1.1 Catalysts: 1,3-Dihydro-1,3-bis(1-methylethyl)-2*H*-imidazol-2-ylidene

Solvents: Acetonitrile; 24 h, rt

Experimental Protocols

Scheme 39 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (4)

Suppliers (207)

31-614-CAS-41545978

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al

Nature Communications (2024), 15(1), 6849.


1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 0.5 h, rt

Experimental Protocols

Scheme 40 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (46)

Suppliers (207)

Suppliers (30)

31-614-CAS-41545968

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al


Nature Communications (2024), 15(1), 6849.

1.1 **Reagents:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 0.5 h, rt

Experimental Protocols

Scheme 41 (1 Reaction)

Steps: 1 Yield: 99%



Double bond geometry shown

Suppliers (103)

Double bond geometry shown

31-022-CAS-21992354

Steps: 1 Yield: 99%

A Simple Protocol for the Stereoselective Construction of Enaminyll Sulfonyl Fluorides

By: Leng, Jing; et al


Organic Letters (2020), 22(11), 4316-4321.

1.1 **Reagents:** Potassium hydroxide
Solvents: Acetonitrile; 5 - 15 h, 50 °C

Experimental Protocols

Scheme 42 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (85)

31-614-CAS-41545882

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

By: Wang, Minlong; et al


Nature Communications (2024), 15(1), 6849.

1.1 **Reagents:** 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 0.5 h, rt

Experimental Protocols

Scheme 43 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (95)

Suppliers (146)

Suppliers (9)

31-614-CAS-31112519

Steps: 1 Yield: 99%

SuFEx-enabled, chemoselective synthesis of triflates, triflamides and triflimidates

1.1 Reagents: Diisopropylethylamine, Potassium bifluoride

Solvents: Acetonitrile, Water; 12 h, rt

By: Li, Bing-Yu; et al

1.2 Reagents: Sodium hydroxide


Solvents: Water

Chemical Science (2022), 13(8), 2270-2279.

Experimental Protocols

Scheme 44 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (81)

31-614-CAS-41545891

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-tert-Butyl-1,1,3,3-tetramethylguanidine

Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 45 (1 Reaction)

Steps: 1 Yield: 99%



Double bond geometry shown

Suppliers (207)

Double bond geometry shown

31-614-CAS-44678683

Steps: 1 Yield: 99%

A simple protocol for stereoselective construction of novel β -sulfanyl vinyl sulfonate fluorides

1.1 Reagents: Cesium carbonate

Solvents: Acetonitrile; 1 h, rt


By: Ajisafe, Monday Peter; et al

Experimental Protocols

Chemical Communications (Cambridge, United Kingdom) (2025), 61(31), 5798-5801.

Scheme 46 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (95)

Suppliers (120)

Suppliers (58)

31-614-CAS-31112511

Steps: 1 Yield: 99%

SuFEx-enabled, chemoselective synthesis of triflates, triflamides and triflimidates

By: Li, Bing-Yu; et al

Chemical Science (2022), 13(8), 2270-2279.

1.1 Reagents: Diisopropylethylamine, Potassium bifluoride

Solvents: Acetonitrile, Water; 18 h, rt


1.2 Reagents: Sodium hydroxide

Solvents: Water

Experimental Protocols

Scheme 47 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (21)

Suppliers (69)

31-614-CAS-44586026

Steps: 1 Yield: 99%

N-Heterocyclic carbene-catalyzed SuFEx reactions of fluoroalkylated secondary benzylic alcohols

By: Wei, Zhihang; et al

Organic & Biomolecular Chemistry (2025), 23(14), 3465-3469.


1.1 Catalysts: 1,3-Dihydro-1,3-bis(1-methylethyl)-2H-imidazol-2-ylidene

Solvents: Acetonitrile; 24 h, rt

Experimental Protocols

Scheme 48 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (46)

Suppliers (69)

Suppliers (2)

31-614-CAS-44585993

Steps: 1 Yield: 99%

N-Heterocyclic carbene-catalyzed SuFEx reactions of fluoroalkylated secondary benzylic alcohols

By: Wei, Zhihang; et al

Organic & Biomolecular Chemistry (2025), 23(14), 3465-3469.


1.1 Catalysts: 1,3-Dihydro-1,3-bis(1-methylethyl)-2H-imidazol-2-ylidene

Solvents: Acetonitrile; 24 h, rt

Experimental Protocols

Scheme 49 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (103)

31-614-CAS-41545985

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt


By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.

Scheme 50 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (207)

31-614-CAS-41545870

Steps: 1 Yield: 99%

Intramolecular chalcogen bonding activated SuFEx click chemistry for efficient organic-inorganic linking

1.1 Reagents: 2-*tert*-Butyl-1,1,3,3-tetramethylguanidine
Solvents: Acetonitrile; 2 h, rt

By: Wang, Minlong; et al

Experimental Protocols

Nature Communications (2024), 15(1), 6849.