

Initiating Search

November 5, 2025, 8:29 PM

• Search:

CAS Lexicon Search:

Sulfonamides, amino - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (147)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (291)	 Reactions	View Results
Filtered By:		
Document Type:	Journal	
Language:	English	

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (15)

Suppliers (79)

Supplier (1)

31-393-CAS-3996047

Steps: 1 Yield: 100%

Novel Potent and Efficacious Nonpeptidic Urotensin II Receptor Agonists

1.1 Reagents: Triethylamine
Solvents: Tetrahydrofuran; 18 h, rt


By: Lehmann, Fredrik; et al

Experimental Protocols

Journal of Medicinal Chemistry (2006), 49(7), 2232-2240.

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (15)

Suppliers (77)

Supplier (1)

31-393-CAS-1871561

Steps: 1 Yield: 100%

Novel Potent and Efficacious Nonpeptidic Urotensin II Receptor Agonists

1.1 Reagents: Triethylamine
Solvents: Tetrahydrofuran; 18 h, rt


By: Lehmann, Fredrik; et al

Experimental Protocols

Journal of Medicinal Chemistry (2006), 49(7), 2232-2240.

Scheme 3 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (15)

Suppliers (78)

Supplier (1)

31-393-CAS-15261467

Steps: 1 Yield: 100%

Novel Potent and Efficacious Nonpeptidic Urotensin II Receptor Agonists

1.1 Reagents: Triethylamine
Solvents: Tetrahydrofuran; 18 h, rt


By: Lehmann, Fredrik; et al

Experimental Protocols

Journal of Medicinal Chemistry (2006), 49(7), 2232-2240.

Scheme 4 (1 Reaction)

Steps: 1 Yield: 100%



31-393-CAS-19371496

Steps: 1 Yield: 100%

α-Amino Acid Sulfonamides as Versatile Sulfonation Reagents: Silver-Catalyzed Synthesis of Coumarins and Oxindoles by Radical Cyclization

By: Kanyiva, Kyalo Stephen; et al


European Journal of Organic Chemistry (2018), 2018(43), 5905-5909.

- 1.1 Reagents: Sodium hydroxide
Solvents: Diethyl ether, Water; 20 h, rt
- 1.2 Reagents: Hydrochloric acid
Solvents: Water; pH 2 - 3

Experimental Protocols

Scheme 5 (1 Reaction)

Steps: 1 Yield: 99%



31-393-CAS-4957460

Steps: 1 Yield: 99%

Synthesis and applications of β-aminoethanesulfonyl azides

By: Brouwer, Arwin J.; et al


Synthesis (2006), (3), 455-460.

- 1.1 Reagents: Sodium azide
Solvents: Acetone, Dimethylformamide, Water; 1 h, rt

Experimental Protocols

Scheme 6 (1 Reaction)

Steps: 1 Yield: 99%



31-393-CAS-12239491

Steps: 1 Yield: 99%

Ir(III) complexes of diamine ligands for asymmetric ketone hydrogenation

By: Martins, Jose E. D.; et al


Tetrahedron (2009), 65(29-30), 5782-5786.

- 1.1 Reagents: Triethylamine
Solvents: Dichloromethane; 0 °C
- 1.2 0 °C; overnight, rt

Experimental Protocols

Scheme 7 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (22)

Suppliers (79)

Suppliers (4)

31-393-CAS-8354702

Steps: 1 Yield: 99%

Hg(OTf)₂-BINAPHANE-catalyzed enantioselective anilino sulfonamide allyl alcohol cyclization

By: Yamamoto, Hirofumi; et al

Chemistry - A European Journal (2010), 16(37), 11271-11274, S11271/1-S11271/114.


1.1 Reagents: Pyridine

Solvents: Chloroform; 0 °C; 30 min, rt

Experimental Protocols

Scheme 8 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (95)

Suppliers (65)

31-393-CAS-2193578

Steps: 1 Yield: 96%

Asymmetric Transfer Hydrogenation of Aromatic Ketones Catalyzed by New Chiral C2-Symmetric Bis(sulfonyl) tetraaza Ligands Complexed with [Ru(η⁶-p-cymene)Cl₂]₂ in Water

By: Liu, Xungao; et al

Catalysis Letters (2014), 144(7), 1289-1295.


1.1 Reagents: Triethylamine

Solvents: Dichloromethane; 2 h, 0 °C; 12 h, rt

Experimental Protocols

Scheme 9 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (51)

Suppliers (79)

Suppliers (2)

31-393-CAS-23713730

Steps: 1 Yield: 95%

Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides

By: Mondal, Debasmitta; et al

Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.


1.1 Reagents: Pyridine

Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt

Experimental Protocols

Scheme 10 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (58)

Suppliers (79)

Suppliers (3)

31-393-CAS-23714371

Steps: 1 Yield: 95%

Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides

By: Mondal, Debasmita; et al

Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.


1.1 Reagents: Pyridine

Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt

Experimental Protocols

Scheme 11 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (80)

Suppliers (81)

Suppliers (3)

31-393-CAS-23999387

Steps: 1 Yield: 95%

Ni-catalyzed hydroaminoalkylation of alkynes with amines

By: Yao, Wei-Wei; et al

Nature Communications (2021), 12(1), 3800.

1.1 Reagents: Triethylamine

Solvents: Dichloromethane; rt; 3 h, rt


1.2 Reagents: Sodium bicarbonate

Solvents: Water; rt

Experimental Protocols

Scheme 12 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (79)

31-393-CAS-23710316

Steps: 1 Yield: 94%

Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides

By: Mondal, Debasmita; et al

Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.


1.1 Reagents: Pyridine

Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt

Experimental Protocols

Scheme 13 (1 Reaction)

Steps: 1 Yield: 94%



Suppliers (79)

Suppliers (80)

Suppliers (14)

31-393-CAS-6470082

Steps: 1 Yield: 94%

Observations on the reactivity of pentafluorophenyl sulfonate esters


By: Caddick, Stephen; et al

Chemical Communications (Cambridge, United Kingdom) (2005), (21), 2727-2728.

1.1 **Reagents:** Phenol, 2,3,4,5,6-pentafluoro-, 1-(4-methylbenzenesulfonate)**Solvents:** Dichloromethane; rt → 0 °C1.2 **Reagents:** Triethylamine**Solvents:** Dichloromethane; 5 min, 0 °C; 1 h, 0 °C1.3 **Reagents:** Hydrochloric acid**Solvents:** Dichloromethane, Water; 0 °C

Scheme 14 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (46)

Suppliers (79)

Suppliers (3)

31-393-CAS-23715789

Steps: 1 Yield: 93%

Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides

By: Mondal, Debasmita; et al


Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.

1.1 **Reagents:** Pyridine**Solvents:** Dichloromethane; 0 °C; 2 - 3 h, rt

Experimental Protocols

Scheme 15 (1 Reaction)

Steps: 1 Yield: 93%



Suppliers (55)


Suppliers (79)

Suppliers (6)

31-393-CAS-23714562	Steps: 1 Yield: 93%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides By: Mondal, Debasmita; et al Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
1.1 Reagents: Pyridine Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt		
Experimental Protocols		

Scheme 16 (1 Reaction)


Steps: 1 Yield: 93%



31-393-CAS-23712585	Steps: 1 Yield: 93%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides By: Mondal, Debasmita; et al Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
1.1 Reagents: Pyridine Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt		
Experimental Protocols		

Scheme 17 (1 Reaction)


Steps: 1 Yield: 92%



31-393-CAS-23710627	Steps: 1 Yield: 92%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides By: Mondal, Debasmita; et al Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
1.1 Reagents: Pyridine Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt		
Experimental Protocols		

Scheme 18 (1 Reaction)

Steps: 1 Yield: 92%



Suppliers (46)

Suppliers (79)

Suppliers (4)

31-393-CAS-23710714

Steps: 1 Yield: 92%

Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides

By: Mondal, Debasmita; et al

Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.


1.1 Reagents: Pyridine

Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt

Experimental Protocols

Scheme 19 (1 Reaction)

Steps: 1 Yield: 92%



Suppliers (21)

Suppliers (17)

31-393-CAS-707211

Steps: 1 Yield: 92%

Synthesis and applications of β -aminoethanesulfonyl azides

By: Brouwer, Arwin J.; et al

Synthesis (2006), (3), 455-460.


1.1 Reagents: Sodium azide

Solvents: Acetone, Water; 1 h, rt

Experimental Protocols

Scheme 20 (1 Reaction)


Steps: 1 Yield: 92%



Suppliers (98)

Suppliers (113)


Suppliers (79)



31-367-CAS-23715949	Steps: 1 Yield: 92%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides
1.1 Reagents: Thionyl chloride Solvents: Toluene; 9 h, reflux		By: Mondal, Debasmita; et al
1.2 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, 0 °C		Chemical Communications (Cambridge, United Kingdom)
1.3 Solvents: Dichloromethane; 0 °C; 2 h, 0 °C		(2021), 57(44), 5462-5465.
Experimental Protocols		

Scheme 21 (1 Reaction)


Steps: 1 Yield: 91%



31-393-CAS-23714536	Steps: 1 Yield: 91%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides
1.1 Reagents: Pyridine Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt		By: Mondal, Debasmita; et al
Experimental Protocols		Chemical Communications (Cambridge, United Kingdom)
		(2021), 57(44), 5462-5465.

Scheme 22 (1 Reaction)


Steps: 1 Yield: 91%



31-393-CAS-6004600	Steps: 1 Yield: 91%	Palladium-Catalyzed Modular Synthesis of Substituted Piperazines and Related Nitrogen Heterocycles
1.1 Solvents: Dichloromethane; 23 °C		By: Montgomery, Thomas D.; et al
1.2 Reagents: Diisopropylethylamine; 12 h, 23 °C		Organic Letters (2016), 18(4), 740-743.
1.3 Reagents: Hydrochloric acid Solvents: Water; 23 °C		
Experimental Protocols		

Scheme 23 (1 Reaction)

Steps: 1 Yield: 91%



31-393-CAS-14365541

Steps: 1 Yield: 91%

Ir(III) complexes of diamine ligands for asymmetric ketone hydrogenation

By: Martins, Jose E. D.; et al


Tetrahedron (2009), 65(29-30), 5782-5786.

- 1.1 **Reagents:** Triethylamine
Solvents: Dichloromethane; 0 °C
- 1.2 0 °C; overnight, rt

Experimental Protocols

Scheme 24 (1 Reaction)

Steps: 1 Yield: 90%



31-180-CAS-15162625

Steps: 1 Yield: 90%

An engineered linker capable of promoting on-resin reactions for microwave-assisted solid-phase organic synthesis


By: Sun, Li-Ping; et al

Angewandte Chemie, International Edition (2006), 45(43), 7255-7258.

- 1.1 **Catalysts:** Triphenylphosphine, Cuprous iodide, Dichlorobis (triphenylphosphine)palladium
Solvents: Dimethylformamide, Triethylamine; 8 h, 80 °C
- 1.2 **Reagents:** Stannous chloride
Solvents: *N*-Methyl-2-pyrrolidone; 24 h, rt
- 1.3 **Solvents:** Dichloromethane, Pyridine; 24 h, rt
- 1.4 **Reagents:** Trifluoroacetic acid
Solvents: Dichloromethane; rt

Scheme 25 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-7083758	Steps: 1 Yield: 90%	Synthesis and applications of β-aminoethanesulfonyl azides
1.1 Reagents: Sodium azide Solvents: Acetone, Water; 1 h, rt		By: Brouwer, Arwin J.; et al
Experimental Protocols		Synthesis (2006), (3), 455-460.

Scheme 26 (1 Reaction)

Steps: 1 Yield: 90%




Suppliers (58)

Suppliers (71)

31-393-CAS-13537514	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 27 (1 Reaction)

Steps: 1 Yield: 90%



Suppliers (83)


Suppliers (71)

Suppliers (3)

31-393-CAS-12938145	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 28 (1 Reaction)

Steps: 1 Yield: 90%




Suppliers (74)

Suppliers (57)

31-393-CAS-23714343	Steps: 1 Yield: 90%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides By: Mondal, Debasmita; et al Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 0 °C; 1 h, rt		
1.2 Reagents: Hydrochloric acid Solvents: Water; rt		
Experimental Protocols		

Scheme 29 (1 Reaction)

Steps: 1 Yield: 90%



Suppliers (64)


Suppliers (71)

Supplier (1)

31-393-CAS-4128523	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter By: Wang, Xisheng; et al Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		
1.2 1 h, -78 °C 1.3 Reagents: Water		
Experimental Protocols		

Scheme 30 (1 Reaction)


Steps: 1 Yield: 90%



resin-bound

Suppliers (94)

Suppliers (6)




Suppliers (101)

Suppliers (87)

31-363-CAS-10583228 Steps: 1 Yield: 90% 1.1 Reagents: Piperidine Solvents: Dimethylformamide; 1 h, rt 1.2 Reagents: Diisopropylcarbodiimide, 1-Hydroxybenzotriazole Solvents: Dimethylformamide; 2 h, rt 1.3 Reagents: Piperidine Solvents: Dimethylformamide; 1 h, rt 1.4 Reagents: Diisopropylcarbodiimide, 1-Hydroxybenzotriazole Solvents: Dimethylformamide; 24 h, rt 1.5 Catalysts: Triphenylphosphine, Cuprous iodide, Dichlorobis (triphenylphosphine)palladium Solvents: Dimethylformamide, Triethylamine; 8 h, 80 °C 1.6 Reagents: Stannous chloride Solvents: <i>N</i>-Methyl-2-pyrrolidone; 24 h, rt 1.7 Solvents: Dichloromethane, Pyridine; 24 h, rt 1.8 Reagents: Cupric acetate Solvents: <i>N</i>-Methyl-2-pyrrolidone; 10 min, 200 °C 1.9 Reagents: Trifluoroacetic acid Solvents: Dichloromethane; rt	An engineered linker capable of promoting on-resin reactions for microwave-assisted solid-phase organic synthesis By: Sun, Li-Ping; et al Angewandte Chemie, International Edition (2006), 45(43), 7255-7258.
--	---

Scheme 31 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-1999983 Steps: 1 Yield: 90% 1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C 1.2 1 h, -78 °C 1.3 Reagents: Water Experimental Protocols	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter By: Wang, Xisheng; et al Journal of the American Chemical Society (2009), 131(22), 7520-7521.
---	---

Scheme 32 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-23711782	Steps: 1 Yield: 90%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides By: Mondal, Debasmita; et al Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 0 °C; 1 h, rt		
1.2 Reagents: Hydrochloric acid Solvents: Water; rt		
Experimental Protocols		

Scheme 33 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-6550354	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter By: Wang, Xisheng; et al Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		
1.2 1 h, -78 °C 1.3 Reagents: Water		
Experimental Protocols		

Scheme 34 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-9005129	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter By: Wang, Xisheng; et al Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		
1.2 1 h, -78 °C 1.3 Reagents: Water		
Experimental Protocols		

Scheme 35 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-15390033	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 36 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-15057455	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 37 (1 Reaction)


Steps: 1 Yield: 90%




31-393-CAS-4407247	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 38 (1 Reaction)


Steps: 1 Yield: 90%




31-393-CAS-13268589 Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using NMP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C	By: Wang, Xisheng; et al
1.2 1 h, -78 °C	Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water Experimental Protocols	



31-393-CAS-23712679 Steps: 1 Yield: 90%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 0 °C; 1 h, rt	By: Mondal, Debasmita; et al
1.2 Reagents: Hydrochloric acid Solvents: Water; rt	
Experimental Protocols	Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.




31-393-CAS-9958764 Steps: 1 Yield: 90%	Copper(II) Acetate Promoted Intramolecular Diamination of Unactivated Olefins
1.1 Reagents: Triethylamine Solvents: Benzene; 0 °C; 0 °C → rt; 24 h, rt	By: Zabawa, Thomas P.; et al
Experimental Protocols	Journal of the American Chemical Society (2005), 127(32), 11250-11251.



31-393-CAS-10798006	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 42 (1 Reaction)

Steps: 1 Yield: 90%




Suppliers (80)

Suppliers (71)

31-393-CAS-2286875	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 43 (1 Reaction)

Steps: 1 Yield: 90%




Suppliers (81)

Suppliers (71)

31-393-CAS-126822	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 44 (1 Reaction)

Steps: 1 Yield: 90%



Suppliers (81)


Suppliers (71)

Suppliers (47)

31-393-CAS-5920357	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 45 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-23999843	Steps: 1 Yield: 90%	Ni-catalyzed hydroaminoalkylation of alkynes with amines
1.1 Reagents: Triethylamine Solvents: Dichloromethane; rt; 3 h, rt		By: Yao, Wei-Wei; et al
1.2 Reagents: Sodium bicarbonate Solvents: Water; rt		Nature Communications (2021), 12(1), 3800.
Experimental Protocols		

Scheme 46 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-23715348	Steps: 1 Yield: 90%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 0 °C; 1 h, rt		By: Mondal, Debasmita; et al
1.2 Reagents: Hydrochloric acid Solvents: Water; rt		Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
Experimental Protocols		

Scheme 47 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-8678769	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 48 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-23713514	Steps: 1 Yield: 90%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 0 °C; 1 h, rt		By: Mondal, Debasmita; et al
1.2 Reagents: Hydrochloric acid Solvents: Water; rt		Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.
Experimental Protocols		

Scheme 49 (1 Reaction)


Steps: 1 Yield: 90%



31-393-CAS-11138773	Steps: 1 Yield: 90%	Versatile Pd(OTf)₂·2H₂O-Catalyzed ortho-Fluorination Using N MP as a Promoter
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 5 min, -78 °C		By: Wang, Xisheng; et al
1.2 1 h, -78 °C		Journal of the American Chemical Society (2009), 131(22), 7520-7521.
1.3 Reagents: Water		
Experimental Protocols		

Scheme 50 (1 Reaction)

Steps: 1 Yield: 90%



31-393-CAS-23712099		Steps: 1 Yield: 90%	Palladium(0)-catalysed regioselective cyclisations of 2-amino (tosyl) benzamides/sulphonamides: the stereoselective synthesis of 3-ylidene-[1,4]benzodiazepin-5-ones/benzo[f][1,2,5]thiadiazepine-1,1-dioxides
1.1	Reagents: Pyridine Solvents: Dichloromethane; 0 °C; 2 - 3 h, rt		
Experimental Protocols			
			By: Mondal, Debasmita; et al
			Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.

By: Mondal, Debasmita; et al

Chemical Communications (Cambridge, United Kingdom) (2021), 57(44), 5462-5465.