

Initiating Search

November 5, 2025, 5:10 PM

• Search:

CAS Lexicon Search:

Williamson alkoxylation - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (958)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (1,090)	 Reactions	View Results
Filtered By:		
Yield:	90-100%, 80-89%, 70-79%	
Document Type:	Journal	

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%


 Suppliers (57)

31-008-CAS-2038940

Steps: 1 Yield: 100%

Modular chiral polyether podands and their lanthanide complexes


By: Aspinall, Helen C.; et al

Tetrahedron (2003), 59(52), 10453-10463.

- 1.1 Reagents: Sodium hydride
Solvents: Tetrahydrofuran; 0 °C
- 1.2 0 °C; 2 h, reflux; overnight, rt
- 1.3 Reagents: Water; rt

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%


 Suppliers (22)

 Suppliers (67)

 Supplier (1)

31-008-CAS-1010749

Steps: 1 Yield: 100%

Process Development of Halaven: Synthesis of the C14- C35 Fragment via Iterative Nozaki-Hiyama-Kishi Reaction-Williamson Ether Cyclization


By: Austad, Brian C.; et al

Synlett (2013), 24(3), 327-332.

- 1.1 Reagents: Potassium *tert*-butoxide
Solvents: Tetrahydrofuran; -10 °C

Scheme 3 (1 Reaction)

Steps: 1 Yield: 100%



 Suppliers (49)

 Suppliers (60)

31-008-CAS-17141987	Steps: 1 Yield: 100%	Design, synthesis and surface activity of adamantyl Bola-form surfactant
1.1 Reagents: Sodium hydride; reflux		By: Fu, Shuqin; et al
1.2 reflux		Huagong Xuebao (Chinese Edition) (2013), 64(8), 2956-2961.
1.3 Reagents: Hydrochloric acid; pH 3 - 4		
1.4 Reagents: Sodium hydroxide		
Solvents: Water; pH 10 - 11, 25 °C		

Scheme 4 (2 Reactions)

Steps: 1 Yield: 100%




• K

+



→




Suppliers (86)

Suppliers (56)

31-008-CAS-3213430	Steps: 1 Yield: 100%	Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained
No Data Available		By: Pasquini, M. A.; et al Tetrahedron (1980), 36(9), 1223-6.
31-008-CAS-7417370	Steps: 1 Yield: 100%	Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained
No Data Available		By: Pasquini, M. A.; et al Tetrahedron (1980), 36(9), 1223-6.

Scheme 5 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (207)

Suppliers (79)

31-008-CAS-12005976	Steps: 1 Yield: 100%	Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained
1.1 Reagents: Sodium hydride		By: Pasquini, M. A.; et al Tetrahedron (1980), 36(9), 1223-6.

Scheme 6 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (207)

Suppliers (336)

Suppliers (53)

31-008-CAS-1845237

Steps: 1 Yield: 100%

Catalytic activity of an octopus-type calixarene on the formation of ethers

By: Taniguchi, Hisaji; et al

Chemistry Letters (1988), (10), 1773-6.


1.1 **Reagents:** Potassium hydroxide

Catalysts: 5,11,17,23,29,35-Hexakis(1,1-dimethylethyl)-37,38,39,40,41,42-hexakis[2-[2-(2-methoxyethoxy)ethoxy]ethoxy]heptacyclo[31.3.1.1^{3,7}.1^{9,13}.1^{15,19}.1^{21,25}.1^{27,31}]dotetraconta-1(37),3,5,7(42),9,11,13(41),15,17,19(40),21,23,25(39),27,29,31(38),33,35-octadecaene

Solvents: Dichloromethane

Scheme 7 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (76)

Suppliers (88)

Suppliers (8)

31-008-CAS-8761085

Steps: 1 Yield: 100%

Synthesis and characterization of o-aryloxymethylbenzo nitriles

By: Zheng, Tucai; et al


Xiandai Huagong (2010), 30(7), 35-37.

1.1 **Reagents:** Potassium carbonate

Solvents: Dimethylformamide; rt → 130 °C; 5 h, 120 - 130 °C

Scheme 8 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (53)

Suppliers (207)

Suppliers (37)

31-008-CAS-14085000

Steps: 1 Yield: 100%

Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained


By: Pasquini, M. A.; et al

Tetrahedron (1980), 36(9), 1223-6.

No Data Available

Scheme 9 (2 Reactions)

Steps: 1 Yield: 100%



Suppliers (90)

Suppliers (336)

Suppliers (21)

31-008-CAS-3635050

Steps: 1 Yield: 100%

Catalytic activity of an octopus-type calixarene on the formation of ethers

1.1 **Reagents:** Potassium hydroxide
Catalysts: Benzyltrimethylammonium chloride
Solvents: Dichloromethane

By: Taniguchi, Hisaji; et al

Chemistry Letters (1988), (10), 1773-6.

31-008-CAS-4381037

Steps: 1 Yield: 100%

Catalytic activity of an octopus-type calixarene on the formation of ethers


1.1 **Reagents:** Potassium hydroxide
Catalysts: 5,11,17,23,29,35-Hexakis(1,1-dimethylethyl)-37,38,39,40,41,42-hexakis[2-[2-(2-methoxyethoxy)ethoxy]ethoxy]heptacyclo[31.3.1.1^{3,7}.1^{9,13}.1^{15,19}.1^{21,25}.1^{27,31}]dotetraconta-1(37),3,5,7(42),9,11,13(41),15,17,19(40),21,23,25(39),27,29,31(38),33,35-octadecaene
Solvents: Dichloromethane

By: Taniguchi, Hisaji; et al

Chemistry Letters (1988), (10), 1773-6.

Scheme 10 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (207)

Suppliers (54)

Suppliers (79)

31-008-CAS-9877963

Steps: 1 Yield: 100%

Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained

No Data Available

By: Pasquini, M. A.; et al

Tetrahedron (1980), 36(9), 1223-6.

Scheme 11 (3 Reactions)

Steps: 1 Yield: 99-100%



Suppliers (207)


Suppliers (86)

Suppliers (85)

31-008-CAS-14746166 Steps: 1 Yield: 100% No Data Available	Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained By: Pasquini, M. A.; et al Tetrahedron (1980), 36(9), 1223-6.
31-008-CAS-1353404 Steps: 1 Yield: 100% 1.1 Reagents: Sodium hydride	Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained By: Pasquini, M. A.; et al Tetrahedron (1980), 36(9), 1223-6.
31-008-CAS-10042696 Steps: 1 Yield: 99% 1.1 Reagents: Potassium hydroxide, Water 1.2 -	Improved and simplified synthesis of aryl ethers by alkylation of phenolate ions. Solid-liquid phase-transfer catalysis in the absence of organic solvents By: Loupy, Andre; et al Bulletin de la Societe Chimique de France (1987), (6), 1027-35.


Scheme 12 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (82)

+



Suppliers (60)

→




Suppliers (4)

31-008-CAS-19655788 Steps: 1 Yield: 100% 1.1 Reagents: Triethylamine Solvents: Tetrahydrofuran; 5 °C; 2 h, 10 °C Experimental Protocols	Scale-up Synthesis of Tesirine By: Tiberghien, Arnaud C.; et al Organic Process Research & Development (2018), 22(9), 1241-1256.
--	---


Scheme 13 (1 Reaction)

Steps: 1 Yield: 100%


 Absolute stereochemistry shown,
 Rotation (+)


Suppliers (67)

+



Suppliers (104)

→



 Absolute stereochemistry shown,
 Rotation (-)

Suppliers (15)

31-008-CAS-19655796 Steps: 1 Yield: 100% 1.1 Reagents: Triethylamine Solvents: Toluene; rt; 18 h, 60 °C 1.2 Reagents: Water; 1 h, 25 °C Experimental Protocols	Scale-up Synthesis of Tesirine By: Tiberghien, Arnaud C.; et al Organic Process Research & Development (2018), 22(9), 1241-1256.
--	---

Scheme 14 (1 Reaction)

Steps: 1 Yield: 100%



31-008-CAS-22655157

Steps: 1 Yield: 100%

Synthesis and biological evaluation of a library of A GE-related amino acid triazole crosslinkers

By: Icik, Esra; et al


European Journal of Organic Chemistry (2020), 2020(33), 5368-5379.

- 1.1 Reagents: Sodium hydride
Solvents: Dimethylformamide; 45 min, 0 °C
- 1.2 10 min, 0 °C; 19.5 h, rt
- 1.3 Reagents: Water; rt

Experimental Protocols

Scheme 15 (2 Reactions)

Steps: 1 Yield: 100%



31-008-CAS-10638497

Steps: 1 Yield: 100%

Catalytic activity of an octopus-type calixarene on the formation of ethers

By: Taniguchi, Hisaji; et al

Chemistry Letters (1988), (10), 1773-6.

- 1.1 Reagents: Potassium hydroxide
Catalysts: Benzyltrimethylammonium chloride
Solvents: Dichloromethane

31-008-CAS-3974143

Steps: 1 Yield: 100%

Catalytic activity of an octopus-type calixarene on the formation of ethers


By: Taniguchi, Hisaji; et al

Chemistry Letters (1988), (10), 1773-6.

- 1.1 Reagents: Potassium hydroxide
Catalysts: 5,11,17,23,29,35-Hexakis(1,1-dimethylethyl)-37,38,39,40,41,42-hexakis[2-[2-(2-methoxyethoxy)ethoxy]ethoxy]heptacyclo[31.3.1.1^{3,7}.1^{9,13}.1^{15,19}.1^{21,25}.1^{27,31}]dotetraconta-1(37),3,5,7(42),9,11,13(41),15,17,19(40),21,23,25(39),27,29,31(38),33,35-octadecaene
Solvents: Dichloromethane

Scheme 16 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-13608353 Steps: 1 Yield: 99% 1.1 Reagents: Potassium hydroxide Catalysts: Benzyltrimethylammonium chloride Solvents: Dichloromethane	Catalytic activity of an octopus-type calixarene on the formation of ethers By: Taniguchi, Hisaji; et al Chemistry Letters (1988), (10), 1773-6.
--	---

Scheme 17 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (84)

Double bond geometry shown

Suppliers (118)


Double bond geometry shown

Suppliers (7)

31-008-CAS-19623474 Steps: 1 Yield: 99% 1.1 Reagents: Potassium hydroxide, Potassium iodide Solvents: Ethanol, Methanol, Water; 5 min; 1 min, 155 - 160 °C 1.2 Reagents: Hydrochloric acid Solvents: Water; neutralized	(E)-3-[4-(Pent-4-en-1-yloxy)phenyl]acrylic acid By: Egami, Hiromichi; et al Molbank (2018), (2), M996/1-M996/5.
---	--

Scheme 18 (1 Reaction)

Steps: 1 Yield: 99%

Absolute stereochemistry shown,
Rotation (-)


Suppliers (70)

Absolute stereochemistry shown,
Rotation (-)

31-614-CAS-38709996 Steps: 1 Yield: 99% 1.1 Reagents: Sodium hydride Solvents: Dimethylformamide, Tetrahydrofuran; rt; 15 h, rt 1.2 Reagents: Sodium bicarbonate Solvents: Water Experimental Protocols	Stereoselective total synthesis of (3Z)- and (3E)-elatenynes By: Kwak, Soo Yeon; et al RSC Advances (2023), 13(51), 35920-35925.
--	---

Scheme 19 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (36)

31-008-CAS-12598515	Steps: 1 Yield: 99%	Multibridged Chiral Naphthalene Oligomers with Continuous Extreme-Cisoid Conformation
1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; 7 h, 50 °C		By: Takaishi, Kazuto; et al
Experimental Protocols		Organic Letters (2010), 12(8), 1832-1835.

Scheme 20 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-10890575	Steps: 1 Yield: 99%	Synthesis and characterization of o-aryloxymethylbenzo nitriles
1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; rt → 120 °C; 6 h, 110 - 120 °C		By: Zheng, Tucai; et al
		Xiandai Huagong (2010), 30(7), 35-37.

Scheme 21 (1 Reaction)

Steps: 1 Yield: 99%



31-008-CAS-12730476	Steps: 1 Yield: 99%	Potassium hydride in paraffin: a useful base for Williamson ether synthesis
1.1 Reagents: Potassium hydride Solvents: Tetrahydrofuran; 1 h, rt		By: Huang, Haihong; et al
Experimental Protocols		Tetrahedron Letters (2010), 51(27), 3545-3546.

Scheme 22 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-2633816 Steps: 1 Yield: 99% 1.1 Reagents: Sodium Catalysts: Potassium iodide Solvents: Methanol; 0.5 h, reflux; reflux → rt 1.2 Reagents: Hydrochloric acid Solvents: Water; pH 7	A facile synthesis of 2,3-dimethoxy-5-methyl-1,4-benzoquinones By: Wang, Jin; et al Journal of Chemical Research (2011), 35(7), 428-430.
--	--

Scheme 23 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-4502753 Steps: 1 Yield: 99% 1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; rt → 130 °C; 5 h, 120 - 130 °C	Synthesis and characterization of o-aryloxymethylbenzo nitriles By: Zheng, Tucai; et al Xiandai Huagong (2010), 30(7), 35-37.
---	---

Scheme 24 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-13954655 Steps: 1 Yield: 99% 1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; rt → 130 °C; 6 h, 130 - 140 °C	Synthesis and characterization of o-aryloxymethylbenzo nitriles By: Zheng, Tucai; et al Xiandai Huagong (2010), 30(7), 35-37.
--	---

Scheme 25 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-6632678	Steps: 1 Yield: 99%	Synthesis and characterization of o-aryloxymethylbenzo nitriles
1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; rt → 130 °C; 5 h, 120 - 130 °C	By: Zheng, Tucai; et al Xiandai Huagong (2010), 30(7), 35-37.	

Scheme 26 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (77)

Suppliers (21)

31-008-CAS-2704175	Steps: 1 Yield: 99%	New dimethyl(methyleneoxyaryl)phosphine oxides
1.1 Reagents: Sodium Solvents: Methanol, Xylene 1.2 Solvents: Xylene	By: Vurbanov, S.; et al Phosphorus, Sulfur and Silicon and the Related Elements (1991), 63(3-4), 397-402.	

Scheme 27 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (36)

31-008-CAS-14747715	Steps: 1 Yield: 99%	Multibridged Chiral Naphthalene Oligomers with Continuous Extreme-Cisoid Conformation
1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; 7 h, 50 °C Experimental Protocols	By: Takaishi, Kazuto; et al Organic Letters (2010), 12(8), 1832-1835.	

Scheme 28 (1 Reaction)

Steps: 1 Yield: 99%


 Absolute stereochemistry shown,
 Rotation (+)


Suppliers (62)

 Absolute stereochemistry shown,
 Rotation (-)

31-614-CAS-38408990 Steps: 1 Yield: 99% 1.1 Reagents: Sodium hydride Solvents: Dimethylformamide, Tetrahydrofuran; 0 °C; 1 h, rt 1.2 Reagents: Ammonium chloride Solvents: Water; rt Experimental Protocols	Total Synthesis and Structure Confirmation of (-)-Asimitrin, a C₃₇ Annonaceous Acetogenin with a Hydroxylated Adjacent Bis-Tetrahydrofuran Core By: Kwak, Soo Yeon; et al Organic Letters (2023), 25(36), 6659-6664.
--	--

Scheme 29 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-13023694 Steps: 1 Yield: 99% 1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; rt → 120 °C; 6 h, 110 - 120 °C	Synthesis and characterization of o-aryloxymethylbenzo nitriles By: Zheng, Tucui; et al Xiandai Huagong (2010), 30(7), 35-37.
--	--

Scheme 30 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-6721180 Steps: 1 Yield: 99% 1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; 24 h, 80 °C; cooled	In silico and pharmacological screenings identify novel serine racemase inhibitors By: Mori, Hisashi; et al Bioorganic & Medicinal Chemistry Letters (2014), 24(16), 3732-3735.
--	--

Scheme 31 (1 Reaction)

Steps: 1 Yield: 99%



31-614-CAS-41768909	Steps: 1 Yield: 99%	Stereoselective Synthesis of Maralixibat via VO(acac)₂/Schiff Base-Catalyzed Asymmetric Oxidation of Its Sulfide Intermediate
1.1 Reagents: Sodium hydroxide Solvents: Dimethylacetamide; rt; rt → 50 °C; 30 min, 50 °C		By: Peng, Ziyu; et al
1.2 Solvents: Dimethylacetamide; 24 h, 50 °C		Journal of Organic Chemistry (2024), 89(19), 14510-14514.
Experimental Protocols		

Scheme 32 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-14586298	Steps: 1 Yield: 99%	Improved and simplified synthesis of aryl ethers by alkylation of phenolate ions. Solid-liquid phase-transfer catalysis in the absence of organic solvents
1.1 Reagents: Potassium hydroxide, Water		By: Loupy, Andre; et al
1.2 -		Bulletin de la Societe Chimique de France (1987), (6), 1027-35.

Scheme 33 (1 Reaction)

Steps: 1 Yield: 99%



31-008-CAS-12168549	Steps: 1 Yield: 99%	Improved and simplified synthesis of aryl ethers by alkylation of phenolate ions. Solid-liquid phase-transfer catalysis in the absence of organic solvents
1.1 Reagents: Potassium hydroxide, Water		By: Loupy, Andre; et al
1.2 -		Bulletin de la Societe Chimique de France (1987), (6), 1027-35.

Scheme 34 (1 Reaction)


Steps: 1 Yield: 99%



31-008-CAS-9264611	Steps: 1 Yield: 99%	Williamson reaction in ionic liquids
1.1 Reagents: Potassium hydroxide Solvents: Water, 1-Butyl-3-methylimidazolium hexafluoro phosphate; 2 h, rt		By: Xu, Zhen Yuan; et al
Experimental Protocols		Organic Preparations and Procedures International (2004), 36(2), 156-161.

Scheme 35 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (106)

Suppliers (79)

Suppliers (26)

31-008-CAS-9380035	Steps: 1 Yield: 99%	Improved and simplified synthesis of aryl ethers by alkylation of phenolate ions. Solid-liquid phase-transfer catalysis in the absence of organic solvents
1.1 Reagents: Potassium hydroxide, Water 1.2 -		By: Loupy, Andre; et al
		Bulletin de la Societe Chimique de France (1987), (6), 1027-35.

Scheme 36 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (103)


Suppliers (86)

Suppliers (45)

31-008-CAS-10320423	Steps: 1 Yield: 98%	Improved and simplified synthesis of aryl ethers by alkylation of phenolate ions. Solid-liquid phase-transfer catalysis in the absence of organic solvents
1.1 Reagents: Potassium hydroxide, Water 1.2 -		By: Loupy, Andre; et al
		Bulletin de la Societe Chimique de France (1987), (6), 1027-35.

Scheme 37 (1 Reaction)

Steps: 1 Yield: 98%



Absolute stereochemistry shown,
Rotation (+)


Suppliers (57)

Absolute stereochemistry shown,
Rotation (+)

31-008-CAS-3493610	Steps: 1 Yield: 98%	A Novel Approach to Decrease Sialic Acid Expression in Cells by a C-3-modified N-Acetylmannosamine
1.1 Reagents: Sodium hydride Solvents: Dimethylformamide; 5 min, cooled		By: Wratil, Paul R.; et al
1.2 90 min		Journal of Biological Chemistry (2014), 289(46), 32056-32063.
1.3 Reagents: Sodium bicarbonate Solvents: Water		

Scheme 38 (1 Reaction)

Steps: 1 Yield: 98%




Supplier (1)

Suppliers (86)

31-008-CAS-22723037	Steps: 1 Yield: 98%	Synthesis and Antifungal Activity of Chromones and Benzoxepines from the Leaves of Ptaeroxylon obliquum
1.1 Reagents: Potassium carbonate Solvents: Dimethylformamide; 1 h, reflux		By: Malefo, Modibo S.; et al
		Journal of Natural Products (2020), 83(8), 2508-2517.

Scheme 39 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (106)


Suppliers (70)

Suppliers (10)

31-008-CAS-17277554	Steps: 1 Yield: 98%	A new family of fullerene derivatives bearing long alkyl and triethyleneglycol moieties
1.1 Reagents: Potassium carbonate Catalysts: 18-Crown-6 Solvents: Acetone; 2 h, reflux		By: Pefkianakis, Eleftherios K.; et al
1.2 Solvents: Acetone; reflux; 72 h, reflux		ChemistrySelect (2016), 1(6), 1232-1238.
Experimental Protocols		

Scheme 40 (1 Reaction)

Steps: 1 Yield: 98%

Absolute stereochemistry shown,
Rotation (-)

Suppliers (57)

Absolute stereochemistry shown,
Rotation (+)


Suppliers (64)

Supplier (1)

31-008-CAS-6633718	Steps: 1 Yield: 98%	Modular chiral polyether podands and their lanthanide complexes
1.1 Reagents: Sodium hydride Solvents: Tetrahydrofuran; 0 °C		By: Aspinall, Helen C.; et al
1.2 rt; 2 h, reflux		Tetrahedron (2003), 59(52), 10453-10463.
1.3 Reagents: Water		

Scheme 41 (1 Reaction)


Steps: 1 Yield: 98%



31-008-CAS-2253461	Steps: 1 Yield: 98%	Preparation of aryl allyl ethers in the recyclable ionic liquid [bmim]PF₆
1.1 Reagents: Potassium hydroxide Solvents: 1-Butyl-3-methylimidazolium hexafluorophosphate; 4 h, rt		By: Zhou, Mei-Yun; et al
		Journal of Chemical Research (2004), (5), 328.

Scheme 42 (1 Reaction)


Steps: 1 Yield: 98%



31-008-CAS-7700043	Steps: 1 Yield: 98%	Effects of cryptands and activation of bases. V. Action of alkali hydrides on weak acids. II. Alkylation of anions obtained
No Data Available		By: Pasquini, M. A.; et al
		Tetrahedron (1980), 36(9), 1223-6.

Scheme 43 (1 Reaction)


Steps: 1 Yield: 98%



31-008-CAS-14914017 Steps: 1 Yield: 98% 1.1 Reagents: Potassium hydroxide, Water 1.2 -	Improved and simplified synthesis of aryl ethers by alkylation of phenolate ions. Solid-liquid phase-transfer catalysis in the absence of organic solvents By: Loupy, Andre; et al Bulletin de la Societe Chimique de France (1987), (6), 1027-35.
--	---

Scheme 44 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (207)


Suppliers (57)

Suppliers (68)

31-008-CAS-11367073 Steps: 1 Yield: 98% 1.1 Reagents: Potassium hydroxide Solvents: 1-Butyl-3-methylimidazolium hexafluorophosphate; 4 h, rt	Preparation of aryl allyl ethers in the recyclable ionic liquid [bmim]PF₆ By: Zhou, Mei-Yun; et al Journal of Chemical Research (2004), (5), 328.
---	---

Scheme 45 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (84)

Suppliers (22)

Suppliers (65)

31-614-CAS-24369124 Steps: 1 Yield: 98% 1.1 Reagents: Sodium hydroxide	Synthesis of a new class of chiral maleimide derivatives with C₂-symmetry By: Fu, Liyan; et al Youji Huaxue (2017), 37(10), 2685-2689.
---	--