

Initiating Search

November 10, 2025, 9:00 PM

• Search:

CAS Lexicon Search:

Tetrazines - Preferred Concept

Filtered By:

Document Type: **Journal**

Flags: **Has Related Substances, Has Related Reactions**

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon + Filters (348)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (175)	 Reactions	View Results
Filtered By:		
Yield: 90-100%, 80-89%, 70-79%		

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%

[Suppliers \(78\)](#)

31-290-CAS-21353234

Steps: 1 Yield: 100%

1.1 Solvents: Tetrahydrofuran; < 1 h, 20 °C


Bridge-Clamp Bis(tetrazine)s with [N]₈ π-Stacking Interactions and Azido-s-Aryl Tetrazines: Two Classes of Doubly Clickable Tetrazines

By: Mboyi, Cleve D.; et al

Angewandte Chemie, International Edition (2020), 59(3), 1149-1154.

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%

[Suppliers \(57\)](#)

31-290-CAS-21353232

Steps: 1 Yield: 100%

1.1 Solvents: Tetrahydrofuran; 24 h, 20 °C


Bridge-Clamp Bis(tetrazine)s with [N]₈ π-Stacking Interactions and Azido-s-Aryl Tetrazines: Two Classes of Doubly Clickable Tetrazines

By: Mboyi, Cleve D.; et al

Angewandte Chemie, International Edition (2020), 59(3), 1149-1154.

Scheme 3 (1 Reaction)


Steps: 1 Yield: 100%

[Suppliers \(11\)](#)[Suppliers \(69\)](#)

31-614-CAS-35244772 Steps: 1 Yield: 100% 1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; rt; 24 h, 40 °C Experimental Protocols	Pyridazine Synthesis from 1,2,4,5-Tetrazines and Alkynes in 1,1,1,3,3,3-Hexafluoro-2-propanol through the Inverse Electron Demand Diels-Alder Reaction By: Yamamoto, Chika; et al Bulletin of the Chemical Society of Japan (2022), 95(12), 1741-1746.
--	---

Scheme 4 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (3)

Suppliers (67)

31-614-CAS-35538661 Steps: 1 Yield: 100% 1.1 Reagents: Chlorotrimethylsilane Solvents: Dichloromethane; 10 min, 25 °C Experimental Protocols	Arylethynyltrifluoroborate Dienophiles for on Demand Activation of IEDDA Reactions By: Zawada, Zbigniew; et al Bioconjugate Chemistry (2021), 32(8), 1812-1822.
---	--

Scheme 5 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (17)

Suppliers (84)

31-614-CAS-35244797 Steps: 1 Yield: 100% 1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; rt; 72 h, 50 °C Experimental Protocols	Pyridazine Synthesis from 1,2,4,5-Tetrazines and Alkynes in 1,1,1,3,3,3-Hexafluoro-2-propanol through the Inverse Electron Demand Diels-Alder Reaction By: Yamamoto, Chika; et al Bulletin of the Chemical Society of Japan (2022), 95(12), 1741-1746.
--	---

Scheme 6 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (17)

Suppliers (75)

31-614-CAS-35244786 Steps: 1 Yield: 100% 1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; rt; 24 h, 40 °C Experimental Protocols	Pyridazine Synthesis from 1,2,4,5-Tetrazines and Alkynes in 1,1,1,3,3,3-Hexafluoro-2-propanol through the Inverse Electron Demand Diels-Alder Reaction By: Yamamoto, Chika; et al Bulletin of the Chemical Society of Japan (2022), 95(12), 1741-1746.
--	---

Scheme 7 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (78)

31-290-CAS-21353233 Steps: 1 Yield: 100% 1.1 Solvents: Tetrahydrofuran; < 1 h, 20 °C Experimental Protocols	Bridge-Clamp Bis(tetrazine)s with [N]₈ π-Stacking Interactions and Azido-s-Aryl Tetrazines: Two Classes of Doubly Clickable Tetrazines By: Mboyi, Cleve D.; et al Angewandte Chemie, International Edition (2020), 59(3), 1149-1154.
---	--

Scheme 8 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (49)


Suppliers (69)

Suppliers (3)

31-614-CAS-35230419 Steps: 1 Yield: 100% 1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; 35 min, 25 °C Experimental Protocols	Acyclic and Heterocyclic Azadiene Diels-Alder Reactions Promoted by Perfluoroalcohol Solvent Hydrogen Bonding: Comprehensive Examination of Scope By: Zhu, Zixi; et al Journal of Organic Chemistry (2022), 87(21), 14657-14672.
--	---

Scheme 9 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (34)


Suppliers (20)

Suppliers (86)

31-290-CAS-23880318	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.
1.1 Reagents: Water Solvents: 1,4-Dioxane; 5 - 7 d, rt		
Experimental Protocols		

Scheme 10 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (8)

31-290-CAS-21609156	Steps: 1 Yield: 99%	Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction By: Qu, Yangyang; et al Journal of Organic Chemistry (2020), 85(5), 3407-3416.
1.1 Solvents: Dichloromethane; rt; rt → 50 °C; 1 h, 50 °C		

Scheme 11 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (49)

Suppliers (20)

31-290-CAS-23879841	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.
1.1 Reagents: Water- <i>d</i> ₂ Solvents: 1,4-Dioxane; 7 d, rt		
Experimental Protocols		

Scheme 12 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (49)


Suppliers (20)

Suppliers (34)

31-290-CAS-23881091	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives
1.1 Reagents: Water Solvents: 1,4-Dioxane; 5 - 7 d, rt		By: Ledovskaya, Maria S.; et al
Experimental Protocols		Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 13 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (8)

31-290-CAS-19174264	Steps: 1 Yield: 99%	Metal-Free Synthetic Approach to 3-Monosubstituted Unsymmetrical 1,2,4,5-Tetrazines Useful for Bioorthogonal Reactions
1.1 Solvents: Dichloromethane; rt		By: Qu, Yangyang; et al
Experimental Protocols		Angewandte Chemie, International Edition (2018), 57(37), 12057-12061.

Scheme 14 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (67)


Suppliers (20)

Suppliers (25)

31-290-CAS-23881023	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives
1.1 Reagents: Water Solvents: 1,4-Dioxane; 5 - 7 d, rt		By: Ledovskaya, Maria S.; et al
Experimental Protocols		Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 15 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (55)

31-290-CAS-23881154 Steps: 1 Yield: 99% 1.1 Solvents: 1,4-Dioxane; rt → 100 °C; 5 d, 100 °C Experimental Protocols	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.
--	---

Scheme 16 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (8)

31-290-CAS-21609151 Steps: 1 Yield: 99% 1.1 Solvents: Dichloromethane; 20 min, rt Experimental Protocols	Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction By: Qu, Yangyang; et al Journal of Organic Chemistry (2020), 85(5), 3407-3416.
--	---

Scheme 17 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (65)

Suppliers (69)

Suppliers (3)

31-614-CAS-35230408 Steps: 1 Yield: 99% 1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; 13 h, 80 °C Experimental Protocols	Acyclic and Heterocyclic Azadiene Diels-Alder Reactions Promoted by Perfluoroalcohol Solvent Hydrogen Bonding: Comprehensive Examination of Scope By: Zhu, Zixi; et al Journal of Organic Chemistry (2022), 87(21), 14657-14672.
---	---

Scheme 18 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (67)

Suppliers (20)


31-290-CAS-23880619	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.
1.1 Reagents: Water- d_2 Solvents: 1,4-Dioxane; 5 d, rt		
Experimental Protocols		

Scheme 19 (1 Reaction)


Steps: 1 Yield: 99%



+



→



Suppliers (39)


Suppliers (20)

Suppliers (76)


31-290-CAS-23880271	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.
1.1 Reagents: Water Solvents: 1,4-Dioxane; 5 - 7 d, rt		
Experimental Protocols		

Scheme 20 (2 Reactions)


Steps: 1 Yield: 99%



+



→



Suppliers (67)

Suppliers (20)


Suppliers (2)

31-614-CAS-24849481	Steps: 1 Yield: 99%	Cycloaddition Reactions of in situ Generated C_2D_2 in Dioxane: Efficient Synthetic Approach to D_2-Labeled Nitrogen Hetero cycles By: Voronin, Vladimir V.; et al European Journal of Organic Chemistry (2021), 2021(41), 5640-5648.
1.1 Reagents: Triethylamine, Water- d_2 Solvents: 1,4-Dioxane; 7 d, 25 °C		
Experimental Protocols		

31-290-CAS-23880030	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.
1.1 Reagents: Water- d_2 Solvents: 1,4-Dioxane; 7 d, rt		
Experimental Protocols		

Scheme 21 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (65)

31-290-CAS-23881456

Steps: 1 Yield: 99%

1.1 Solvents: 1,4-Dioxane; rt → 100 °C; 5 d, 100 °C

Experimental Protocols


One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives

By: Ledovskaya, Maria S.; et al

Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 22 (2 Reactions)

Steps: 1 Yield: 99%



Suppliers (39)

Suppliers (20)

31-614-CAS-24849471

Steps: 1 Yield: 99%

1.1 Reagents: Triethylamine, Water- d_2
Solvents: 1,4-Dioxane; 7 d, 25 °C

Experimental Protocols

Cycloaddition Reactions of in situ Generated C_2D_2 in Dioxane: Efficient Synthetic Approach to D_2 -Labeled Nitrogen Hetero cycles

By: Voronin, Vladimir V.; et al

European Journal of Organic Chemistry (2021), 2021(41), 5640-5648.

31-290-CAS-23880358

Steps: 1 Yield: 99%

1.1 Reagents: Water- d_2
Solvents: 1,4-Dioxane; 7 d, rt

Experimental Protocols


One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives

By: Ledovskaya, Maria S.; et al

Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 23 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (8)

31-290-CAS-19174263	Steps: 1 Yield: 99%	Metal-Free Synthetic Approach to 3-Monosubstituted Unsymmetrical 1,2,4,5-Tetrazines Useful for Bioorthogonal Reactions
1.1 Solvents: Dichloromethane; rt		By: Qu, Yangyang; et al
Experimental Protocols		Angewandte Chemie, International Edition (2018), 57(37), 12057-12061.

Scheme 24 (1 Reaction)

Steps: 1 Yield: 99%




Suppliers (8)

31-290-CAS-21609153	Steps: 1 Yield: 99%	Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction
1.1 Solvents: Dichloromethane; 20 min, rt		By: Qu, Yangyang; et al
		Journal of Organic Chemistry (2020), 85(5), 3407-3416.

Scheme 25 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (67)


Suppliers (20)

Suppliers (88)

31-290-CAS-23879845	Steps: 1 Yield: 99%	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives
1.1 Reagents: Water Solvents: 1,4-Dioxane; 5 - 7 d, rt		By: Ledovskaya, Maria S.; et al
Experimental Protocols		Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 26 (2 Reactions)

Steps: 1 Yield: 99%



Suppliers (34)


Suppliers (20)

Suppliers (4)

31-614-CAS-24849468 Steps: 1 Yield: 99% 1.1 Reagents: Triethylamine, Water- d_2 Solvents: 1,4-Dioxane; 7 d, 25 °C Experimental Protocols	Cycloaddition Reactions of in situ Generated C_2D_2 in Dioxane: Efficient Synthetic Approach to D_2-Labeled Nitrogen Hetero cycles By: Voronin, Vladimir V.; et al European Journal of Organic Chemistry (2021), 2021(41), 5640-5648.
31-290-CAS-23880108 Steps: 1 Yield: 99% 1.1 Reagents: Water- d_2 Solvents: 1,4-Dioxane; 7 d, rt Experimental Protocols	One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives By: Ledovskaya, Maria S.; et al Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 27 (1 Reaction)

Steps: 1 Yield: 98%




Suppliers (8)

31-290-CAS-21609152 Steps: 1 Yield: 98% 1.1 Solvents: Dichloromethane; 20 min, rt	Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction By: Qu, Yangyang; et al Journal of Organic Chemistry (2020), 85(5), 3407-3416.
---	---

Scheme 28 (1 Reaction)

Steps: 1 Yield: 98%




Suppliers (8)

31-290-CAS-21609150 Steps: 1 Yield: 98% 1.1 Solvents: Dichloromethane; 20 min, rt	Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction By: Qu, Yangyang; et al Journal of Organic Chemistry (2020), 85(5), 3407-3416.
---	---

Scheme 29 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (6)

31-614-CAS-45417900

Steps: 1 Yield: 98%

Photochemical Generation and Cycloadditions of Strained Cycloalkynes

1.1 Solvents: Acetonitrile; 2 h, 30 °C


Experimental Protocols

By: Wei, Congyin; et al

Journal of the American Chemical Society (2025), 147(17), 14299-14307.

Scheme 30 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (17)

Suppliers (79)

31-614-CAS-35244784

Steps: 1 Yield: 98%

Pyridazine Synthesis from 1,2,4,5-Tetrazines and Alkynes in 1,1,1,3,3,3-Hexafluoro-2-propanol through the Inverse Electron Demand Diels-Alder Reaction

1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; rt; 24 h, 40 °C


Experimental Protocols

By: Yamamoto, Chika; et al

Bulletin of the Chemical Society of Japan (2022), 95(12), 1741-1746.

Scheme 31 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (8)

31-290-CAS-21609155

Steps: 1 Yield: 98%

Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction


1.1 Solvents: Dichloromethane; rt; rt → 50 °C; 1 h, 50 °C

By: Qu, Yangyang; et al

Journal of Organic Chemistry (2020), 85(5), 3407-3416.

Scheme 32 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (78)

Suppliers (65)

31-290-CAS-20659372

Steps: 1 Yield: 98%

Synthesis, Characterization, and Cycloaddition Reactivity of a Monocyclic Aromatic 1,2,3,5-Tetrazine

1.1 **Reagents:** 1,2,3,5-Tetrazine, 4,6-diphenyl-
Solvents: Acetonitrile; 30 min, 25 °C


By: Wu, Zhi-Chen; et al

Experimental Protocols

Journal of the American Chemical Society (2019), 141(41), 16388-16397.

Scheme 33 (1 Reaction)

Steps: 1 Yield: 98%



Suppliers (17)

Suppliers (69)

Suppliers (4)

31-614-CAS-35244770

Steps: 1 Yield: 98%

Pyridazine Synthesis from 1,2,4,5-Tetrazines and Alkynes in 1,1,1,3,3,3-Hexafluoro-2-propanol through the Inverse Electron Demand Diels-Alder Reaction

1.1 **Solvents:** 1,1,1,3,3,3-Hexafluoro-2-propanol; rt; 24 h, 40 °C


By: Yamamoto, Chika; et al

Experimental Protocols

Bulletin of the Chemical Society of Japan (2022), 95(12), 1741-1746.

Scheme 34 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (55)

Suppliers (62)

Suppliers (3)

31-290-CAS-23880441

Steps: 1 Yield: 97%

One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives

1.1 **Solvents:** 1,4-Dioxane; rt → 100 °C; 0.04 - 21 d, 100 °C


By: Ledovskaya, Maria S.; et al

Experimental Protocols

Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 35 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (17)

Suppliers (63)

31-614-CAS-35244788

Steps: 1 Yield: 97%

1.1 Solvents: 1,1,1,3,3,3-Hexafluoro-2-propanol; rt; 24 h, 40 °C

Experimental Protocols


Pyridazine Synthesis from 1,2,4,5-Tetrazines and Alkynes in 1,1,1,3,3,3-Hexafluoro-2-propanol through the Inverse Electron Demand Diels-Alder Reaction

By: Yamamoto, Chika; et al

Bulletin of the Chemical Society of Japan (2022), 95(12), 1741-1746.

Scheme 36 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (8)

31-290-CAS-21609154

Steps: 1 Yield: 97%

1.1 Solvents: Dichloromethane; rt; rt → 50 °C; 1 h, 50 °C


Donor-Acceptor 1,2,4,5-Tetrazines Prepared by the Buchwald-Hartwig Cross-Coupling Reaction and Their Photoluminescence Turn-On Property by Inverse Electron Demand Diels-Alder Reaction

By: Qu, Yangyang; et al

Journal of Organic Chemistry (2020), 85(5), 3407-3416.

Scheme 37 (1 Reaction)

Steps: 1 Yield: 97%



Suppliers (91)

31-614-CAS-38409499

Steps: 1 Yield: 97%

1.1 Solvents: *m*-Xylene; 10 h, reflux

Experimental Protocols


First representatives of C-glycosyl 1,2,4,5-tetrazines: synthesis of 3-β-D-glucopyranosyl 1,2,4,5-tetrazines and their transformation into 3-β-D-glucopyranosyl pyridazines

By: Bokor, Eva; et al

New Journal of Chemistry (2023), 47(1), 56-74.

Scheme 38 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (65)

Suppliers (62)

Suppliers (18)

31-290-CAS-23881206

Steps: 1 Yield: 96%

One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives

By: Ledovskaya, Maria S.; et al


Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

1.1 Solvents: 1,4-Dioxane; rt → 100 °C; 0.04 - 21 d, 100 °C

Experimental Protocols

Scheme 39 (1 Reaction)

Steps: 1 Yield: 96%



31-614-CAS-45417895

Steps: 1 Yield: 96%

Photochemical Generation and Cycloadditions of Strained Cycloalkynes

By: Wei, Congyin; et al


Journal of the American Chemical Society (2025), 147(17), 14299-14307.

1.1 Solvents: Acetonitrile; 2 h, 30 °C

Experimental Protocols

Scheme 40 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (10)

31-614-CAS-45417892

Steps: 1 Yield: 96%

Photochemical Generation and Cycloadditions of Strained Cycloalkynes

By: Wei, Congyin; et al


Journal of the American Chemical Society (2025), 147(17), 14299-14307.

1.1 Solvents: Acetonitrile; 2 h, 30 °C

Experimental Protocols

Scheme 41 (1 Reaction)

Steps: 1 Yield: 96%



Absolute stereochemistry shown

Suppliers (18)

Suppliers (65)

31-614-CAS-24138041

Steps: 1 Yield: 96%

Catalyst-free photooxidation reaction from 1,4-dihydropyridazine to pyridazine under air

1.1 Solvents: Dichloromethane; 5 min, rt

1.2 7 h, rt


Experimental Protocols

By: Karaki, Fumika; et al

Tetrahedron (2021), 97, 132411.

Scheme 42 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (67)

Suppliers (83)

Supplier (1)

31-290-CAS-16227898

Steps: 1 Yield: 96%

Vinylboronic Acids as Fast Reacting, Synthetically Accessible, and Stable Bioorthogonal Reactants in the Carboni-Lindsey Reaction

1.1 Solvents: Methanol, Water; 16 h, rt

1.2 Reagents: Chloranil; 2 h, rt


Experimental Protocols

By: Eising, Selma; et al

Angewandte Chemie, International Edition (2016), 55(40), 12243-12247.

Scheme 43 (1 Reaction)

Steps: 1 Yield: 96%



Suppliers (21)

Suppliers (3)

31-290-CAS-23879799

Steps: 1 Yield: 96%

One-Pot and Two-Chamber Methodologies for Using Acetylene Surrogates in the Synthesis of Pyridazines and Their D-Labeled Derivatives

1.1 Solvents: 1,4-Dioxane; rt → 100 °C; 10 d, 100 °C


Experimental Protocols

By: Ledovskaya, Maria S.; et al


Chemistry - An Asian Journal (2021), 16(16), 2286-2297.

Scheme 44 (1 Reaction)


Steps: 1 Yield: 96%



+



→



Suppliers (67)

31-290-CAS-16298657

Steps: 1 Yield: 96%

1.1 Solvents: Dichloromethane; 1 h, rt

Experimental Protocols


Synthesis of Some Novel Norbornene-Fused Pyridazines as Potent Inhibitors of Carbonic Anhydrase and Acetylcholinesterase

By: Kocak, Ramazan; et al


Journal of Heterocyclic Chemistry (2016), 53(6), 2049-2056.

Scheme 45 (1 Reaction)


Steps: 1 Yield: 96%



+



→



Suppliers (55)

31-614-CAS-40744293

Steps: 1 Yield: 96%

1.1 Solvents: Dichloromethane; 4 h, rt

Experimental Protocols


Rapid Construction of ¹⁸F-Triazolyl-tetrazines through the Click Reaction

By: Yang, Cheng; et al


Journal of Organic Chemistry (2024), 89(20), 14673-14678.

Scheme 46 (1 Reaction)


Steps: 1 Yield: 96%



+



→



Suppliers (2)

31-614-CAS-45417899

Steps: 1 Yield: 96%

1.1 Solvents: Acetonitrile; 2 h, 30 °C

Experimental Protocols


Photochemical Generation and Cycloadditions of Strained Cycloalkynes

By: Wei, Congyin; et al

Journal of the American Chemical Society (2025), 147(17), 14299-14307.

Scheme 47 (1 Reaction)

Steps: 1 Yield: 95%



Suppliers (2)

Suppliers (5)

31-290-CAS-23107581

Steps: 1 Yield: 95%

Selective N1/N4 1,4-Cycloaddition of 1,2,4,5-Tetrazines Enabled by Solvent Hydrogen Bonding

By: Zhu, Zixi; et al

Journal of the American Chemical Society (2020), 142(49), 20778-20787.

1.1 132 °C

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.

Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.