

Initiating Search

November 4, 2025, 4:33 PM

• Search:

CAS Lexicon Search:

Nucleophilic aromatic substitution reaction - Preferred Concept

Search Tasks

Task	Result Type	View
Returned Reference Results from CAS Lexicon (3,649)	 References	View Results
Exported: Retrieved Related Reaction Results + Filters (2,490)	 Reactions	View Results
Filtered By:		
Yield:	90-100%, 80-89%, 70-79%	
Document Type:	Journal	
Language:	English	
Publication Year:	2015 to 2025	

Copyright © 2025 American Chemical Society (ACS). All Rights Reserved.


Internal use only. Redistribution is subject to the terms of your CAS SciFinder License Agreement and CAS information Use Policies.

Reactions (50)

[View in CAS SciFinder](#)

Scheme 1 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

31-172-CAS-12916843

Steps: 1 Yield: 100%

1.1 Solvents: Dimethylformamide; 24 h, rt


Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States

By: Qian, Wenyuan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 2 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (101)

Suppliers (65)

31-172-CAS-19635655

Steps: 1 Yield: 100%


1.1 Reagents: Potassium carbonate
Solvents: Dimethyl sulfoxide; 8 h, rt**Synthesis of dihydroquinazolines from 2-aminobenzylamine: N^3 -aryl derivatives with electron-withdrawing groups**

By: Gruber, Nadia; et al

Beilstein Journal of Organic Chemistry (2018), 14, 2510-2519.

Scheme 3 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (89)

Suppliers (94)

31-614-CAS-31332713	Steps: 1 Yield: 100%	A Phenotypic Screen Identifies a Compound Series That Induces Differentiation of Acute Myeloid Leukemia Cells In Vitro and Shows Antitumor Effects In Vivo
1.1 Reagents: Triethylamine Solvents: Acetonitrile; rt		By: Josa-Cullere, Laia; et al
Experimental Protocols		Journal of Medicinal Chemistry (2021), 64(21), 15608-15628.

Scheme 4 (1 Reaction)


Steps: 1 Yield: 100%



31-172-CAS-4380438	Steps: 1 Yield: 100%	Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States
1.1 Solvents: Dimethylformamide; 6 h, rt		By: Qian, Wenyuan; et al
		Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 5 (1 Reaction)


Steps: 1 Yield: 100%



31-172-CAS-23237733	Steps: 1 Yield: 100%	Flavin mimetics: Synthesis and photophysical properties
1.1 Solvents: Ethanol; 10 min, 140 °C		By: Rasadean, Dora-M.; et al
Experimental Protocols		Tetrahedron (2021), 82, 131925.

Scheme 6 (1 Reaction)


Steps: 1 Yield: 100%



31-614-CAS-40486503	Steps: 1 Yield: 100%	Selective Arylation of RNA 2'-OH Groups via S_NAr Reaction with Trialkylammonium Heterocycles
1.1 Solvents: Tetrahydrofuran; 30 min, 25 °C		By: Chatterjee, Sayantan; et al
Experimental Protocols		Angewandte Chemie, International Edition (2024), 63(25), e202403496.

Scheme 7 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (6)


Suppliers (89)

Supplier (1)

31-614-CAS-37993966	Steps: 1 Yield: 100%	Symmetric 4,6-dialkyl/arylamino-5-nitropyrimidines: theoretical explanation of why aminolysis of alkoxy groups is favoured over chlorine aminolysis in nitro-activated pyrimidines
1.1 Reagents: Triethylamine Solvents: Dichloromethane; 0.5 h, rt; 24 h, rt		By: Gomez, Laura Cordoba; et al
Experimental Protocols		New Journal of Chemistry (2023), 47(41), 19138-19145.

Scheme 8 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (88)

31-172-CAS-10821230	Steps: 1 Yield: 100%	Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States
1.1 Solvents: Dimethylformamide; 6 h, rt		By: Qian, Wenyan; et al
		Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 9 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (64)


Suppliers (54)

Suppliers (2)

31-614-CAS-42944360 Steps: 1 Yield: 100% 1.1 Reagents: Potassium hydroxide Solvents: 2-Methyltetrahydrofuran, Water; 20 min, 95 °C Experimental Protocols	S_NAr Reactions Using Continuous Plug Flow...in Aqueous Biphasic Media By: Wong, Madison J.; et al ACS Sustainable Chemistry & Engineering (2024), 12(52), 18725-18734.
--	--

Scheme 10 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (81)

31-614-CAS-40486507 Steps: 1 Yield: 100% 1.1 Solvents: Tetrahydrofuran; 30 min, 25 °C Experimental Protocols	Selective Arylation of RNA 2'-OH Groups via S_NAr Reaction with Trialkylammonium Heterocycles By: Chatterjee, Sayantan; et al Angewandte Chemie, International Edition (2024), 63(25), e202403496.
---	---

Scheme 11 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (88)

31-172-CAS-5910148 Steps: 1 Yield: 100% 1.1 Solvents: Dimethylformamide; 6 h, rt	Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States By: Qian, Wenyan; et al Journal of the American Chemical Society (2015), 137(38), 12261-12268.
--	---

Scheme 12 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (64)


Suppliers (76)

Suppliers (2)

31-172-CAS-23240549	Steps: 1 Yield: 100%	Flavin mimetics: Synthesis and photophysical properties
1.1 Solvents: Ethanol; 10 min, 140 °C		By: Rasadean, Dora-M.; et al
Experimental Protocols		Tetrahedron (2021), 82, 131925.

Scheme 13 (1 Reaction)

Steps: 1 Yield: 100%




Suppliers (5)

Suppliers (17)

31-172-CAS-16472708	Steps: 1 Yield: 100%	Synthesis and optimization of furano[3,2-d]pyrimidines as selective spleen tyrosine kinase (Syk) inhibitors
1.1 Reagents: Potassium carbonate Catalysts: Tris(dibenzylideneacetone)dipalladium, 1,1'-(9,9-Dimethyl-9H-xanthene-4,5-diyl)bis[1,1-diphenylphosphine] Solvents: 1,4-Dioxane; 110 °C		By: Hoemann, Michael; et al
		Bioorganic & Medicinal Chemistry Letters (2016), 26(22), 5562-5567.

Scheme 14 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (69)


Suppliers (75)

Suppliers (2)

31-614-CAS-35202528	Steps: 1 Yield: 100%	Functionalized Tetrazoles as Latent Active Esters in the Synthesis of Amide Bonds
1.1 Reagents: Triethylamine Solvents: Acetone; 18 h, rt		By: Elwood, Jessica M. L.; et al
Experimental Protocols		Organic Letters (2022), 24(51), 9491-9496.

Scheme 15 (1 Reaction)


Steps: 1 Yield: 100%



31-172-CAS-2359307	Steps: 1 Yield: 100%	Studies on the Synthesis of Specifically Fluorinated 4-Aminopyridine Derivatives by Regioselective Nucleophilic Aromatic Substitution and Catalytic Hydrodefluorination
1.1 Reagents: Hydrazine hydrate (1:1) Solvents: Ethanol; 3 h, 90 °C		By: Podolan, Gabriel; et al
Experimental Protocols		Advanced Synthesis & Catalysis (2015), 357(14-15), 3215-3228.

Scheme 16 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (67)

Suppliers (43)

31-170-CAS-20801737

Steps: 1 Yield: 100%

Synthesis of Emissive Heteroacene Derivatives via Nucleophilic Aromatic Substitution

1.1 Reagents: Potassium carbonate

Solvents: Dimethylformamide; 24 h, rt → 100 °C


By: Hiscock, Lana K.; et al

Experimental Protocols

Journal of Organic Chemistry (2019), 84(23), 15530-15537.

Scheme 17 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

31-172-CAS-17683927

Steps: 1 Yield: 100%

Synthesis of Functionalized 4-Fluoropyridazines

1.1 Solvents: Acetonitrile; 3 h, 80 °C


By: Feraldi-Xypolia, Alexandra; et al

Experimental Protocols

Asian Journal of Organic Chemistry (2017), 6(7), 927-935.

Scheme 18 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

31-172-CAS-15046272

Steps: 1 Yield: 100%

Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States


1.1 Solvents: Dimethylformamide; 1 h, rt

By: Qian, Wenyan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 19 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (75)

Suppliers (89)

31-614-CAS-31332688

Steps: 1 Yield: 100%

A Phenotypic Screen Identifies a Compound Series That Induces Differentiation of Acute Myeloid Leukemia Cells In Vitro and Shows Antitumor Effects In Vivo

By: Josa-Cullere, Laia; et al


Journal of Medicinal Chemistry (2021), 64(21), 15608-15628.

1.1 Reagents: Triethylamine
Solvents: Acetonitrile; rt

Experimental Protocols

Scheme 20 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

31-172-CAS-11003015

Steps: 1 Yield: 100%

Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States


By: Qian, Wenyuan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

1.1 Solvents: Dimethylformamide; 6 h, rt

Scheme 21 (1 Reaction)

Steps: 1 Yield: 100%



Relative stereochemistry shown

Suppliers (56)

Suppliers (106)

Relative stereochemistry shown

Supplier (1)

31-172-CAS-20727551

Steps: 1 Yield: 100%

Identification of 2-Imidazopyridine and 2-Aminopyridone Purinones as Potent Pan-Janus Kinase (JAK) Inhibitors for the Inhaled Treatment of Respiratory Diseases

By: Bach, Jordi; et al


Journal of Medicinal Chemistry (2019), 62(20), 9045-9060.

1.1 Reagents: Diisopropylethylamine
Solvents: Dichloromethane; 20 min, rt; -78 °C; 30 min, -78 °C; -78 °C → rt

Experimental Protocols

Scheme 22 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (68)

Suppliers (135)

31-614-CAS-40486509

Steps: 1 Yield: 100%

Selective Arylation of RNA 2'-OH Groups via $\text{S}_{\text{N}}\text{Ar}$ Reaction with Trialkylammonium Heterocycles

1.1 Solvents: Tetrahydrofuran; 30 min, 25 °C


By: Chatterjee, Sayantan; et al

Experimental Protocols

Angewandte Chemie, International Edition (2024), 63(25), e202403496.

Scheme 23 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (33)

31-172-CAS-17683917

Steps: 1 Yield: 100%

Synthesis of Functionalized 4-Fluoropyridazines

1.1 Solvents: Acetonitrile; 4 h, 100 °C


By: Feraldi-Xypolia, Alexandra; et al

Experimental Protocols

Asian Journal of Organic Chemistry (2017), 6(7), 927-935.

Scheme 24 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (304)

Suppliers (99)

Suppliers (48)

31-172-CAS-7014267

Steps: 1 Yield: 100%

General method for nucleophilic aromatic substitution of aryl fluorides and chlorides with dimethylamine using hydroxide-assisted decomposition of N,N-dimethylformamide
1.1 Reagents: Potassium hydroxide
Solvents: Water; 5 min, reflux

By: Garcia, Juana; et al

1.2 1 h, 95 °C


1.3 Reagents: Potassium hydroxide
Solvents: Water; 0.5 h, heated

Synthetic Communications (2016), 46(5), 475-481.

Experimental Protocols

Scheme 25 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (85)

31-172-CAS-21320395

Steps: 1 Yield: 100%

1.1 Solvents: Tetrahydrofuran; 8 - 24 h, rt


Synthesis of [1]Benzothieno[2,3-b]quinolines via Transition-Metal-Free [3+3] Annulation of Nitroarenes and Benzo[b]thiophen-3-ylacetonitrile or 3-(Phenylsulfonylmethyl)benzo[b]thiophene Carbanions

By: Nowacki, Michal; et al

Synthesis (2017), 49(16), 3794-3800.

Scheme 26 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

31-172-CAS-13738382

Steps: 1 Yield: 100%

1.1 Solvents: Dimethylformamide; 6 h, rt


Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States

By: Qian, Wenyuan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 27 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (48)

Suppliers (118)

Supplier (1)

31-172-CAS-20254763

Steps: 1 Yield: 100%

1.1 Solvents: Ethanol, Water; 0 °C; 90 min, 0 °C → reflux


Synthesis and Structural Investigation of Some Electron-Rich Nitroaromatics

By: White, Jonathan M.; et al

Australian Journal of Chemistry (2019), 72(4), 311-327.

Scheme 28 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (63)

31-172-CAS-10626791

Steps: 1 Yield: 100%

Modification of 3-arylisquinolines into 3,4-diarylisquinolines and assessment of their cytotoxicity and topoisomerase inhibition

 1.1 Reagents: Potassium carbonate
 Solvents: Dimethylformamide; 150 °C


Experimental Protocols

By: Khadka, Daulat Bikram; et al

European Journal of Medicinal Chemistry (2015), 92, 583-607.

Scheme 29 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (70)

Suppliers (81)

31-614-CAS-40486505

Steps: 1 Yield: 100%

Selective Arylation of RNA 2'-OH Groups via S_NAr Reaction with Trialkylammonium Heterocycles

1.1 Solvents: Tetrahydrofuran; 30 min, 25 °C


Experimental Protocols

By: Chatterjee, Sayantan; et al

Angewandte Chemie, International Edition (2024), 63(25), e202403496.

Scheme 30 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (97)

Suppliers (75)

Suppliers (2)

31-614-CAS-35202517

Steps: 1 Yield: 100%

Functionalized Tetrazoles as Latent Active Esters in the Synthesis of Amide Bonds

 1.1 Reagents: Triethylamine
 Solvents: Acetone; 18 h, rt


Experimental Protocols

By: Elwood, Jessica M. L.; et al

Organic Letters (2022), 24(51), 9491-9496.

Scheme 31 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (88)

31-172-CAS-6516748

Steps: 1 Yield: 100%

1.1 Solvents: Dimethylformamide; 24 h, rt


Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States

By: Qian, Wenyan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 32 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (60)

Suppliers (54)

31-614-CAS-36811495

Steps: 1 Yield: 100%

1.1 Reagents: Dabco

Catalysts: Nickel bromide (NiBr_2), trihydrate, Osmium(2+), tris (1,10-phenanthroline- $\kappa N^1, \kappa N^{10}$)-, (OC-6-11)-, hexafluoro phosphate(1-)(1:2)

Solvents: Dimethyl sulfoxide; 18 h, rt

Overcoming Photochemical Limitations in Metallaphotoredox Catalysis: Red-Light-Driven C-N Cross-Coupling


By: Goldschmid, Samantha L.; et al

Journal of the American Chemical Society (2022), 144(49), 22409-22415.

Experimental Protocols

Scheme 33 (1 Reaction)

Steps: 1 Yield: 100%



Absolute stereochemistry shown

Absolute stereochemistry shown

Suppliers (52)

Suppliers (106)

31-172-CAS-20727484

Steps: 1 Yield: 100%

1.1 Reagents: Diisopropylethylamine

Solvents: Dichloromethane; 20 min, rt; -78 °C; 30 min, -78 °C; -78 °C → rt


Identification of 2-Imidazopyridine and 2-Aminopyridone Purinones as Potent Pan-Janus Kinase (JAK) Inhibitors for the Inhaled Treatment of Respiratory Diseases

By: Bach, Jordi; et al

Journal of Medicinal Chemistry (2019), 62(20), 9045-9060.

Experimental Protocols

Scheme 34 (1 Reaction)



Suppliers (70)

Suppliers (135)

31-614-CAS-40486508

Steps: 1 Yield: 100%

Selective Arylation of RNA 2'-OH Groups via S_NAr Reaction with Trialkylammonium Heterocycles


By: Chatterjee, Sayantan; et al

Angewandte Chemie, International Edition (2024), 63(25), e202403496.

1.1 Solvents: Tetrahydrofuran; 30 min, 25 °C

Experimental Protocols

Scheme 35 (1 Reaction)



Suppliers (88)

31-172-CAS-305671

Steps: 1 Yield: 100%


Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States

By: Qian, Wenyuan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

1.1 Solvents: Dimethylformamide; 1 h, rt

Scheme 36 (1 Reaction)



Suppliers (4)

Suppliers (81)

31-614-CAS-42944359

Steps: 1 Yield: 100%

S_NAr Reactions Using Continuous Plug Flow...in Aqueous Biphasic Media

By: Wong, Madison J.; et al

ACS Sustainable Chemistry & Engineering (2024), 12(52), 18725-18734.


1.1 Reagents: Potassium hydroxide

Solvents: 2-Methyltetrahydrofuran, Water; 20 min, 95 °C

Experimental Protocols

Scheme 37 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (51)

Suppliers (82)

Suppliers (2)

31-172-CAS-16522994

Steps: 1 Yield: 100%

Preparation of benzimidazole N-oxides by a two-step continuous flow process

1.1 Solvents: Ethanol; 25 min, 120 °C

1.2 Reagents: Hydrochloric acid
Solvents: Water; pH 2 - 5


By: Politano, Fabrizio; et al

Chemistry of Heterocyclic Compounds (New York, NY, United States) (2016), 52(11), 952-957.

Experimental Protocols

Scheme 38 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (43)

Suppliers (71)

31-172-CAS-2839205

Steps: 1 Yield: 100%

Studies on the Synthesis of Specifically Fluorinated 4-Aminopyridine Derivatives by Regioselective Nucleophilic Aromatic Substitution and Catalytic Hydrodefluorination1.1 Reagents: Triethylamine
Solvents: Tetrahydrofuran; 24 h, rt → 70 °C; 70 °C → rt

1.2 Solvents: Water; rt


By: Podolan, Gabriel; et al

Advanced Synthesis & Catalysis (2015), 357(14-15), 3215-3228.

Experimental Protocols

Scheme 39 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (3)

Suppliers (88)

31-172-CAS-3760786

Steps: 1 Yield: 100%

Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States


1.1 Solvents: Dimethylformamide; 1 h, rt

By: Qian, Wenyuan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

Scheme 40 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (89)

Suppliers (83)

Suppliers (2)

31-614-CAS-31332682

Steps: 1 Yield: 100%

A Phenotypic Screen Identifies a Compound Series That Induces Differentiation of Acute Myeloid Leukemia Cells In Vitro and Shows Antitumor Effects In Vivo

By: Josa-Cullere, Laia; et al


Journal of Medicinal Chemistry (2021), 64(21), 15608-15628.

1.1 Reagents: Triethylamine
Solvents: Acetonitrile; rt

Experimental Protocols

Scheme 41 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (3)

Suppliers (88)

31-172-CAS-1652935

Steps: 1 Yield: 100%

Accelerating Effect of Triazolyl and Related Heteroaryl Substituents on S_NAr Reactions: Evidence of Hydrogen-Bond Stabilized Transition States


By: Qian, Wenyuan; et al

Journal of the American Chemical Society (2015), 137(38), 12261-12268.

1.1 Solvents: Dimethylformamide; 1 h, rt

Scheme 42 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (2)

Absolute stereochemistry shown

Suppliers (58)

Absolute stereochemistry shown

Supplier (1)

31-172-CAS-12568424

Steps: 1 Yield: 100%

Discovery of Novel DNA Gyrase Inhibiting Spiropyrimidinet rones: Benzisoxazole Fusion with N-Linked Oxazolidinone Substituents Leading to a Clinical Candidate (ETX0914)

By: Basarab, Gregory S.; et al


Journal of Medicinal Chemistry (2015), 58(15), 6264-6282.

1.1 Reagents: Potassium carbonate
Solvents: Butyronitrile, Water; 6 h, reflux

Experimental Protocols

Scheme 43 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (92)

Suppliers (85)

Suppliers (45)

31-614-CAS-42944361

Steps: 1 Yield: 100%

S_NAr Reactions Using Continuous Plug Flow...in Aqueous Biphasic Media

By: Wong, Madison J.; et al

ACS Sustainable Chemistry & Engineering (2024), 12(52), 18725-18734.


1.1 Reagents: Potassium hydroxide

Solvents: 2-Methyltetrahydrofuran, Water; 10 min, 95 °C

Experimental Protocols

Scheme 44 (1 Reaction)

Steps: 1 Yield: 100%



Relative stereochemistry shown

Relative stereochemistry shown

31-172-CAS-9031585

Steps: 1 Yield: 100%

Studies on the Synthesis of Specifically Fluorinated 4-Aminopyridine Derivatives by Regioselective Nucleophilic Aromatic Substitution and Catalytic Hydrodefluorination

By: Podolan, Gabriel; et al

Advanced Synthesis & Catalysis (2015), 357(14-15), 3215-3228.


1.1 Reagents: Hydrazine hydrate (1:1)

Solvents: Ethanol; 3 h, 90 °C

Experimental Protocols

Scheme 45 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (52)

Suppliers (135)

31-614-CAS-40486510

Steps: 1 Yield: 100%

Selective Arylation of RNA 2'-OH Groups via S_NAr Reaction with Trialkylammonium Heterocycles

By: Chatterjee, Sayantan; et al


Angewandte Chemie, International Edition (2024), 63(25), e202403496.

1.1 Solvents: Tetrahydrofuran; 30 min, 25 °C

Experimental Protocols

Scheme 46 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (86)

Suppliers (79)

Supplier (1)

31-172-CAS-23129127

Steps: 1 Yield: 100%

Stabilization of a 12- π electrons diamino-benzoquino nediimine tautomer

1.1 Reagents: Diisopropylethylamine; 3 h, 140 °C


By: Longevial, Jean-Francois; et al

Experimental Protocols

Chemical Communications (Cambridge, United Kingdom) (2021), 57(4), 548-551.

Scheme 47 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (67)

Suppliers (85)

31-170-CAS-20801739

Steps: 1 Yield: 100%

Synthesis of Emissive Heteroacene Derivatives via Nucleophilic Aromatic Substitution

1.1 Reagents: Calcium sulfate

By: Hiscock, Lana K.; et al


Solvents: Dimethyl sulfoxide; 18 h, rt

Experimental Protocols

Journal of Organic Chemistry (2019), 84(23), 15530-15537.

Scheme 48 (1 Reaction)

Steps: 1 Yield: 100%



Suppliers (76)

Suppliers (115)

Suppliers (60)

31-172-CAS-23239503

Steps: 1 Yield: 100%

Flavin mimetics: Synthesis and photophysical properties

1.1 Solvents: Ethanol, Water; 1 h, rt


By: Rasadean, Dora-M.; et al

Experimental Protocols

Tetrahedron (2021), 82, 131925.

Scheme 49 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (37)

Suppliers (73)

Suppliers (31)

31-172-CAS-6166698

Steps: 1 Yield: 99%

Lewis Acid Activation of Pyridines for Nucleophilic Aromatic Substitution and Conjugate Addition

By: Abou-Shehada, Sarah; et al

ChemSusChem (2015), 8(6), 1083-1087.


1.1 Catalysts: Zinc nitrate

Solvents: Acetonitrile; 24 h, rt → 75 °C

Experimental Protocols

Scheme 50 (1 Reaction)

Steps: 1 Yield: 99%



Suppliers (54)

Suppliers (65)

Suppliers (64)

31-614-CAS-24218816

Steps: 1 Yield: 99%

Rate and Yield Enhancements in Nucleophilic Aromatic Substitution Reactions via Mechanochemistry

By: Andersen, Joel M.; et al

Journal of Organic Chemistry (2021), 86(20), 13983-13989.

1.1 Reagents: Potassium carbonate; rt

Experimental Protocols