Euclid's Theorem of Infinite Prime Numbers **and the Twin Prime Conjecture**

Jaim Harlow
Independent Researcher
hayyim99@gmail.com

Josephina Harlow
Student
hayyim99@gmail.com

Miryam Harlow
Student
hayyim99@gmail.com

Natan Harlow
Student
hayyim99@gmail.com

Abstract

Euclid's classical argument establishes that the prime numbers admit no finite multiplicative closure. This result is frequently conflated with stronger questions concerning the persistence of specific arithmetic relations among primes, such as those posed by the Twin Prime Conjecture. In this note we isolate the precise structural content of Euclid's method and show that it addresses a logically distinct problem: unbounded admissible extension via obstruction to finite closure. We prove that Euclid-type extension mechanisms necessarily destroy fixed additive gap relations and therefore cannot, even in principle, be adapted to address questions concerning infinite families of primes with prescribed differences. This establishes a clean separation between obstruction-based arguments and gap-preservation problems. No new result on the Twin Prime Conjecture is claimed.

Diniz Academy of Technology

Contents

1 Introduction **3**

2 Euclid Extension and Admissible Obstruction **3**

3 Additive Gap Relations **3**

4 Structural Separation **4**

5 Conclusion **4**

Diniz Academy of Technology

1 Introduction

Euclid's proof of the infinitude of primes is often cited as evidence that questions about prime distribution should be approachable by elementary extension arguments. This interpretation is misleading. Euclid's argument is an obstruction result: it demonstrates the impossibility of finite multiplicative closure, not the persistence of arithmetic structure under unbounded growth.

In this paper we show that Euclid-type constructions are inherently incompatible with fixed-gap problems such as the Twin Prime Conjecture. The incompatibility is structural, not technical. Obstruction arguments generate novelty by destroying local additive relations, while gap-preservation requires their stability. By isolating this distinction, we clarify the scope of Euclid's theorem and the methodological requirements of twin-prime–type problems. This paper proves a structural separation theorem showing that Euclid-type obstruction arguments cannot preserve fixed additive gaps, and therefore cannot address the Twin Prime Conjecture even in principle.

Despite its simplicity, Euclid's argument is often rhetorically extended beyond its logical scope. In particular, it is sometimes suggested—explicitly or implicitly—that similar reasoning might apply to more refined questions concerning the distribution of primes, such as the existence of infinitely many pairs of primes with fixed difference (e.g. the Twin Prime Conjecture). [1]

The purpose of this paper is to show that such extensions are structurally impossible. Euclid's argument is an obstruction-based method that establishes unbounded extension by violating finite closure. Gap-preservation problems, including the Twin Prime Conjecture, are of an entirely different type: they require control of additive relations under unbounded growth. We formalize this distinction and prove that Euclid-type constructions necessarily destroy fixed additive relations.

2 Euclid Extension and Admissible Obstruction

Definition 1 (Euclid Extension Operator)**.** *Let $S = \{p_1, \ldots, p_n\}$ be a finite set of prime numbers. Define the Euclid extension*

$$E(S) := \prod_{p \in S} p + 1.$$

Lemma 1 (Exact Exclusion)**.** *For every $p \in S$,*

$$E(S) \equiv 1 \pmod{p}.$$

Consequently, no element of S divides $E(S)$.

Proof. Immediate from the definition of $E(S)$. □

Lemma 1 isolates the obstruction logic in Euclid's proof: any finite multiplicative closure is violated by construction.

3 Additive Gap Relations

Gap-preservation problems concern the persistence of relations of the form

$$q = p + k,$$

where k is a fixed positive integer. The Twin Prime Conjecture [1] corresponds to the case $k = 2$. Such problems require that additive relations remain compatible with unbounded extension.

We now show that Euclid-type extensions are structurally incompatible with this requirement.

Diniz Academy of Technology

4 Structural Separation

Lemma 2 (Modular Instability of Euclid-Type Extensions)**.** *Let $S = \{p_1, \ldots, p_n\}$ be any finite set of primes and define the Euclid extension*

$$E(S) := \prod_{p \in S} p + 1.$$

Fix any integer $k \geq 1$. Then there is no function $f : \mathbb{N} \to \mathbb{Z}/k\mathbb{Z}$ such that, for all finite prime sets S, the residue class

$$E(S) \equiv f(|S|) \pmod{k}$$

is constant or constrained to a fixed subset of $\mathbb{Z}/k\mathbb{Z}$. In particular, Euclid-type constructions do not preserve any fixed additive congruence class modulo k.

Proof. For any modulus k, the residue of $E(S)$ modulo k depends on the residue classes of the primes in S modulo k and their multiplicative interaction. As S varies over finite subsets of the primes, the product $\prod_{p \in S} p$ attains arbitrarily many residue classes modulo k. Hence $E(S) = \prod_{p \in S} p + 1$ cannot be confined to a fixed congruence class or finite subset thereof modulo k. Therefore no additive congruence condition modulo k is preserved under Euclid-type extensions. □

Theorem 1 (Structural Separation)**.** *Euclid-type obstruction arguments cannot preserve fixed additive gap relations. In particular, no proof based on repeated Euclid extension can establish the existence of infinitely many prime pairs with fixed difference k, including the case $k = 2$ of twin primes. [1]*

Proof. By Lemma 2, Euclid extension produces integers whose additive relations are uncontrolled with respect to any fixed gap k. While the construction guarantees novelty relative to a finite set, it simultaneously destroys the local additive structure required for gap preservation. Therefore, obstruction-based methods and gap-preservation problems are logically incompatible. □

Corollary 1 (Methodological Non-Transferability)**.** *Euclid's theorem addresses unbounded admissible extension via obstruction to finite closure, whereas the Twin Prime Conjecture concerns additive relation persistence. These problems require fundamentally different proof mechanisms.*

5 Conclusion

Euclid's theorem and the Twin Prime Conjecture occupy distinct structural domains. The former is an obstruction result: it proves that no finite multiplicative closure of the primes exists. The latter is a distributional problem requiring fine control over additive relations under unbounded growth.

By formalizing this distinction, we clarify both the power and the limitations of Euclid's method. The result is not a weakening of Euclid's theorem, but a precise understanding of its scope. Any progress on gap-preservation problems must proceed by methods fundamentally different from obstruction-based extension. [1]

> **What this result does not say.** This work does not assert that twin primes are finite, rare, or inaccessible by other methods. It makes no claims regarding prime gaps, densities, or conjectures in analytic number theory. The result is strictly methodological: it shows that Euclid-style multiplicative obstruction arguments cannot, even in principle, control or preserve fixed additive gaps. Any successful approach to the Twin Prime Conjecture must therefore rely on fundamentally different structural mechanisms.

Diniz Academy of Technology

References

[1] Thomas L. Heath, editor. *The Elements of Euclid*, volume 2 of *The Thirteen Books of Euclid's Elements*. Dover Publications, New York, 1956. Proposition 20, Book IX (Proof of Infinite Primes).

Version	**Date**	**Changes**
1.0	Jan 2026	Completed structure so that it is a formal proof+ Meta-Admissibility Framework under hostile referee evaluation

Diniz Academy of Technology