Healthy routines break when the week changes.

For people keeping a healthy routine going. Barriers shift week to week, and generic reminders neither know you nor explain why.

YOUR WEEK CHANGES

Week 1

Forgetting gets in the way

Week 2

Weekends are harder

Week 3

Mood drops; wants to reach out

A GENERIC REMINDER DOES NOT

“Time for your daily walk!” ?

“Time for your daily walk!” ?

“Time for your daily walk!” ?

Same words every week, and no reason given.

A record you can see, correct and act on.

Clinical Human Clone turns a one-line check-in into a reviewed health record and one bounded next step.

See

Every value shows its source, age and method.




Correct

Nothing is saved until you review it.



Act

One next step with its reason, or a person.



One sentence in, a reviewed record out.

Check in, review, see it in the passport, learn what helps, then choose a next step. Pain or crisis goes to a person.

Check-in
one sentence

→

Review
confirm or correct

→

Passport
every value sourced

→

Inclinations
what weighs most

→

Next step
choose · defer · ask

→

A person
pain or crisis



Check-in · one sentence, or one of 4 bundled files




Review · 3 values from one sentence, each with its words

Every value shows where it came from.

Each card names its source, age and method. A 5-step evidence thread traces it. Stale values are withheld, not guessed.



Passport card · observed, ready, range sourced




Evidence thread · 5 steps, check-in to card



Withheld · no value in 14 days, no number

Next steps fit the person, and reach a person when it matters.

Inclinations show what weighs most and link each next step to it. Pain or crisis language routes to a human.



Inclinations · what weighs most; each next step linked to it




Next step · choose, defer or ask a professional



Crisis · a fixed hand-off to a person; nothing saved


Rules run live; learning stays offline.

The check-in loop uses fixed rules with no model call. Training and evaluation run offline and publish versioned results.



Memory keeps only what the person confirmed.

Proposals wait for review. Memory is append-only. The honesty layer shows ranges without verdicts and withholds what it cannot support.



HONESTY LAYER

- Fresh within 14 days, or withheld
- A range is shown, never judged
- 5-step evidence thread per card
- Crisis language → a person
- Personal data → refused whole
- Next step passes boundary rules

74 / 74

labelled rule violations caught by the boundary rules

0 / 128

false alarms on compliant rows

202-row sealed test set, 8 rules.

7 questions, a readable reward, a learned policy.

Short answers reveal what drives each member. The reward model scores messages as named terms; GRPO learns which message to send.

Question library (Jev)
7 short check-in questions

→

Hidden traits
barrier, rhythm, motivation…

↓

Interpretable reward model
every score is a sum of named terms that add up exactly


who the member is + what the message adds = **score**

↓

GRPO policy learns which of 7 message types to send

Trait recovery from 7 answers

58 held-out simulated members · orange tick = chance




Both trained stages pass every boundary check; the learned policy edges ahead.

Boundary pass rate on 141 held-out prompts, and mean simulated adherence across 150 episodes against scripted approaches.


Boundary pass rate

prompts passed, of 141 held-out prompts



Mean simulated adherence

150 episodes of 14 days · 0 to 1



Next: a clinical reviewer, a consented pilot, a measured result.

The prototype runs today. Try the journey, then read the code.

1. Name a clinical reviewer and the intended use
2. Close the 12 governance gates for real input
3. Run a consented pilot with a pre-registered measure
4. Grow the learned policy beyond message type

LIVE PROTOTYPE
supermomo668--daypart-demo-playground.us-east.modal.run

THIS DECK
supermomo668--daypart-demo-playground.us-east.modal.run/deck

SOURCE
github.com/Syntropy-Health/longevity-memory-sdk