

PD→HD

RF	1.00	0.58	0.41	0.53	0.46	0.55	0.62
KNN	0.58	1.00	0.60	0.71	0.84	0.70	0.68
SVM	0.41	0.60	1.00	0.13	0.71	0.43	0.38
DT	0.53	0.71	0.13	1.00	0.48	0.50	0.53
QDA	0.46	0.84	0.71	0.48	1.00	0.69	0.57
XGBoost	0.55	0.70	0.43	0.50	0.69	1.00	0.90
LightGBM	0.62	0.68	0.38	0.53	0.57	0.90	1.00
	RF	KNN	SVM	DT	QDA	XGBoost	LightGBM

HD→PD

RF	1.00	0.21	0.22	0.45	0.50	0.45	0.00
KNN	0.21	1.00	0.42	0.45	0.18	0.45	0.82
SVM	0.22	0.42	1.00	0.45	0.35	0.45	0.44
DT	0.45	0.45	0.45	1.00	0.45	1.00	0.50
QDA	0.50	0.18	0.35	0.45	1.00	0.45	-0.08
XGBoost	0.45	0.45	0.45	1.00	0.45	1.00	0.50
LightGBM	0.00	0.82	0.44	0.50	-0.08	0.50	1.00
	RF	KNN	SVM	DT	QDA	XGBoost	LightGBM

PD→ALS

RF	1.00	0.56	0.56	0.24	0.45	0.53	0.58
KNN	0.56	1.00	0.62	0.47	0.86	0.66	0.71
SVM	0.56	0.62	1.00	-0.02	0.67	0.71	0.63
DT	0.24	0.47	-0.02	1.00	0.53	0.48	0.45
QDA	0.45	0.86	0.67	0.53	1.00	0.87	0.88
XGBoost	0.53	0.66	0.71	0.48	0.87	1.00	0.93
LightGBM	0.58	0.71	0.63	0.45	0.88	0.93	1.00
	RF	KNN	SVM	DT	QDA	XGBoost	LightGBM

ALS→PD

RF	1.00	-0.12	0.10	0.70	0.31	0.85	0.80
KNN	-0.12	1.00	0.38	-0.12	0.39	-0.04	-0.22
SVM	0.10	0.38	1.00	0.16	0.51	0.28	0.14
DT	0.70	-0.12	0.16	1.00	0.44	0.74	0.66
QDA	0.31	0.39	0.51	0.44	1.00	0.45	0.31
XGBoost	0.85	-0.04	0.28	0.74	0.45	1.00	0.84
LightGBM	0.80	-0.22	0.14	0.66	0.31	0.84	1.00
	RF	KNN	SVM	DT	QDA	XGBoost	LightGBM

HD→ALS

RF	1.00	0.59	0.90	0.45	0.85	0.45	-0.03
KNN	0.59	1.00	0.71	0.45	0.80	0.45	0.61
SVM	0.90	0.71	1.00	0.45	0.96	0.45	0.15
DT	0.45	0.45	0.45	1.00	0.45	1.00	0.50
QDA	0.85	0.80	0.96	0.45	1.00	0.45	0.24
XGBoost	0.45	0.45	0.45	1.00	0.45	1.00	0.50
LightGBM	-0.03	0.61	0.15	0.50	0.24	0.50	1.00
	RF	KNN	SVM	DT	QDA	XGBoost	LightGBM

ALS→HD

RF	1.00	0.22	0.75	0.38	0.36	0.57	0.65
KNN	0.22	1.00	0.22	0.18	0.65	0.20	0.04
SVM	0.75	0.22	1.00	0.28	0.02	0.61	0.39
DT	0.38	0.18	0.28	1.00	0.18	0.55	0.53
QDA	0.36	0.65	0.02	0.18	1.00	0.14	0.33
XGBoost	0.57	0.20	0.61	0.55	0.14	1.00	0.56
LightGBM	0.65	0.04	0.39	0.53	0.33	0.56	1.00
	RF	KNN	SVM	DT	QDA	XGBoost	LightGBM

