

Clients(cltnum, cltnom, cltprenom, cltville, cltca, clttype)

Commandes(cmdnum, #cltnum, cmddate, cmdvnd)

Ligcommandes(#cmdnum, #artnum, ligcqte)

Articles(artnum, artLib, artpv, artcoul)

a. Afficher le nom et le prénom des clients dont le CA est supérieur a 100000.

b. Afficher la liste des articles dont le prix de vente est inférieur a 100.

c. Afficher les noms des clients parisiens et lillois.

d. Afficher la liste des clients dont le nom commence par M.

e. La Liste des commandes passées par Mr Martin.

f. Le détail de la commande numéro 160803.

a

```
select cltnom,cltprenom
from client
where cltca > 100000;
```

b

```
select *  
from articles  
where artpv <100;
```

c

```
select cltnom, cltville  
from client  
where cltville in ("paris","lille");
```

d

```
select cltnom  
from client  
where cltnom like ("M%");
```

e

```
select *  
from client, commandes  
where client.cltnum = commandes.cltnum and commandes like ("Mr Martin");
```

f

```
select c.*  
from commandes as c, Ligcommandes as l, articles as a, clients as cl  
where c.cmdnum = l.cmdnum  
and l.artnum = a. artnum
```

```
and c.cltnum = cl.cltnum
```

```
and c.cmdnum = 160803;
```