Windows Server 2016

➔ Para a instalação Windows, escolha o **Windows Server 2016r2 Standard (Servidor com Desktop)**





Ative o Windows Server 2016

No **pendriver do boot Windows vai ter um arquivo ATIVADOR server 2016**







Reinicie e verifica se seu Windows já esta ativado.

Na opção **Gerenciar**
Propriedades do Gerenciador do Servidor



Marque a opção. Não iniciar o gerenciador do Servidor automaticamente no logon.



Mude o **nome do computador**: para **SERVIDOR**. Aplica **OK**.



Na opção **Configuração de Segurança Aprimorada do IE**.



Desative as funções.



Ainda no painel de controle abra **Ferramentas Administrativas**.



Abra **Política de segurança local.**



Abra **Políticas de conta**, **Políticas de senha,** abra **A senha deve satisfazer a requisitos de complexidade.**



Clique em **Desativado**, **Aplicar.** e depois em **OK**

Abra **Políticas locais**, **Opções de Segurança**, **Logon Interativo: Não exigir Ctrl+Alt+Del**. Mude **Habilitado**, **OK.**





Ainda em **Opções de Segurança** . Deixe igual à imagem abaixo o que **está marcado.**



CRIE UM NOVO USUARIO PARA O CLIENTE ACESSAR O SERVIDO.

Vá ao **menu iniciar**, **painel de controle**, **Contas de Usuário.**



Gerenciar outra conta



Instale os Drives e programas necessários.

Abra o **Firewall do Windows.**



Clique em **Ativar ou Desativar o Firewall do Windows.**



Mude para **Desativar o Firewall do Windows.**



Clique em **Configurações avançadas.**



Propriedades do Firewall do Windows, **Desliga, OK.**



Adicionar porta do SQL, Porta de Entrada e Porta de Saída.

Regra de Entrada, **Nova Regra.**



Mude para **Porta**. **Avançar**.



Marque a opção **TCP,** Porta local especificadas: **1433**, e clique em **Avançar**.



Marque a opção, **Permitir a Conexão**. **Avançar**.



Todas as opções devem estar marcadas, **Avançar**.



Em **Nome** coloque **SQL_1433**, **Concluir.**



Regra de Saida, **Nova Regra**.



Mude para **Porta**. **Avançar**.



Marque a opção **UDP,** Porta local especificadas: **1434**, e clique em **Avançar**.



Marque a opção, **Permitir a Conexão**. **Avançar**.



Todas as opções devem estar marcadas, **Avançar**.



Em **Nome** coloque **SQL_1434**, **Concluir.**



No Menu Iniciar, executar e digite **CLICONFG**.

Selecione **TCP/IP** e Clique em **Habilitar**. Faça o mesmo com **Pipes nomeados** e clique em **OK**.





Abra o **Internet Explorer**, em **Ferramentas**, **Opções da Internet**, **Segurança, Nível personalizado.**
Em **Downloads**, marque a **opção Habilitar** e clique em **OK**.



No Menu Iniciar, executar e digite **gpedit.msc**
Em **Modelos Administrativos**, **Sistema**, deixe igual à imagem abaixo os que **estão marcados.**



Em **Modelos Administrativos**, **Windows update**, Configurações atualizações, Permitir instalação **(DESATIVADO)**



Está opção são encontradas em Windows Server e superior ao XP.

Em **Modelos Administrativos**, **Rede**, **Cliente DNS**, Desativar resolução de nomes multicast **(HABILITADO)**



SQL Server 2017

1- **Instalar o Java como administrador**
2- **SQL**
3- **SSMS**



Executar como ADMINISTRADOR



Abra a instalação do SQL2017, clique em **Installation** e em **New Instaltion or add features an existing installation.**

NEXT.



MARQUE. NEXT.



SELECIONE, DESMARQUE OS CAMPOS EM VERMELHO. NEXT.

SQL Server 2017 Setup

Feature Selection

Select the Enterprise features to install.

Product Key
License Terms
Global Rules
Product Updates
Install Setup Files
Install Rules
Feature Selection
Feature Rules
Instance Configuration
PolyBase Configuration
Server Configuration
Database Engine Configuration
Analysis Services Configuration
Distributed Replay Controller
Distributed Replay Client
Feature Configuration Rules
Ready to Install
Installation Progress
Complete

Looking for Reporting Services? Download it from the web

Features:

- Database Engine Services
  - SQL Server Replication
  - Machine Learning Services (In-Database)
    - R
    - Python
  - Full-Text and Semantic Extractions for Search
  - Data Quality Services
  - PolyBase Query Service for External Data
- Analysis Services

Shared Features

- Machine Learning Server (Standalone)
  - R
  - Python
- Data Quality Client
- Client Tools Connectivity
- Integration Services
  - Scale Out Master
  - Scale Out Worker
- Client Tools Backwards Compatibility

Feature description:

The configuration and operation of each instance feature of a SQL Server instance is isolated from other SQL Server instances. SQL Server instances can operate side-by-side on the same computer.

Prerequisites for selected features:

Already installed:
- Windows PowerShell 3.0 or higher
- Oracle SE Java Runtime Environment Version 7 Update 51 or higher (64-bit)
- Microsoft .NET Framework 4.6

To be installed from media:

Disk Space Requirements

Drive C: 4351 MB required, 131929 MB available

Select All | Unselect All

Instance root directory: C:\Program Files\Microsoft SQL Server\

Shared feature directory: C:\Program Files\Microsoft SQL Server\

Shared feature directory (x86): C:\Program Files (x86)\Microsoft SQL Server\

< Back | Next > | Cancel

NEXT.

SQL Server 2017 Setup

Instance Configuration

Specify the name and instance ID for the instance of SQL Server. Instance ID becomes part of the installation path.

Product Key
License Terms
Global Rules
Product Updates
Install Setup Files
Install Rules
Feature Selection
Feature Rules
Instance Configuration
PolyBase Configuration
Server Configuration
Database Engine Configuration
Analysis Services Configuration
Distributed Replay Controller
Distributed Replay Client
Feature Configuration Rules
Ready to Install
Installation Progress
Complete

(•) Default instance
( ) Named instance: MSSQLSERVER

Instance ID: MSSQLSERVER

SQL Server directory: C:\Program Files\Microsoft SQL Server\MSSQL14.MSSQLSERVER
Analysis Services directory: C:\Program Files\Microsoft SQL Server\MSAS14.MSSQLSERVER

Installed instances:

Instance Name	Instance ID	Features	Edition	Version

< Back | Next > | Cancel

NEXT.



MARCAR TODOS COMO ALTOMATIC, NEXT.



Marque **Mixed Mode (SQL Server authentication and Windows authentication**. Senha **t6m@q** **Selecione. Next.**



Selecione. Next.



Selecione. Next.

SQL Server 2017 Setup

Distributed Replay Controller

Specify Distributed Replay Controller service access permissions.

- Product Key
- License Terms
- Global Rules
- Product Updates
- Install Setup Files
- Install Rules
- Feature Selection
- Feature Rules
- Instance Configuration
- PolyBase Configuration
- Server Configuration
- Database Engine Configuration
- Analysis Services Configuration
- **Distributed Replay Controller**
- Distributed Replay Client
- Feature Configuration Rules
- Ready to Install
- Installation Progress
- Complete

Specify which users have permissions for the Distributed Replay Controller service.

SUPOR1E3\Administrador (Administrador)

Users that have been granted permission will have unlimited access to the Distributed Replay Controller service.

Add Current User | Add... | Remove

< Back | Next > | Cancel

Next.

SQL Server 2017 Setup

Distributed Replay Client

Specify the corresponding controller and data directories for the Distributed Replay Client.

- Product Key
- License Terms
- Global Rules
- Product Updates
- Install Setup Files
- Install Rules
- Feature Selection
- Feature Rules
- Instance Configuration
- PolyBase Configuration
- Server Configuration
- Database Engine Configuration
- Analysis Services Configuration
- Distributed Replay Controller
- **Distributed Replay Client**
- Feature Configuration Rules
- Ready to Install
- Installation Progress
- Complete

Specify controller machine name and directory locations.

Controller Name:

Working Directory: C:\Program Files (x86)\Microsoft SQL Server\DReplayClient\WorkingDir\ ...

Result Directory: C:\Program Files (x86)\Microsoft SQL Server\DReplayClient\ResultDir\ ...

< Back | Next > | Cancel

Next.

SQL Server 2017 Setup

Ready to Install

Verify the SQL Server 2017 features to be installed.

- Product Key
- License Terms
- Global Rules
- Product Updates
- Install Setup Files
- Install Rules
- Feature Selection
- Feature Rules
- Instance Configuration
- PolyBase Configuration
- Server Configuration
- Database Engine Configuration
- Analysis Services Configuration
- Distributed Replay Controller
- Distributed Replay Client
- Feature Configuration Rules
- **Ready to Install**
- Installation Progress
- Complete

Ready to install SQL Server 2017:

- Summary
  - Edition: Enterprise
  - Action: Install (Product Update)
  - Prerequisites
    - Already installed:
      - Windows PowerShell 3.0 or higher
      - Oracle SE Java Runtime Environment Version 7 Update 51 or higher (64-bit)
      - Microsoft .NET Framework 4.6
    - To be installed from media:
      - Microsoft Visual C++ 2015 Redistributable
  - General Configuration
    - Features
      - Database Engine Services
      - SQL Server Replication
      - Full-Text and Semantic Extractions for Search
      - Data Quality Services
      - PolyBase Query Service for External Data

Configuration file path:

C:\Program Files\Microsoft SQL Server\140\Setup Bootstrap\Log\20180713_153725\ConfigurationFile.ini

< Back | Install | Cancel





COLOCAR ATALHO NO INICIAR.....

WINDOWS+R (chama o executável.)
shell:startup + enter (pasta do iniciar)

COM ESTANCIAÇÃO.

acesso com instância para servidor que usa mais de 1 SQL, ex: está com instalado o SQL SERVER 2012 e precisa instalar o SQL 2008 para rodar o SCOPE. **Nome do Servidor barra o Nome que ficou no SQL instanciado.**





Configuração do **dbxalias** com instanciado com o SQL SERVER.

HABILITAR NET FRAMEWORK 3.5 PARA INSTALACAO DO SQL SERVER 2008

No executar do Windows



vá em Recursos marcar .NET 3.5

Adicionar



marcar

próximo



Serviços de Função

marcar

próximo



Instalar



Fechar



COM O CD Do Windows 2012 NO LEITOR. D: É O LOCAL DO CD. (Source:E:\sources\sxs) E no cmd digite

DISM /Online /Enable-Feature /FeatureName:NetFx3 /All /LimitAccess /Source:E:\sources\sxs

EXPERIENCIA DESKTOP

1.Abra o Prompt de Comandos:

2.Digite o comando: dism /online /enable-feature /all /featurename:DesktopExperience

3.Reinicie o Servidor