[ACCESS: all-staff]

MoonBase Staff Handbook

MoonBase is a shared lunar research station. Everyone must follow posted safety signs and report hazards to mission control. If an oxygen alarm sounds, move to the nearest marked safe zone and notify the on-duty engineer. Do not enter an airlock unless trained and authorized.

Handbook quick reference

Situation	Everyone should
Oxygen alarm	Go to safe zone; alert engineer
Airlock use	Only trained, authorized crew

[ACCESS: finance]

MoonBase Compensation Schedule - CONFIDENTIAL

Annual base salaries are confidential finance records. Do not share outside the Finance group.


Role	Annual salary (USD)
Flight engineer	$142,000
Research scientist	$128,000
Mission commander	$165,000

[ACCESS: engineers]

Oxygen Alarm Runbook

For trained engineering crew. At an oxygen partial pressure below 19.5 kPa, acknowledge the alarm at the habitat console, check the redundant sensor, notify mission control, and inspect the life-support loop from the safe side of the inner hatch. Do not cycle the airlock during an active pressure fault. If pressure continues to fall, isolate the affected habitat section and follow mission control instructions.

Airlock A diagram: habitat is on the left; the inner hatch separates it from the airlock on the right.



Illustrative diagram. Follow the runbook.