Ant communities and range sizes across elevations

Insectes Sociaux
Tim Szewczyk, University of Colorado-Boulder
timothy.szewczyk@colorado.edu

Appendix: Excluded studies

- Andersen AN (1997) Functional groups and patterns of organization in North American ant communities: a comparison with Australia. Journal of Biogeography, 24:433–460.
- Atkin L, Proctor J (1988) Invertebrates in the litter and soil on Volcan Barva, Costa Rica. Journal of Tropical Ecology, 4:307–310.
- Bharti H (2008) Altitudinal diversity of ants in Himalayan regions (Hymenoptera: Formicidae). Sociobiology, 52:305–322.
- Bharti H, Sharma YP (2009) Diversity and abundance of ants along an elevational gradient in Jammu-Kashmir Himalaya-I. Halteres, 1:10–24.
- Bharti H, Sharma YP, Bharti M, Pfeiffer M (2013) Ant species richness, endemicity and functional groups, along an elevational gradient in the Himalayas. Asian Myrmecology, 5:79–101.
- Botes A, McGeoch MA, Robertson HG, van Niekerk A, Davids HP, Chown SL (2006) Ants, altitude and change in the northern Cape Floristic Region. Journal of Biogeography, 33:71–90.
- Bruhl CA, Mohamed M, Linsenmair KE (1999) Altitudinal distribution of leaf litter ants along a transect in primary forests on Mount Kinabalu, Sabah, Malaysia. Journal of Tropical Ecology, 15:265–277.
- Castro Delgado S, Vergara Cobian C, Arellano Ugarte C (2008) Distribucion de la riqueza, composicion taxonomica y grupos funcionales de hormigas del suelo a lo largo de un gradiente altitudinal en el Refugio de Vida Silvestre Laquipampa, Lambayeque Peru. Ecologia Aplicada, 7:89–103.
- Chaladze G (2012) Climate-based model of spatial pattern of the species richness of ants in Georgia. Journal of Insect Conservation, 16:791–800.
- Cole A (1940) A guide to the ants of the Great Smoky Mountains National Park, Tennessee. American Midland Naturalist, 24:1–88.
- Collins N (1980) The distribution of soil macrofauna on the west ridge of Gunung (Mount) Mulu, Sarawak. Oecologia, 44:263–275.
- Colwell R, Brehm G, Cardelús C (2008) Global warming, elevational range shifts, and lowland biotic attrition in the wet tropics. Science, 322:258–261.
- Del Toro I (2013) Diversity of Eastern North American ant communities along environmental gradients. PloS One, 8:e67973.
- Fisher BL (1999) Ant diversity patterns along an elevational gradient in the Réserve Naturelle Intégrale d'Andohahela, Madagascar. Fieldiana Zoology, 94:129–147.
- Fisher BL (1996) Ant diversity patterns along an elevational gradient in the Réserve Naturelle Intégrale d'Andringitra, Madagascar. Fieldiana Zoology, 85:93–108.
- Fisher BL (2002) Ant diversity patterns along an elevational gradient in the Réserve Spéciale de Manongarivo, Madagascar. Boissiera, 59:311–328.
- Fisher BL (2004) Diversity patterns of ants (Hymenoptera: Formicidae) along an elevational gradient on Monts Doudou in Southwestern Gabon. California Academy of Sciences Memoir, 28:269–286.
- Geraghty MJ, Dunn RR, Sanders NJ (2007) Body size, colony size, and range size in ants (Hymenoptera: Formicidae): are patterns along elevational and latitudinal gradients consistent with Bergmann's rule. Myrmecological News, 10:51–58.

- Glaser F (2008) Die Ameisenfauna (Hymenoptera, Formicidae) des Schlerngebiets (Italien, Sudtirol). Gredleriana, 8:467–496.
- Guerrero RJ, Sarmiento CE (2010) Distribucion altitudinal de hormigas (Hymenoptera, Formicidae) en la vertiente noroccidental de la Sierra Nevada de Santa Marta (Colombia). Acta Zoologica Mexicana, 26:279–302.
- Guillem R (2009) A survey of the ants of Minorca (Hymenoptera: Formicidae) with two new species for the island: Hypoponera punctatissima (Roger, 1859) and Temnothorax algiricus (Forel, 1894). Boletín de la Asociación Española de Entomología, 33:447–460.
- Ipser RM, Brinkman MA, Gardner WA, Peeler HB (2004) A survey of ground-dwelling ants (Hymenoptera: Formicidae) in Georgia. Florida Entomologist, 87:253–260.
- Ito Y, Takamine H, Yamauchi K (1998) Abundance and species diversity of ants in forests of Yanbaru, the Northern Part of Okinawa Honto with special reference to effects of undergrowth removal. Entomological Science, 1:347–355.
- Janzen D (1973) Sweep Samples of Tropical Foliage Insects: Description of Study Sites, With Data on Species Abundances and Size Distributions. Ecology, 54:659–686.
- Janzen D, Ataroff, M, Farinas, M, Reyes, S (1976) Changes in the arthropod community along an elevational transect in the Venezuelan Andes. Biotropica, 8:193–203.
- Janzen D (1973) Sweep samples of tropical foliage insects: effects of seasons, vegetation types, elevation, time of day, and insularity. Ecology, 54:687–708.
- Kofler A (1978) Faunistik der Ameisen (Insecta: Hymenoptera, Formicoidea) Osttirols (Tirol, Österreich). Ber. nat.-med. Verein Innsbruck, 117–128.
- Kwon T-S, Kim S-S, Chun JH (2014) Pattern of ant diversity in Korea: An empirical test of Rapoport's altitudinal rule. Journal of Asia-Pacific Entomology.
- Lattke JE, Riera-Valera MA (2012) Diversidad de hormigas (Hymenoptera: Formicidae) en la hojarasca y suelo de selvas nubladas de la Cordillera de la Costa, Venezuela. Metodos en Ecologia y Sistematica, 7:20–34.
- Lapolla JS, Suman T, Sosa-Calvo J, Schultz TR (2007) Leaf litter ant diversity in Guyana. Biodiversity and Conservation 16:491-510.
- Majer JD, Kitching RL, Heterick BE, Hurley K (2001) North-south patterns within arboreal ant assemblages from rain forests in eastern Australia. Biotropica, 33:643–661.
- Malsch AKF, Fiala B, Maschwitz U, Mohamed M, Nais J, Linsenmair K (2008) An analysis of declining ant species richness with increasing elevation at Mount Kinabalu, Sabah, Borneo. Asian Myrmecology, 2:33–49.
- McCoy ED (1990) The distribution of insects along elevational gradients. Oikos, 58:313–322.
- MontBlanc EM, Chambers JC, Brussard PF (2007) Variation in ant populations with elevation, tree cover, and fire in a pinyon-juniper-dominated watershed. Western North American Naturalist, 67:469–491.
- Orabi GM, Semida FM, Abdel-Dayem MS, Sharaf MR, Zalat SM (2011) Diversity patterns of ants along an elevation gradient at St. Catherine Protectorate, South Sinai, Egypt. Zoology in the Middle East, 54:101–112.
- Reymond A, Purcell J, Cherix D, Guisan A, Pellissier L (2013) Functional diversity decreases with temperature in high elevation ant fauna. Ecological Entomology 38:364-373.
- Robertson HG (2002) Comparison of leaf litter ant communities in woodlands, lowland forests and montane forests of north-eastern Tanzania. Biodiversity and Conservation, 11:1637–1652.
- Sanders NJ (2002) Elevational gradients in ant species richness: area, geometry, and Rapoport's rule. Ecography, 1:25–32.
- Sanders NJ, Lessard J-P, Fitzpatrick MC, Dunn RR (2007) Temperature, but not productivity or geometry, predicts elevational diversity gradients in ants across spatial grains. Global Ecology and Biogeography, 16:640–649.
- Sanders NJ, Moss J, Wagner D (2003) Patterns of ant species richness along elevational gradients in an arid ecosystem. Global Ecology and Biogeography, 12:93–102.

- Van der Hammen T, Ward P (2005) Ants from the Ecoandes expeditions: diversity and distribution. Studies on Tropical Andean Ecosystems, 6.
- Wang C, Strazanac JS, Butler L (2001) Association between ants (Hymenoptera: Formicidae) and habitat characteristics in oak-dominated mixed forests. Environmental Entomology, 30:842–848.
- Weber NA (1943) The ants of the Imatong Mountains, Anglo-Egyptian Sudan. Bulletin of the Museum of Comparative Zoology, 93:263–389.
- Whittaker RH (1952) A study of summer foliage insect communities in the Great Smoky Mountains. Ecological Monographs, 22:1–44.
- Woyciechowski M (1993) Ants (Hymenoptera, Formicidae) of the glades in the Tatra Mts (the Carpathians). Tiscia, 27:17–22.
- Zelikova TJ, Dunn RR, Sanders NJ (2008) Variation in seed dispersal along an elevational gradient in Great Smoky Mountains National Park. Acta Oecologica, 34:155–162.