API PLATFORM

Documentation Knowledge E-Learning

1.0.0 OAS 3.1

Plateforme d'apprentissage

Servers

/

Authorize

Cart

GET /api/carts Retrieves the collection of Cart resources.

Retrieves the collection of Cart resources.

Parameters

Try it out

Name	Description
page integer (query)	The collection page number *Default value* : 1 1

Responses

Code	Description	Links
200	Cart collection Media type application/ld+json Controls Accept header.	*No links*

```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_cart": 0,
      "createdAt": "2025-02-04T00:31:18.314Z",
      "user": "https://example.com/",
      "cursus": "https://example.com/",
      "lesson": "https://example.com/",
      "idCart": 0
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
    "previous": "string",
    "next": "string"
  },
  "search": {
    "@type": "string",
    "template": "string",
    "variableRepresentation": "string",
    "mapping": [
```


POST `/api/carts` Creates a Cart resource.

Creates a Cart resource.

Parameters Try it out

No parameters

Request body required application/ld+json

The new Cart resource

Example Value | Schema


```
{
  "createdAt": "2025-02-04T00:31:18.317Z",
  "user": "https://example.com/",
  "cursus": "https://example.com/",
  "lesson": "https://example.com/"
}
```


Responses

201	Cart resource created Media type **application/ld+json** Controls `Accept` header.	
400	Invalid input	*No links*
422	Unprocessable entity	*No links*

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_cart": 0,
  "createdAt": "2025-02-04T00:31:18.317Z",
  "user": "https://example.com/",
  "cursus": "https://example.com/",
  "lesson": "https://example.com/",
  "idCart": 0
}
```


GET `/api/carts/{id_cart}` Retrieves a Cart resource.

Retrieves a Cart resource.

Parameters Try it out

Name	Description
id_cart * required `string` *(path)*	Cart identifier id_cart

Responses

Code	Description	Links
200	Cart resource Media type **application/ld+json**	*No links*

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_cart": 0,
  "createdAt": "2025-02-04T00:31:18.319Z",
  "user": "https://example.com/",
  "cursus": "https://example.com/",
  "lesson": "https://example.com/",
  "idCart": 0
}
```


404	Resource not found	*No links*

DELETE `/api/carts/{id_cart}` Removes the Cart resource.

Removes the Cart resource.

Parameters

Try it out

Name	Description
id_cart * required `string` *(path)*	Cart identifier id_cart

Responses

Code	Description	Links
204	Cart resource deleted	*No links*
404	Resource not found	*No links*

Certification

GET `/api/certifications` Retrieves the collection of Certification resources.

API PLATFORM

Parameters

Try it out

Name	Description
page integer *(query)*	The collection page number *Default value* : 1 1

Responses

Code	Description	Links
200	Certification collection Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	*No links*


```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_certification": 0,
      "user": "https://example.com/",
      "obtainedAt": "2025-02-04T00:31:18.323Z",
      "lesson": "https://example.com/",
      "idCertification": 0
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
    "previous": "string",
    "next": "string"
  },
  "search": {
    "@type": "string",
    "template": "string",
    "variableRepresentation": "string",
    "mapping": [
      {
```

Creates a Certification resource.

Parameters Try it out

No parameters

Request body required application/ld+json

The new Certification resource

Example Value | Schema

```
{
  "user": "https://example.com/",
  "obtainedAt": "2025-02-04T00:31:18.325Z",
  "lesson": "https://example.com/"
}
```

Responses

Code	Description	Links
201	Certification resource created Media type application/ld+json Controls `Accept` header. **Example Value** | Schema `{ "@context": "string", "@id": "string", "@type": "string", "id_certification": 0, "user": "https://example.com/", "obtainedAt": "2025-02-04T00:31:18.325Z", "lesson": "https://example.com/", "idCertification": 0 }`	
400	Invalid input	*No links*
422	Unprocessable entity	*No links*

Retrieves a Certification resource.

Parameters

Try it out

Name	Description
id_certification * required `string` *(path)*	Certification identifier id_certification

Responses

Code	Description	Links
200	Certification resource Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	*No links*
404	Resource not found	*No links*

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_certification": 0,
  "user": "https://example.com/",
  "obtainedAt": "2025-02-04T00:31:18.327Z",
  "lesson": "https://example.com/",
  "idCertification": 0
}
```

Cursus

GET `/api/cursuses` Retrieves the collection of Cursus resources.

Retrieves the collection of Cursus resources.

Parameters

Name	Description
page integer *(query)*	The collection page number *Default value* : 1 1

Responses

Code	Description	Links
200	Cursus collection Media type **application/ld+json** Controls `Accept` header.	*No links*

Example Value | Schema


```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_cursus": 0,
      "Name_cursus": "string",
      "Price": 0,
      "createdAt": "2025-02-04T00:31:18.331Z",
      "updatedAt": "2025-02-04T00:31:18.331Z",
      "theme": "https://example.com/",
      "lesson": [
        "https://example.com/"
      ],
      "images": "string",
      "description": "string",
      "idCursus": 0,
      "nameCursus": "string",
      "price": 0
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
```


POST `/api/cursuses` Creates a Cursus resource.

Creates a Cursus resource.

No parameters

Request body required

application/ld+json

The new Cursus resource

Example Value | Schema

```
{
  "Name_cursus": "string",
  "Price": 0,
  "createdAt": "2025-02-04T00:31:18.334Z",
  "updatedAt": "2025-02-04T00:31:18.334Z",
  "theme": "https://example.com/",
  "lesson": [
    "https://example.com/"
  ],
  "images": "string",
  "description": "string",
  "nameCursus": "string",
  "price": 0
}
```

Responses

Code	Description	Links
201	Cursus resource created Media type application/ld+json Controls `Accept` header. **Example Value** | Schema	

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_cursus": 0,
  "Name_cursus": "string",
  "Price": 0,
  "createdAt": "2025-02-04T00:31:18.334Z",
  "updatedAt": "2025-02-04T00:31:18.334Z",
  "theme": "https://example.com/",
  "lesson": [
    "https://example.com/"
  ],
  "images": "string",
  "description": "string",
  "idCursus": 0,
  "nameCursus": "string",
```

400	Invalid input	*No links*
422	Unprocessable entity	*No links*

GET `/api/cursuses/{id_cursus}` Retrieves a Cursus resource.

Retrieves a Cursus resource.

Parameters

Try it out

Name	Description
id_cursus * required `string` *(path)*	Cursus identifier id_cursus

Responses

Code	Description	Links
200	Cursus resource Media type **application/ld+json** Controls `Accept` header.	*No links*

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_cursus": 0,
  "Name_cursus": "string",
  "Price": 0,
  "createdAt": "2025-02-04T00:31:18.337Z",
  "updatedAt": "2025-02-04T00:31:18.337Z",
  "theme": "https://example.com/",
  "lesson": [
    "https://example.com/"
  ],
  "images": "string",
  "description": "string",
  "idCursus": 0,
  "nameCursus": "string",
```

404	Resource not found	*No links*

DELETE `/api/cursuses/{id_cursus}` Removes the Cursus resource.

Removes the Cursus resource.

Parameters Try it out

Name	Description
id_cursus * required `string` *(path)*	Cursus identifier id_cursus

Responses

Code	Description	Links
204	Cursus resource deleted	*No links*
404	Resource not found	*No links*

PATCH `/api/cursuses/{id_cursus}` Updates the Cursus resource.

Updates the Cursus resource.

Parameters Try it out

Name	Description
id_cursus * required `string` *(path)*	Cursus identifier id_cursus

The updated Cursus resource

Example Value | Schema


```
{
  "Name_cursus": "string",
  "Price": 0,
  "createdAt": "2025-02-04T00:31:18.341Z",
  "updatedAt": "2025-02-04T00:31:18.341Z",
  "theme": "https://example.com/",
  "lesson": [
    "https://example.com/"
  ],
  "images": "string",
  "description": "string",
  "nameCursus": "string",
  "price": 0
}
```


Responses

Code	Description	Links
200	Cursus resource updated Media type **application/ld+json** Controls `Accept` header.	
400	Invalid input	*No links*
404	Resource not found	*No links*

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_cursus": 0,
  "Name_cursus": "string",
  "Price": 0,
  "createdAt": "2025-02-04T00:31:18.342Z",
  "updatedAt": "2025-02-04T00:31:18.342Z",
  "theme": "https://example.com/",
  "lesson": [
    "https://example.com/"
  ],
  "images": "string",
  "description": "string",
  "idCursus": 0,
  "nameCursus": "string",
  "price": 0
}
```

API PLATFORM

Lesson

GET `/api/lessons` Retrieves the collection of Lesson resources.

Retrieves the collection of Lesson resources.

Parameters

Try it out

Name	Description
page `integer` *(query)*	The collection page number *Default value* : 1 1

Responses

Code	Description	Links
200	Lesson collection Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	*No links*


```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_lesson": 0,
      "name_lesson": "string",
      "Price": 0,
      "content": "string",
      "video_url": "string",
      "createdAt": "2025-02-04T00:31:18.345Z",
      "updatedAt": "2025-02-04T00:31:18.345Z",
      "cursus": "https://example.com/",
      "description": "string",
      "certificationImage": "string",
      "idLesson": 0,
```

API PLATFORM


```
      "videoUrl": "string"
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string"
```


POST `/api/lessons` Creates a Lesson resource.

Creates a Lesson resource.

Parameters Try it out

No parameters

Request body required application/ld+json

The new Lesson resource

Example Value | Schema


```
{
  "name_lesson": "string",
  "Price": 0,
  "content": "string",
  "video_url": "string",
  "createdAt": "2025-02-04T00:31:18.348Z",
  "updatedAt": "2025-02-04T00:31:18.348Z",
  "cursus": "https://example.com/",
  "description": "string",
  "certificationImage": "string",
  "nameLesson": "string",
  "price": 0,
  "videoUrl": "string"
}
```


Responses

Code	Description	Links
201	Lesson resource created Media type application/ld+json	

API PLATFORM

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_lesson": 0,
  "name_lesson": "string",
  "Price": 0,
  "content": "string",
  "video_url": "string",
  "createdAt": "2025-02-04T00:31:18.349Z",
  "updatedAt": "2025-02-04T00:31:18.349Z",
  "cursus": "https://example.com/",
  "description": "string",
  "certificationImage": "string",
  "idLesson": 0,
  "nameLesson": "string",
  "price": 0,
  "videoUrl": "string"
}
```


400	Invalid input	*No links*
422	Unprocessable entity	*No links*

GET `/api/lessons/{id_lesson}` Retrieves a Lesson resource.

Retrieves a Lesson resource.

Parameters

Try it out

Name	Description
id_lesson * required `string` *(path)*	Lesson identifier id_lesson

Responses

Code	Description	Links
200	Lesson resource Media type **application/ld+json**	*No links*

API PLATFORM

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_lesson": 0,
  "name_lesson": "string",
  "Price": 0,
  "content": "string",
  "video_url": "string",
  "createdAt": "2025-02-04T00:31:18.352Z",
  "updatedAt": "2025-02-04T00:31:18.352Z",
  "cursus": "https://example.com/",
  "description": "string",
  "certificationImage": "string",
  "idLesson": 0,
  "nameLesson": "string",
  "price": 0,
  "videoUrl": "string"
}
```


404	Resource not found	*No links*

DELETE `/api/lessons/{id_lesson}` Removes the Lesson resource.

Removes the Lesson resource.

Parameters

Try it out

Name	Description
id_lesson * required `string` *(path)*	Lesson identifier id_lesson

Responses

Code	Description	Links
204	Lesson resource deleted	*No links*
404	Resource not found	*No links*

Updates the Lesson resource.

Parameters

Try it out

Name	Description
id_lesson * required `string` *(path)*	Lesson identifier id_lesson

Request body required

application/merge-patch+json

The updated Lesson resource

Example Value | Schema


```
{
  "name_lesson": "string",
  "Price": 0,
  "content": "string",
  "video_url": "string",
  "createdAt": "2025-02-04T00:31:18.356Z",
  "updatedAt": "2025-02-04T00:31:18.356Z",
  "cursus": "https://example.com/",
  "description": "string",
  "certificationImage": "string",
  "nameLesson": "string",
  "price": 0,
  "videoUrl": "string"
}
```


Responses

Code	Description	Links
200	Lesson resource updated Media type application/ld+json Controls `Accept` header.	

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
```

```
    "name_lesson": "string",
    "Price": 0,
    "content": "string",
    "video_url": "string",
    "createdAt": "2025-02-04T00:31:18.356Z",
    "updatedAt": "2025-02-04T00:31:18.356Z",
    "cursus": "https://example.com/",
    "description": "string",
    "certificationImage": "string",
    "idLesson": 0,
    "nameLesson": "string",
    "price": 0,
    "videoUrl": "string"
  }
```


400	Invalid input	*No links*
404	Resource not found	*No links*
422	Unprocessable entity	*No links*

Purchase

GET `/api/purchases` Retrieves the collection of Purchase resources.

Retrieves the collection of Purchase resources.

Parameters

Try it out

Name	Description
page `integer` *(query)*	The collection page number *Default value* : 1 1

Responses

Code	Description	Links
200	Purchase collection Media type **application/ld+json** Controls `Accept` header.	*No links*

```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_purchase": 0,
      "user": "https://example.com/",
      "cursus": "https://example.com/",
      "lesson": "https://example.com/",
      "purchaseAt": "2025-02-04T00:31:18.359Z",
      "idPurchase": 0
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
    "previous": "string",
    "next": "string"
  },
  "search": {
    "@type": "string",
    "template": "string",
    "variableRepresentation": "string",
    "mapping": [
```


GET `/api/purchases/{id_purchase}` Retrieves a Purchase resource.

Retrieves a Purchase resource.

Parameters

Try it out

Name	Description
id_purchase * required `string` *(path)*	Purchase identifier id_purchase

Responses

Code	Description	Links
200	Purchase resource Media type	*No links*

Controls `Accept` header.

Example Value | Schema


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_purchase": 0,
  "user": "https://example.com/",
  "cursus": "https://example.com/",
  "lesson": "https://example.com/",
  "purchaseAt": "2025-02-04T00:31:18.362Z",
  "idPurchase": 0
}
```


404 Resource not found *No links*

ResetPasswordRequest

POST `/api/reset_password_requests` Creates a ResetPasswordRequest resource.

Creates a ResetPasswordRequest resource.

Parameters Try it out

No parameters

Request body required application/ld+json

The new ResetPasswordRequest resource

Example Value | Schema


```
{
  "user": "https://example.com/",
  "hashedToken": "string",
  "expiresAt": "2025-02-04T00:31:18.365Z"
}
```


Responses

201	ResetPasswordRequest resource created

Media type

application/ld+json

Controls `Accept` header.

Example Value | Schema

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id": 0,
  "user": "https://example.com/",
  "hashedToken": "string",
  "requestedAt": "2025-02-04T00:31:18.365Z",
  "expiresAt": "2025-02-04T00:31:18.365Z",
  "expired": true
}
```

400	Invalid input	*No links*
422	Unprocessable entity	*No links*

Theme

GET `/api/themes` Retrieves the collection of Theme resources.

Retrieves the collection of Theme resources.

Parameters

Try it out

Name	Description
page `integer` *(query)*	The collection page number *Default value* : 1 1

Responses

200 Theme collection *No links*

Media type

application/ld+json

Controls `Accept` header.

Example Value | Schema


```
        https://example.com/
      ],
      "idTheme": 0,
      "nameTheme": "string"
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
    "previous": "string",
    "next": "string"
  },
  "search": {
    "@type": "string",
    "template": "string",
    "variableRepresentation": "string",
    "mapping": [
      {
        "@type": "string",
        "variable": "string",
        "property": "string",
        "required": true
      }
    ]
  }
}
```


POST `/api/themes` Creates a Theme resource.

Creates a Theme resource.

Parameters **Try it out**

No parameters

Request body required **application/ld+json**

The new Theme resource

Example Value | Schema


```
{
  "name_theme": "string",
  "cursuses": [
```

API PLATFORM

Responses

Code	Description	Links
201	Theme resource created Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	
400	Invalid input	*No links*
422	Unprocessable entity	*No links*

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_theme": 0,
  "name_theme": "string",
  "cursuses": [
    "https://example.com/"
  ],
  "idTheme": 0,
  "nameTheme": "string"
}
```

GET `/api/themes/{id_theme}` Retrieves a Theme resource.

Retrieves a Theme resource.

Parameters

Try it out

Name	Description
id_theme * required `string` *(path)*	Theme identifier id_theme

Code	Description	Links
200	Theme resource Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	*No links*
404	Resource not found	*No links*

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_theme": 0,
  "name_theme": "string",
  "cursuses": [
    "https://example.com/"
  ],
  "idTheme": 0,
  "nameTheme": "string"
}
```

DELETE `/api/themes/{id_theme}` Removes the Theme resource.

Removes the Theme resource.

Parameters

Try it out

Name	Description
id_theme * required `string` *(path)*	Theme identifier id_theme

Responses

Code	Description	Links
204	Theme resource deleted	*No links*

API PLATFORM

PATCH /api/themes/{id_theme} Updates the Theme resource.

Updates the Theme resource.

Parameters

Try it out

Name	Description
id_theme * required string *(path)*	Theme identifier id_theme

Request body required

application/merge-patch+json

The updated Theme resource

Example Value | Schema

```
{
  "name_theme": "string",
  "cursuses": [
    "https://example.com/"
  ],
  "nameTheme": "string"
}
```

Responses

Code	Description	Links
200	Theme resource updated Media type application/ld+json Controls Accept header. **Example Value** | Schema { "@context": "string", "@id": "string",	

```
  "name_theme": "string",
  "cursuses": [
    "https://example.com/"
  ],
  "idTheme": 0,
  "nameTheme": "string"
}
```

400	Invalid input	*No links*
404	Resource not found	*No links*
422	Unprocessable entity	*No links*

User

GET `/api/users` Retrieves the collection of User resources.

Retrieves the collection of User resources.

Parameters

Try it out

Name	Description
page `integer` *(query)*	The collection page number *Default value* : 1 1

Responses

Code	Description	Links
200	User collection Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "member": [
    {
```

```
      "@type": "string",
      "email": "string",
      "roles": [
        "string"
      ],
      "password": "string",
      "username": "string",
      "createdAt": "2025-02-04T00:31:18.378Z",
      "updatedAt": "2025-02-04T00:31:18.378Z",
      "isVerified": true,
      "purchases": [
        "https://example.com/"
      ],
      "certifications": [
        "https://example.com/"
      ],
      "id": 0,
      "userIdentifier": "string",
      "verified": true
    }
  ],
  "totalItems": 0,
  "view": {
```


POST `/api/users` Creates a User resource.

Creates a User resource.

Parameters Try it out

No parameters

Request body required application/ld+json

The new User resource

Example Value | Schema


```
{
  "email": "string",
  "roles": [
    "string"
  ],
  "password": "string",
  "username": "string",
  "createdAt": "2025-02-04T00:31:18.381Z",
  "updatedAt": "2025-02-04T00:31:18.381Z",
  "purchases": [
    "https://example.com/"
  ],
  "certifications": [
    "https://example.com/"
  ],
  "verified": true
}
```

API PLATFORM

Code	Description	Links
201	User resource created Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "email": "string",
  "roles": [
    "string"
  ],
  "password": "string",
  "username": "string",
  "createdAt": "2025-02-04T00:31:18.383Z",
  "updatedAt": "2025-02-04T00:31:18.383Z",
  "isVerified": true,
  "purchases": [
    "https://example.com/"
  ],
  "certifications": [
    "https://example.com/"
  ],
  "id": 0,
  "userIdentifier": "string",
  "verified": true
}
```

400	Invalid input	*No links*
422	Unprocessable entity	*No links*

GET `/api/users/{id}` Retrieves a User resource.

Retrieves a User resource.

Parameters

Try it out

API PLATFORM

id * required
string
(path)

User identifier

id

Responses

Code	Description	Links
200	User resource Media type **application/ld+json** Controls `Accept` header. **Example Value** | Schema	*No links*
404	Resource not found	*No links*


```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "email": "string",
  "roles": [
    "string"
  ],
  "password": "string",
  "username": "string",
  "createdAt": "2025-02-04T00:31:18.385Z",
  "updatedAt": "2025-02-04T00:31:18.385Z",
  "isVerified": true,
  "purchases": [
    "https://example.com/"
  ],
  "certifications": [
    "https://example.com/"
  ],
  "id": 0,
  "userIdentifier": "string",
  "verified": true
}
```


Schemas

Cart.jsonld › Expand all `object`

API PLATFORM

Cursus > Expand all `object`

Cursus.jsonld > Expand all `object`

Lesson > Expand all `object`

Lesson.jsonld > Expand all `object`

Purchase.jsonld > Expand all `object`

ResetPasswordRequest.jsonld > Expand all `object`

Theme > Expand all `object`

Theme.jsonld > Expand all `object`

User.jsonld > Expand all `object`

Available formats: jsonld jsonopenapi html yamlopenapi
Other API docs: ReDoc GraphiQL