

Try it out

Documentation Knowledge E- Learning 1.0.0 OAS 3.1

Plateforme d'apprentissage

/		Authorize 🔒
Cart		^
GET	/api/carts Retrieves the collection of Cart resources.	^

Name	Description	
page	The collection page number Default value: 1	
(query)	1	

Responses

Parameters

Code	Description	Links
200	Cart collection	No links
	Media type	1
	application/ld+json	
	Controls Accept header.	



```
"member": [
    "@context": "string",
    "@id": "string",
    "@type": "string",
    "id_cart": 0,
"createdAt": "2025-01-30T23:31:13.546Z",
    "user": "https://example.com/",
    "cursus": "https://example.com/"
    "lesson": "https://example.com/",
    "idCart": 0
],
"totalItems": 0,
"view": {
  "@id": "string",
  "type": "string",
  "first": "string",
  "last": "string",
  "previous": "string",
  "next": "string"
"search": {
  "@type": "string",
  "template": "string",
  "variableRepresentation": "string",
  "mapping": [
```

POST /api/carts Creates a Cart resource.

Creates a Cart resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new Cart resource

```
Example Value | Schema
```

```
{
   "createdAt": "2025-01-30T23:31:13.549Z",
   "user": "https://example.com/",
   "cursus": "https://example.com/",
   "lesson": "https://example.com/"
}
```





201 Cart resource created

Media type

application/ld+json

Controls Accept header.

Example Value Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id_cart": 0,
"createdAt": "2025-01-30T23:31:13.549Z",
"user": "https://example.com/",
"cursus": "https://example.com/",
"lesson": "https://example.com/",
"idCart": 0
```

400 Invalid input No links

422 Unprocessable entity

No links

GET /api/carts/{id_cart} Retrieves a Cart resource.

Retrieves a Cart resource.

Parameters

Try it out

Name	Description
id_cart * required	Cart identifier
string (path)	id_cart

Code	Description	Links
200	Cart resource	No links
	Media type	
	application/ld+json	





```
Example Value | Schema
                "@context": "string",
                "@id": "string",
                "@type": "string",
                "id_cart": 0,
"createdAt": "2025-01-30T23:31:13.551Z",
                "user": "https://example.com/",
                "cursus": "https://example.com/",
                "lesson": "https://example.com/",
                "idCart": 0
404
             Resource not found
                                                                              No links
           /api/carts/{id_cart} Removes the Cart resource.
DELETE
Removes the Cart resource.
Parameters
                                                                         Try it out
Name
                    Description
id_cart * required
                    Cart identifier
string
                      id_cart
(path)
Responses
Code
             Description
                                                                              Links
             Cart resource deleted
                                                                              No links
204
404
             Resource not found
                                                                              No links
```

Certification

GET /api/certifications Retrieves the collection of Certification resources.





Parameters

Try it out

Name	Description
page integer	The collection page number Default value : 1
(query)	1

Responses

Code	Description	Links
200	Certification collection	No links

Media type

application/ld+json

Controls Accept header.

Example Value Schema

```
"member": [
     "@context": "string",
     "@id": "string",
     "@type": "string",
     "id_certification": 0,
     "user": "https://example.com/",
     "obtainedAt": "2025-01-30T23:31:13.555Z",
     "lesson": "https://example.com/",
     "idCertification": 0
  }
],
"totalItems": 0,
"view": {
  "@id": "string",
  "type": "string",
  "first": "string",
  "last": "string",
  "previous": "string",
  "next": "string"
"search": {
   "@type": "string",
  "template": "string",
  "variableRepresentation": "string",
  "mapping": [
```





Creates a Certification resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new Certification resource

```
Example Value Schema
```

```
{
  "user": "https://example.com/",
  "obtainedAt": "2025-01-30T23:31:13.558Z",
  "lesson": "https://example.com/"
}
```

Responses

Code Description Links

201 Certification resource created

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id_certification": 0,
"user": "https://example.com/",
"obtainedAt": "2025-01-30T23:31:13.558Z",
"lesson": "https://example.com/",
"idCertification": 0
```

400 Invalid input

No links

422 Unprocessable entity

No links





Retrieves a Certification resource.

Parameters

Try it out

Name Description

id_certification * required
string

Certification identifier

string id_certification (path)

Responses

Codo

Code	Description	LIIIKS
200	Certification resource	No links
	Media type	

application/ld+json

Controls Accept header.

Description

Example Value | Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id_certification": 0,
"user": "https://example.com/",
"obtainedAt": "2025-01-30T23:31:13.562Z",
"lesson": "https://example.com/",
"idCertification": 0
```

404 Resource not found

No links

Links

Cursus

GET /api/cursuses Retrieves the collection of Cursus resources.

Retrieves the collection of Cursus resources.





Name	Description
page integer (query)	The collection page number Default value : 1
	1

Responses

Code	Description	Links
200	Cursus collection	No links

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
"member": [
     "@context": "string",
    "@id": "string",
     "@type": "string",
    "id_cursus": 0,
"Name_cursus": "string",
    "Price": 0,
    "createdAt": "2025-01-30T23:31:13.565Z",
    "updatedAt": "2025-01-30T23:31:13.565Z",
     "theme": "https://example.com/",
     "lesson": [
       "https://example.com/"
    ],
"images": "string",
"strion": "str
    "description": "string",
    "idCursus": 0,
"nameCursus": "string",
     "price": 0
],
"totalItems": 0,
"view": {
    "@id": "string",
  "type": "string",
  "first": "string",
  "last": "string",
```

POST /api/cursuses Creates a Cursus resource.

Creates a Cursus resource.



No parameters

Request body required

application/ld+json

The new Cursus resource

```
Example Value Schema
```

```
{
   "Name_cursus": "string",
   "Price": 0,
   "createdAt": "2025-01-30T23:31:13.567Z",
   "updatedAt": "2025-01-30T23:31:13.567Z",
   "theme": "https://example.com/",
   "lesson": [
        "https://example.com/"
],
   "images": "string",
   "description": "string",
   "nameCursus": "string",
   "price": 0
}
```

Responses

Code Description Links

201 Cursus resource created

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
{
   "@context": "string",
   "@id": "string",
   "@type": "string",
   "id_cursus": 0,
   "Name_cursus": "string",
   "Price": 0,
   "createdAt": "2025-01-30T23:31:13.568Z",
   "updatedAt": "2025-01-30T23:31:13.568Z",
   "theme": "https://example.com/",
   "lesson": [
        "https://example.com/"
],
   "images": "string",
   "description": "string",
   "idCursus": 0,
   "nameCursus": "string",
```





oi/cursuse	es/{id_cursus} Re	etrieves a Cursus resoremoves the Cursus resoremoves		Try it out
oi/cursuse	es/{id_cursus} Reesource. Description Cursus identifie	emoves the Cursus res		Try it out
Cursus re	Description Cursus identifie		source.	Try it out
	Description Cursus identifie	er		Try it out
required	Cursus identifie	er		Try it out
required	Cursus identifie	er		
required		er		
	id_cursus			
Description	n			Links
Cursus r	esource deleted			No links
Resource	e not found			No links
	es/{id cursus} Un	adataa tha Communication	ource	`
C	Cursus r Resourc	Cursus resource deleted	Cursus resource deleted Resource not found	Cursus resource deleted

GET /api/lessons Retrieves the collection of Lesson resources.

Retrieves the collection of Lesson resources.

Parameters

Try it out



page
integer
(query)

The collection page number *Default value*: 1

1

Responses

Code	Description	Links
200	Lesson collection	No links

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
"member": [
    "@context": "string",
    "@id": "string",
    "@type": "string",
    "id_lesson": 0,
"name_lesson": "string",
    "Price": 0,
"content": "string",
    "video_url": "string",
    "createdAt": "2025-01-30T23:31:13.573Z",
    "updatedAt": "2025-01-30T23:31:13.573Z",
    "cursus": "https://example.com/",
    "description": "string",
    "certificationImage": "string",
    "idLesson": 0,
    "nameLesson": "string",
    "price": 0,
    "videoUrl": "string"
],
"totalItems": 0,
"view": {
    "@id": "string",
  "type": "string",
  "first": "string",
  "last": "string",
```

POST /api/lessons Creates a Lesson resource.

GET /api/lessons/{id_lesson} Retrieves a Lesson resource.





Parameters

Try it out

id_lesson * required Lesson identifier

string (path) id_lesson

Responses

Code	Description	Links
200	Lesson resource	No links

Media type

application/ld+json

Controls Accept header.

Example Value Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id_lesson": 0,
"name_lesson": "string",
"Price": 0,
"content": "string",
"video_url": "string",
"createdAt": "2025-01-30T23:31:13.576Z",
"updatedAt": "2025-01-30T23:31:13.576Z",
"cursus": "https://example.com/",
"description": "string",
"certificationImage": "string",
"idLesson": 0,
"nameLesson": "string",
"price": 0,
"videoUrl": "string"
```

404 Resource not found

No links

DELETE /api/lessons/{id_lesson} Removes the Lesson resource.

Removes the Lesson resource.



Name		Description	
id_less	on * ^{required}	Lesson identifier	
string (path)		id_lesson	
Respons	ses		
Code	Descriptio	on	Links
204	Lesson	resource deleted	No links
404	Resourc	ce not found	No links

Purchase

^


GET /api/purchases Retrieves the collection of Purchase resources.

Retrieves the collection of Purchase resources.

Parameters

Try it out

Name	Description	
page integer (query)	The collection page number Default value : 1	





200 Purchase collection No links

Media type

application/ld+json

Controls Accept header.

Example Value Schema

```
"member": [
    "@context": "string",
    "@id": "string",
    "@type": "string",
    "id_purchase": 0,
    "user": "https://example.com/",
    "cursus": "https://example.com/",
    "lesson": "https://example.com/",
    "purchaseAt": "2025-01-30T23:31:13.580Z",
    "idPurchase": 0
],
"totalItems": 0,
"view": {
  "@id": "string",
  "type": "string",
  "first": "string",
  "last": "string",
  "previous": "string",
  "next": "string"
"search": {
  "@type": "string",
  "template": "string",
  "variableRepresentation": "string",
  "mapping": [
```

GET /api/purchases/{id_purchase} Retrieves a Purchase resource.

Retrieves a Purchase resource.

Parameters

Try it out

Name Description

id_purchase * required

Purchase identifier

string
(path)

id_purchase





No links

200 Purchase resource

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id_purchase": 0,
"user": "https://example.com/",
"cursus": "https://example.com/",
"lesson": "https://example.com/",
"purchaseAt": "2025-01-30T23:31:13.582Z",
"idPurchase": 0
```

404 Resource not found No links

ResetPasswordRequest

POST /api/reset_password_requests Creates a ResetPasswordRequest resource.

Creates a ResetPasswordRequest resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new ResetPasswordRequest resource

```
Example Value | Schema
```

```
{
  "user": "https://example.com/",
  "hashedToken": "string",
  "expiresAt": "2025-01-30T23:31:13.584Z"
}
```





201 ResetPasswordRequest resource created

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id": 0,
"user": "https://example.com/",
"hashedToken": "string",
"requestedAt": "2025-01-30T23:31:13.585Z",
"expiresAt": "2025-01-30T23:31:13.585Z",
"expired": true
```

400 Invalid input No links

422 Unprocessable entity No links

Theme

^

GET /api/themes Retrieves the collection of Theme resources.

^

Retrieves the collection of Theme resources.

Parameters

Try it out

Name	Description
page	The collection page number Default value : 1
(query)	1





200 Theme collection No links

Media type

application/ld+json

Controls Accept header.

Example Value Schema

```
"member": [
    "@context": "string",
    "@id": "string",
    "@type": "string",
    "id_theme": 0,
"name_theme": "string",
    "cursuses": [
      "https://example.com/"
    "idTheme": 0,
    "nameTheme": "string"
"totalItems": 0,
"view": {
    "@id": "string",
  "type": "string",
 "first": "string",
"last": "string",
  "previous": "string",
  "next": "string"
"search": {
  "@type": "string",
  "template": "string",
  "variableRepresentation": "string",
```

POST /api/themes Creates a Theme resource.

Creates a Theme resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new Theme resource

Example Value | Schema

```
{
  "name_theme": "string",
  "cursuses": [
```





Responses

Code	Description	Links
201	Theme resource created	
	Media type	
	application/ld+json	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "@context": "string", "@id": "string", "@type": "string", "id_theme": 0, "name_theme": "string", "cursuses": ["https://example.com/"], "idTheme": 0, "nameTheme": "string" }</pre>	
400	Invalid input	No links
422	Unprocessable entity	No links
GET	/api/themes/{id_theme} Retrieves a Theme resource.	~

DELETE /api/themes/{id_theme} Removes the Theme resource.

Description

Removes the Theme resource.

Parameters

Try it out



Name



Code	Description	Links
204	Theme resource deleted	No links
404	Resource not found	No links
PATCH	/api/themes/{id_theme} Updates the Theme resource.	^

Updates the Theme resource.

Parameters

Try it out

id_theme * required Theme identifier

string (path) id_theme

Request body required

application/merge-patch+json

The updated Theme resource

```
Example Value Schema
```

```
"name_theme": "string",
  "cursuses": [
    "https://example.com/"
],
  "nameTheme": "string"
```

Media type

Code	Description	Links
200	Theme resource updated	





Controls Accept header.

Example Value Schema

```
"@context": "string",
"@id": "string",
"@type": "string",
"id_theme": 0,
"name_theme": "string",
"cursuses": [
    "https://example.com/"
],
"idTheme": 0,
"nameTheme": "string"
```

400 Invalid input No links

404 Resource not found No links

422 Unprocessable entity No links

User

GET /api/users Retrieves the collection of User resources.

Retrieves the collection of User resources.

Parameters

Try it out

Name	Description	
page	The collection page number Default value: 1	
(query)	1	

Code	Description	Links
200	User collection	No links
	Media type	





Controls Accept header.

Example Value | Schema

```
"member": [
   "@context": "string",
   "@id": "string",
   "@type": "string",
   "email": "string",
    "roles": [
      "string"
    "password": "string",
    "username": "string",
    "createdAt": "2025-01-30T23:31:13.598Z",
   "updatedAt": "2025-01-30T23:31:13.598Z",
    "isVerified": true,
    "purchases": [
      "https://example.com/"
   "https://example.com/"
    "id": 0,
    "userIdentifier": "string",
    "verified": true
],
"totalItems": 0,
"view": {
```

POST /api/users Creates a User resource.

Creates a User resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new User resource

Example Value Schema

```
{
   "email": "string",
   "roles": [
     "string"
],
   "password": "string",
   "username": "string",
   "createdAt": "2025-01-30T23:31:13.601Z",
   "updatedAt": "2025-01-30T23:31:13.601Z",
```





```
],
"verified": true
\
```

Responses

Code	Description	Links
201	User resource created	
	Media type	
	application/ld+json	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "@context": "string", "@id": "string", "email": "string", "roles": ["string"], "password": "string", "username": "string", "createdAt": "2025-01-30T23:31:13.602Z", "updatedAt": "2025-01-30T23:31:13.602Z", "isVerified": true, "purchases": ["https://example.com/"], "certifications": ["https://example.com/"], "id": 0, "userIdentifier": "string", "verified": true }</pre>	
400	Invalid input	No link

Retrieves a User resource.

/api/users/{id} Retrieves a User resource.


Parameters

Try it out



GET





Schemas

Cart.jsonId > Expand all object





Cursus > Expand all object

Cursus.jsonId > Expand all object

Lesson > Expand all object

Lesson.jsonId > Expand all object

Purchase.jsonId > Expand all object

ResetPasswordRequest.jsonId > Expand all object

Theme > Expand all object

Theme.jsonId > Expand all object

User.jsonId > Expand all object

Available formats: <u>jsonld jsonopenapi html yamlopenapi</u> Other API docs: <u>ReDoc</u> GraphiQL

