


Summary



Summary: An end-to-end process to operationalize ML models





- **Explore, visualize a dataset**
- 2 Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- 5 Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions



Visualise the dataset in Cloud Datalab

```
In [1]: # Create SQL query using natality data after the year 2000
         SELECT
          weight_pounds,
          is_male,
          mother age,
          plurality,
          gestation weeks,
          ABS(FARM FINGERPRINT(CONCAT(CAST(YEAR AS STRING), CAST(month AS STRING))))
          publicdata.samples.natality
        WHERE year > 2000
In [2]: # Call BigQuery and examine in dataframe
        import google.datalab.bigquery as bq
        df = bq.Query(query + " LIMIT 100").execute().result().to dataframe()
        df.head()
Out[2]:
           weight_pounds is_male mother_age plurality gestation_weeks hashmonth
```

32

34

34

1403073183891835564

7146494315947640619

7146494315947640619

8904940584331855459

2126480030009879160

25

30

13

19

22

True

False

True

True

0 3.562670

1 3.999185

2 7.438397

3 4.806077

4 4.812691









- Explore, visualize a dataset
- **2** Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- 5 Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions



Create a sampled dataset

```
traindf.head()# Let's see a small sample
traindf = preprocess(traindf)
evaldf = preprocess(evaldf)
traindf.head()
```

	weight_pounds	is_male	mother_age	plurality
0	5.436599	True	12	Single(1)
1	6.499227	True	13	Single(1)
2	6.686620	False	13	Single(1)
3	7.577288	True	13	Single(1)







- Explore, visualize a dataset
- 2 Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- 5 Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions



Develop a model utilizing TensorFlow model techniques







- Explore, visualize a dataset
- 2 Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- 5 Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions



Peprocess and create .csv files in Cloud Dataflow to create training and evaluation datasets

```
def preprocess(in_test_mode):
   import shutil, os, subprocess
   job_name = 'preprocess-babyweight-features'
M%S')
```





- Explore, visualize a dataset
- 2 Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- **5** Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions



Execute training in the Cloud

```
# Run the model
shutil.rmtree('babyweight_trained', ignore_errors = True)
train_and_evaluate('babyweight_trained')
```

When I ran it, the final lines of the output (above) were:

```
INFO:tensorflow:Saving dict for global step 1000: avera
00, loss = 635.9226
INFO:tensorflow:Restoring parameters from babyweight tr
```







- Explore, visualize a dataset
- 2 Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- 5 Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions



Deploy the model

```
%bash
MODEL_NAME="babyweight"
MODEL_VERSION="ml_on_gcp"
MODEL_LOCATION=$(gsutil ls gs://${BUCKET})
echo "Deleting and deploying $MODEL_NAME $
```






- Explore, visualize a dataset
- 2 Create sampled dataset
- 3 Develop a TensorFlow model
- 4 Create training and evaluation datasets
- 5 Execute training
- 6 Deploy prediction service
- 7 Invoke ML predictions




Deploy a Flask application using Python and App Engine





Machine learning on Google Cloud Platform





cloud.google.com

