



INTERNATIONAL TELECOMMUNICATION UNION

**ITU-T**

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

**V.91**

**Corrigendum 1**  
(07/2001)

SERIES V: DATA COMMUNICATION OVER THE  
TELEPHONE NETWORK

Simultaneous transmission of data and other signals

---

A digital modem operating at data signalling rates of up to 64 000 bit/s for use on a 4-wire circuit switched connection and on leased point-to-point 4-wire digital circuits

**Corrigendum 1**

ITU-T Recommendation V.91 – Corrigendum 1

(Formerly CCITT Recommendation)

---

ITU-T V-SERIES RECOMMENDATIONS  
**DATA COMMUNICATION OVER THE TELEPHONE NETWORK**

General	V.1–V.9
Interfaces and voiceband modems	V.10–V.34
Wideband modems	V.35–V.39
Error control	V.40–V.49
Transmission quality and maintenance	V.50–V.59
<b>Simultaneous transmission of data and other signals</b>	<b>V.60–V.99</b>
Interworking with other networks	V.100–V.199
Interface layer specifications for data communication	V.200–V.249
Control procedures	V.250–V.299
Modems on digital circuits	V.300–V.399

*For further details, please refer to the list of ITU-T Recommendations.*

**A digital modem operating at data signalling rates of up to 64 000 bit/s  
for use on a 4-wire circuit switched connection and on leased  
point-to-point 4-wire digital circuits**

**CORRIGENDUM 1**

**Summary**

This corrigendum provides corrections to 8.2.1.6 and to 8.2.

**Source**

Corrigendum 1 to ITU-T Recommendation V.91 was prepared by ITU-T Study Group 16 (2001-2004) and approved under the WTSA Resolution 1 procedure on 29 July 2001.

## FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

## NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

## INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 2001

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from ITU.

## **ITU-T Recommendation V.91**

**A digital modem operating at data signalling rates of up to 64 000 bit/s  
for use on a 4-wire circuit switched connection and on leased  
point-to-point 4-wire digital circuits**

### **CORRIGENDUM 1**

#### **1) Clause 8.2**

*Modify the first paragraph of 8.2 as follows:*

#### **8.2 V.91 start-up**

The modem may initiate a retrain at any time during start-up (e.g. error events) or data mode according to 8.4.1. Examples of V.91 start-up procedures are shown in Figures 1, 2, and 3.

#### **2) Clause 8.2.1.6**

*Modify 8.2.1.6 as follows:*

**8.2.1.6** The modem shall then send PHIL until it has the information necessary to provide the DIL requested by the peer modem. If it already has the information necessary to provide the DIL requested by the peer modem, it shall proceed to 8.2.1.7 without transmitting PHIL. If the modem is receiving J and it fails the CRC check, the modem shall initiate a retrain according to 8.4.1.

## SERIES OF ITU-T RECOMMENDATIONS

- Series A Organization of the work of ITU-T
- Series B Means of expression: definitions, symbols, classification
- Series C General telecommunication statistics
- Series D General tariff principles
- Series E Overall network operation, telephone service, service operation and human factors
- Series F Non-telephone telecommunication services
- Series G Transmission systems and media, digital systems and networks
- Series H Audiovisual and multimedia systems
- Series I Integrated services digital network
- Series J Cable networks and transmission of television, sound programme and other multimedia signals
- Series K Protection against interference
- Series L Construction, installation and protection of cables and other elements of outside plant
- Series M TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
- Series N Maintenance: international sound programme and television transmission circuits
- Series O Specifications of measuring equipment
- Series P Telephone transmission quality, telephone installations, local line networks
- Series Q Switching and signalling
- Series R Telegraph transmission
- Series S Telegraph services terminal equipment
- Series T Terminals for telematic services
- Series U Telegraph switching
- Series V Data communication over the telephone network**
- Series X Data networks and open system communications
- Series Y Global information infrastructure and Internet protocol aspects
- Series Z Languages and general software aspects for telecommunication systems