

SITE RISK REPORT

Domain: example.com

Scan date (UTC): 2026-09-22T18:04:51Z

Target: https://example.com/

Report model: trust.ai2eo.com / SiteRisk Report

| Executive Summary

Primary incident

Content-Security-Policy was not observed in the inspected response

Severity: **MEDIUM**

Evidence: CSP header absent

example.com has 4 confirmed issue(s). Primary incident: Content-Security-Policy was not observed in the inspected response.

What this costs if left unfixed

Left unfixed, this weakens the website and email trust signals your customers rely on over time.

Top 3 urgent actions

1. Define a CSP (start with report-only) and enforce once validated.
2. Add Strict-Transport-Security: max-age=31536000; includeSubDomains (consider preload after testing).
3. Add X-Frame-Options: DENY/SAMEORIGIN or CSP frame-ancestors.

Narrative generator: deterministic-fallback

1. Security & Infrastructure

HTTP / HTTPS

Field	Value
Status	200
Final URL	https://example.com/
Redirects	1
Redirect chain	https://example.com -> https://example.com/
Server	cloudflare
Reachable at scan	True

TLS certificate (direct handshake)

TLS check unavailable: TypeError: 'str' object cannot be interpreted as an integer

SSL Labs

Status: error - Hostname blacklisted. No TLS assessment is claimed without a completed evaluation.

Security headers

Header	Observed
Strict-Transport-Security	(not observed in inspected response)
Content-Security-Policy	(not observed in inspected response)
X-Content-Type-Options	(not observed in inspected response)
Referrer-Policy	(not observed in inspected response)
Permissions-Policy	(not observed in inspected response)
X-Frame-Options	(not observed in inspected response)

Header absence was not observed in the inspected response; this is not by itself evidence of compromise.

2. Email Security

Control	Status	Detail
SPF	strong	v=spf1 -all
DKIM	present	selector=default
DMARC	strong	v=DMARC1;p=reject;sp=reject;adkim=s;aspf=s
MX	present	0:

No email findings from completed checks.

3. Threat & Reputation

Source	Verdict	Detail
Google Safe Browsing	UNAVAILABLE	Google Safe Browsing requires GSB_API_KEY; not configured.
URLhaus	UNAVAILABLE	URLhaus API returned 401 without auth; set URLHAUS_AUTH_KEY.
AlienVault OTX	ERROR	timeout
urlscan.io	CLEAN	pulses=-, total=10000

API timeout or failure is not treated as a threat match; only an explicit MATCH from a source is.

Findings (all)

#	Severity	Finding	Evidence
1	MEDIUM	Content-Security-Policy was not observed in the inspected response	CSP header absent
2	MEDIUM	Strict-Transport-Security was not observed in the inspected response	HSTS header absent on HTTPS response
3	LOW	No frame-ancestors/X-Frame-Options protection observed	Both X-Frame-Options and CSP frame-ancestors absent
4	LOW	X-Content-Type-Options was not observed in the inspected response	nosniff header absent

4. Prioritized Recommendations

1. Define a CSP (start with report-only) and enforce once validated.
2. Add Strict-Transport-Security: max-age=31536000; includeSubDomains (consider preload after testing).

5. Technical Evidence / Appendix

Check provenance

Check	Status	Confidence	Provenance	Error
dkim	ok	0.9	found DKIM at default._domainkey.example.com	-
dmARC	ok	1.0	TXT_dmarc.example.com policy=reject	-
dns	ok	1.0	resolve A/AAAA/NS for example.com	-
http	ok	1.0	GET https://example.com/ status=200	-
local_tls	error	0.0	unhandled worker exception	TypeError: 'str' object cannot be interpreted as an integer
mx	ok	1.0	MX example.com -> 1	-
otx	timeout	0.0	timeout	timeout
safe_browsing	unavailable	0.0	env GSB_API_KEY missing	Google Safe Browsing requires GSB_API_KEY; not configured.
security_headers	ok	1.0	response headers keys=['age', 'allow', 'cf-cache-status', 'cf-ray', 'connection', 'content-encoding', 'content-type', 'date', 'last-modified', 'server', 'transfer-encoding']	-
spf	ok	1.0	TXT example.com SPF found	-
ssllabs	error	0.5	ssllabs analyze status=ERROR (no grade produced)	Hostname blacklisted
urlhaus	unavailable	0.0	env URLHAUS_AUTH_KEY missing (live probe 2026-09-22: HTTP 401)	URLhaus API returned 401 without auth; set URLHAUS_AUTH_KEY.
urlscan	ok	1.0	urlscan search total=10000 malicious=0	-

Warnings

- safe_browsing: Google Safe Browsing requires GSB_API_KEY; not configured.
- urlhaus: URLhaus API returned 401 without auth; set URLHAUS_AUTH_KEY.
- local_tls: TypeError: 'str' object cannot be interpreted as an integer
- ssllabs: Hostname blacklisted
- otx: timeout
- Some checks were unavailable and excluded from scoring: safe_browsing, urlhaus.

Generated by SiteRisk Report (trust.ai2eo.com). Scan timestamp: 2026-09-22T18:04:51Z. Deterministic checks only feed findings; LLM narrative model: deterministic-fallback. Human verification recommended before commercial delivery.