

JourneyFileWriter
+ writeStudentsToFile(String fileName, List<JourneyDetails> journeyList): void
Savings
- List <JourneyDetails> journeyDetails
+ setSavings(): void
JourneyFileReader
+ parsePassengerType(String input): String
+ parseTimeBand(String input): String
+ readStudentsFromFile(String fileName):List<JourneyDetails>
AddJourney
- List <JournevDetails> iournevList
+ addJourney (JourneyDetails journeyDetails): void
+ journeyIDExists (int id): boolean
+ calculateDisountForJourney(JourneyDetails journeyDetails): void
+ applyDIscount(JourneyDetails journeyDetails, BigDecimal baseFare): BigDecimal
UndoJourney
- List <JourneyDetails> journeyList
+ undoLastRemoval(RemoveJourney remover): void
RemoveJourney
- List <JourneyDetails> journeyList
+ removeJourneyById(int id): JourneyDetails
+ getLastRremovedJourney(): JourneyDetails
+ clearLastRemovedJourney(): void
GetCaps
+ getDailyCap(String passengerType): BigDecimal
ListJourneys
- List <JourneyDetails> journeyList
+ displayJourneys(): void
JourneyDetails
- journeyID: int
- fromZone: int
- toZone: int
- timeBand: String
- passengerType: String
- journeyDate: LocalDate
- zonesCrossed: int
- basefare: BigDecimal
- discountedFare: BigDecimal
- chargedFare: BigDecimal
+ setDiscountedFare(BigDecimal discountedFare): void
+ setChargedFare(BigDecimal chargedFare): void
+ SetBaseFare(BigDecimal baseFare): void
+ getBaseFare(): BigDecimal
+ getDiscountedFare(): BigDecimal
+ getJourneyId(): int
+ getFromZone(): int
+ getToZone(): int
+ getTimeBand(): String
+ getPassengerType(): String
+ getChargedFare(): BigDecimal
+ getJourneyDate(): LocalDate
+ displayDetails(): void
FilterJourneys
- List <JourneyDetails> journeyList
+ filterByPassengerType(String type): void
+ filterByTimeBand(String timeBand): void
+ filterByStartingZone(int startingZone): void
+ filterByPassengerType(int destinationZone): void
+ filterByJourneyDate(LocalDate date): void
ResetDay
- List <JourneyDetails> journeyList
+ resetJourneys (boolean confirmed): void
SortJourneys
- List <JourneyDetails> journeyList
+ sortJourneysByFare(): void
DisplaySummary
- List <JourneyDetails> journeyList
+ displayDailySummary(): void
DisplayTotalByPassengerType
- List <JourneyDetails> journeyList
- adultTotal : double
- studentTotal: double
- childTotal: double
- seniorTotal: double
+ recalculateTotals(GetCaps getCaps): void
+ getRunningTotal(String passengerType): BigDecimal
+ addToRunningTotal(String passengerType, BigDecimal fare): void
+ displayTotalsByPassengerType(): void
+ resetTotals(): void
CategoryCounts
- List <JourneyDetails> journeyList
+ displayTimeBandCounts(): void
+ displayZoneCounts(): void
CityRideLiteApp
journeyID: int
fromZone: int
toZone: int
passengerType: String
timeBand: String
journeyDate: LocalDate
baseFare: double
+ addJourney(journey, getCaps): void
+ journeyIdExists(journeyId): boolean
+ displayTotalsByPassengerType(): void
+ displayjourneys(): void
+ removeJourneyById(sc.nextInt(), getCaps): void
+ undoLastRemoval(removedJourney, getCaps): void
+ filterByPassengerType(sc.nextLine()): void
+ filterByTimeBand(sc.nextLine()):void
+ filterByStartingZone(sc.nextInt()): void
+ filterByDestinationZone(sc.nextInt()): void
+ filterByJourneyDate(dateOfJourney): void
+ sortJourneysByFare(): void
+ displayDailySummary(): void
+ displayTimeBandCounts(): void
+ displayZoneCounts(): void
+ resetJourneys(sc.nextLine().equalsIgnoreCase("y")): void
+ recalculateTotals(getCaps): void
+ displayTotalsByPassengerType(): void
+ setTotals(setCaps): void
+ displayTotalsByPassngerType(): void
+ writeStudentsToFile("journeys.csv", journeyList): void
+ readStudentsFromFile("journeys.csv"): List<JourneyDetails>
+ calculateDisountForJourney(j): void
+ saveProfiles(): void
+ loadProfiles(): List <Profile>
Discounts
- List <JourneyDetails> journeyList
+ setAllJourneysDiscounts(): void
Admin
- userName: String
- password: String
- baseFare: BaseFare
+ login(String inputUserName, String inputPassword): boolean
+ modifyBaseFareRules(BaseFare baseFare, AddJourney addJourney, DisplayTotalByPassengerType totals, BaseFareRules fareRules): void
+ modifyAllJourneyDiscounts(Discounts discount): void
+ modifyAllJourneyCaps(SetTotalByPassengerType setTotalByPassengerType, SetCaps setCaps): void
BaseFare
- List <JourneyDetails> journeyDetails
+ setBaseFareRules(BaseFare baseFare, AddJourney addJourney, DisplayTotalByPassengerType totals, BaseFareRules fareRules): void
Rider
- List <Profile> profiles
+ addProfile(): void
+ displayProfiles(): void
Profile
- name: String
- defaultPayment: String
+ showProfile(): void
ProfileFileWriter
- List<Profile> profiles
- gson: Gson
- fileName: String
+ saveProfiles(): void
ProfileFileReader
- gson: Gson
- fileName: String
+ loadProfiles(): List<Profile>
BaseFareRules
+ TimeBand: enum
+ PassengerType: enum
+ money(String amount): BigDecimal
+ key(int fromZone, int toZone, TimeBand timeBand): BigDecimal
+ getBaseFare(int fromZone, int toZone, TimeBand timeBand): void
+ buildBaseFare(): Map<String, BigDecimal>
+ put(Map<String, BigDecimal> m, int from, int to, TimeBand band, String amount): void
SetCaps
+ setDailyCap(String PassengerType): BigDecimal
SetTotalByPassengerType
- List <JourneyDetails> journeyDetails
- adultTotal: BigDecimal
- studentTotal: BigDecimal
- childTotal: BigDecimal
- seniorTotal: BigDecimal
+ setTotals(SetCaps setCaps): void
+ getRunningTotal(String passengerType): BigDecimal
+ addToRunningTotal(String passengerType, BigDecimal fare): void
+ displayTotalsByPassengerType(): void
1-
needs
Calculates
does
has
might have
modifies
is needed for
needs to
1-- *