

## Portal HDRP documentation

Run demo:

1. Open Knife/Portal HDRP/Demo with VFX/Scenes/Demo scene.
2. Press play.

Quick Start Guide to create portal:

1. Find Knife/Portal HDRP/Prefabs/PortalTunnelStarter or Knife/Portal/Demo with VFX/Prefabs/PortalTunnel prefab.
2. Drag'n'Drop the prefab on scene.

This portal is very basic. You can add your own effects and animation to this.

### Components.

**PortalView** is component that render scene on other side of portal.

It contains:

1. PlayerCamera – GameView Camera.
2. PortalViewCamera – camera of other side of the portal. Must be child of PortalRoot2
3. PortalViewResolution – resolution of RenderTexture of PortalViewCamera (Script automatically creates rendertexture and assign to camera, in scripting you can get this RT from PortalView.RenderTexture).
4. PortalRoot1 – entry of portal.
5. PortalRoot2 – entry of other side of the portal.

**PortalTransition** is component that do transition of objects between portals. Object that will need transit should inherit IPortalTransient interface in any component of object's components. Also, object must have rigidbody (dynamic or kinematic) and collider to call OnTriggerEnter and OnTriggerExit events in PortalTransition component. Always you can use SimpleTransient component to create object Transient.

It contains:

1. EntryPlane – all transformations are doing with that transform. PortalTunnelStarter prefab use PortalMesh (quad).
2. TransitThreshold – threshold of depth position (Z) to teleport object from one side to other side.
3. PlaneSize – size of intersection plane to transit object to other side.
4. Exit – PortalTransition of other side.
5. GizmosColor – color of rectangle gizmo to visualize PlaneSize.
6. IsPortalOpened – portal state. If it is not opened objects will not transit.

**PortalAnimation** is component that plays animation on selected animator when PortalTransition will open or close.

It contains:

1. PortalAnimator – animator that will play open and close animation.
2. OpenPortalAnimation – this animation will be played on portal open.
3. ClosePortalAnimation – this animation will be played on portal close.
4. PortalTransition – open/close events source.

**PortalPhysicsAffector** is component that affects on physics object when PortalTransition will open or close. Repel on open and attract on close.

It contains:

1. PhysicsMask – mask that will be used in Physics.OverlapSphere function.
2. Radius – affect radius.
3. Force – max force of affect.
4. DistanceCurve – curve of force by radius.
5. PortalTransition – open/close events source.
6. ApplyForceToClosestPointOnCollider – should be force applied to ClosestPointOnCollider or to center of mass. If true rigidbodies will have angular speed because force will be applied on some point instead of center of mass.

**PortalOptimization** is component that will help you gain performance.

It contains:

1. CullRadius – culling sphere radius.
2. PortalView – view that will be disabled or enabled.
3. PortalTransition – open/close events source.
4. CullCamera – culling camera (should be GameViewCamera)
5. FrustumCulling – is portal rendering should be disabled by frustum culling of CullCamera.

## **Shaders.**

**Distortion**, with that shader you can achieve space distortion by distortion texture.

1. Alpha – alpha mask of distortion amount.
2. Distortion – distortion map (screen space uv offset).
3. DistortionAmount – amount of distortion.
4. AlphaSoftness[1, 2] – remap alpha sliders.

**Portal Alpha** is main shader of portal effect.

1. Noise – main noise texture.
2. Noise Speed – main noise UV animation speed.
3. Displacement Noise – displacement noise texture.
4. Mask Remap – main mask remapping parameters (min old, max old, min new, max new).
5. Displacement Noise Speed – displacement noise UV animation speed.
6. Gradient Mask Remap – background gradient color mask remapping parameters.
7. Displacement Noise Remap – displacement noise remapping parameters.
8. Glow Remap – glow remapping parameters.
9. Color – main color.
10. Back Gradient Color – second color.
11. Noise Remap – main noise remapping parameters.
12. Glow Intensity – intensity of glow.
13. Glow Power – power of glow.
14. Soft Intersection Distance – soft depth intersection distance.
15. Hue Offset – hue offset value.
16. Intensity – intensity of portal colors.

**Portal Border** is simple shader with displacement animation.

1. Color – color of surface.
2. DisplacementNoise – displacement noise texture.
3. DisplacementNoiseSpeed – speed of DisplacementNoise uv.
4. DisplacementNoiseRemap – remap of noise values.
5. HueOffset – hue offset of all colors.

**Triplanar** is simple shader that samples Albedo texture by world vertex position.

1. MainTex – albedo texture.
2. Falloff – falloff of samples blending.
3. Tiling – sampling tiling.
4. Color – color of albedo.
5. Smoothness – smoothness of surface.

**PortalView** is shader that draws other side of the portal on surface.

1. MainTex – screen RT of other side of the portal.
2. DistortionMap[1, 2] – distortion textures, sampled in vertex XZ space.
3. DistortionTiling[1, 2] – tiling of distortion textures.
4. DistortionAmount[1, 2] – amount of distortion.
5. DistortionSpeed[1, 2] – speed of distortion UV.
6. TotalDistortionAmount – final distortion multiplier.
7. DistortionDistanceSoftness – softness of distance gradient that controls distortion amount by distance.
8. DistortionDistanceMul – multiplier of distance from camera to surface.