





Positive favors RPL. Thin: marginal 95% interval; pale: exploratory simultaneous band.
10 fitting seeds × 10 fixed batches; all responses retained.




Small: all 10 paired seed changes; outlined: their mean. Upper-left is favorable.
10% capacity, β=0.5. Seed ratios differ from the headline ratio of means.




Lines: 10-seed means; shading: full seed range, not a confidence interval.
β=0.5; zero-query differences are estimator effects.




10% capacity. Lines connect the same seed; dots retain all seeds; black diamonds show means.
Path and gap terms change together only where the label explicitly says so.




10% capacity. Each cell is a paired seed ratio against its same-gap zero-path control.
Positive: lower inflation; negative: higher. No seed or nonconverged result is removed.




All 540 cells retained. Means and full seed ranges; lower panels use a symmetric-log axis.
Mean of cell maxima is not the worst observed regret; the full worst case remains in the source.



Reference: no feedback. Positive favors feedback. Three fitting seeds, 10% capacity.
Thin: marginal 95% interval; pale: exploratory simultaneous band. These are not ten-seed results.



Dotted: design default. Gap-weight/tolerance axes: symmetric log; all settings are ticked.
Three-seed means and full ranges, not CIs; this does not establish an optimal default.



10% capacity. Dotted lines mark defaults; ticks show all evaluated settings.
Three-seed means and full ranges, not CIs. All ratios use the same-seed baseline.