

Digital Forensics

1

Introduction to Digital Forensics



LAY Leangros



leangros.lay@cadt.edu.kh



089909978

1. **Introduction to Digital Forensics, Tools and Artifacts**
2. **Disk Forensics**
3. **Browser and Email Forensics**
4. **Network Forensics**
5. **Registry, Windows Event Log and Telemetry**
6. **Web Attacks and Server Attack Investigation**
7. **Anti-forensics Techniques**
8. **Memory Forensics**
9. **Cloud, Dark Web, IoT, Cryptocurrency, and Database Forensics**
10. **Malware Forensics**
11. **Mobile Forensics**
12. **Skill Assessment**

Objectives of Digital Forensics

- It aids in the **recovery, analysis, and preservation** of computers and related materials for the investigating agency to present them as **evidence in a court of law**.
- It aids in determining the **motive** for the crime and the **identity of the primary perpetrator**.
- Creating procedures at a suspected **crime scene** to help ensure that the **digital evidence obtained is not tainted**.
- **Data acquisition and duplication**: The process of **recovering deleted files and partitions** from digital media in order to extract and validate evidence.
- Assists you in quickly **identifying evidence** and estimating the **potential impact** of malicious activity on the victim.
- Creating a **computer forensic report** that provides comprehensive information on the investigation process.
- Keeping the evidence safe by adhering to the **chain of custody**.

1. **Digital Forensics**
2. **Digital Forensic Investigations**
3. **Computer Forensic Investigations**
4. **DEATH (Detection Engineering and Threat Hunting)**
5. **DFIR (Digital Forensics and Incident Response)**

Scoring Breakdown

- Attendance (10%)
- Quiz (10%)
- Lab (30%)
- Midterm (15%)
- Presentation (15%)
- Final Exam (20%)

- **FTK Forensic Toolkit** is a digital forensics software for repeatable, defensible full-disk image collection, processing and review
- **The Sleuth Kit® (TSK)**
 - is used to obtain the following information:
 - File system type
 - Metadata information
 - Content information
- **Autopsy**
 - Autopsy® is a digital forensics platform and graphical interface to The Sleuth Kit® and other digital forensics tools. Modules:
 - **Timeline Analysis** - Advanced graphical event viewing interface
 - **Hash Filtering** - Flag known bad files and ignore known good.
 - **Keyword Search** - Indexed keyword search to find files that mention relevant terms.
 - **Web Artifacts** - Extract history, bookmarks, and cookies from Firefox, Chrome
 - **Data Carving** - Recover deleted files from unallocated space using PhotoRec
 - **Multimedia** - Extract EXIF from pictures and watch videos.
 - **Malware Scanning**

- **Eric Zimmerman**
- **KAPE (Kroll Artifact Parser and Extractor)**
- **Velociraptor:**
- **API Monitor:**
- **Volatility 3**
- **Wireshark**
- **Hindsight**
- **DB Browser for SQLite**
- **SysTools EML Viewer**
- **Pestudio**
- **.NET Disassemblers: dotPeek, ILSpy, and dnSpy**
- **Process Explorer**
- **Process Monitor**
- **IDA**
- **Tor Browser**
- **aLEAPP**
- **....**

Comparison of Some Tools

<#>

Tool Name	Computer Forensics	Mobile Forensics	Cloud Analysis	Open Source
Magnet AXIOM	✓	✓	✓	✗
EnCase	✓	✓	✓	✗
FTK	✓	✓	✓	✗
Autopsy	✓	⚠ (limited)	✗	✓
Cellebrite UFED	✗	✓	✓	✗
X-Ways Forensics	✓	⚠ (limited)	✗	✗
ADF DEI	✓	✓	✗	✗
Belkasoft X	✓	✓	✓	✗
Volatility	✗	✗	✗	✓
ProDiscover	✓	⚠ (limited)	✗	✗

Digital forensics

- **What**

- **Digital forensics** , often referred to as **computer forensics** or **cyber forensics**
- Digital forensics is the process of **collecting** and **analyzing digital evidence** to investigate cyber incidents, criminal activities, and security breaches in a way that maintains its **integrity** and **admissibility** in **court**.
- It applies **forensic techniques** to **digital artifacts**, including **computers**, **servers**, **mobile devices**, **networks**, and **storage media**, to **uncover** the **truth behind cyber-related events**.

- **Why**

- To **track** and **prosecute** the **perpetrators** of a **cyber crime**
- To **estimate** the **potential impact** caused by the **incident** on the **victim** and determine the **intent** of the perpetrator
- To **minimize** the **tangible** and **intangible losses** to the organization
- To **protect** the **organization** from **similar incidents** in the **future**

- **When**

- If a **breach** of contract occurs
- Intellectual property **theft**, employee **misconduct** investigations.
- Cyber Incident Response & **Malware Intrusions**
- **Criminal Prosecutions**

- **How?**


- **Files:** Creation, modification, and access times
- **Browsers:** History, downloads, search queries
- **Emails and chats:** Sent, received, and read timestamps
- **System logs and registry entries:** Login attempts, program execution times, and system events
- **Applications:** App-specific events, including user activities, location points, and interactions captured from a wide range of supported mobile apps
- **Multimedia files:** EXIF metadata from images and videos
- **Drone data:** Flight paths, photo and video timestamps, and location details
- **Car artifacts:** Events extracted from infotainment systems, including navigation points, speed logs, and detailed vehicle usage events from Berla images
- **Computer and mobile system configurations:** Wireless network history, jumplists, prefetch files, and device usage artifacts

- Keep the team small.
- Identify team members and assign responsibilities.
- Ensure all members have necessary clearance and authorization.
- Assign a technical lead for the investigation.
- People Involved in an Investigation Team
 - Photographer
 - Incident Responder
 - Evidence Examiner/Investigator
 - Evidence Documenter
 - Evidence Manager
 - Evidence Witness
 - Attorney

- **Identification**
 - Determining potential sources of evidence.
- **Collection**
 - Gathering data using different methods
- **Examination**
 - Analyzing the collected data for relevant information.
- **Analysis**
 - Interpreting the data to draw conclusions about the incident.
- **Presentation**
 - Presenting findings in a clear and comprehensible manner.

Forensic Investigative Procedure

<#>



Criteria for applying domains based on 5W1H

<#>

Domain	Forensic Concept	Forensic Investigative Question	Key Evidence / Artifacts
who	Identity & Attribution	• Who logged into the compromised host or domain account? • Which user account executed the privileged process or escalated rights?	SAM registry, Auth Logs, Win Event
when	Timeline & Dwell Time	• When did the initial breach occur (point in time)? • How long did the intruder remain active undetected (dwell time)?	\$MFT, Prefetch timestamps,
where	Location & Movement	• Where did the intrusion originate (source IP, country, VPN)? • Where did lateral movement travel across the local network? • Where on the disk/server were staging directories or tools located?	Firewall/VPN logs, Netflow, RDP event IDs, Temp folders, staged .zip paths
what	Actions & Impact	• What payloads or malware were downloaded and executed? • What sensitive databases, files, or credentials were stolen or modified?	Malware hashes (SHA256), memory dumps, Shadow copies, exfiltrated archives
why	Motive & Verification	• Why (ransom, espionage, revenge)?	Ransom notes, Chain of Custody forms, cryptographic verification hashes
how	Mechanism & TTPs	• How did the adversary gain access (phishing, CVE exploit, RDP brute force)? • How did they maintain persistence across reboots? • How did they exfiltrate data (DNS tunneling, C2 channel)?	MITRE ATT&CK techniques, Run keys, scheduled tasks, web server access logs

Example Scenario: Credential Theft & Database Data Tampering

<#>

[Log Entry A - 2026-09-30 08:10:15 UTC]

Source: Windows Security Event Log (Event ID 4624 - Successful Logon)

User: **CORP\thida** | Logon Type: 2 (Interactive) | Host: FIN-WS01

[Log Entry B - 2026-09-30 08:14:10 UTC]

Source: Secure Email Gateway / Web Cache Logs

User: **thida@corp.local**

Subject: "Urgent: Overdue Vendor Invoice #9402"

Attachment: invoice.pdf → Saved to C:\Users\thida\Downloads\invoice.pdf

[Log Entry C - 2026-09-30 08:15:22 UTC]

Source: **Sysmon Event ID 1 (Process Create)**

ParentImage: C:\Program Files\Adobe\Acrobat Reader DC\Reader\AcroRd32.exe

Image: **C:\Windows\System32\cmd.exe**

User: **CORP\thida**

ProcessCommandLine: cmd.exe /c powershell.exe -ExecutionPolicy Bypass -WindowStyle Hidden -Enc Q29tbWFuZ...

[Log Entry D - 2026-09-30 08:15:25 UTC]

Source: Windows Prefetch (PECmd Execution Artifact)

Executable: **ACRORD32.EXE** | Run Count: 14 | Last Execution: 2026-09-30 08:15:22 UTC

Associated File Path: C:\Users\thida\Downloads\invoice.pdf

[Log Entry E - 2026-09-30 08:15:30 UTC]

Source: NTFS \$MFT / File System Monitor

Action: **File Created (Born)**

FilePath: C:\Users\thida\AppData\Local\Temp\m.exe

Hash (SHA256): 8c6976e5b5410415bde908bd4dee15dfb167a9c873fc4bb8a81f6f2ab448a918

[Log Entry F - 2026-09-30 08:16:05 UTC]

Source: **Sysmon Event ID 3 (Network Connect)**

Image: C:\Users\thida\AppData\Local\Temp\m.exe

Source IP: 10.0.4.15 (FIN-WS01) → Destination IP: **198.51.100.50:8443 (External C2)**

Protocol: TCP | Total Bytes Sent: 8,420

Reconstructing the Incident Timeline (5Ws & 1H)

<#>

A financial organization identifies unauthorized salary modifications within a business-critical database server following an endpoint compromise

Timestamp (When)	Actor (Who)	Event (What)	Location (Where)	Objective (Why)	Technique / Evidence (How)
08:15:22 UTC	A Staff thida	Opened malicious invoice.pdf	Workstation FIN-WS01 (C:\Users\thida\Downloads)	Initial Access (Phishing Attachment - T1566.001)	Vulnerable PDF viewer executed embedded payload; verified via Prefetch (PECmd) and Web Cache logs.

08:10:15 UTC

[User Logon]
CORP\thida
Interactive
(Event ID 4624)

08:14:10 UTC

[Phish Received]
invoice.pdf
downloaded to
\Downloads

08:15:22 UTC

[PDF Exploit / PS]
AcroRd32.exe
spawns cmd.exe &
hidden PowerShell

08:15:30 UTC


[Payload Dropped]
m.exe dropped into
\AppData\Local\Temp
(NTFS \$MFT Record)

08:16:05 UTC

[Outbound C2]
FIN-WS01 (10.0.4.15)
connects to
198.51.100.50:8443

INCIDENT TIMELINE: FROM COMPROMISE TO COMMAND & CONTROL

SIMULATION FOR EDUCATION ONLY



[Log Entry A - 2026-09-29 08:14:02 UTC]
Source: Windows Security Event Log (Event ID 4624 - Successful Logon)
User: CORP\sokha.p | Logon Type: 2 (Interactive) | Host: FIN-WKSTN-04

[Log Entry B - 2026-09-29 08:17:15 UTC]
Source: Email Gateway / Thunderbird Logs
User: sokha.p@corp.local | Subject: "Urgent Invoice Q3_Overdue"
Attachment: Invoice_Q3.pdf.iso -> Mounted to drive E:\


[Log Entry C - 2026-09-29 08:18:22 UTC]
Source: Sysmon Event ID 1 (Process Create)
ParentImage: C:\Windows\explorer.exe
Image: E:\Invoice_Review.exe
User: CORP\sokha.p
ProcessCommandLine: "E:\Invoice_Review.exe" -silent

[Log Entry D - 2026-09-29 08:18:25 UTC]
Source: NTFS \$MFT / File System Monitor
Action: File Created (Born)
FilePath: C:\Users\sokha.p\AppData\Roaming\svchost_backup.exe
Hash (SHA256): e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[Log Entry E - 2026-09-29 08:19:10 UTC]
Source: Sysmon Event ID 3 (Network Connect)
Image: C:\Users\sokha.p\AppData\Roaming\svchost_backup.exe
Source IP: 192.168.10.45 (FIN-WKSTN-04) -> Destination IP: 198.51.100.24:443
Protocol: TCP | Total Bytes Sent: 14,250

[Log Entry F - 2026-09-29 08:20:00 UTC]
Source: Windows Security Event Log (Event ID 4698 - Scheduled Task Created)
Task Name: "SystemNetworkUpdate"
Action: C:\Users\sokha.p\AppData\Roaming\svchost_backup.exe
Trigger: At log on of any user

DIGITAL FORENSIC INCIDENT TIMELINE: FIN-WKSTN-04



FORENSIC ATTRIBUTION (5Ws & 1H)

1. WHEN	Comp: 08:17:15 Total Dwell Time: ~2 min 45 sec (from ISO mount to Persistence).	
2. WHERE	Host: FIN-WKSTN-04 (192.168.10.45)	C2: 198.51.100.24:443
3. WHAT	Files: Invoice_Review.exe', 'svchost_backup.exe' Task: SystemNetworkUpdate	
4. HOW	Vector: Phishing ISO (T1566.001) -> ISO Mount (T1553.004) -> Exec (T1204.002) -> => -> Task Persistence (T1053.005)	
5. WHO	Source User: CORP\sokha.p (compromised)	Goal: Command-and-Control (C2) / Remote Access.
6. WHY / ETC	External Actor: Control IP 198.51.100.24	Verified via Log Entries A-F.

This timeline is a synthesis of extracted and normalized log data.

2026-09-29

Malicious File Downloaded from Telegram

<#>

WH	Findings	Evidence Sources
WHO	User CORP\dara.k	• Event ID 4624 • Telegram session
WHEN	• Saved: 14:02 UTC • Run: 14:03 UTC • Persistence: 14:04 UTC	• NTFS \$MFT • Prefetch (.pf) • Sysmon ID 1 & 3
WHERE	• Local: AppData\Local\Temp\ • Remote C2: 198.51.100.33:443	• Folder paths • Sysmon ID 3 • Firewall logs
WHAT	• Salary_Bonus.pdf.exe • Payload: svchost_task.exe • Autorun registry key	• Sysmon ID 1 • File SHA256 • Registry Run key
WHY	Persistent C2 backdoor access	• Sysmon ID 3 (Beaconing) • Registry LastWrite
HOW	• Phishing via Telegram • Double extension (.pdf.exe) • Direct user execution	• Telegram cache • LNK / Jump Lists • explorer.exe tree

Jump lists forensics are useful for:

- Provide a timeline of file and application usage.
- Identifying applications used to access files
- Identifying the frequency files have been accessed
- Providing evidence of files no longer exist on the system
- Field by Eric Zimmerman

SourceFile	FileSize	TargetIDAbsolutePath
SourceCreated	RelativePath	TargetMFTEntryNumber
SourceModified	WorkingDirectory	TargetMFTSequenceNumber
SourceAccessed	FileAttributes	MachineID
AppId	HeaderFlags	MachineMACAddress
AppIdDescription	DriveType	TrackerCreatedOn
EntryName	VolumeSerialNumber	ExtraBlocksPresent
TargetCreated	VolumeLabel	Arguments
TargetModified	LocalPath	
TargetAccessed	CommonPath	

- Disk and data capture tools
- File viewers
- File analysis tools
- Registry analysis tools
- Internet analysis tools
- Email analysis tools
- Mobile devices analysis tools
- Mac OS analysis tools
- Network forensics tools
- Database forensics tools

- Education
- Career path
- Professional certifications
 - GIAC Certified Forensic Analyst (GCFA)
 - GIAC Certified Forensic Examiner (GCFE)
 - EnCase™ Certified Examiner (EnCE)
 - Certified Forensic Computer Examiner (CFCE)
 - Professional Certified Investigator (PCI)
 - Certified Computer Examiner (CCE)
 - Computer Hacking Forensic Investigator (CHFI)
 - GIAC Reverse Engineering Malware (GREM)
 - GIAC Network Forensic Analyst (GNFA)
 - GIAC Advanced Smartphone Forensics (GASF)
 - GIAC Cyber Threat Intelligence (GCTI)
 - Certified Mobile Device Examiner (CMDE)
 - Certified Digital Forensics Examiner (CDFE)
 - Certified Network Forensic Analysis Manager (CNFAM)
 - Advanced Digital Forensic Certification (ADFC)

Skills

- Operating Systems Proficiency
- Forensic Tool Expertise
- Cryptography
- Programming Language

Digital forensics expert job description

- **Utilize leading forensic software** to identify, collect, preserve, and analyze electronic data from laptops, desktops, servers, backup media, mobile devices, and a wide variety of other media
- **Recover deleted user data**, hidden data, file fragments, and temporary files
- Managing and tracking electronic evidence
- Identify and document tactics, techniques, and procedures used by an attacker to gain unauthorized access
- **Develop and disseminate engagement reports**, technical reports, and briefs based on analytic findings
- **Follow industry-standard forensic best practices** while imaging, preserving, transporting, and handling electronic data and associated physical devices.
- **Provide expert witness testimony**

Cyber Forensics and Information Security

Cyber Forensics

- Cyber forensics is used to **collect** and **evaluate** proofs of a specific computing device in an **inquiry**, and **scanning** that is acceptable for court filings

Information Security

- Information security is the protection of information assets to ensure **integrity** and **availability** and **to prevent unauthorized access, disclosure, interruption, amendment, or annihilation**

Sources of Potential Evidence

User-Created Files

- Address books
- Database files
- Media
- Documents
- Internet bookmarks

User-Protected Files

- Compressed files
- Misnamed files
- Password-protected files
- Encrypted files
- Hidden files
- Steganography

Computer- Created Files

- Backup files
- Log files
- Configuration files
- Printer spooler files
- Swap files
- Cookies
- System file history
- Temporary files

Other Sources of Potential Evidence

- Hard Drive
- Thumb Drive
- Memory Card
- Smart Card
- Dongle
- Biometric Scanner
- Answering Machine
- Digital Camera
- Surveillance cameras
- RAM and Volatile storage
- Handheld Devices
- Network Interface Card (NIC)
- Routers, Modem, Hubs, and Switches
- Network Cables and Connectors
- Server
- Printer
- Internet of Things and wearables
- Removable Storage Device and Media
- Scanner
- Telephones
- Copiers
- Credit Card Skimmers
- Digital Watches
- Facsimile (Fax) Machines
- GPS

Rule of Evidence

1. **Understandable**
 - Evidence must be clear and understandable to the judges
2. **Admissible**
 - Evidence must be related to the fact being proved
3. **Authentic**
 - Evidence must be real and appropriately related to the incident
4. **Reliable**
 - There must be no doubt about the authenticity or veracity of the evidence
5. **Complete**
 - The evidence must prove the attacker's actions Innocence or his/her

Best Evidence Rule

- It states that the court only allows the original evidence of a document, photograph, or recording at the trial rather than a copy. However, the duplicate can be accepted as evidence, provided the court finds the party's reasons for submitting the duplicate to be genuine
- The principle underlying the best evidence rule is that the original evidence is considered as the best evidence

- – **Principle 1**

No action taken by law enforcement agencies or their agents should **change data** held on a **computer or storage media**, which may subsequently be relied upon in court.

- – **Principle 2**

In exceptional circumstances, where a person finds it necessary to **access original data** held on a computer or on storage media, that person must be **competent** to do so and be able to **give evidence explaining** the relevance and the implications of their actions.

- – **Principle 3**

An audit trail or alternative record of all processes applied to computer-based electronic evidence should be created and preserved. an independent third party should be able to **examine** those processes and **achieve the same result**.

- – **Principle 4**

The person in charge of the investigation (the case officer) has overall **responsibility** for ensuring that the **law** and these **principles** are adhered to.

Roles of Digital Evidence

Digital evidence may assist the forensic investigator in the prosecution or defense of a suspect:

- Abuse of systems
- Email communication between suspects/conspirators
- Identity theft
- Information leakage
- Malicious attacks on the computer systems themselves
- Production of false documents and accounts
- Theft of commercial secrets
- Unauthorized encryption/ password protection of documents
- Unauthorized transmission of information
- Use/abuse of the Internet

Types of Digital Evidence

Volatile Data

- Data that are lost as soon as the device is powered off; examples include system time, logged-on user(s), open files, network information, process information, process-to-port mapping, process memory, clipboard contents, service/driver information, command history, etc.

Non-volatile Data

- Permanent data stored on secondary storage devices such as hard disks and memory cards; examples include hidden files, slack space, swap file, index.dat files, unallocated clusters, unused partitions, hidden partitions, registry settings, event logs, etc.

Forensic Readiness

- Forensic readiness refers to an organization's ability to optimally use digital evidence in a limited period of time and with minimal investigation costs
- Benefits
 - Fast and efficient investigation with minimal disruption to the business
 - Provides security from cybercrimes such as intellectual property theft, fraud, or extortion
 - Offers structured storage of evidence that reduces the cost and time of an investigation
 - Improves law enforcement interface
 - Helps the organization use the digital evidence in its own defense

Hardware and Software Requirements

Hardware

- Workstations
- Specialized cables
- Write-blockers
- Drive duplicators
- Archive and restore devices

Software

- Data discovery tools
- Password-cracking tools
- Acquisition tools
- Data analyzers
- Data recovery tools
- File viewers
- File type conversion tools
- Security and Utilities software
- Computer forensic software tools such as Wireshark, FTK etc.


1. Create a Forensic Image
2. Document the System's State
3. Identify and Preserve Evidence
4. Analyze the Evidence
5. Timeline Analysis
6. Identify Indicators of Compromise (IOCs)
7. Report and Documentation

Investigation Methodology

1. Documenting the Electronic Crime Scene
2. Search and Seizure
3. Evidence Preservation
4. Data Acquisition
5. Data Analysis
6. Case Analysis
7. Reporting
8. Testifying as an Expert Witness

Data Acquisition

- making a forensic copy of evidence, which could be any type of media
- process of taking an image from a machine
- Acquisition techniques
 - Forensic Imaging
 - FTK Imager
 - AFF4 Imager
 - Extracting Host-based Evidence & Rapid Triage
 - WinPmem
 - DumpIt
 - MemDump
 - Belkasoft RAM Capturer
 - Magnet RAM Capture
 - LiME (Linux Memory Extractor)
 - KAPE
 - Extracting Network Evidence



Data Acquisition

- **Acquisition methods:**

1. The first way is from **disk drive** to **image file** (imaging)
 - Creates a bit-by-bit digital file. More efficient, as one storage drive can hold multiple image files.
2. The second one is from **disk drive** to **disk drive** (cloning)
 1. Copies directly to a second physical drive. Requires a dedicated drive per target but serves as a reliable fallback when imaging tools fail.

- **Avoid Live Analysis, Work on Working Copies**, : Always duplicate the original forensic image. Analyze the copy, never the original, to prevent accidental corruption from faulty tools

Data Acquisition

- **Type**

- Static Acquisition
 - gathering nonvolatile data.
- Dynamic/Live Acquisition
 - gathering volatile data usually while the device is still running.

- **Forensic Image Handling**

- Raw Image (.IMG, .DD)
- Raw CD Image (.ISO, .BIN)
- Split Raw Image (.00n)
- Nero Burning ROM Image (.NRG)
- System Deployment Image (.SDI)
- Advanced Forensics Format Images* (AFF)
- Advanced Forensics Format Images w/ meta data* (AFM)
- Advanced Forensics Format Directories* (AFD)
- VMWare Image (.VMDK)
- EnCase EWF (.E01)
- SMART EWF (.SO!)
- VHD image (.VHD)

- Understand the Suspect and Accounts
- Understand the Suspect's PC
- Network Forensics
- Investigate Command History
- Investigate Suspect's USB
- Investigate Browser History
- Investigate File Explorer History
- Timeline Analysis

- **Investigation Overview:** Offender used Peer-to-Peer (P2P) networks to acquire child abuse material (CAM).
- **Storage Environment:** Data was hosted on a multi-drive server, requiring complete network and storage reconstruction.
- **Anti-Forensics & Encryption:** Files were fragmented across drives and secured inside password-protected TrueCrypt containers.
- **Objective:** Detail the forensic techniques used to reconstruct the storage, bypass encryption, recover evidence, and secure prosecution.

- **Incident Overview:** Arson of a large commercial facility using petrol as an accelerant.
- **Physical Damage:** Server and control PC suffered extensive fire, heat, and smoke damage.
- **Target Artifacts:** CCTV surveillance footage and physical door access control logs.
- **Forensic Challenge:** Physical reconstruction, board replacement/repair, and low-level data recovery from damaged storage media.
- **Objective:** Outline the hardware repair, data acquisition techniques, and analysis required to recover critical evidence.

1. Creating and Verifying Forensic **Disk Images** Using FTK Imager.
 - Create a disk image
 - Contents of a Folder
 - Test
 - Hello.txt
 - Cat.png
 - Result.ad1
2. Free Cracked Software Lab