
LINUX

Package Management

AUGUST 2025



AI STUDIO

Installing Software

Package Management Systems on Linux

Package Management Systems on Linux

The core parts of a Linux distribution and most of its addon software are installed via the Package Management System. Each package contains the files and other instructions needed to make one software component work well and cooperate with the other components that comprise the entire system. Packages can depend on each other. For example, a package for a web-based application written in Python will require the appropriate Python packages to be installed first.

Two Broad Families

There are two broad families of package managers widely deployed: those based on Debian and those which use RPM as their low-level package manager. The two systems are incompatible but, broadly speaking, provide the same essential features and satisfy the same needs. In addition, there are some other systems used by more specialized Linux distributions.


☐ In this section, you will learn how to install, remove, or search for packages from the command line using these two package management systems.



Installing Software

Package Managers: Two Levels

- ≥ Both package management systems operate on two distinct levels: a low-level tool (such as dpkg or rpm) takes care of the details of unpacking individual packages, running scripts, getting the software installed correctly, while a high-level tool (such as apt, dnf, or zypper) works with groups of packages, downloads packages from the vendor, and figures out dependencies.
- Most of the time users need to work only with the high-level tool, which will take care of calling the low-level tool as needed. Dependency resolution is a particularly important feature of the high-level tool, as it handles the details of finding and installing each dependency for you. Be careful, however, as installing a single package could result in many dozens or even hundreds of dependent packages being installed.







∠ Low-Level Tools

dpkg, rpm

Handle individual package installation

□ High-Level Tools

apt, dnf, zypper

Manage dependencies and repositories



Package Managers

Working With Different Package Management Systems

⊿ APT


The Advanced Packaging Tool (apt) is the underlying package management system that manages software on Debian-based systems. While it forms the backend for graphical package managers, such as the Ubuntu Software Center and synaptic, its native user interface is at the command line, with programs that include apt (or apt-get) and apt-cache.

ע DNF

dnf is the open source command-line package-management utility for the RPM compatible Linux systems that belong to the Red Hat family.

∠ Zypper

zypper is the package management system for the SUSE/openSUSE family and is also based on RPM. zypper also allows you to manage repositories from the command line. zypper is fairly straightforward to use and closely resembles dnf.





Package Managers

Command Reference

OPERATION	RPM	DEB
Install package	rpm -i foo.rpm	dpkginstall foo.deb
Install package, dependencies	dnf install foo	apt install foo
Remove package	rpm -e foo.rpm	dpkgremove foo.deb
Remove package, dependencies	dnf remove foo	apt autoremove foo
Update package	rpm -U foo.rpm	dpkginstall foo.deb
Update package, dependencies	dnf update foo	apt install foo
Update entire system	dnf update	apt dist-upgrade
Show all installed packages	rpm -qa or dnf list installed	dpkglist
Get information on package	rpm -qil foo	dpkglistfiles foo
Show packages named foo	dnf list "foo"	apt-cache search foo
Show all available packages	dnf list	apt-cache dumpavail foo
What package is file part of?	rpm -qf file	dpkgsearch file

[☐] This table provides a quick reference for common package management tasks across RPM and Debian-based systems, enabling efficient software management.

AI STUDIO

info@aistudio.com.tr aistudio.com.tr

Thank you!

