The Deepest Sound Helpmates

One position per material class:
the longest helpmate that still has a single solution

Draft — 452 of 875 material classes

All 3 to 6 man endings

Generated from the helpmate tablebase corpus.
Every diagram, depth and solution in this booklet is machine-derived; nothing is hand-written.

How to read this booklet

A *helpmate* is a chess problem in which both sides cooperate: Black moves first and helps White deliver mate. **h#n** means mate on White's nth move. **h#n.5** is the half-move case: White is to move, so the solution opens 1 . . . and needs one extra half-move.

Under every diagram stands the stipulation and the material count, *white men* + *black men*, in the usual problemist's form. The line below the solution is the position's FEN, and it is a link: it opens the position in the Helpmate Analyzer at `helpman.komtera.lt`, already set to the right stipulation, ready to solve and to analyse for thematic content.

Why the deepest problem is not the longest one

In problem chess, uniqueness is the quality criterion. A second solution is a *dual*, and a composition with a dual is unsound. So the position worth showing in a material class is not its longest helpmate — it is the longest one that still has exactly one solution.

Those are never the same position. In all 452 classes collected here the deepest sound problem is shallower than the class maximum, on average 4.4 plies shallower and at worst 20. The reason is in the data: in 438 of 452 classes *every* position at maximum depth has a saturated solution count of 255 or more. The longest helpmates have hundreds of ways to reach mate, which is exactly what disqualifies them as compositions.

Where the numbers come from

Depths and position counts are exact. They are read from each table's `uniqueness` histogram, which maps depth to solution count to number of positions, so "the deepest depth holding a unique solution" and "how many such positions exist" are both lookups, not samples. Each FEN is verified by probing the table before it is used, and each solution is the solver's own output.

Contents

How to read this booklet **ii**

1 The corpus in numbers **1**

2 Three men **4**

3 Four men **7**

4 Five men **30**

5 Six men **125**

A Index of material classes **241**

The corpus in numbers

This draft covers 452 material classes holding 3 289 044 751 776 indexed positions. The deepest sound problem in the whole corpus is **h#13** in KBvkrp (page 30).

Coverage


The target is every material class from three to six men in which a mate can exist at all. Both orders count separately — White mates, so KRPvkb and KBvkrp are different problems — which gives 1 000 classes on paper. Of those, 125 have White with nothing but a bare king and cannot hold a mate under any circumstances, leaving the 875 counted here.

men	in this draft	possible	coverage
3	3	5	60.0%
4	37	40	92.5%
5	181	185	97.8%
6	231	645	35.8%
total	452	875	51.7%

The six-man row is what makes this a draft: those tables are the expensive ones and only a handful have been generated so far. The three-, four- and five-man rows fall a little short of their own totals for a different reason. A class can have a complete table and still contribute nothing here — either no mate exists in it at all, or no depth in it holds a position with a single solution. Such a class has no sound problem to show, so it has no page.


How deep a sound problem gets

Distribution of the deepest sound depth across all 452 classes.



The gap to the class maximum

How much depth uniqueness costs: the class's longest helpmate minus its deepest sound one, in plies. It is never zero.



Mean 4.4 plies, median 3, worst 20 — KRBvkp, which runs to h#16 but whose deepest sound problem is only h#6 (page 100).

The ten deepest

material	sound	class max	gap	positions
KBvkbbp	h#13	h#16.5	7	2
KBvkrp	h#13	h#16.5	7	2
KBvkqbp	h#12.5	h#16.5	8	59
KBvkqqp	h#12.5	h#17.5	10	210
KBvkqrp	h#12.5	h#16.5	8	495
KBvkrpp	h#12.5	h#16.5	8	14
KBvkrrp	h#12.5	h#16.5	8	79
KPvkbpp	h#12.5	h#15.5	6	7
KBvkqp	h#12	h#17	10	3
KBvkrbp	h#12	h#16.5	9	6

Rarity

At its deepest sound depth a class may hold a single position and nothing else. 41 classes are like that, and 190 hold ten or fewer. Those are the positions with no margin at all: change one man and the problem is gone.


classes with exactly one position at their deepest sound depth			
KBBvkrp h#11	KBvkppp h#11	KBPvkp h#10.5	KBvkbnp h#10.5
KBvknpp h#10.5	KRBvkbp h#10	KRBvknp h#10	KNvkqb h#9.5
KNvkqrb h#9.5	KNvkrpp h#9.5	KPvknnp h#9.5	KBBvkp h#9
KNvknp h#8.5	KNvkrn h#8.5	KNvkrnn h#8.5	KPvkqn h#8.5
KPvkqrn h#8.5	KNvkqrr h#8	KBNvkq h#7.5	KBvkrrb h#7.5
KPPvkb h#7.5	KPPvkn h#7.5	KPPvkq h#7.5	KPvkr h#7.5
KBBNvk h#7	KNNvkq h#7	KNNvkr h#7	KQBBvk h#7
KRBBvk h#7	KRBvkrb h#7	KRvkqbn h#7	KRvkqnn h#7
KRvkqnp h#7	KRvkrpp h#7	KBBvk h#6.5	KRvknnn h#6.5
KRvkqb h#6.5	KQvkbn h#6	KRRvkr h#6	KQvkqrr h#5
KRvk h#4.5			

Three men

3 of the 5 material classes with 3 men that can hold a mate, deepest sound problem first.

No. 1 KPvk

solve ↗



h#6.5 2 + 1

h#6.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 86 688 indexed have a unique solution at h#6.5.


Published: Niemann, John – Schachmatt, No. 427, 13/07/1947; Catalogue h# (CHM) avec 6 pieces, No. 61, 1995; Wenigsteiner im Hilfsmatt, No. 77, 1977; Problemista, No. 1569, 07-10/1981, as h#6 (P0530828); Ban, Jenö – Magyar Sakkelet, 1961; Ideal-Mate Encyclopedia Vol.1, No. 12, 1999, as h#7 0.1... (P1100755)

Solution: 1...e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: set-play, pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, nocapture, nocheck, umnov, promotions:q

No. 1b KPvk

solve ↗



h#6.5, unique solution.

Same material and stipulation as No. 1, which is published; this position is not in the published database, under any mirroring.


h#6.5 2 + 1

Solution: 1...d4 2.Kg3 d5 3.Kf4 d6 4.Ke5 d7 5.Kd6 Ka5 6.Kc7 Ka6 7.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, nocapture, nocheck, umnov, promotions:q

No. 2 KQvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 29 568 indexed have a unique solution at h#6.

Published: Csaszar, Imre – Magyar Sakkvilag, 1945; Ideal-Mate Review, 1990; Catalogue h# (CHM) avec 6 pieces, No. 165, 1995, as h#6 (P0551296)

Note: the side to move is in check in the diagram.


h#6 2 + 1

Solution: 1.Kh7 Kb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocapture, nocheck

No. 2b KQvk

solve ↗



h#6, unique solution.

Same material and stipulation as No. 2, which is published; this position is not in the published database, under any mirroring.


h#6 2 + 1

Solution: 1.Kh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: set-play, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 3 KRvk

solve ↗



h#4.5, unique solution.

The class runs to h#7, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 29 568 indexed has a unique solution at h#4.5.

Published: Ban, Jenö – Diagramme und Figuren, No. 1295, 27/11/1965; Catalogue h# (CHM) avec 6 pieces, No. 122, 1995; Ideal-Mate Encyclopedia Vol.1, No. 1848, 1999, as h#5 0.1... (P0531991)

h#4.5 2 + 1

Solution: 1...Kc1 2.Kf7 Kd2 3.Kg6 Ke3 4.Kh5 Kf4 5.Kh4 Rh2#


Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture, nocheck

Four men

37 of the 40 material classes with 4 men that can hold a mate, deepest sound problem first.

No. 4 KPvkp

solve ↗



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 4 161 024 indexed have a unique solution at h#8.5.


h#8.5 2 + 2

Solution: 1...Kc3 2.Kg2 Kb4 3.a5+ Kxa5 4.Kf3 Kb4 5.Ke4 a5 6.Kd5 a6 7.Kc6 a7 8.Kb7 Kc5 9.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, switchback, promotions:q

No. 5 KBvkn

solve ↗



h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

19 positions of the 1 892 352 indexed have a unique solution at h#8.


h#8 2 + 2

Solution: 1.Kc3 Bg2 2.Kd2 Bf1 3.Ke1 Kc2 4.Nh3 Kd3 5.Kf2 Ke4 6.Kg1 Kf3 7.Kh1 Kg3 8.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, nocapture, nocheck

No. 6 KBvkp

solve ↗



h#8, unique solution.

The class runs to h#16, so the deepest sound problem is 16 plies shallower. Every position at that depth has a saturated solution count (255 or more).

16 positions of the 5 548 032 indexed have a unique solution at h#8.


h#8 2 + 2

Solution: 1.c3 Bh4 2.c2 Kb2 3.c1=N Kc2 4.Kd4 Kd1 5.Kc3 Be7 6.Kb2 Ba3+ 7.Ka1 Kc2 8.Na2 Bb2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, nocapture, umnov, promotions:n

No. 7 KNvkb

solve ↗



h#8, unique solution.

The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 1 892 352 indexed have a unique solution at h#8.


h#8 2 + 2

Solution: 1.Kg5 Nd4 2.Kf4 Kb2 3.Ke3 Ka3 4.Kd2 Kb4 5.Kc1 Kc3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 8 KNvkp

solve ↗



h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 5 548 032 indexed have a unique solution at h#8.


h#8 2 + 2

Solution: 1.d5 Kb1 2.d4 Kc1 3.d3 Kd2 4.Kb2 Nb4 5.Ka1 Kc3 6.d2 Kb3 7.d1=R Ka3 8.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r

No. 9 KNvkr

solve ↗



h#8, unique solution.

The class runs to h#9.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#8.

Published: Elkies, Noam D. – Variantim, No. 546, 11/1995, as h#8 (P0543062); Mertes, Helmut – feenschach, 01/1977; Ideal-Mate Encyclopedia Vol.1, No. 400, 1999, as h#8 (P0543063)


h#8 2 + 2

Solution: 1.Kg2 Nf3 2.Kf1 Kb1 3.Ke2 Kb2 4.Kd3+ Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocapture

No. 9b KNvkr

solve ↗



h#8, unique solution.

Same material and stipulation as No. 9, which is published; this position is not in the published database, under any mirroring.


h#8 2 + 2

Solution: 1.Kg6 Nb4 2.Kf5 Nc2 3.Ke4 Kb2 4.Kd3 Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocapture, nocheck

No. 10 KNvkn

solve ↗



h#7.5, unique solution.

The class runs to h#10, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 1 892 352 indexed have a unique solution at h#7.5.

Published: Kotesovec, Vaclav – Sachova skladba, No. 1065, 06/1987, as h#8 0.1... (P0542897); ?, ? – ?, 03/1975, as h#8 0.1... (P0542908)


h#7.5 2 + 2

Solution: 1...Nh4 2.Ke3 Kb2 3.Kf4 Kc3 4.Kg5 Kd4 5.Kh6 Ke5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 10b KNvkn

solve ↗



h#7.5, unique solution.

Same material and stipulation as No. 10, which is published; this position is not in the published database, under any mirroring.


h#7.5 2 + 2

Solution: 1...Ne5 2.Ke3 Kc2 3.Kf4 Kd3 4.Kg5 Ke4 5.Kh6 Kf5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 11 KPvkb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 5 548 032 indexed have a unique solution at h#7.5.


h#7.5 2 + 2

Solution: 1...Ka5 2.Bd5 c4 3.Kg3 cxd5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Kb5 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: set-play, pure, model, ideal, mirror, promotion, nocheck, umnov, promotions:q

No. 12 KPvkn

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 5 548 032 indexed have a unique solution at h#7.5.


h#7.5 2 + 2

Solution: 1...c5 2.Kg2 c6 3.Kf3 c7 4.Ke4 c8=Q 5.Kd5 Qf5+ 6.Kc6 Kb8 7.Kb6 Kc8 8.Ka7 Qxa5#

Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, promotions:q

No. 13 KPvkq

solve ↗



h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

32 positions of the 5 548 032 indexed have a unique solution at h#7.5.


h#7.5 2 + 2

Solution: 1...d4 2.Kg2 d5 3.Kf3 d6 4.Ke4 d7 5.Kd5 d8=Q+ 6.Kc6 Qd5+ 7.Kc7 Ka6 8.Kb8 Qb7#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, umnov, promotions:q

No. 14 KPvkr

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 5 548 032 indexed has a unique solution at h#7.5.

Published: Maslar, Zdravko – ?„ as h#8 0.1... (P0542623)


h#7.5 2 + 2

Solution: 1...Ka2 2.Ra3+ Kxa3 3.Kg6 h4 4.Kf5 h5 5.Ke4 h6 6.Kd3 h7 7.Kc2 h8=Q 8.Kb1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 15 KBPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 5 548 032 indexed have a unique solution at h#7.

Published: Elkies, Noam D. – The Problemist, No. H2794, 07/2004, as h#7 (P1187767)


h#7 3 + 1

Solution: 1.Kg7 Bb3 2.Kf6 a4 3.Ke5 a5 4.Kd4 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 15b KBPvk

solve ↗



h#7, unique solution.

Same material and stipulation as No. 15, which is published; this position is not in the published database, under any mirroring.


h#7 3 + 1

Solution: 1.Kg7 Bb3 2.Kf6 a4 3.Ke5 a5 4.Kd4 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa2#

Themes: promotion, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 16 KNPvk

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

49 positions of the 5 548 032 indexed have a unique solution at h#7.

Published: Elkies, Noam D. – The Problemist, No. H2793, 07/2004, as h#7 (P1187769)


h#7 3 + 1

Solution: 1.Kg2 Nc2 2.Kf3 a4 3.Ke4 a5 4.Kd3 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 16b KNPvk

solve ↗



h#7, unique solution.

Same material and stipulation as No. 16, which is published; this position is not in the published database, under any mirroring.


h#7 3 + 1

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 17 KPPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 4 161 024 indexed have a unique solution at h#7.


Published: Salazar Lopez, Francisco – British Chess Magazine, 03/1973; Catalogue h# (CHM) avec 6 pieces, No. 213, 1995; The Problemist, 05/2005; Problemkiste, No. G), 01/2010, as h#7 (P0545149)

h#7 3 + 1

Solution: 1.Kg6 Ka3 2.Kf5 g4+ 3.Ke4 g5 4.Kd3 g6 5.Kc2 g7 6.Kb1 g8=Q 7.Ka1 Qa2#
Themes: promotion, single-piece, single-piece:black, nocapture, promotions:q

No. 18 KQPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower.

12 positions of the 5 548 032 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 1

Solution: 1.Kxg8 e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#
Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, phoenix, nocheck, umnov, promotions:q

No. 19 KBBvk

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 1 892 352 indexed has a unique solution at h#6.5.


Published: Maslar, Zdravko – feenschach, 01-03/1978; Catalogue h# (CHM) avec 6 pieces, No. 899, 1995; Problemkiste, No. A1, 03/2012, as h#7 0.1... (P0545758)

h#6.5 3 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#
Themes: switchback, single-piece, single-piece:black, nocapture

No. 20 KBvkb

solve ↗



h#6.5, unique solution.

The class runs to h#10, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).


8 positions of the 1 892 352 indexed have a unique solution at h#6.5.

h#6.5 2 + 2

Solution: 1...Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#
Themes: self-block, nocapture, nocheck

No. 21 KNNvk

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#6.5.


Published: Bebesi, Gyula – Diagramme und Figuren, No. 1910, 12/12/1966; Catalogue h# (CHM) avec 6 pieces, No. 624, 1995; Ideal-Mate Encyclopedia Vol.1, No. 930, 1999, as h#7 0.1... (P0545484)

h#6.5 3 + 1

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture

No. 21b KNNvk

solve ↗



h#6.5, unique solution.


Same material and stipulation as No. 21, which is published; this position is not in the published database, under any mirroring.

h#6.5 3 + 1

Solution: 1...Ke2 2.Kg7 Kf3 3.Kf6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture

No. 22 KBNvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 1 892 352 indexed have a unique solution at h#6.


h#6 3 + 1

Solution: 1.Kc2 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: set-play, single-piece, single-piece:black, nocapture

No. 23 KQBvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 1 892 352 indexed have a unique solution at h#6.

Note: the solution begins with a capture.


h#6 3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 24 KQNvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 1 892 352 indexed have a unique solution at h#6.


Note: the solution begins with a capture.

h#6 3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#
Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 25 KQQvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 1 892 352 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#
Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 26 KQRvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 1 892 352 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 27 KQvkn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 1 892 352 indexed have a unique solution at h#6.


h#6 2 + 2

Solution: 1.Kh7 Kxb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: set-play, pure, model, ideal, switchback, single-piece, single-piece:black, pendulum, nocheck

No. 28 KQvkp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 5 548 032 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 2

Solution: 1.Kg1 Kxb7 2.Kh1 Kc6 3.Kg1 Kd5 4.Kh1 Ke4 5.Kg1 Kf3 6.Kh1 Qg2#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 29 KRBvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

20 positions of the 1 892 352 indexed have a unique solution at h#6.


h#6 3 + 1

Solution: 1.Kh7 Kb2 2.Kh6 Kc3 3.Kh7 Kd4 4.Kh6 Ke5 5.Kh7 Kf6 6.Kh6 Rh8#

Themes: set-play, mirror, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 30 KRPvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 5 548 032 indexed have a unique solution at h#6.


h#6 3 + 1

Solution: 1.Kh8 a4 2.Kh7 a5 3.Kh8 a6 4.Kh7 a7 5.Kh8 a8=Q+ 6.Kh7 Qg8#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:white, single-piece:black, pendulum, nocapture, promotions:q

No. 31 KRvkp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

84 positions of the 5 548 032 indexed have a unique solution at h#6.


h#6 2 + 2

Solution: 1.Kh7 Kb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh5#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r

No. 32 KQvkq

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 1 892 352 indexed have a unique solution at h#5.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (257), 05-06/1998, as h#6 0.1... (P0574108)


Note: the side to move is in check in the diagram.

h#5.5 2 + 2

Solution: 1...Kb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#
Themes: pure, model, ideal, self-block, nocapture

No. 32b KQvkq

solve ↗



h#5.5, unique solution.

Same material and stipulation as No. 32, which is published; this position is not in the published database, under any mirroring.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5.5 2 + 2

Solution: 1...Kxb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#
Themes: pure, model, ideal, switchback, single-piece, single-piece:black, pendulum, nocheck

No. 33 KRvkq

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 1 892 352 indexed have a unique solution at h#5.5.


h#5.5 2 + 2

Solution: 1...Kb1 2.Qf5+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Kh5 Rh3#

Themes: pure, model, ideal, self-block, nocapture

No. 34 KRvkr

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#5.5.


h#5.5 2 + 2

Solution: 1...Kb1 2.Rh6 Kc2 3.Rg6 Kd3 4.Kg7 Ke4 5.Kh6 Kf5 6.Rg7 Rh4#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 35 KQvkb

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower.

64 positions of the 1 892 352 indexed have a unique solution at h#5.


h#5 2 + 2

Solution: 1.Kh5 Qxa3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: single-piece, single-piece:black

No. 36 KQvkr

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 1 892 352 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram.


h#5 2 + 2

Solution: 1.Kh5 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: single-piece, single-piece:black

No. 37 KRNvk

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

19 positions of the 1 892 352 indexed have a unique solution at h#5.

Published: Maslar, Zdravko – Stern, 15/01/1981; Catalogue h# (CHM) avec 6 pieces, No. 784, 1995, as h#5 (P0545644)


h#5 3 + 1

Solution: 1.Kg5 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: set-play, single-piece, single-piece:black, nocapture, umnov

No. 37b KRNvk

solve ↗



h#5, unique solution.

Same material and stipulation as No. 37, which is published; this position is not in the published database, under any mirroring.


h#5 3 + 1

Solution: 1.Kg4 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: set-play, single-piece, single-piece:black, nocapture, umnov

No. 38 KRvkb

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

365 positions of the 1 892 352 indexed have a unique solution at h#5.


h#5 2 + 2

Solution: 1.Bd3 Ra2 2.Kg3 Kb2 3.Kf2 Kc3+ 4.Ke1 Kxd3 5.Kd1 Ra1#

Themes: pure, model, ideal, mirror, indian

No. 39 KRvkn

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

247 positions of the 1 892 352 indexed have a unique solution at h#5.


h#5 2 + 2

Solution: 1.Nb5 Ra2 2.Kg3 Kb2 3.Kf2 Kc2 4.Ke1 Kd3 5.Kd1 Ra1#

Themes: pure, model, mirror, nocapture, nocheck

No. 40 KRRvk

solve ↗



h#4, unique solution.

The class runs to h#7, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

27 positions of the 1 892 352 indexed have a unique solution at h#4.

Note: the side to move is in check in the diagram; the solution begins with a capture.

h#4 3 + 1

Solution: 1.Kxg1 Kb1 2.Kf1 Kc2 3.Ke1 Kd3 4.Kd1 Rb1#


Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

Five men

181 of the 185 material classes with 5 men that can hold a mate, deepest sound problem first.

No. 41 KBvkrp

solve ↗



h#13, unique solution.

The class runs to h#16.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#13.


h#13 2 + 3

Solution: 1.d5 Kb7 2.d4 Kc6 3.d3 Kd5 4.d2 Ke4 5.d1=N Kf3 6.Ne3 Kf2 7.Kd2 Kxg1 8.Ke1 Kh2 9.Kf2 Kh3 10.Kg1 Kg3 11.Kh1 Bh3 12.Nf1+ Kf2 13.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, closed-walk, self-block, umnov, promotions:n

No. 42 KBvkqp

solve ↗



h#12, unique solution.

The class runs to h#17, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#12.


h#12 2 + 3

Solution: 1.b2 Ka7 2.Kb3 Kb6 3.Kc4 Ba6+ 4.Kd5 Kb5 5.Ke4+ Kc4 6.Kf3 Kd3 7.Kg2 Kd2 8.Kh1 Be2 9.b1=N+ Ke1 10.Nd2 Kf2 11.Nf3 Bf1 12.Nh2 Bg2#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, umnov, promotions:n

No. 43 KBvkbp

solve ↗



h#11.5, unique solution.

The class runs to h#16, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 355 074 048 indexed have a unique solution at h#11.5.


h#11.5 2 + 3

Solution: 1...Ke3 2.f5 Kf2 3.f4 Kg1 4.f3 Kxh1 5.f2 Kg2 6.f1=N Kf2 7.Kd5 Ba2+ 8.Ke4 Ke1 9.Kf3 Be6 10.Kg2 Bh3+ 11.Kh1 Kf2 12.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, closed-walk, self-block, kniest, umnov, promotions:n

No. 44 KBPvkp

solve ↗



h#10.5, unique solution.

The class runs to h#16, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#10.5.

Published: Szentai, Endre – Magyar Sakkelet, 1958; Suomen Tehtäväniekat, No. 320, 18/10/1999; Ideal-Mate Encyclopedia Vol.1, No. 1304, 1999, as h#11 0.1... (P0577820)


h#10.5 3 + 2

Solution: 1...Kc1 2.Kc4 Kd2 3.Kd5 Ke3 4.Ke6 Kf4 5.Kf7 Kg5 6.Kg8 Kxh5 7.Kh8 Kg6 8.Kg8 h5 9.Kh8 h6 10.Kg8 h7+ 11.Kh8 Bg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black

No. 45 KPvkpp

solve ↗



h#10, unique solution.

The class runs to h#15.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 199 729 152 indexed have a unique solution at h#10.

Published: Ban, Jenö – Stella Polaris, No. 1072, 06/1967; Ideal-Mate Encyclopedia Vol.1, No. 70, 1999, as h#10 (P0559294)


h#10 2 + 3

Solution: 1.b3 Kb1 2.b2 Kc2 3.b1=B+ Kc1 4.Bd3 exd3 5.Kf7 dxe4 6.Ke6 e5 7.Kd5 e6 8.Kc4 e7 9.Kb3 e8=Q 10.Ka2 Qa4#

Themes: pure, model, ideal, mirror, promotion, underpromotion, excelsior, excelsior:white, umnov, promotions:qb

No. 46 KBvknp

solve ↗



h#9.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#9.5.


h#9.5 2 + 3

Solution: 1...Kb3 2.Kb7 Kc4 3.Kc8 Kd5 4.Kd7 Ke5 5.Ke8 Kf6 6.Kf8 Bd6+ 7.Kg8 Bf8 8.Kh8 Kxf7 9.Nh6+ Kg6 10.Ng8 Bg7#

Themes: pure, model, ideal, self-block, umnov

No. 47 KBvkqn

solve ↗



h#9.5, unique solution.

The class runs to h#13, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 121 110 528 indexed have a unique solution at h#9.5.


h#9.5 2 + 3

Solution: 1...Kc1 2.Nf2 Kd2 3.Nh3 Ke3 4.Kc2 Bd3+ 5.Kd1 Bf5 6.Ke1 Kf3 7.Kf1 Kg3 8.Kg1 Bd3 9.Kh1 Bf1 10.Ng1 Bg2#

Themes: pure, model, switchback, self-block, nocapture

No. 48 KBvkrn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

24 positions of the 121 110 528 indexed have a unique solution at h#9.5.


h#9.5 2 + 3

Solution: 1...Kc1 2.Nf2 Kd2 3.Nh3 Ke3 4.Kc2 Bd3+ 5.Kd1 Bf5 6.Ke1 Kf3 7.Kf1 Kg3 8.Kg1 Bd3 9.Kh1 Bf1 10.Ng1 Bg2#

Themes: pure, model, switchback, self-block, nocapture

No. 49 KNvkpp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 266 305 536 indexed have a unique solution at h#9.5.


h#9.5 2 + 3

Solution: 1...Kc7 2.g5 Kd8 3.g4 Ke8 4.g3 Kf8 5.g2 Kxg7 6.g1=R+ Kh7 7.Kf7 Kh6 8.Kg8 Nd3 9.Kh8 Ne5 10.Rg8 Nf7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:r

No. 50 KNvkqb

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#9.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (291), 05-06/1998, as h#10 0.1... (P0574142)

Note: the side to move is in check in the diagram.


h#9.5 2 + 3

Solution: 1...Ka1 2.Kg8 Nf5 3.Kf7 Ne3 4.Ke6 Nc2 5.Kd5 Kb2 6.Kc4 Ka3 7.Kc3 Ka4 8.Kb2 Nd4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, switchback, self-block, nocapture, nocheck

No. 51 KNvkqp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

194 positions of the 355 074 048 indexed have a unique solution at h#9.5.


h#9.5 2 + 3

Solution: 1...Nf3+ 2.Kf4 Nd2 3.Qd1+ Kb2 4.e5 Kc3 5.e4 Kd4 6.Kg3 Ke5 7.Kf2 Kf4 8.Ke1 Kg3 9.e3 Kg2 10.e2 Nf3#

Themes: pure, model, ideal, switchback, self-block, nocapture

No. 52 KPvkbp

solve ↗



h#9.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#9.5.

Published: Locker, Miklos S. – Magyar Sakkelet, 02/1966, as h#10 0.1... (P0564289)


h#9.5 2 + 3

Solution: 1...g5 2.Kb4 Kb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Ba2 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#

Themes: pure, model, ideal, self-block, nocheck

No. 52b KPvkbp

solve ↗



h#9.5, unique solution.

Same material and stipulation as No. 52, which is published; this position is not in the published database, under any mirroring.


h#9.5 2 + 3

Solution: 1...g5 2.Kb4 Kb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Bb3 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#

Themes: pure, model, ideal, self-block, nocheck

No. 53 KBBvkn

solve ↗



h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#9.


h#9 3 + 2

Solution: 1.Kf3 Bc1 2.Ke4 Ke2 3.Kxd4 Kf3 4.Ke5 Kg4 5.Kf6 Kh5 6.Kg7 Bh6+ 7.Kh8 Kg6 8.Nf8+ Kf7 9.Nh7 Bg7#

Themes: pure, model, ideal, self-block

No. 54 KBBvkp

solve ↗



h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#9.


h#9 3 + 2

Solution: 1.Kc5 Bc8 2.Kxc6 Ke7 3.Kd5 Kf6 4.Ke4 Kg5 5.Kf3 Kh4 6.Kg2 Bh3+ 7.Kh1 Kg3 8.f1=N+ Kf2 9.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:n

No. 55 KBvkbn

solve ↗



h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

57 positions of the 121 110 528 indexed have a unique solution at h#9.


h#9 2 + 3

Solution: 1.Kd2 Bd3 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kc3 5.Nc8 Kd4 6.Kb6 Kxd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 56 KBvknn

solve ↗



h#9, unique solution.

The class runs to h#12.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

34 positions of the 121 110 528 indexed have a unique solution at h#9.


h#9 2 + 3

Solution: 1.Nh3 Kd2 2.Kb2 Ke3 3.Kc1 Be4 4.Kd1 Bxh1 5.Ke1 Kf3 6.Kf1 Bg2+ 7.Kg1 Bf1 8.Kh1 Kg3 9.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, kniest, umnov

No. 57 KBvkpp

solve ↗



h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

51 positions of the 266 305 536 indexed have a unique solution at h#9.


h#9 2 + 3

Solution: 1.Kh8 Ba3 2.e4 Kb2 3.e3 Kc3 4.e2 Kd4 5.e1=N Ke5 6.Nf3+ Kf6 7.Ng5 Bf8 8.Nh7+ Kf7 9.a4 Bg7#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, promotions:n

No. 58 KNPvkp

solve ↗



h#9, unique solution.

The class runs to h#14, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#9.


h#9 3 + 2

Solution: 1.Kg3 Nb6 2.Kf2 Nc4 3.Ke1 Nd2 4.exd2 e4 5.Kd1 e5 6.Kc1 e6 7.d1=R e7 8.Rd2 e8=Q 9.Rc2 Qe1#

Themes: promotion, underpromotion, excelsior, excelsior:white, switchback, self-block, nocheck, promotions:qr

No. 59 KPvknp

solve ↗



h#9, unique solution.

The class runs to h#14.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 266 305 536 indexed have a unique solution at h#9.


h#9 2 + 3

Solution: 1.Nf5 Kb1 2.Nd4 Kc1 3.Nb3+ axb3 4.Kf7 b4 5.Ke6 b5 6.Kd5 b6 7.Kc4 b7 8.Kb3 b8=Q+ 9.Ka2 Qb1#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 60 KNvkbb

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

69 positions of the 121 110 528 indexed have a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Kb2 2.Kg4 Ka3 3.Kf3 Kxa4 4.Ke2 Kb4 5.Kd1 Kc3 6.Kc1 Nb4 7.Kb1 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

No. 61 KNvkbp

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 355 074 048 indexed have a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Ke2 2.Kb7 Kf3 3.Kc6 Kf4 4.Kd5 Kg5 5.Ke4 Ng3+ 6.Kf3 Nxh5 7.Kg2 Kg4 8.Kh1 Kh3 9.Bg1 Ng3#

Themes: pure, model, ideal, switchback, self-block

No. 62 KNvknn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 63 KNvknp

solve ↗



h#8.5, unique solution.

The class runs to h#10, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#8.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (286), 05-06/1998, as h#9 0.1... (P0574137)


h#8.5 2 + 3

Solution: 1...Kb2 2.Nc3 Ka3 3.Kf7 Kb4 4.Ke6 Ka5 5.Kd5 Kb6 6.Kc4 Ka6 7.Kb4 Nb6 8.Ka3 Ka5 9.Na2 Nc4#

Themes: set-play, pure, model, ideal, closed-walk, self-block, nocapture, nocheck

No. 64 KNvkqr

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 3

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 65 KNvkrn

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#8.5.

Note: the side to move is in check in the diagram.


h#8.5 2 + 3

Solution: 1...Ka1 2.Kf7 Nxe2 3.Ke6 Kb2 4.Kd5 Kc1 5.Kc4 Kd2 6.Kb3 Nd4+ 7.Ka2 Kc3 8.Ka1 Kb3 9.Nb1 Nc2#

Themes: pure, model, ideal, self-block

No. 66 KNvkrp

solve ↗



h#8.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 355 074 048 indexed have a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Ng3 2.Rh2 Kb1 3.Rh8 Kc2 4.b4 Kd3 5.b3 Ke4 6.b2 Kf5 7.b1=R Kg6 8.Rb8 Nf5 9.Rf8 Ne7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, promotions:r

No. 67 KNvkrr

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 3

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 68 KPPvkp

solve ↗



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 199 729 152 indexed have a unique solution at h#8.5.


h#8.5 3 + 2

Solution: 1...Kb3 2.Kg2 Kb4 3.a5+ Kxa5 4.Kf3 Kb4 5.Ke4 a5 6.Kd5 a6 7.Kc6 a7 8.Kb7 Kc5 9.Ka6 a8=Q#

Themes: pure, model, mirror, promotion, switchback, promotions:q

No. 69 KPvkqn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Ka7 2.Nd5 c4 3.Kg2 cxd5 4.Kf3 d6 5.Ke4 d7 6.Kd5 d8=Q+ 7.Kc6 Qd5+ 8.Kc7 Ka6 9.Kb8 Qb7#

Themes: promotion, excelsior, excelsior:white, closed-walk, umnov, promotions:q

No. 70 KPvkqp

solve ↗



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Kc2 2.Qh3 Kc1 3.Qb3 axb3 4.Kf7 b4 5.Ke6 b5 6.Kd5 b6 7.Kc4 b7 8.Kb3 b8=Q+ 9.Ka2 Qb1#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 71 KPvkrp

solve ↗



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

101 positions of the 266 305 536 indexed have a unique solution at h#8.5.


h#8.5 2 + 3

Solution: 1...Kb1 2.Re2 Kc1 3.Re3 fxe3 4.Kf5 e4+ 5.Ke6 e5 6.Kd5 e6 7.Kc4 e7 8.Kb3 e8=Q 9.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, umnov, promotions:q

No. 72 KBvkbb

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#8.


h#8 2 + 3

Solution: 1.Bf5 Kb2 2.Kh3 Kc3 3.Kg4 Kd4 4.Kh5 Ke5 5.Kh6 Kf6 6.Kh7 Kf7 7.Kh8 Kxf8 8.Bh7 Bf6#

Themes: self-block, nocheck

No. 73 KNvkbn

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.


h#8 2 + 3

Solution: 1.Kg7 Kxb1 2.Kf6 Kc1 3.Ke5 Kd2 4.Kd4 Ke2 5.Kc3 Ke3 6.Kb2 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 74 KNvkqn

solve ↗



h#8, unique solution.

The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#8.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (289), 05-06/1998, as h#8 (P0574140)


h#8 2 + 3

Solution: 1.Qa4 Kb1 2.Kg6 Kc1 3.Kf5 Kd2 4.Ke4 Ke1 5.Kd3 Nb5 6.Kc2 Ke2 7.Kb1 Kd2 8.Qa1 Nc3#

Themes: pure, model, ideal, closed-walk, self-block, nocapture, nocheck

No. 74b KNvkqn

solve ↗



h#8, unique solution.

Same material and stipulation as No. 74, which is published; this position is not in the published database, under any mirroring.


h#8 2 + 3

Solution: 1.Qa4+ Kb1 2.Kg6 Kc1 3.Kf5 Kd2 4.Ke4 Ke1 5.Kd3 Nb5 6.Kc2 Ke2 7.Kb1 Kd2 8.Qa1 Nc3#

Themes: pure, model, ideal, closed-walk, self-block, nocapture

No. 75 KQBvkn

solve ↗



h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxc3 Be2 2.Kd2 Bf1 3.Ke1 Kc2 4.Nh3 Kd3 5.Kf2 Ke4 6.Kg1 Kf3 7.Kh1 Kg3 8.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 76 KQNvkb

solve ↗



h#8, unique solution.

The class runs to h#11, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxg5 Nd4 2.Kf4 Kb2 3.Ke3 Ka3 4.Kd2 Kb4 5.Kc1 Kc3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

No. 77 KQNvkn

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

16 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxd2 Nh4 2.Ke3 Kb2 3.Kf4 Kc3 4.Kg5 Kd4 5.Kh6 Ke5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocheck

No. 78 KQNvkp

solve ↗



h#8, unique solution.

The class runs to h#11, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxb3 Kb1 2.d4 Kc1 3.d3 Kd2 4.Kb2 Nb4 5.Ka1 Kc3 6.d2 Kb3 7.d1=R Ka3 8.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

No. 79 KQNvkr

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxg1 Nf3+ 2.Kf1 Kb1 3.Ke2 Kb2 4.Kd3+ Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block

No. 80 KQPvkb

solve ↗



h#8, unique solution.

The class runs to h#9, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 355 074 048 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxh2 Ka5 2.Bd5 c4 3.Kg3 cxd5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Kb5 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, phoenix, nocheck, umnov, promotions:q

No. 81 KQPvkn

solve ↗



h#8, unique solution.

The class runs to h#9, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 355 074 048 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxh2 c3 2.Nd4 cxd4 3.Kg3 d5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Ka7 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, phoenix, nocheck, umnov, promotions:q

No. 82 KQPvkp

solve ↗



h#8, unique solution.

The class runs to h#15, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

42 positions of the 266 305 536 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxg2 Kb4 2.a5+ Kxa5 3.Kf3 Kb4 4.Ke4 a5 5.Kd5 a6 6.Kc6 a7 7.Kb7 Kc5 8.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, switchback, phoenix, promotions:q

No. 83 KRBvkn

solve ↗



h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxd2 Bc5 2.Kd3 Bf8 3.Ke4 Kc3 4.Kf5 Kd4 5.Kg6 Ke5 6.Kh7 Kf6 7.Kh8 Kg6 8.Ng8 Bg7#

Themes: pure, model, ideal, self-block, nocheck

No. 84 KRNvkn

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 2

Solution: 1.Kxd2 Ne5 2.Ke3 Kc2 3.Kf4 Kd3 4.Kg5 Ke4 5.Kh6 Kf5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocheck

No. 85 KBNvkq

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 3 + 2

Solution: 1...Ka1 2.Kg6 Nc6 3.Kf5 Nd4+ 4.Ke4 Nxb3 5.Kd3 Ka2 6.Kc2 Ka3 7.Kb1 Nd2+ 8.Ka1 Bc3#

Themes: mirror, single-piece, single-piece:black

No. 86 KNPvkb

solve ↗



h#7.5, unique solution.

The class runs to h#11, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 3 + 2

Solution: 1...Kd6 2.Kg1 Nc5 3.Kf2 a4 4.Ke3 a5 5.Kd4 a6 6.Kc4 a7 7.Kb5 a8=Q 8.Kb6 Qa6#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 87 KNPvkn

solve ↗



h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Published: Paliulionis, Viktoras – Sachmatija, No. H5293, 01-03/2024, as h#8 0.1.1... (P1421423)


h#7.5 3 + 2

Solution: 1...a4 2.Nf6 a5 3.Nd7 a6 4.Nb8 Kb6 5.Kg2 a7 6.Kf3 axb8=Q 7.Ke4 Qf4+ 8.Kd5 Nc7#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, promotions:q

No. 87b KNPvkn

solve ↗



h#7.5, unique solution.

Same material and stipulation as No. 87, which is published; this position is not in the published database, under any mirroring.


h#7.5 3 + 2

Solution: 1...a4 2.Nf6 a5 3.Nd7 a6 4.Nb8 Kb6 5.Kg2 a7 6.Kf3 axb8=Q 7.Ke4 Qf4+ 8.Kd5 Nc7#

Themes: pure, model, ideal, mirror, promotion, promotions:q

No. 88 KNPvkq

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 3 + 2

Solution: 1...Kd1 2.Qg7 Nf4 3.Kb2 h4 4.Kc3 h5 5.Kd4 h6 6.Ke3 hxg7 7.Kf2 g8=Q 8.Kf1 Qg2#

Themes: promotion, excelsior, excelsior:white, nocheck, promotions:q

No. 89 KNPvkr

solve ↗



h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7.5 3 + 2

Solution: 1...Kxa4 2.Kd4 Kb4 3.Kd5 a4 4.Kc6 a5 5.Kb7 a6+ 6.Kxa8 a7 7.Kb7 Kc5 8.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, promotions:q

No. 90 KNvkrb

solve ↗



h#7.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 121 110 528 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7.5 2 + 3

Solution: 1...Kxb1 2.Kf3 Nc4 3.Ke2 Kb2 4.Kd1 Kc3 5.Kc1 Ne3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

No. 91 KPPvkb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.


h#7.5 3 + 2

Solution: 1...Kb8 2.Bb4 axb4 3.Kg2 a4 4.Kf3 a5 5.Ke4 a6 6.Kd5 a7 7.Kc6 a8=Q+ 8.Kb6 Qb7#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 92 KPPvkn

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 3 + 2

Solution: 1...Kc8 2.Nb4 axb4 3.Kg2 a4 4.Kf3 a5 5.Ke4 a6 6.Kd5 a7 7.Kc6 a8=Q+ 8.Kb6 Qb7#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 93 KPPvkq

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7.5 3 + 2

Solution: 1...Kxa2 2.Kg6 Ka3 3.Kf5 g4+ 4.Ke4 g5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, promotions:q

No. 94 KPvkbb

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

448 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Ka2 2.Kg6 Kxa3 3.Kf5 b4 4.Ke4 b5 5.Kd3 b6 6.Kc2 b7 7.Kb1 b8=Q+ 8.Ka1 Qb2#

Themes: promotion, single-piece, single-piece:black, promotions:q

No. 95 KPvkbn

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 222 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Kb1 2.Bb4 a4 3.Kf6 a5 4.Ke5 a6 5.Kd4 a7 6.Kc3 a8=Q 7.Kb3 Qg2 8.Ka3 Qa2#

Themes: set-play, promotion, excelsior, excelsior:white, closed-walk, self-block, nocapture, nocheck, promotions:q

No. 96 KPvknn

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

476 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Ka2 2.Ke4 f4 3.Nf3 Ka3 4.Ng5 fxg5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, excelsior, excelsior:white, nocheck, umnov, promotions:q

No. 97 KPvkqb

solve ↗



h#7.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

342 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Ka2 2.Bg4 h4 3.Bd1 h5 4.Kg5 h6 5.Kf4 h7 6.Ke3 h8=Q 7.Kd2 Qxb8 8.Kc1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocheck, umnov, promotions:q

No. 98 KPvkqq

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

367 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Ka2 2.Qe3 g4+ 3.Kg6 g5 4.Kf5 g6 5.Ke4 g7 6.Kd3 g8=Q 7.Qa5+ Kb3 8.Qad2 Qc4#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocapture, umnov, promotions:q

No. 99 KPvkqr

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

40 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 2 + 3

Solution: 1...Ka3 2.Qb3+ axb3 3.Kg6 b4 4.Kf5 b5 5.Ke4 b6 6.Kd3 b7 7.Kc2 b8=Q 8.Kb1 Qxb2#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 100 KPvkrb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Ka7 2.Re4 Kb6 3.Be7 a4 4.Kg3 a5 5.Kf4 a6 6.Ke5 a7 7.Kd6 a8=Q 8.Re5 Qc6#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocapture, nocheck, promotions:q

No. 101 KPvkrn

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5 2 + 3

Solution: 1...Ka2 2.Ra3+ Kxa3 3.Kg6 h4 4.Kf5 h5 5.Ke4 h6 6.Kd3 h7 7.Kc2 h8=Q 8.Kb1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 102 KBBBvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#7.


h#7 4 + 1

Solution: 1.Kh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Be5 7.Kh8 Kg6#

Themes: set-play, mirror, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 103 KBBNvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Note: the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kg6 Kc4 4.Kf7 Kd5 5.Ke8 Ke6 6.Kd8 Be7+ 7.Ke8 Ba4#

Themes: switchback, single-piece, single-piece:black

No. 104 KBBPvk

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

556 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 4 + 1

Solution: 1.Kg2 Bhg3 2.Kf3 h4 3.Ke4 h5 4.Kd5 h6 5.Kc6 h7 6.Kb7 h8=Q 7.Ka8 Qh1#

Themes: pure, model, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 105 KBBvkb

solve ↗



h#7, unique solution.

The class runs to h#10.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).


95 positions of the 121 110 528 indexed have a unique solution at h#7.

h#7 3 + 2

Solution: 1.Kh3 Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#
Themes: self-block, nocapture, nocheck

No. 106 KBNPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 355 074 048 indexed have a unique solution at h#7.


Note: the solution begins with a capture.

h#7 4 + 1

Solution: 1.Kxg3 Nd5 2.Kf2 e4 3.Ke2 e5 4.Kd3 e6 5.Kc4 e7 6.Kb5 e8=Q+ 7.Ka6 Qa4#
Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, umnov, promotions:q

No. 107 KBNvkb

solve ↗



h#7, unique solution.

The class runs to h#11, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 121 110 528 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kh7 Kb2 2.Kg6 Nf4+ 3.Kf5 Nd3 4.Ke4 Bf3+ 5.Ke3 Bxh1 6.Ke2 Kc3 7.Kd1 Bf3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black

No. 108 KBNvkn

solve ↗



h#7, unique solution.

The class runs to h#12, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 121 110 528 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kg7 Ng5 2.Kf6 Kb1 3.Ke5 Kc1 4.Kd4 Nf3+ 5.Kc3 Ne1 6.Kb3 Nc2 7.Ka2 Bxc4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 109 KBNvkp

solve ↗



h#7, unique solution.

The class runs to h#16, so the deepest sound problem is 18 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.c3 Nf7 2.Kg6 Ka2 3.Kf5 Kb3 4.Ke4 Nd6+ 5.Kd3 Nb5 6.Kd2 Nxc3 7.Kc1 Be3#

Themes: pure, model, ideal, mirror

No. 110 KBNvkr

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kg7 Ba2 2.Kg6 Kb2 3.Kf5 Ka3 4.Ke4 Bd5+ 5.Kd3 Nc5+ 6.Kc2 Nb3 7.Kb1 Be4#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture

No. 111 KBPPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 266 305 536 indexed have a unique solution at h#7.


h#7 4 + 1

Solution: 1.Kg3 Ba6 2.Kf4 c4 3.Ke5 c5 4.Kd5 c6 5.Kc5 c7 6.Kb6 c8=Q 7.Ka7 Qb7#

Themes: pure, model, promotion, single-piece, single-piece:black, nocapture, nocheck, umnov, promotions:q

No. 112 KBPvkb

solve ↗



h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

65 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kh7 Bc3 2.Kg6 d4 3.Kf5 d5 4.Ke4 d6 5.Kd3 d7 6.Kc2 d8=Q 7.Kc1 Qd2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 113 KBPvkn

solve ↗



h#7, unique solution.

The class runs to h#12, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

101 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: pure, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 114 KBPvkq

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

75 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Qb6+ axb6 5.Kd5 b7 6.Kc6 Bb5+ 7.Kb6 b8=Q#

Themes: pure, model, ideal, promotion, excelsior, excelsior:white, kniest, promotions:q

No. 115 KBPvkr

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


69 positions of the 355 074 048 indexed have a unique solution at h#7.

h#7 3 + 2

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Rb5+ axb5 4.Ke4 b6 5.Kd5 b7 6.Kc6 Bb5+ 7.Kb6 b8=Q#
Themes: pure, model, ideal, promotion, excelsior, excelsior:white, promotions:q

No. 116 KNNPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


5 positions of the 355 074 048 indexed have a unique solution at h#7.

h#7 4 + 1

Solution: 1.Kh1 Nf5 2.Kg2 e4 3.Kf3 e5 4.Kf4 e6 5.Kg5 e7 6.Kg6 e8=Q+ 7.Kh7 Nf6#
Themes: set-play, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, promotions:q

No. 117 KNNvkp

solve ↗



h#7, unique solution.

The class runs to h#11, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 3 + 2

Solution: 1.Kh8 Nf4 2.h5 Kb2 3.h4 Kc3 4.h3 Kd4 5.h2 Ke5 6.h1=R Kf6 7.Rh7 Nfg6#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r

No. 118 KNNvkq

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (269), 05-06/1998, as h#7 (P0574120)


h#7 3 + 2

Solution: 1.Kb7 Ke4 2.Kc6 Kf4 3.Kd5 Kg5 4.Ke6+ Kh6 5.Kf7 Ng4 6.Kg8 Nf6+ 7.Kh8 Ng6#

Themes: mirror, single-piece, single-piece:black, nocapture

No. 119 KNNvkr

solve ↗



h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.


h#7 3 + 2

Solution: 1.Ra7+ Kb2 2.Kh7 Kc3 3.Kg6 Kd4 4.Kf7 Ke5 5.Ke8 Kf6 6.Ra8 Kg7 7.Rd8 Nhf6#

Themes: pure, model, ideal, self-block, nocapture

No. 120 KNPPvk

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 266 305 536 indexed have a unique solution at h#7.


h#7 4 + 1

Solution: 1.Kb1 Nd6 2.Kc2 e4 3.Kc3 e5 4.Kd4 e6 5.Kc5 e7 6.Kb6 e8=Q 7.Ka5 Qb5#

Themes: promotion, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 121 KPPPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 199 729 152 indexed have a unique solution at h#7.


h#7 4 + 1

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: pure, model, mirror, promotion, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 122 KPvkrr

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#7.


h#7 2 + 3

Solution: 1.R4b3+ axb3 2.Kg6 b4 3.Kf5 b5 4.Ke4 b6 5.Kd3 b7 6.Kc2 b8=Q 7.Kb1 Qxb2#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:white, promotions:q

No. 123 KQBBvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Note: the diagram has no legal last move, so it cannot arise in a game.


h#7 4 + 1

Solution: 1.Kxh8 Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

No. 124 KQBPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

73 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxg7 Bb2+ 2.Kf7 a4 3.Ke6 a5 4.Kd5 a6 5.Kc4 a7 6.Kb3 a8=B 7.Ka2 Bd5#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:b

No. 125 KQBvkb

solve ↗



h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 2

Solution: 1.Kxg3 Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#
Themes: self-block, nocheck

No. 126 KQBvkp

solve ↗



h#7, unique solution.

The class runs to h#16, so the deepest sound problem is 18 plies shallower. Every position at that depth has a saturated solution count (255 or more).

55 positions of the 355 074 048 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 2

Solution: 1.Kxc2 Ka2 2.c3 Ka3 3.Kb1 Kb3 4.c2 Bb4 5.Ka1 Ba3 6.c1=N+ Kc2 7.Na2 Bb2#
Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:n

No. 127 KQNNvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxb8 Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 128 KQNPvk

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

160 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxa2 Ne2 2.Kb3 g4 3.Kc4 g5 4.Kd3 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, phoenix, nocheck, promotions:q

No. 129 KQPPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

37 positions of the 266 305 536 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 4 + 1

Solution: 1.Kxg8 b4 2.Kf7 b5 3.Ke6 b6 4.Kd5 b7 5.Kc4 b3+ 6.Kxb3 b8=Q+ 7.Ka2 Qb2#
Themes: promotion, single-piece, single-piece:black, phoenix, promotions:q

No. 130 KQPvkq

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

521 positions of the 355 074 048 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 2

Solution: 1.Kxb6 Kb1 2.Qe2 c4 3.Ka5 c5 4.Kb4 c6 5.Kc3 c7 6.Kd2 c8=Q 7.Kd1 Qc1#
Themes: promotion, excelsior, excelsior:white, self-block, phoenix, nocheck, umnov, promotions:q

No. 131 KQPvkr

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

105 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxe7 d3 2.Rb4 d4 3.Kd6 d5 4.Kc5 d6 5.Rb3 d7 6.Kb4 d8=Q 7.Ka3 Qa5#

Themes: promotion, excelsior, excelsior:white, self-block, single-piece, single-piece:white, phoenix, nocheck, umnov, promotions:q

No. 132 KRBBvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Note: the diagram has no legal last move, so it cannot arise in a game.


h#7 4 + 1

Solution: 1.Kxh8 Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

No. 133 KRBPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#7.

Published: Abdurahmanovic, Fadil; Becker, Richard – The Problemist, No. (R), 01/2006, as h#7 (P1188551)

Note: the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxg7 Bb2+ 2.Kf7 a4 3.Ke6 a5 4.Kd5 a6 5.Kc4 a7 6.Kb3 a8=B 7.Ka2 Bd5#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:b

No. 133b KRBPvk

solve ↗



h#7, unique solution.

Same material and stipulation as No. 133, which is published; this position is not in the published database, under any mirroring.

Note: the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxa7 Bf3 2.Kb6 g4 3.Kc5 g5 4.Kd4 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocheck, promotions:q

No. 134 KRNPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

31 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxa2 Ne2 2.Kb3 g4 3.Kc4 g5 4.Kd3 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocheck, promotions:q

No. 135 KRNvkp

solve ↗



h#7, unique solution.

The class runs to h#11.5, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxd4 Nf1 2.d2+ Kb2 3.d1=R Ka3 4.Kc3 Ka4 5.Kb2 Ne3 6.Ka1 Ka3 7.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, umnov, promotions:r

No. 136 KRNvkr

solve ↗



h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 121 110 528 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 2

Solution: 1.Rxf2 Kb1 2.Ke2 Kb2 3.Kd3+ Kc1 4.Kc3 Kd1 5.Kb2 Nd4 6.Ka1 Kc1 7.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, indian

No. 137 KRPPvk

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 266 305 536 indexed have a unique solution at h#7.

Note: the solution begins with a capture.


h#7 4 + 1

Solution: 1.Kxg6 Ka3 2.Kf5 g4+ 3.Ke4 g5 4.Kd3 g6 5.Kc2 g7 6.Kb1 g8=Q 7.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, promotions:q

No. 138 KRPvkb

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower.

7 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxg8 b3 2.Kf7 b4 3.Ke6 b5 4.Kd5 b6 5.Kc4 b7 6.Kb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:white, single-piece:black, promotions:q

No. 139 KRPvkn

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxg8 e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, nocheck, umnov, promotions:q

No. 140 KRPvkp

solve ↗



h#7, unique solution.

The class runs to h#14, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

41 positions of the 266 305 536 indexed have a unique solution at h#7.

Note: the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxg2 Kxa5 2.Kf3 Kb4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, nocheck, promotions:q

No. 141 KRPvkq

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxg8 b3 2.Kf7 b4 3.Ke6 b5 4.Kd5 b6 5.Kc4 b7 6.Kb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:white, single-piece:black, promotions:q

No. 142 KRPvkr

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 2

Solution: 1.Kxb2+ Kb5 2.Kc3 e4 3.Kd4 e5 4.Kd5 e6 5.Kd6 e7 6.Kd7 Kb6 7.Kc8 e8=Q#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 143 KBBvkq

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6.5 3 + 2

Solution: 1...Kxb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

No. 144 KBNNvk

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (259), 05-06/1998, as h#7 0.1... (P0574110)


h#6.5 4 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kg7 Kd4 4.Kh6 Ke5 5.Kh5 Kf6 6.Kg4 Kg7 7.Kh5 Bd1#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocapture, nocheck

No. 144b KBNNvk

solve ↗



h#6.5, unique solution.

Same material and stipulation as No. 144, which is published; this position is not in the published database, under any mirroring.


h#6.5 4 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kg7 Kd4 4.Kh6 Ke5 5.Kh5 Kf6 6.Kg4 Kg7 7.Kh5 Bd1#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocapture, nocheck

No. 145 KBvkqb

solve ↗



h#6.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

256 positions of the 121 110 528 indexed have a unique solution at h#6.5.


Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (304), 05-06/1998, as h#7 0.1... (P0574155)

h#6.5 2 + 3

Solution: 1...Bb8 2.Qg1+ Kb2 3.Kg2 Kc3 4.Kf2 Kd4 5.Qd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bg3#
Themes: set-play, self-block, nocapture

No. 145b KBvkqb

solve ↗



h#6.5, unique solution.


Same material and stipulation as No. 145, which is published; this position is not in the published database, under any mirroring.

h#6.5 2 + 3

Solution: 1...Bb8 2.Qg1+ Kb2 3.Kg2 Kc3 4.Kf2 Kd4 5.Qd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bg3#
Themes: set-play, self-block, nocapture

No. 146 KBvkrb

solve ↗



h#6.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).


128 positions of the 121 110 528 indexed have a unique solution at h#6.5.

h#6.5 2 + 3

Solution: 1...Bg1 2.Re1+ Kb2 3.Kf3 Kc3 4.Ke2 Kd4 5.Rd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bf2#
Themes: pure, model, ideal, switchback, self-block, nocapture

No. 147 KNNvkb

solve ↗



h#6.5, unique solution.

The class runs to h#10, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).


21 positions of the 121 110 528 indexed have a unique solution at h#6.5.

h#6.5 3 + 2

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#
Themes: pure, model, mirror, single-piece, single-piece:black, nocapture

No. 148 KNNvkn

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 3 + 2

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nxf1+ 7.Kh3 Nf4#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 149 KPPvkr

solve ↗



h#6.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).


784 positions of the 266 305 536 indexed have a unique solution at h#6.5.

h#6.5 3 + 2

Solution: 1...Kb2 2.Rf6 Kc3 3.Rf5 gxf5 4.Kg4 f6 5.Kf3 f7 6.Ke2 f8=Q 7.Kd1 Qf1#
Themes: pure, model, mirror, promotion, nocheck, umnov, promotions:q

No. 150 KRBvkq

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6.5 3 + 2

Solution: 1...Kxa2 2.Kh7 Kb3 3.Kh8 Kc4 4.Kh7 Kd5 5.Kh8 Ke6 6.Kh7 Kf7 7.Kh8 Rh6#
Themes: pure, mirror, switchback, single-piece, single-piece:black, pendulum, nocheck

No. 151 KRvkqb

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (312), 05-06/1998, as h#7 0.1... (P0574163)


Note: the side to move is in check in the diagram.

h#6.5 2 + 3

Solution: 1...Ka1 2.Bb2+ Kb1 3.Be5+ Kc1 4.Kg5 Kd2 5.Kh4 Ke2 6.Bc3 Kf3 7.Kh3 Rh5#
Themes: pure, model, mirror, switchback, nocapture

No. 152 KRvkqp

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.


h#6.5 2 + 3

Solution: 1...Ka1 2.Qb2+ Kxb2 3.Kh8 Kc3 4.b2 Kd4 5.b1=R Ke5 6.Rh1 Kf6 7.Rh7 Rf8#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:r

No. 153 KRvkqq

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.


h#6.5 2 + 3

Solution: 1...Ka1 2.Qb1+ Kxb1 3.Qe4+ Kc1 4.Qg6 Kd2 5.Kg7 Ke3 6.Kh6 Kf4 7.Kh5 Rh3#

Themes: pure, model, ideal, switchback, self-block, umnov

No. 154 KRvkqr

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 2 + 3

Solution: 1...Ka1 2.Qb1+ Kxb1 3.Rh6 Kc2 4.Rg6 Kd3 5.Kg7 Ke4 6.Kh6 Kf5 7.Rg7 Rh4#
Themes: pure, model, ideal, switchback, self-block, umnov

No. 155 KBBvkr

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


28 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 3 + 2

Solution: 1.Rb8 Ka2 2.Ra8+ Kb3 3.Kg8 Kc4 4.Kf7 Kd5 5.Ke8 Ke6 6.Rd8 Bg6#
Themes: self-block, nocapture

No. 156 KNNNvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.


h#6 4 + 1

Solution: 1.Kg7 Ke4 2.Kh6 Kf5 3.Kh5 Ng3+ 4.Kh4 Kg6 5.Kg4 Nf2+ 6.Kh4 Nf5#

Themes: pure, mirror, switchback, single-piece, single-piece:black, nocapture

No. 157 KQBNvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

98 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxd1 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: switchback, single-piece, single-piece:black

No. 158 KQQPvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 4 + 1

Solution: 1.Kxh1 Kb7 2.Kg1 Kc6 3.Kh1 Kd5 4.Kg1 Ke4 5.Kh1 Kf3 6.Kg1 Qg2#
Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 159 KQQvkn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 2

Solution: 1.Kxh8 Kxb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#
Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 160 KQQvkp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxh1 Kxb7 2.Kg1 Kc6 3.Kh1 Kd5 4.Kg1 Ke4 5.Kh1 Kf3 6.Kg1 Qg2#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 161 KQRBvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

29 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxh7 Kb2 2.Kh6 Kc3 3.Kh5 Kd4 4.Kxh4 Ke5 5.Kh5 Kf6 6.Kh6 Rh3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

No. 162 KQRPvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxh7 f4 2.Kh8 f5 3.Kh7 f6 4.Kh8 f7 5.Kh7 Rg7+ 6.Kh8 f8=Q#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, phoenix, pendulum, promotions:q

No. 163 KQRvkn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxh8 Kxb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 164 KQRvkp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

72 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxh8 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kf6 6.Rg8 Rh5#

Themes: pure, model, ideal, promotion, underpromotion, self-block, kniest, promotions:r

No. 165 KQRvkq

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxg6 Ka2 2.Qd5+ Ka3 3.Qf7 Kb4 4.Kg7 Kc5 5.Kf8 Kd6 6.Ke8 Rc8#

Themes: pure, model, ideal, self-block

No. 166 KQRvkr

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 2

Solution: 1.Kxh6 Ka2 2.Rb7 Ka3 3.Rf7 Kb4 4.Kg7 Kc5 5.Kf8 Kd6 6.Ke8 Rc8#
Themes: pure, model, ideal, self-block, nocheck

No. 167 KQvkbn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 3

Solution: 1.Kg7 Kb1 2.Ne2 Kc2 3.Ng1 Kd3 4.Nh3 Ke4 5.Kh6 Kf5 6.Kh5 Qxh3#
Themes: mirror, nocheck

No. 168 KQvknn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 3

Solution: 1.Kh7 Kxb2 2.Kh8 Kxc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 169 KQvknp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 3

Solution: 1.Kh7 Kb1 2.e3 Kc2 3.e2 Kd3 4.e1=B Ke4 5.Bc3 Kf5 6.Bh8 Qg6#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, nocheck, promotions:b

No. 170 KQvkpp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 266 305 536 indexed have a unique solution at h#6.


h#6 2 + 3

Solution: 1.a4 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kxf5 6.Rh8 Qg6#

Themes: pure, model, ideal, promotion, underpromotion, self-block, single-piece, single-piece:black, promotions:r

No. 171 KQvkqn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 3

Solution: 1.Kh7 Ka2 2.Qb7 Ka3 3.Qg7 Kb4 4.Kg8 Kc5 5.Kf8 Kd6 6.Qg8 Qe7#

Themes: pure, model, self-block, nocapture, nocheck

No. 172 KQvkqp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 3

Solution: 1.Kh2 Qf7 2.Kg3 Qb7 3.Kf4 Kb8 4.Ke5 Kc8 5.Kd6 Kd8 6.Qd5 Qe7#

Themes: self-block, nocapture, nocheck

No. 173 KRBNvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

36 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxc2 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: single-piece, single-piece:black

No. 174 KRBvkb

solve ↗



h#6, unique solution.

The class runs to h#10, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

28 positions of the 121 110 528 indexed have a unique solution at h#6.


h#6 3 + 2

Solution: 1.Kg6 Bg5 2.Kh5 Kb1 3.Kg4 Re8 4.Kf3 Be7 5.Ke2 Bb4+ 6.Kd1 Re1#

Themes: single-piece, single-piece:black, nocapture, indian

No. 175 KRBvkp

solve ↗



h#6, unique solution.

The class runs to h#16, so the deepest sound problem is 20 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 355 074 048 indexed have a unique solution at h#6.


h#6 3 + 2

Solution: 1.Kh7 Kb2 2.Kh6 Kc3 3.Kh7 Kd4 4.Kh6 Ke5 5.Kh7 Kf6 6.Kh6 Rh8#

Themes: switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 176 KRNNvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

27 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxe7 Nf2 2.Kf6 Kd3 3.Kg5 Ke4 4.Kh4 Kf5 5.Kg3 Kg6 6.Kh4 Nf5#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

No. 177 KRNvkb

solve ↗



h#6, unique solution.

The class runs to h#10, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

33 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxe2 Kb2 2.Kd3 Kc1 3.Kc3 Kd1 4.Kb2 Kd2 5.Ka1 Kc1 6.Ba2 Nc2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 178 KRRBvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

17 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxh7 Kb2 2.Kh6 Kc3 3.Kh5 Kd4 4.Kxh4 Ke5 5.Kh5 Kf6 6.Kh6 Rh3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

No. 179 KRRPvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 4 + 1

Solution: 1.Kxh7 f4 2.Kh8 f5 3.Kh7 f6 4.Kh8 f7 5.Kh7 Rg7+ 6.Kh8 f8=Q#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, pendulum, promotions:q

No. 180 KRRvkp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

43 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxg2 Kb7 2.h3 Kc6 3.h2 Kd5 4.h1=R Ke4 5.Kh2 Kf3 6.Rg1 Rh4#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, promotions:r

No. 181 KRRvkr

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 2

Solution: 1.Kxf8 Kc1 2.Rg7 Kd2 3.Kf7 Ke3 4.Kg6 Rxg7+ 5.Kh5 Kf4 6.Kh4 Rh7#

Themes: pure, model, ideal, mirror, switchback

No. 182 KRvkbb

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 3

Solution: 1.Kf6 Ka2 2.Bg6 Kb3 3.Bf7+ Kb4 4.Ke7 Kc5 5.Kd8 Kd6 6.Bg8 Rxg8#
Themes: pure, model, mirror

No. 183 KRvkbn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 121 110 528 indexed have a unique solution at h#6.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (306), 05-06/1998, as h#6 (P0574158)


Note: the side to move is in check in the diagram.

h#6 2 + 3

Solution: 1.Kg5 Rc2 2.Kf4 Rxc4+ 3.Ke3 Ka2 4.Kd2 Rd4+ 5.Kc1 Kb3 6.Kb1 Rxd1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 183b KRvkbn

solve ↗



h#6, unique solution.

Same material and stipulation as No. 183, which is published; this position is not in the published database, under any mirroring.


Note: the side to move is in check in the diagram.

h#6 2 + 3

Solution: 1.Kg5 Rc3 2.Kf4 Rxc4+ 3.Ke3 Ka2 4.Kd2 Rd4+ 5.Kc1 Kb3 6.Kb1 Rxd1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 184 KRvkbp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


817 positions of the 355 074 048 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Kh5 Rxg5+ 2.Kh4 Rh5+ 3.Kg3 Kb1 4.Kf2 Kc2 5.Ke1 Kd3 6.Kd1 Rh1#
Themes: single-piece, single-piece:black, umnov

No. 185 KRvknn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


38 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Nd3 Kb1 2.Nf4 Kc2 3.Nh5 Kd3 4.Ng4 Ke4 5.Ngf6+ Kf5 6.Nh7 Rg6#
Themes: self-block, nocapture

No. 186 KRvknp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


1 731 positions of the 355 074 048 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Kh7 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kf6 6.Rg8 Rh5#
Themes: pure, model, promotion, underpromotion, self-block, nocapture, promotions:r

No. 187 KRvkpp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


1 085 positions of the 266 305 536 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.c1=B Rxg5+ 2.Kh4 Rh5+ 3.Kg3 Kb1 4.Kf2 Kc2 5.Ke1 Kd3 6.Kd1 Rh1#
Themes: set-play, promotion, underpromotion, umnov, promotions:b

No. 188 KRvkqn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


66 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Qd8 Kb2 2.Qg5 Kc3 3.Kh5 Kd4 4.Kh4 Ke4 5.Qg2+ Kf4 6.Kh3 Rh5#
Themes: pure, model, self-block, nocapture

No. 189 KRvkrb

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


55 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Bb2+ Ka2 2.Bg7+ Kb3 3.Kg8 Kc4 4.Kf8 Kd5 5.Be5 Ke6 6.Ke8 Rg8#
Themes: pure, model, mirror, nocapture

No. 190 KRvkrn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 121 110 528 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 3

Solution: 1.Kh6 Kb1 2.Rd7 Kc2 3.Rh7 Kd3 4.Ng4 Ke4 5.Nf6+ Kf5 6.Nh5 Rg6#
Themes: self-block, nocapture

No. 191 KRvkrp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 355 074 048 indexed have a unique solution at h#6.


h#6 2 + 3

Solution: 1.Kh7 Kxb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh5#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, phoenix, nocheck, umnov, promotions:r

No. 192 KRvkrr

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

100 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 3

Solution: 1.Kf5 Rg5+ 2.Ke4 Rxb5 3.Kd3 Ra5 4.Kc2 Ka2 5.Kd1+ Kb3 6.Kc1 Ra1#

Themes: pure, model, ideal, single-piece, single-piece:black, umnov

No. 193 KQBvkq

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5.5 3 + 2

Solution: 1...Kxb2 2.Kxh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, kniest, pendulum, nocheck

No. 194 KQNvkq

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5.5 3 + 2

Solution: 1...Kxb2 2.Kxh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, kniest, pendulum, nocheck

No. 195 KQvkbb

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram.


h#5.5 2 + 3

Solution: 1...Qb2 2.Kg5 Qxc3 3.Kf4 Qf6+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#

Themes: pure, model, mirror, single-piece, single-piece:black

No. 196 KQvkbp

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5.5 2 + 3

Solution: 1...Kxa2 2.Kh5 Kb1 3.Kh4 Qa2 4.Kg3 Kc2 5.Kf2 Kd3+ 6.Ke1 Qe2#

Themes: single-piece, single-piece:black

No. 197 KQvkqb

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 121 110 528 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram.

h#5.5 2 + 3

Solution: 1...Qa2 2.Kg5 Qxa3 3.Kf4 Qa2 4.Ke3 Kb2 5.Kd2 Kb3+ 6.Kc1 Qc2#
Themes: switchback, single-piece, single-piece:black

No. 198 KQvkqq

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

58 positions of the 121 110 528 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram.

h#5.5 2 + 3

Solution: 1...Qb1+ 2.Qdd3 Qe1 3.Qf7 Kb2 4.Qdg6 Kc3 5.Kg7 Kd4 6.Kf6 Qe5#
Themes: pure, model, ideal, self-block, nocapture

No. 199 KQvkqr

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

10 positions of the 121 110 528 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5.5 2 + 3

Solution: 1...Kxb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#
Themes: pure, model, ideal, self-block

No. 200 KQvkrn

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5.5 2 + 3

Solution: 1...Kxb1 2.Ne2 Kc2 3.Ng1 Kd3 4.Nh3 Ke4 5.Kh6 Kf5 6.Kh5 Qxh3#
Themes: mirror, nocheck

No. 201 KRNvkq

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5.5 3 + 2

Solution: 1...Kxb1 2.Kg5 Ra6 3.Kf4 Nb5 4.Ke3 Re6+ 5.Kd2 Re2+ 6.Kd1 Nc3#
Themes: single-piece, single-piece:black

No. 202 KQBvkr

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 121 110 528 indexed have a unique solution at h#5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5 3 + 2

Solution: 1.Kxh4 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#
Themes: switchback, single-piece, single-piece:black

No. 203 KQQvkb

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower.

408 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.


h#5 3 + 2

Solution: 1.Bxg7 Kc2 2.Kf8 Kd3 3.Kg8 Ke4 4.Kh7 Kf5 5.Kh6 Qh2#

Themes: pure, model, ideal, self-block, nocheck

No. 204 KQQvkq

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

441 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5 3 + 2

Solution: 1.Qxe5+ Kb1 2.Kg3 Qb5 3.Kf2 Kc2 4.Ke1 Kd3 5.Kd1 Qb1#

Themes: mirror

No. 205 KQQvkr

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5 3 + 2

Solution: 1.Kxh5 Qxc6 2.Kg4 Qh6 3.Kf3 Kb2 4.Ke2 Kc3 5.Kd1 Qd2#

Themes: switchback, single-piece, single-piece:black, nocheck

No. 206 KQRNvk

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

26 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5 4 + 1

Solution: 1.Kxg4 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: single-piece, single-piece:black, umnov

No. 207 KQRvkb

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 113 positions of the 121 110 528 indexed have a unique solution at h#5.


Note: the solution begins with a capture.

h#5 3 + 2

Solution: 1.Bxg7+ Rb2 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rb1#
Themes: pure, model, mirror

No. 208 KQvkrb

solve ↗



h#5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 121 110 528 indexed have a unique solution at h#5.


Note: the side to move is in check in the diagram.

h#5 2 + 3

Solution: 1.Kh4 Qc6 2.Kg3 Kb2 3.Kf2 Kc3 4.Ke1 Kd3 5.Kd1 Qh1#
Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, nocheck

No. 209 KQvkrp

solve ↗



h#5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

631 positions of the 355 074 048 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram.


h#5 2 + 3

Solution: 1.Kh4 Qc6 2.Kg3 Kb2 3.Kf2 Kc3 4.Ke1 Kd3 5.Kd1 Qh1#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, nocheck

No. 210 KRBvkr

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5 3 + 2

Solution: 1.Kxg7 Kc2 2.Rh8 Kd3 3.Rh3+ Ke4 4.Kh6 Kf5 5.Kh5 Rxh3#

Themes: pure, model, ideal, mirror

No. 211 KRRNvk

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.


h#5 4 + 1

Solution: 1.Kxg5 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: single-piece, single-piece:black, umnov

No. 212 KRRvkb

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower.

290 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.


h#5 3 + 2

Solution: 1.Bxg7+ Rb2 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rb1#

Themes: pure, model, mirror

No. 213 KRRvkn

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

229 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.


h#5 3 + 2

Solution: 1.Kxg7 Kc2 2.Nf3 Kd3 3.Nh2 Ke4 4.Kh6 Kf5 5.Kh5 Rxh2#

Themes: pure, model, ideal, mirror, nocheck

No. 214 KRRvkq

solve ↗



h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

219 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.


h#5 3 + 2

Solution: 1.Qxf1+ Kb2 2.Kg1 Rc2 3.Qf2 Kc3 4.Kf1 Kd3 5.Ke1 Rc1#

Themes: pure, model, ideal, self-block, umnov

No. 215 KQvkrr

solve ↗



h#4.5, unique solution.

The class runs to h#6, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

460 positions of the 121 110 528 indexed have a unique solution at h#4.5.


h#4.5 2 + 3

Solution: 1...Qb1 2.Kf4 Qxb2 3.Ke3 Qa3+ 4.Kd2 Kb1 5.Kd1 Qc1#

Themes: single-piece, single-piece:black

No. 216 KQQNvk

solve ↗



h#4, unique solution.

The class runs to h#5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 121 110 528 indexed have a unique solution at h#4.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#4 4 + 1

Solution: 1.Kxh2 Qg8 2.Kh3 Nc7 3.Kh4 Ne6 4.Kh5 Qg5#

Themes: pure, model, single-piece, single-piece:black, nocheck

No. 217 KQQBvk

solve ↗



h#3, unique solution.

The class runs to h#4, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

293 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#3 4 + 1

Solution: 1.Kxe4 Kb1 2.Ke3 Bc5+ 3.Kd3 Qc2#

Themes: pure, model, ideal, closed-walk, single-piece, single-piece:black

No. 218 KQQRvk

solve ↗



h#3, unique solution.

The class runs to h#4, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

775 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#3 4 + 1

Solution: 1.Kxd4 Kb2 2.Ke4 Qf4+ 3.Kd3 Rd2#

Themes: closed-walk, single-piece, single-piece:black

No. 219 KQRRvk

solve ↗



h#3, unique solution.

The class runs to h#5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 116 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the solution begins with a capture.


h#3 4 + 1

Solution: 1.Kxe4 Kb2 2.Kd4 Qf4+ 3.Kd3 Rd2#

Themes: closed-walk, single-piece, single-piece:black

No. 220 KRRRvk

solve ↗



h#3, unique solution.

The class runs to h#5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

217 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the solution begins with a capture.


h#3 4 + 1

Solution: 1.Kxd4 Rbb1 2.Kd3 Kb2 3.Kd2 Rbd1#

Themes: single-piece, single-piece:black, nocheck

No. 221 KQQQvk

solve ↗



h#2, unique solution.

The class runs to h#3, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 150 positions of the 121 110 528 indexed have a unique solution at h#2.

Note: the side to move is in check in the diagram; the solution begins with a capture.

h#2 4 + 1

Solution: 1.Kxc1 Qf2 2.Kd1 Qee1#


Themes: switchback, single-piece, single-piece:black, nocheck

Six men

231 of the 645 material classes with 6 men that can hold a mate, deepest sound problem first.

No. 222 KBvkbbp

solve ↗



h#13, unique solution.

The class runs to h#16.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 22 724 739 072 indexed have a unique solution at h#13.


h#13 2 + 4

Solution: 1.e5 Kb5 2.Ke7 Kc6 3.Kf6 Kd7 4.e4 Ke8 5.e3 Kf8 6.e2 Kg8 7.e1=N Kxh8 8.Nf3 Kg8 9.Ng5 Kf8 10.Nh7+ Ke8 11.Kg7 Ke7 12.Kh8 Kf7 13.Bg7 Bxg7#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:black, switchback, self-block, kniest, promotions:n

No. 223 KBvkqbp

solve ↗



h#12.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

59 positions of the 22 724 739 072 indexed have a unique solution at h#12.5.


h#12.5 2 + 4

Solution: 1...Ke2 2.Qb2+ Kf3 3.e5 Kg4 4.e4 Kh5 5.e3 Kh6 6.e2 Kh7 7.e1=N Kxh8 8.Nf3 Kg8 9.Ng5 Kf8 10.Nh7+ Ke8 11.Kg7 Ke7 12.Kh8 Kf7 13.Qg7+ Bxg7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, kniest, promotions:n

No. 224 KBvkqqp

solve ↗



h#12.5, unique solution.

The class runs to h#17.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

210 positions of the 22 724 739 072 indexed have a unique solution at h#12.5.


h#12.5 2 + 4

Solution: 1...Bb8 2.c5 Bd6 3.c4 Bb4 4.c3 Kb3 5.c2 Kc4 6.c1=N Bd6 7.Nd3 Kd5 8.Qda5+ Ke6 9.Nc5+ Ke7 10.Nb7 Bb4 11.Kb8 Kd7 12.Qa8 Ba5 13.Qba7 Bc7#

Themes: pure, model, ideal, promotion, underpromotion, switchback, closed-walk, self-block, nocapture, umnov, klasinc, promotions:n

No. 225 KBvkqrp

solve ↗



h#12.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

495 positions of the 22 724 739 072 indexed have a unique solution at h#12.5.


h#12.5 2 + 4

Solution: 1...Be3 2.Qb7 Bb6 3.Ra2+ Kb1 4.e5 Kc1 5.e4 Kd1 6.e3 Ke1 7.e2 Kf2 8.e1=N+ Ke3 9.Nd3 Kd4 10.Nc5 Ke5 11.Qa8 Kd6 12.Nb7+ Kd7 13.Ra7 Bc7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, umnov, promotions:n

No. 226 KBvkrpp

solve ↗



h#12.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 17 043 554 304 indexed have a unique solution at h#12.5.


h#12.5 2 + 4

Solution: 1...Bc2+ 2.Kg4 Kb2 3.d5 Kc1 4.d4 Kd1 5.d3 Ke1 6.d2+ Kf1 7.d1=N Kg1 8.Ne3 Kxh2 9.Nf1+ Kg1 10.Kh3 Kf2 11.Kh2 Bf5 12.Kh1 Bh3 13.Nh2 Bg2#

Themes: pure, model, promotion, underpromotion, switchback, self-block, promotions:n

No. 227 KBvkrrp

solve ↗



h#12.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

79 positions of the 22 724 739 072 indexed have a unique solution at h#12.5.


h#12.5 2 + 4

Solution: 1...Be4 2.Kd6 Bd3 3.Ke5 Kc3 4.Kf4 Kd4 5.Kf3 Ke5 6.Kg2 Kxf6 7.Kh1 Ke5 8.f5 Bf1 9.f4 Bh3 10.f3 Kf4 11.f2 Kxg3 12.f1=N+ Kf2 13.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:black, switchback, self-block, umnov, promotions:n

No. 228 KPvkbpp

solve ↗



h#12.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 12 782 665 728 indexed have a unique solution at h#12.5.


h#12.5 2 + 4

Solution: 1...Kb2 2.Kb5 Kc3 3.Kc6 Kd4 4.Kd7 Ke5 5.Ke8 Kf6 6.Kf8 Kg6 7.Kg8 Kxh5 8.Kh8 Kg6 9.Bf5+ Kf7 10.Kh7 h5 11.Bg6+ hxg6+ 12.Kh8 g7+ 13.Kh7 g8=Q#

Themes: promotion, switchback, promotions:q

No. 229 KBvkrbp

solve ↗



h#12, unique solution.

The class runs to h#16.5, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 22 724 739 072 indexed have a unique solution at h#12.


h#12 2 + 4

Solution: 1.Kf7 Ka2 2.Kg8 Ka3 3.e5+ Ka4 4.e4 Ka5 5.e3 Ka6 6.e2 Kxb7 7.e1=N Kc6 8.Nf3 Kd5 9.Ng5 Ke5 10.Kh8 Kf6 11.Nh7+ Kf7+ 12.Bg7 Bxg7#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:black, self-block, promotions:n

No. 230 KRBvkrp

solve ↗



h#12, unique solution.

The class runs to h#17, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 22 724 739 072 indexed have a unique solution at h#12.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#12 3 + 3

Solution: 1.Kxb3 Kb6 2.f4 Kc5 3.f3 Kd4 4.f2 Ke3 5.f1=N+ Kf2 6.Kc3 Kxg1 7.Kd4 Kf2 8.Ke4 Ke1 9.Kf3 Bd7 10.Kg2 Bh3+ 11.Kh1 Kf2 12.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, umnov, promotions:n

No. 231 KBvkbpp

solve ↗



h#11.5, unique solution.

The class runs to h#16, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

34 positions of the 17 043 554 304 indexed have a unique solution at h#11.5.


h#11.5 2 + 4

Solution: 1...Kc3 2.d5 Kb4 3.d4 Ka5 4.d3 Ka6 5.d2 Ka7 6.d1=N Kxa8 7.Nc3 Kb8 8.Nb5 Kc8 9.Na7+ Kd8 10.Kb7 Ba6+ 11.Ka8 Kc7 12.f5 Bb7#

Themes: pure, model, promotion, underpromotion, self-block, kniest, promotions:n

No. 232 KBvkqnp

solve ↗



h#11.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 22 724 739 072 indexed have a unique solution at h#11.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#11.5 2 + 4

Solution: 1...Kxe7 2.Kc7 Kf6 3.Kd6 Kg6 4.Ke5 Kg5 5.Kd4+ Kf4 6.Kc3 Bd2+ 7.Kb2 Ke3 8.Ka1 Ke2 9.g1=N+ Kd1 10.Ne2 Kc2 11.Nc3 Bc1 12.Na2 Bb2#

Themes: pure, model, promotion, underpromotion, switchback, self-block, phoenix, umnov, promotions:n

No. 233 KBvkqpp

solve ↗



h#11.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 17 043 554 304 indexed have a unique solution at h#11.5.


h#11.5 2 + 4

Solution: 1...Kc8 2.b4 Kb7 3.b3 Kb6 4.b2 Kb5 5.Ke4+ Kc4 6.Kf3 Kd3 7.Kg2 Kd2 8.Kh1 Be2 9.b1=N+ Ke1 10.Nd2 Kf2 11.Nf3 Bf1 12.Nh2 Bg2#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, umnov, promotions:n

No. 234 KBvkrnp

solve ↗



h#11.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

10 positions of the 22 724 739 072 indexed have a unique solution at h#11.5.

Note: the solution begins with a capture.


h#11.5 2 + 4

Solution: 1...Bxb3 2.d5 Kc1 3.d4 Kd1 4.d3 Ke1 5.d2+ Kf1 6.d1=N Kg1 7.Ne3 Kxh2 8.Nf1+ Kg1 9.Kh3 Kf2 10.Kh2 Be6 11.Kh1 Bh3 12.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, phoenix, promotions:n

No. 235 KPvkppp

solve ↗



h#11.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 9 586 999 296 indexed have a unique solution at h#11.5.


h#11.5 2 + 4

Solution: 1...Kb1 2.e5 Kc1 3.e4 Kd2 4.e3+ Kc3 5.e2 Kxb3 6.e1=B Ka3 7.Ba5 b4 8.Ke4 bxa5 9.Kd3 a6 10.Kc2 a7 11.Kb1 a8=Q 12.Ka1 Qh1#

Themes: pure, model, mirror, promotion, underpromotion, excelsior, excelsior:white, promotions:qb

No. 236 KBBvkrp

solve ↗



h#11, unique solution.

The class runs to h#17, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 22 724 739 072 indexed has a unique solution at h#11.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#11 3 + 3

Solution: 1.Kxb2 Kc5 2.f3 Kd4 3.f2 Ke3 4.f1=N+ Kf2 5.Kc3 Kxg1 6.Kd4 Kf2 7.Ke4 Ke1 8.Kf3 Be6 9.Kg2 Bh3+ 10.Kh1 Kf2 11.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, umnov, promotions:n

No. 237 KBvkppp

solve ↗



h#11, unique solution.

The class runs to h#15.5, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 12 782 665 728 indexed has a unique solution at h#11.


h#11 2 + 4

Solution: 1.e3 Kd7 2.e2 Kc6 3.e1=Q Kb5 4.Kc7 Bd8+ 5.Kd6 Kc4 6.Qe8 Kd3 7.Ke5 Ke2 8.Kf4+ Kf1 9.Kg3 Bc7+ 10.Kh4 Kg2 11.Qh5 Bg3#

Themes: pure, model, ideal, promotion, self-block, nocapture, promotions:q, indian

No. 238 KBvkbnp

solve ↗



h#10.5, unique solution.

The class runs to h#16.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 22 724 739 072 indexed has a unique solution at h#10.5.


h#10.5 2 + 4

Solution: 1...Ba4 2.Nb4 Kb3 3.Nc6 Kc3 4.Ka2 Bxb5 5.Ka3 Ba6 6.Ka4 Kc4 7.Ka5 Kd5 8.Kb6 Ke6 9.Ka7 Kd7 10.Ka8 Kxc7 11.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 239 KBvknpp

solve ↗



h#10.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 17 043 554 304 indexed has a unique solution at h#10.5.


h#10.5 2 + 4

Solution: 1...Ba4 2.Nb4 Kb3 3.Nc6 Kc3 4.Ka2 Bxb5 5.Ka3 Ba6 6.Ka4 Kc4 7.Ka5 Kd5 8.Kb6 Ke6 9.Ka7 Kd7 10.Ka8 Kxc7 11.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 240 KNvkqqp

solve ↗



h#10.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 22 724 739 072 indexed have a unique solution at h#10.5.


h#10.5 2 + 4

Solution: 1...Nf7+ 2.Ke7 Ne5 3.Qd8 Nd7 4.Qb2+ Kxb2 5.f5 Kc3 6.f4 Kd4 7.f3 Ke5 8.f2 Nf6 9.f1=R Nh5 10.Ke8 Ke6 11.Rf8 Ng7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:r

No. 241 KPvkbbp

solve ↗



h#10.5, unique solution.

The class runs to h#15, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

41 positions of the 17 043 554 304 indexed have a unique solution at h#10.5.


h#10.5 2 + 4

Solution: 1...Kb2 2.Kg2 Kc1 3.Kf3 Kd1 4.Ke4 Kd2 5.Kf5 Ke3 6.Kg6 Kf4 7.Bf7 Kxg4 8.Kh7 Kg5 9.Bh5 Kf6 10.Kh6 g4 11.Bh7 g5#

Themes: set-play, pure, model, ideal, self-block, nocheck

No. 242 KBBvkbp

solve ↗



h#10, unique solution.

The class runs to h#16, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

51 positions of the 22 724 739 072 indexed have a unique solution at h#10.


h#10 3 + 3

Solution: 1.e2 Kd2 2.Kb2 Ke1 3.Kc3 Bdxc2 4.Kd4 Bf5 5.Ke3 Bh3 6.Kf3 Bf1 7.exf1=N Bf5 8.Kg2 Bh3+ 9.Kh1 Kf2 10.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:n

No. 243 KBBvkqp

solve ↗



h#10, unique solution.

The class runs to h#17, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 22 724 739 072 indexed have a unique solution at h#10.


h#10 3 + 3

Solution: 1.Qa4+ Kb6 2.Kc4 Kc7 3.d5 Kd6 4.d4 Ke5 5.d3 Ke4 6.d2 Ke3 7.d1=B Kd2 8.Kb3 Kc1 9.Ka3 Kb1 10.Bb3 Bc1#

Themes: promotion, underpromotion, self-block, nocapture, umnov, promotions:b

No. 244 KBvkbbn

solve ↗



h#10, unique solution.

The class runs to h#12, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

10 positions of the 7 751 073 792 indexed have a unique solution at h#10.


h#10 2 + 4

Solution: 1.Nc5 Kxc2 2.Na6 Kd3 3.Kb2 Kc4 4.Ka3 Be4 5.Ka4 Bxh1 6.Ka5 Bb7 7.Kb6 Bc8 8.Ka7 Kb5 9.Ka8 Kb6 10.Nb8 Bb7#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 245 KBvkqnn

solve ↗



h#10, unique solution.

The class runs to h#13, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 7 751 073 792 indexed have a unique solution at h#10.


h#10 2 + 4

Solution: 1.Kg2 Be5 2.Kf3 Bc3 3.Ke4 Kc2 4.Kd5 Kd3 5.Kd6 Kd4 6.Kc7 Ke5 7.Qa4 Ke6 8.Qa8 Ba5+ 9.Kb8 Kd7 10.Na7 Bc7#

Themes: pure, model, ideal, self-block, nocapture

No. 246 KRBvkbp

solve ↗



h#10, unique solution.

The class runs to h#16.5, so the deepest sound problem is 13 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 22 724 739 072 indexed has a unique solution at h#10.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#10 3 + 3

Solution: 1.Kxb5 Bd5 2.f2 Bxh1 3.Kc4 Kb6 4.Kd3 Kc5 5.Ke2 Kd4 6.Kf1 Bg2+ 7.Kg1 Bh3 8.Kh1 Ke3 9.f1=N+ Kf2 10.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, kniest, umnov, promotions:n

No. 247 KRBvknp

solve ↗



h#10, unique solution.

The class runs to h#15.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 22 724 739 072 indexed has a unique solution at h#10.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#10 3 + 3

Solution: 1.Kxa7 Kb3 2.Kb7 Kc4 3.Kc8 Kd5 4.Kd7 Ke5 5.Ke8 Kf6 6.Kf8 Bd6+ 7.Kg8 Bf8 8.Kh8 Kxf7 9.Nh6+ Kg6 10.Ng8 Bg7#

Themes: pure, model, ideal, self-block, umnov

No. 248 KRBvkqn

solve ↗



h#10, unique solution.

The class runs to h#13, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 7 751 073 792 indexed have a unique solution at h#10.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#10 3 + 3

Solution: 1.Kxa2 Be2 2.Kb3 Bxd3 3.Kc3 Kb1 4.Kd2 Bf1 5.Ke1 Kc2 6.Nh3 Kd3 7.Kf2 Ke4 8.Kg1 Kf3 9.Kh1 Kg3 10.Ng1 Bg2#

Themes: pure, model, ideal, self-block, nocheck

No. 249 KRBvkqp

solve ↗



h#10, unique solution.

The class runs to h#17, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 22 724 739 072 indexed have a unique solution at h#10.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#10 3 + 3

Solution: 1.Qxd6 Ka4 2.f4 Kb3 3.f3 Kc2 4.f2 Kd1 5.f1=N Ba2+ 6.Ke4+ Ke1 7.Kf3 Be6 8.Kg2 Bh3+ 9.Kh1 Kf2 10.Nh2 Bg2#

Themes: pure, model, promotion, underpromotion, self-block, promotions:n

No. 250 KRBvkrn

solve ↗



h#10, unique solution.

The class runs to h#13, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 7 751 073 792 indexed have a unique solution at h#10.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#10 3 + 3

Solution: 1.Kxb3 Kc1 2.Kc4 Kd2 3.Nf4+ Ke3 4.Nh3 Kf3 5.Kd3 Kg3 6.Ke2 Kxh2 7.Kf1 Kg3 8.Kg1 Bb5 9.Kh1 Bf1 10.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block

No. 251 KBBvknp

solve ↗



h#9.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 22 724 739 072 indexed have a unique solution at h#9.5.


h#9.5 3 + 3

Solution: 1...Bef1 2.Kb3 Ke2 3.Kc4 Kf3+ 4.Kd5 Kg4 5.Ke6 Bd3 6.Kf7 Kf5 7.Kg8 Ke6 8.Ng5+ Ke7 9.Nf7 Bhf5 10.Nh8 Bh7#

Themes: pure, model, ideal, self-block, nocapture

No. 252 KBBvkpp

solve ↗



h#9.5, unique solution.

The class runs to h#16, so the deepest sound problem is 13 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 17 043 554 304 indexed have a unique solution at h#9.5.


h#9.5 3 + 3

Solution: 1...Be2 2.e5 Bf1 3.Kf3 Bxb7+ 4.e4 Bc8 5.e3 Kc3 6.e2 Kd2 7.exf1=N+ Ke1 8.Kg2 Bh3+ 9.Kh1 Kf2 10.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:black, self-block, promotions:n

No. 253 KBBvkqn

solve ↗



h#9.5, unique solution.

The class runs to h#13, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9.5 3 + 3

Solution: 1...Kxd1 2.Kf3 Bc1 3.Ke4 Ke2 4.Kxd4 Kf3 5.Ke5 Kg4 6.Kf6 Kh5 7.Kg7 Bh6+ 8.Kh8 Kg6 9.Nf8+ Kf7 10.Nh7 Bg7#

Themes: pure, model, ideal, self-block

No. 254 KBvkbnn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

109 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Bd6 2.Nc1 Kxa1 3.Kg2 Kb2 4.Kf3 Kc3 5.Ke4 Kd2 6.Kd4 Kxe1 7.Kc3 Kd1 8.Kb2 Ba3+ 9.Ka1 Kc2 10.Na2 Bb2#

Themes: pure, model, ideal, self-block, kniest

No. 255 KBvknnn

solve ↗



h#9.5, unique solution.

The class runs to h#12, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

35 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Bd6 2.Nc1 Kxa1 3.Kg2 Kb2 4.Kf3 Kc3 5.Ke4 Kd2 6.Kd4 Kxe1 7.Kc3 Kd1 8.Kb2 Ba3+ 9.Ka1 Kc2 10.Na2 Bb2#

Themes: pure, model, ideal, self-block, kniest

No. 256 KBvknnp

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

209 positions of the 22 724 739 072 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf8 Kd4 4.Ke8 Ke5 5.Ndc6+ Ke6 6.Kd8 Bc4 7.Kc8 Ba6+ 8.Kb8 Kd7 9.Ka8 Kxc7 10.Na7 Bb7#

Themes: pure, model, self-block

No. 257 KBvkqbn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

90 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram.


h#9.5 2 + 4

Solution: 1...Ka1 2.Kb4 Bb5 3.Qc5 Kb2 4.Bb3 Bc4 5.Ka4 Kc3 6.Qa3 Kd4 7.Ng6 Kd5 8.Nf4+ Kc6 9.Nd3 Kb6 10.Nb4 Bb5#

Themes: pure, model, ideal, switchback, self-block, nocapture

No. 258 KBvkqqn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

341 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...Kxa2 2.Kd2 Be4 3.Kc3 Bxb7 4.Kb4 Ba6 5.Ka5 Kb3 6.Nc8 Kc4 7.Kb6 Kd5 8.Ka7 Kc6 9.Ka8 Kc7 10.Na7 Bb7#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 259 KBvkqrn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

394 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Be3 2.Qd1+ Kb2 3.Nc7 Kc3 4.Nb5+ Kc4 5.Nd4 Kd5 6.Rd6+ Ke5 7.Ke2 Kf4 8.Ke1 Kg3 9.Ne2+ Kg2 10.Rd2 Bf2#

Themes: set-play, pure, model, ideal, self-block, nocapture

No. 260 KBvkrbn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

27 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...Bxa4 2.Kd2 Bb5 3.Kc3 Ba6 4.Kb4 Kb2 5.Ka5 Kc3 6.Nc8 Kd4 7.Kb6 Kxd5 8.Ka7 Kc6 9.Ka8 Kc7 10.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 261 KBvkrnn

solve ↗



h#9.5, unique solution.

The class runs to h#13, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

36 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb2 2.Kg2 Kc3 3.Kh3 Kd4 4.Kh4 Ke5 5.Kh5 Bg5 6.Kg6 Bxd8 7.Kh7 Kf6 8.Kh8 Kf7 9.Nh7 Bf6+ 10.Rg7+ Bxg7#

Themes: pure, model, ideal, self-block

No. 262 KBvkrrn

solve ↗



h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

128 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb2 2.Rd1 Bc3 3.Nc6 Bd2 4.Nd4 Kc3 5.Ne2+ Kd3 6.Rd4+ Ke3 7.Kg1 Kf3 8.Kf1 Be3 9.Ke1 Kg2 10.R4d2 Bf2#

Themes: pure, model, ideal, self-block, nocapture

No. 263 KNvkppp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 12 782 665 728 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kc7 2.g5 Kd8 3.g4 Ke8 4.g3 Kf8 5.g2 Kxg7 6.g1=R+ Kh7 7.Kf7 Kh6 8.Kg8 Nd3 9.Kh8 Ne5 10.Rg8 Nf7#

Themes: pure, model, promotion, underpromotion, self-block, promotions:r

No. 264 KNvkqbb

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram.


h#9.5 2 + 4

Solution: 1...Na2 2.Qb2+ Kxb2 3.Kg7 Kc3 4.Kf6 Kc4 5.Ke5 Kb5 6.Kd4 Nc1 7.Kc3 Kxc5 8.Kb2 Kb4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, ideal, switchback, self-block

No. 265 KNvkqbn

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...Kxa1 2.Kg8 Nf5 3.Kf7 Ne3 4.Ke6 Nc2 5.Kd5 Kb2 6.Kc4 Ka3 7.Kc3 Ka4 8.Kb2 Nd4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, switchback, self-block, kniest, nocheck

No. 266 KNvkqbp

solve ↗



h#9.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 22 724 739 072 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram.


h#9.5 2 + 4

Solution: 1...Na2+ 2.Kd2 Kxb1 3.g5 Nc3 4.Qc1+ Ka2 5.g4 Kb3 6.g3 Kc4 7.g2 Kd4 8.g1=R Ne4+ 9.Kd1 Kd3 10.Re1 Nf2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, promotions:r

No. 267 KNvkqnp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 22 724 739 072 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram.


h#9.5 2 + 4

Solution: 1...Na2+ 2.Kd2 Kxb1 3.g5 Nc3 4.Qc1+ Ka2 5.g4 Kb3 6.g3 Kc4 7.g2 Kd4 8.g1=R Ne4+ 9.Kd1 Kd3 10.Re1 Nf2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, promotions:r

No. 268 KNvkqpp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

993 positions of the 17 043 554 304 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Nf3+ 2.Kf4 Nd2 3.Qd1+ Kb2 4.e5 Kc3 5.e4 Kd4 6.Kg3 Ke5 7.Kf2 Kf4 8.Ke1 Kg3 9.e3 Kg2 10.e2 Nf3#

Themes: pure, model, switchback, self-block, nocapture

No. 269 KNvkqqb

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

140 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Nd2 2.Kg7 Kb2 3.Kf6 Ka3 4.Ke5 Nxc4+ 5.Kd4 Kb4 6.Bc2 Ka5 7.Kc3 Nd2 8.Kb2 Kb4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, switchback, self-block

No. 270 KNvkqrb

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#9.5.

Note: the diagram has no legal last move, so it cannot arise in a game.


h#9.5 2 + 4

Solution: 1...Kxa1 2.Kg8 Nf5 3.Kf7 Ne3 4.Ke6 Nc2 5.Kd5 Kb2 6.Kc4 Ka3 7.Kc3 Ka4 8.Kb2 Nd4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, switchback, self-block, kniest, nocheck

No. 271 KNvkqrp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

351 positions of the 22 724 739 072 indexed have a unique solution at h#9.5.

Note: the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...Kxb7 2.f5 Nb6 3.Kd6 Nd7 4.Ke7 Kc6 5.f4 Kd5 6.f3 Ke5 7.f2 Nf6 8.f1=R Nh5 9.Ke8 Ke6 10.Rf8 Ng7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, phoenix, nocheck, promotions:r

No. 272 KNvkrpp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 17 043 554 304 indexed has a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...Kxc8 2.g5 Kd8 3.g4 Ke8 4.g3 Kf8 5.g2 Kxg7 6.g1=R+ Kh7 7.Kf7 Kh6 8.Kg8 Nd3 9.Kh8 Ne5 10.Rg8 Nf7#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, phoenix, promotions:r

No. 273 KPvkbnp

solve ↗



h#9.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 17 043 554 304 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb1 2.Nf5 Kc2 3.Nd4+ Kc1 4.Nb3+ axb3 5.Kf7 b4 6.Ke6 b5 7.Kd5 b6 8.Kc4 b7 9.Kb3 b8=Q+ 10.Ka2 Qb1#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 274 KPvknnp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 17 043 554 304 indexed has a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb1 2.Nf5 Kc2 3.Nd4+ Kc1 4.Nb3+ axb3 5.Kf7 b4 6.Ke6 b5 7.Kd5 b6 8.Kc4 b7 9.Kb3 b8=Q+ 10.Ka2 Qb1#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 275 KPvknpp

solve ↗



h#9.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

112 positions of the 12 782 665 728 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb1 2.c5 Ka1 3.c4 Kb1 4.c3 bxc3 5.Nf4 c4 6.Nd5 cxd5 7.Kd2 d6 8.Kc3 d7 9.Kb4 d8=Q 10.Ka3 Qa5#

Themes: set-play, promotion, excelsior, excelsior:white, switchback, pendulum, nocheck, promotions:q

No. 276 KPvkqbp

solve ↗



h#9.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 17 043 554 304 indexed have a unique solution at h#9.5.

Note: the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...fxg5 2.Kb4 Kb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Be6 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#

Themes: pure, model, ideal, self-block, nocheck

No. 277 KPvkqnp

solve ↗



h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 17 043 554 304 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9.5 2 + 4

Solution: 1...Kxa2 2.Nc5 Kb2 3.Ne4 Ka3 4.Ng3 hxg3 5.Kg6 gxh4 6.Kf5 h5 7.Ke4 h6 8.Kd3 h7 9.Kc2 h8=Q 10.Kb1 Qb2#

Themes: promotion, excelsior, excelsior:white, nocheck, promotions:q

No. 278 KPvkqpp

solve ↗



h#9.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

236 positions of the 12 782 665 728 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb1 2.b5 Kc2 3.b4 Kc1 4.b3 axb3 5.Kf7 b4 6.Ke6 b5 7.Kd5 b6 8.Kc4 b7 9.Kb3 b8=Q+ 10.Ka2 Qb1#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 279 KPvkrbp

solve ↗



h#9.5, unique solution.

The class runs to h#15, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 17 043 554 304 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...g5 2.Kb4 Kxb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Bb3 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#

Themes: pure, model, ideal, self-block, nocheck

No. 280 KPvkrpp

solve ↗



h#9.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

105 positions of the 12 782 665 728 indexed have a unique solution at h#9.5.


h#9.5 2 + 4

Solution: 1...Kb1 2.b5 Kxc2 3.b4 Kc1 4.b3 axb3 5.Kf7 b4 6.Ke6 b5 7.Kd5 b6 8.Kc4 b7 9.Kb3 b8=Q+ 10.Ka2 Qb1#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 281 KBBvkbn

solve ↗



h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

244 positions of the 7 751 073 792 indexed have a unique solution at h#9.


h#9 3 + 3

Solution: 1.Kd2 Bd3 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kc3 5.Nc8 Kd4 6.Kb6 Kxd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, self-block, nocheck

No. 282 KBBvkrn

solve ↗



h#9, unique solution.

The class runs to h#13, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 7 751 073 792 indexed have a unique solution at h#9.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9 3 + 3

Solution: 1.Kxd2+ Ka2 2.Kc3 Bc4 3.Kb4 Ba6 4.Ka5 Kb3 5.Nc8 Kc4 6.Kb6 Kd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, model, self-block

No. 283 KNvkbpp

solve ↗



h#9, unique solution.

The class runs to h#10.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 17 043 554 304 indexed have a unique solution at h#9.


h#9 2 + 4

Solution: 1.Be5 Kb4 2.Kg2 Kc5 3.Kf3 Kxc6 4.Ke4 Kb5 5.Kd5 Ka5 6.Kc6 Nxc7 7.Kb7 Nd5 8.Ka8 Ka6 9.Bb8 Nb6#

Themes: pure, model, ideal, self-block, nocheck

No. 284 KNvknpp

solve ↗



h#9, unique solution.

The class runs to h#10.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 17 043 554 304 indexed have a unique solution at h#9.


h#9 2 + 4

Solution: 1.Kg4 Kb8 2.Kf5 Kxc7 3.Ke6 Kb6 4.Kd7 Nc2 5.Kc8 Nb4 6.Kb8 Nxa6+ 7.Ka8 Nb4 8.Na6 Nd5 9.Nb8 Nc7#

Themes: pure, model, ideal, switchback, self-block, umnov

No. 285 KRBvkbn

solve ↗



h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

37 positions of the 7 751 073 792 indexed have a unique solution at h#9.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9 3 + 3

Solution: 1.Kxc2 Be2 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kxb3 5.Nc8 Kc4 6.Kb6 Kd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 286 KRBvknn

solve ↗



h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

35 positions of the 7 751 073 792 indexed have a unique solution at h#9.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9 3 + 3

Solution: 1.Kxh2 Ka2 2.Kg2 Kb3 3.Kf1 Kc3 4.Ke1 Kxd3 5.Kd1 Kd4 6.Kc2 Bc1 7.Kb1 Kc3 8.Ka1 Kb3 9.Nb1 Bb2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 287 KRBvkpp

solve ↗



h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 17 043 554 304 indexed have a unique solution at h#9.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9 3 + 3

Solution: 1.Kxg1 Kd2 2.h1=B Ke3 3.Ba8 Kf4 4.Kf2 Kf5 5.Ke3 Bc1+ 6.Kd4 Ke6 7.Kc5 Kd7 8.Kb6 Kc8 9.Ka7 Be3#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:b

No. 288 KRNvkqb

solve ↗



h#9, unique solution.

The class runs to h#11, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 7 751 073 792 indexed have a unique solution at h#9.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9 3 + 3

Solution: 1.Kxh7 Nc6 2.Kg6 Na5 3.Kf5 Nxb3 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 289 KRNvkqp

solve ↗



h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

81 positions of the 22 724 739 072 indexed have a unique solution at h#9.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#9 3 + 3

Solution: 1.Kxg4 Nd5 2.Qa4+ Kb2 3.Kf3 Kc3 4.Qa5+ Kd4 5.Ke2 Ke5 6.Kd3 Kd6 7.Kc4 Kc7 8.Kb5 Kb8 9.Ka6 Nc7#

Themes: pure, model, ideal, self-block

No. 290 KBBvknn

solve ↗



h#8.5, unique solution.

The class runs to h#13, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.


h#8.5 3 + 3

Solution: 1...Bg3 2.Ne3 Bb8 3.Ng4 Kc2 4.Nc7 Kd3 5.Kg3 Be5+ 6.Kh4 Ke4 7.Ne6 Kf5 8.Ng5 Kg6 9.Nh3 Bg3#

Themes: pure, model, ideal, self-block, nocapture

No. 291 KBvkbbb

solve ↗



h#8.5, unique solution.

The class runs to h#10, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

446 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kd2 2.Kb2 Kd3 3.Kc1 Ba2 4.Kd1 Bd5 5.Ke1 Bxh1 6.Kf1 Bd5 7.Kg1 Ke4 8.Kh1 Kf3 9.Bg1 Kg3#

Themes: switchback, self-block, kniest, nocheck, indian

No. 292 KBvkqbb

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxb1 2.Bf5+ Kb2 3.Kh3 Kc3 4.Kg4 Kd4 5.Kh5 Ke5 6.Kh6 Kf6 7.Kh7 Kf7 8.Kh8 Kxf8 9.Bh7 Bf6#

Themes: self-block

No. 293 KBvkrbb

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxd1 2.Kb2 Be4 3.Kc3 Bxa8 4.Kd3 Kc1 5.Ke2 Kc2 6.Kf1 Kd3 7.Kg1 Ke4 8.Kh1 Kf3 9.Bg1 Kg3#

Themes: switchback, self-block, nocheck

No. 294 KNvkbbb

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 145 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Ne3 2.Kg3 Kb2 3.Kf2 Ka3 4.Ke1 Kxa4 5.Kd2 Kb4 6.Kc1 Kc3 7.Kb1 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, self-block, nocheck

No. 295 KNvkbbn

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxa2 2.Kf7 Kb3 3.Ke6 Kxc3 4.Kd5 Kb2 5.Kc4 Ka3 6.Kc3 Ka4 7.Kb2 Nd4 8.Ka1 Ka3 9.Bb1 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 296 KNvkbbp

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 621 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb2 2.Kg2 Kc3 3.Kf3 Kc4 4.Ke4 Kb5 5.Kd5 Ka5 6.Kc6 Nxc7 7.Kb7 Nd5 8.Ka8 Ka6 9.Bb8 Nb6#

Themes: pure, model, self-block, nocheck

No. 297 KNvkbnn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, switchback, self-block, nocheck

No. 298 KNvkbnp

solve ↗



h#8.5, unique solution.

The class runs to h#10, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb2 2.Bd5 Kc2 3.e4 Kc3 4.e3 Kd4 5.e2 Ke5 6.e1=R+ Kf6 7.Re8 Nc3 8.Rh8 Ne4 9.Bg8 Ng5#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, promotions:r

No. 299 KNvknnn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, switchback, self-block, nocheck

No. 300 KNvknnp

solve ↗



h#8.5, unique solution.

The class runs to h#10, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

211 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, switchback, self-block, nocheck

No. 301 KNvkqnn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram.


h#8.5 2 + 4

Solution: 1...Ka1 2.Qd1 Ka2 3.Kf7 Kxa3 4.Ke6 Kb4 5.Kd5 Ka5 6.Kc4 Ne2 7.Kb3 Kb5 8.Ka2 Kb4 9.Qa1 Nc3#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 302 KNvkqqn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

34 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Ka1 2.Nb2 Ka2 3.Kf7 Ka3 4.Ke6 Kb4 5.Kd5 Ka5 6.Kc4 Ne2 7.Kb3 Kb5 8.Ka2 Kb4 9.Qa1 Nc3#

Themes: set-play, pure, model, closed-walk, self-block, nocapture, nocheck

No. 303 KNvkqqr

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram.


h#8.5 2 + 4

Solution: 1...Ka1 2.Rb6 Ne8 3.Rh6 Kb1 4.Qc1+ Kxc1 5.Qh1+ Kd2 6.Kh7 Ke3 7.Kg6 Kf4 8.Kh5 Kf5 9.Qh4 Ng7#

Themes: pure, model, ideal, switchback, self-block

No. 304 KNvkqrn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Nxa3 2.Qa4 Kb1 3.Kg6 Kc1 4.Kf5 Kd2 5.Ke4 Ke1 6.Kd3 Nb5 7.Kc2 Ke2 8.Kb1 Kd2 9.Qa1 Nc3#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 305 KNvkrbb

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

130 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxb1 2.Kg2 Nd3 3.Kf3 Kc1 4.Ke4 Kd2 5.Kd4 Ke1 6.Kc3 Nb4 7.Kb2 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, switchback, self-block, nocheck

No. 306 KNvkrbn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Nxe1 2.Kg7 Kb1 3.Kf6 Kc1 4.Ke5 Kd2 5.Kd4 Ke2 6.Kc3 Ke3 7.Kb2 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, switchback, closed-walk, self-block, nocheck

No. 307 KNvkrbp

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

98 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxb1 2.Kg6 Kc1 3.Kf5 Kd2 4.Ke4 Ke1 5.Kd3 Nb4+ 6.Kc3 Ke2 7.Kb2 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, closed-walk, self-block

No. 308 KNvkrnn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxa1 2.Kf7 Nxe2 3.Ke6 Kb2 4.Kd5 Kc1 5.Kc4 Kd2 6.Kb3 Nd4+ 7.Ka2 Kc3 8.Ka1 Kb3 9.Nb1 Nc2#

Themes: pure, model, ideal, self-block, kniest

No. 309 KNvkrnp

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

54 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram.


h#8.5 2 + 4

Solution: 1...Ka1 2.Kf7 Nxe2 3.Ke6 Kb2 4.Kd5 Kc1 5.Kc4 Kd2 6.Kb3 Nd4+ 7.Ka2 Kc3 8.Ka1 Kb3 9.Nb1 Nc2#

Themes: pure, model, self-block

No. 310 KNvkrrn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Nxa3 2.Kg6 Nxb5 3.Kf5 Kb2 4.Ke4 Ka3 5.Kd3 Kb4 6.Kc2 Nd4+ 7.Kb1 Kc3 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, ideal, self-block

No. 311 KNvkrrp

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower.

167 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, switchback, self-block, nocheck

No. 312 KPvkbbn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...a4 2.Bb5 axb5 3.Kg2 b6 4.Kf3 b7 5.Ke4 b8=Q 6.Kd5 Qe5+ 7.Kc6 Kb8 8.Kb6 Kc8 9.Ka7 Qxa5#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, promotions:q

No. 313 KPvkbnn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

20 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb8 2.Nd3 cxd3 3.Kh2 d4 4.Kg3 d5 5.Kf4 d6 6.Ke5 d7 7.Kd6 Ka7 8.Kc7 Ka6 9.Kb8 d8=Q#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, switchback, nocheck, umnov, promotions:q

No. 314 KPvknnn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...a4 2.Nb5 axb5 3.Kg2 b6 4.Kf3 b7 5.Ke4 b8=Q 6.Kd5 Qe5+ 7.Kc6 Kb8 8.Kb6 Kc8 9.Ka7 Qxa5#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, promotions:q

No. 315 KPvkqbn

solve ↗



h#8.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Ka1 2.Ng6 h4 3.Kg7 h5 4.Kf6 hxg6 5.Ke5 g7 6.Kd4 g8=Q 7.Qe5 Ka2 8.Bc1 Kb3 9.Be3 Qc4#

Themes: set-play, promotion, self-block, nocheck, umnov, promotions:q

No. 316 KPvkqnn

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

40 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Ka7 2.Qc4 bxc4 3.Kg2 c5 4.Kf3 c6 5.Ke4 cxd7 6.Kd5 d8=Q+ 7.Kc6 Qd5+ 8.Kc7 Ka6 9.Kb8 Qb7#

Themes: set-play, promotion, switchback, umnov, promotions:q

No. 317 KPvkqqn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 22 724 739 072 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8.5 2 + 4

Solution: 1...Kxa7 2.Nd5 c4 3.Kg2 cxd5 4.Kf3 d6 5.Ke4 d7 6.Kd5 d8=Q+ 7.Kc6 Qd5+ 8.Kc7 Ka6 9.Kb8 Qb7#

Themes: promotion, excelsior, excelsior:white, switchback, closed-walk, umnov, promotions:q

No. 318 KPvkqqp

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

61 positions of the 17 043 554 304 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...f4 2.Qc6 Ka2 3.Qe7 Kb3 4.Qg5 fxg5 5.Kg7 g6 6.Kf6 g7 7.Ke5 g8=Q 8.Qf6 Kc4 9.f4 Qd5#

Themes: set-play, promotion, self-block, nocheck, umnov, promotions:q

No. 319 KPvkqrn

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 22 724 739 072 indexed has a unique solution at h#8.5.

Note: the diagram has no legal last move, so it cannot arise in a game.


h#8.5 2 + 4

Solution: 1...Kxa7 2.Nd5 c4 3.Kg2 cxd5 4.Kf3 d6 5.Ke4 d7 6.Kd5 d8=Q+ 7.Kc6 Qxf6+ 8.Kc7 Ka6 9.Kb8 Qd8#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, switchback, promotions:q

No. 320 KPvkqrp

solve ↗



h#8.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

644 positions of the 17 043 554 304 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb1 2.Re3 Ka1 3.Rb3 axb3 4.Kg6 b4 5.Kf5 b5 6.Ke4 b6 7.Kd3 b7 8.Kc2 b8=Q 9.Kc1 Qb1#

Themes: promotion, excelsior, excelsior:white, switchback, nocheck, promotions:q

No. 321 KPvkrnp

solve ↗



h#8.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 170 positions of the 17 043 554 304 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb1 2.Rc2 Ka1 3.Rc3 bxc3 4.Nf4 c4 5.Nd5 cxd5 6.Kd2 d6 7.Kc3 d7 8.Kb4 d8=Q 9.Ka3 Qa5#

Themes: set-play, promotion, excelsior, excelsior:white, switchback, nocheck, promotions:q

No. 322 KPvkrrp

solve ↗



h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

369 positions of the 17 043 554 304 indexed have a unique solution at h#8.5.


h#8.5 2 + 4

Solution: 1...Kb1 2.Rc5 Ka1 3.Rc3 bxc3 4.Kf5 c4 5.Ke6 c5 6.Kd7 c6+ 7.Kc8 c7 8.Kb7 c8=Q+ 9.Ka8 Qa6#

Themes: set-play, pure, model, promotion, excelsior, excelsior:white, switchback, umnov, promotions:q

No. 323 KBBvkbb

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

129 positions of the 7 751 073 792 indexed have a unique solution at h#8.


h#8 3 + 3

Solution: 1.Bf5 Kb2 2.Kh3 Kc3 3.Kg4 Kd4 4.Kxg5 Ke5 5.Kh6 Kf6 6.Kh7 Kf7 7.Kh8 Kxf8 8.Bh7 Bc3#

Themes: self-block, nocheck

No. 324 KNvkqrr

solve ↗



h#8, unique solution.

The class runs to h#9.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#8.

Note: the side to move is in check in the diagram.


h#8 2 + 4

Solution: 1.Kg7 Ne7 2.Qd1+ Ka2 3.Rb2+ Kxb2 4.Rh5 Kc3 5.Qh1 Kd4 6.Rh7 Ke5 7.Kh6 Kf6 8.Qh5 Ng8#

Themes: pure, model, ideal, self-block

No. 325 KPvkqbb

solve ↗



h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 22 724 739 072 indexed have a unique solution at h#8.

Note: the diagram has no legal last move, so it cannot arise in a game.


h#8 2 + 4

Solution: 1.Kh2 g3 2.Bd7 g4 3.Kg3 g5 4.Kf4 g6 5.Ke5 g7 6.Kd6 g8=Q 7.Kc7 Qxb3 8.Kc8 Qb8#

Themes: promotion, excelsior, excelsior:white, self-block, single-piece, single-piece:white, nocheck, umnov, promotions:q

No. 326 KPvkqqb

solve ↗



h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 22 724 739 072 indexed have a unique solution at h#8.

Note: the diagram has no legal last move, so it cannot arise in a game.


h#8 2 + 4

Solution: 1.Kh2 g3 2.Bd7 g4 3.Kg3 g5 4.Kf4 g6 5.Ke5 g7 6.Kd6 g8=Q 7.Kc7 Qxb3 8.Kc8 Qb8#

Themes: promotion, excelsior, excelsior:white, self-block, single-piece, single-piece:white, nocheck, umnov, promotions:q

No. 327 KPvkqqq

solve ↗



h#8, unique solution.

The class runs to h#9.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 22 724 739 072 indexed have a unique solution at h#8.


h#8 2 + 4

Solution: 1.Kg2 a4 2.Kf3 a5 3.Ke4 a6 4.Qhb7+ axb7 5.Kd5 Kb8 6.Kc6 Kc8 7.Qd5 b8=Q 8.Qbb5 Qc7#

Themes: promotion, excelsior, excelsior:white, self-block, promotions:q

No. 328 KRBvkbb

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 7 751 073 792 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 3

Solution: 1.Kxg1 Bf6 2.Kf2 Bxe5 3.Ke3 Ke1 4.Kd3 Kf2 5.Kc2 Ke3 6.Kb1 Kd4 7.Ka1 Kc3 8.Bb1 Kb3#

Themes: self-block, nocheck

No. 329 KRNvkbb

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

20 positions of the 7 751 073 792 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 3

Solution: 1.Kxa2 Kc2 2.Ka3 Kd3 3.Ka4 Ke4 4.Kb5 Kf5 5.Kc6 Ke6 6.Kb7 Kd7 7.Ka8 Kc8 8.Ba7 Nc7#

Themes: pure, model, self-block, nocheck

No. 330 KRNvkbp

solve ↗



h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

36 positions of the 22 724 739 072 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 3

Solution: 1.Kxh8 Ka2 2.g5 Kxa3 3.g4 Kb4 4.g3 Kc5 5.g2 Kd6 6.g1=R Ke7 7.Rg7+ Kf8 8.Rh7 Ng6#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:black, closed-walk, self-block, kniest, promotions:r

No. 331 KRNvknp

solve ↗



h#8, unique solution.

The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

55 positions of the 22 724 739 072 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 3

Solution: 1.Kxg6 Nd5 2.c2 Kb2 3.c1=B+ Kc2 4.Nc3 Kd3 5.Ne4 Ke2 6.Bh6 Kf3 7.Ng5+ Kg3 8.Kh5 Nf4#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:b

No. 332 KRNvkpp

solve ↗



h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 17 043 554 304 indexed have a unique solution at h#8.

Note: the solution begins with a capture.


h#8 3 + 3

Solution: 1.Kxg7 Ne3 2.Kf6 Kxa2 3.Ke5 Kb1 4.Kd4 Kc1 5.Kc3 Kd1 6.Kb2 Kd2 7.Ka1 Kc1 8.a2 Nc2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 333 KRNvkrp

solve ↗



h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

39 positions of the 22 724 739 072 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#8 3 + 3

Solution: 1.Kxh7 Ng7 2.Rh4 Kb2 3.Kh6 Kc3 4.Rh3+ Kd4 5.Kg5 Ke5 6.Kh4 Kf6 7.g5 Kg6 8.g4 Nf5#

Themes: pure, model, ideal, switchback, self-block, umnov

No. 334 KBBvkqb

solve ↗



h#7.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

48 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7.5 3 + 3

Solution: 1...Kxe1 2.Kc2 Bd5 3.Kd3 Kd1 4.Ke3 Kc2 5.Kf2 Kd3 6.Kg1 Ke4 7.Kh1 Kf3 8.Bg1 Kg3#

Themes: switchback, self-block, nocheck

No. 335 KBvkqqb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 2 + 4

Solution: 1...Ka1 2.Kd4 Bd5 3.Kc3 Bxg2 4.Qc1+ Ka2 5.Kd2 Kb3 6.Bc3 Kc4 7.Kd1 Kd3 8.Be1 Bf3#

Themes: self-block

No. 336 KBvkqrb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower.

2 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 2 + 4

Solution: 1...Bb1+ 2.Qc2 Ba2 3.Qb1+ Kxb1 4.Rd1+ Kc2 5.Rh1 Kd3 6.Kg6 Ke4 7.Kh5 Kf5 8.Rh4 Bf7#

Themes: switchback, self-block, umnov

No. 337 KBvkrrb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5 2 + 4

Solution: 1...Bb1+ 2.Rcc2 Ba2 3.Rc3 Kxb2 4.Rh3+ Kc2 5.Rh4 Kd3 6.Bf4 Ke4 7.Kh5 Kf5 8.Bh6 Bf7#

Themes: switchback, self-block

No. 338 KNvkrrb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower.

215 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...Nc3 2.R2b6 Ne4 3.Bb5 Kb2 4.Kg6 Kc3 5.Rh7 Kd4 6.Rh4 Ke5 7.Kh5 Kf5 8.Rh6 Ng3#

Themes: pure, model, self-block, nocapture, nocheck

No. 339 KNvkrrr

solve ↗



h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

651 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...Ka2 2.Rb8 Ka3 3.Rd7 Nxb6 4.Kf6 Kb4 5.Ke7 Kc5 6.Kd8 Nd5 7.Kc8 Kc6 8.Rd8 Ne7#

Themes: pure, model, ideal, self-block, nocheck

No. 340 KPvkbbb

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

907 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...Ka2 2.Be2 Kb1 3.Bc5 d4 4.Kg5 dxc5 5.Kf4 c6 6.Ke3 c7 7.Kd2 c8=Q 8.Kd1 Qxc1#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocheck, promotions:q

No. 341 KPvkqqr

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

768 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...c3+ 2.Ke5 Kxc4 3.Qad4+ cxd4+ 4.Kd6 d5 5.Kc7 d6+ 6.Kb6 d7 7.Qe8 dxe8=Q 8.Ka5 Qb5#

Themes: promotion, excelsior, excelsior:white, umnov, promotions:q

No. 342 KPvkqrb

solve ↗



h#7.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

854 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...e3+ 2.Ke5 Ka1 3.Rg4 e4 4.Kf6 e5+ 5.Kg7 e6 6.Rg6 e7 7.Qg5 e8=Q 8.Kh6+ Qxh8#

Themes: pure, model, promotion, excelsior, excelsior:white, self-block, umnov, promotions:q

No. 343 KPvkqrr

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...b3+ 2.Kd5 Kxb4 3.Ra6 Kc3 4.Kc6 b4 5.Qc5+ bxc5 6.Kb7 c6+ 7.Ka8 c7 8.Ra7 c8=Q#

Themes: pure, model, promotion, excelsior, excelsior:white, self-block, umnov, promotions:q

No. 344 KPvkrbb

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

323 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.

Note: the solution begins with a capture.


h#7.5 2 + 4

Solution: 1...Kxb2 2.Be5+ Kc1 3.Kf7 f4 4.Ke6 fxe5 5.Kd5 e6 6.Kc4 e7 7.Kb3 e8=Q 8.Ka2 Qxa4#

Themes: pure, model, ideal, mirror, promotion, umnov, promotions:q

No. 345 KPvkrbn

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

744 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...Kd2 2.Bb3 Ke3 3.Ra6 a4 4.Nb5 axb5 5.Kg6 b6 6.Kf5 b7 7.Rg6 b8=Q 8.Be6 Qf4#

Themes: promotion, excelsior, excelsior:white, self-block, nocheck, promotions:q

No. 346 KPvkrnn

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

680 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...Ka2 2.Kf5 Ka3 3.Ng6 h4 4.Ke4 h5 5.Kd3 hxg6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, excelsior, excelsior:white, nocheck, umnov, promotions:q

No. 347 KPvkrrb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

21 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.

Note: the solution begins with a capture.


h#7.5 2 + 4

Solution: 1...Kxa3 2.R5b3+ axb3 3.Kg6 b4 4.Kf5 b5 5.Ke4 b6 6.Kd3 b7 7.Kc2 b8=Q 8.Kb1 Qxb2#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 348 KPvkrrn

solve ↗



h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

60 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.


h#7.5 2 + 4

Solution: 1...b3+ 2.Kd5 Kxb4 3.Nc5 Kc3 4.Ra6 b4 5.Kc6 bxc5 6.Kb7 c6+ 7.Ka8 c7 8.Ra7 c8=Q#

Themes: pure, model, promotion, excelsior, excelsior:white, self-block, umnov, promotions:q

No. 349 KPvkrrr

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 22 724 739 072 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7.5 2 + 4

Solution: 1...Kxa3 2.R5b3+ axb3 3.Kg6 b4 4.Kf5 b5 5.Ke4 b6 6.Kd3 b7 7.Kc2 b8=Q 8.Kb1 Qxb2#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 350 KBBvkrb

solve ↗



h#7, unique solution.

The class runs to h#10.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 3 + 3

Solution: 1.Kh7 Be3 2.Rh2 Kb1 3.Rh3 Kc2 4.Kg6 Kd3 5.Kh5 Ke4 6.Kh4 Kf4 7.Bh5 Bf6#

Themes: self-block, nocapture, nocheck

No. 351 KRBvkrb

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#7.


Note: the diagram has no legal last move, so it cannot arise in a game.

h#7 3 + 3

Solution: 1.Kxh8 Bb3 2.Rf8 Kc2 3.Bf6 Kd3 4.Kg7 Kc4 5.Kf7 Kd5 6.Ke8 Ke6 7.Bd8 Ba4#
Themes: self-block, nocheck

No. 352 KRNvkbn

solve ↗



h#7, unique solution.

The class runs to h#9.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

39 positions of the 7 751 073 792 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 3

Solution: 1.Kxg4 Kb2 2.Kf3 Kb3 3.Ke3 Kc4 4.Kd2 Kd4 5.Kc1 Ke3 6.Nb4 Ke2 7.Nc2 Nd3#
Themes: pure, model, ideal, self-block, nocheck

No. 353 KRNvknn

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 7 751 073 792 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 3

Solution: 1.Nxh6 Kb2 2.Ne7 Kc3 3.Kg6 Kd4 4.Kf7 Ke5 5.Ke8 Kf6 6.Nf7 Kg7 7.Nd8 Nf6#
Themes: pure, model, ideal, self-block, nocheck

No. 354 KRNvkqn

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

63 positions of the 7 751 073 792 indexed have a unique solution at h#7.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#7 3 + 3

Solution: 1.Qxg4 Kb2 2.Kg5 Kc3 3.Kf6 Kd4 4.Ke7 Ke5 5.Kd8 Kf6 6.Qc8 Kf7 7.Nd7 Ne6#
Themes: pure, model, ideal, self-block, nocheck

No. 355 KRNvkqr

solve ↗



h#7, unique solution.

The class runs to h#9.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

97 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 3

Solution: 1.Kxg5 Ne7 2.Rc2 Kb1 3.Rh2+ Kc1 4.Rh5 Kd2 5.Kh4 Ke3 6.Qd3+ Kf4 7.Qh3 Ng6#

Themes: pure, model, ideal, self-block

No. 356 KRNvkrb

solve ↗



h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 3

Solution: 1.Kxh5 Ka2 2.Rb8 Nd7 3.Rd8 Kb3 4.Kg6 Kc4 5.Kf7 Kd5 6.Ke8 Ke6 7.Bf8 Nf6#

Themes: self-block, nocheck

No. 357 KRNvkrn

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

20 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 3

Solution: 1.Kxh3 Kb2 2.Rh4 Kc3 3.Kg4 Kd4 4.Nc7 Ke5 5.Ne6 Kf6 6.Ng5 Kg7 7.Kh5 Nf6#

Themes: pure, model, ideal, self-block, nocheck

No. 358 KRNvkrr

solve ↗



h#7, unique solution.

The class runs to h#9.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

102 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7 3 + 3

Solution: 1.Kxg5 Ne7 2.Rh3 Kb1 3.Rch2 Kc1 4.Rh1+ Kd2 5.Rh5 Ke3 6.Kh4 Kf4 7.Rh3 Ng6#

Themes: pure, model, ideal, self-block

No. 359 KRvkqbn

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kh6 Rg2 2.Kh5 Rxc2 3.Kg4 Ra2 4.Kf3 Rxa3 5.Ke2 Kb2 6.Kd1 Kxc3 7.Kc1 Ra1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 360 KRvkqnn

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kh6 Rg2 2.Kh5 Rxc2 3.Kg4 Ra2 4.Kf3 Rxa4 5.Ke2 Kb2 6.Kd1 Kxc3 7.Kc1 Ra1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 361 KRvkqnp

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 22 724 739 072 indexed has a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kh6 Rg2 2.Kh5 Rxc2 3.Kg4 Ra2 4.Kf3 Rxa3 5.Ke2 Kb2 6.Kd1 Kxc3 7.Kc1 Ra1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 362 KRvkqqb

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kh6 Rg2 2.Kh5 Rxc2 3.Kg4 Rb2 4.Kf3 Rxb3+ 5.Ke2 Kb2 6.Kd1 Kc3 7.Be2 Rb1#

Themes: pure, model, ideal, self-block

No. 363 KRvkqqn

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kg7 Rh8 2.Qb1+ Kxb1 3.Qh5 Kc2 4.Ng6 Kd3 5.Qh7 Ke4 6.Kh6 Kf5 7.Kh5 Rxh7#

Themes: maslar

No. 364 KRvkqqp

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 22 724 739 072 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kg8 Rh1 2.Qbh3 Kb1 3.Qg7 Kc2 4.Qh2+ Kd3 5.d4 Ke4 6.Kh7 Kf5 7.Kh6 Rxh2#

Themes: pure, model, self-block, maslar

No. 365 KRvkqqq

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kf6 Rg3 2.Ke5 Rxb3 3.Kd4 Rxb4 4.Kc3 Rxc4+ 5.Kb3 Kb1 6.Ka3 Kc2 7.Ka2 Ra4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 366 KRvkqqr

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

49 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kg6 Rh3 2.Kf5 Rxb3 3.Ke4 Rxb4+ 4.Kd3 Ra4 5.Kc2 Ka2 6.Kd1+ Kb3 7.Kc1 Ra1#

Themes: pure, model, ideal, single-piece, single-piece:black

No. 367 KRvkqrb

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kh6 Rc7 2.Kg5 Rxc2 3.Kf4 Rc5 4.Ke3 Rxe5+ 5.Kd2 Kxb2 6.Kd1 Kc3 7.Kc1 Re1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 368 KRvkqrp

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 22 724 739 072 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kg7 Rh8 2.Qb1+ Kxb1 3.Rd1+ Kc2 4.Rh1 Kd3 5.Rh7 Ke4 6.Kh6 Kf5 7.Kh5 Rxh7#

Themes: pure, model, mirror, maslar

No. 369 KRvkqrr

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 7 751 073 792 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kg6 Rh3 2.Kf5 Rxb3 3.Ke4 Rxb4+ 4.Kd3 Ra4 5.Kc2 Ka2 6.Kd1+ Kb3 7.Kc1 Ra1#

Themes: pure, model, ideal, single-piece, single-piece:black

No. 370 KRvkrpp

solve ↗



h#7, unique solution.

The class runs to h#7.5, so the deepest sound problem is 1 ply shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 17 043 554 304 indexed has a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kh7 Ra8 2.Rc1+ Kxa2 3.Kg7 Kb3 4.Rb1+ Kc4 5.Rb8 Kd5 6.Kf8 Ke6 7.Ke8 Rxb8#

Themes: pure, model, mirror, maslar

No. 371 KRvkrrp

solve ↗



h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 22 724 739 072 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram.


h#7 2 + 4

Solution: 1.Kg8 Kb1 2.Rhg2 Kc1 3.Rg7 Kxd2 4.Kf7 Ke3 5.Kg6 Rxg7+ 6.Kh5 Kf4 7.Kh4 Rh7#

Themes: switchback

No. 372 KBBvkqq

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

273 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.


h#6.5 3 + 3

Solution: 1...Bf5 2.Qg5 Ka2 3.Qb3+ Kxb3 4.Kg8 Kc4 5.Kf7 Kd5 6.Ke8 Ke6 7.Qd8 Bg6#

Themes: self-block

No. 373 KBBvkqr

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


214 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 3 + 3

Solution: 1...Bf5 2.Qg5 Ka2 3.Rb3 Kxb3 4.Kg8 Kc4 5.Kf7 Kd5 6.Ke8 Ke6 7.Qd8 Bg6#
Themes: self-block, nocheck

No. 374 KBBvkrr

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


52 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 3 + 3

Solution: 1...Bf8 2.Rg7 Kb2 3.R1g6 Kc3 4.Kh7 Kd4 5.Kh6 Ke5 6.Rg5+ Kf6 7.Rh5 Bxg7#
Themes: set-play, self-block, maslar

No. 375 KNNvknn

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


31 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 3 + 3

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Kh6 6.Kg4 Nf2+ 7.Kh4 Nf5#
Themes: single-piece, single-piece:black, nocapture

No. 376 KQvkqnn

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 2 + 4

Solution: 1...Ka1 2.Kf7 Qxd2 3.Ke6 Qxc3 4.Kd5 Qe5+ 5.Kc4 Kb1 6.Kb4 Kc2 7.Ka3 Qa5#
Themes: pure, model, mirror, switchback, single-piece, single-piece:black

No. 377 KRvkbbp

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 22 724 739 072 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 2 + 4

Solution: 1...Ka1 2.Bb2+ Kxb2 3.Bd1 Kc3 4.b2 Kd4 5.b1=R Ke5 6.Rb8 Kf6 7.Rg8 Rh6#
Themes: pure, model, promotion, underpromotion, self-block, umnov, promotions:r

No. 378 KRvkbnp

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

10 positions of the 22 724 739 072 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 2 + 4

Solution: 1...Ka1 2.Bb2+ Kxb2 3.Kh8 Kc3 4.b2 Kd4 5.b1=R Ke5 6.Rb8 Kf6 7.Rg8 Rh6#
Themes: pure, model, promotion, underpromotion, self-block, umnov, promotions:r

No. 379 KRvkbpp

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 17 043 554 304 indexed have a unique solution at h#6.5.


h#6.5 2 + 4

Solution: 1...Re7 2.Bh7 Kxa2 3.Kg8 Kb3 4.a2 Kc4 5.a1=R Kd5 6.Rg1 Ke6 7.Rg7 Re8#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, nocheck, umnov, promotions:r

No. 380 KRvknnn

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#6.5.

Note: the side to move is in check in the diagram.


h#6.5 2 + 4

Solution: 1...Ka1 2.Nf4 Kb2 3.Nde6 Kxc3 4.Nf8 Kd4 5.Kg8 Ke5 6.N4g6+ Kf6 7.Nh8 Rg7#

Themes: self-block

No. 381 KRvknpp

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


2 positions of the 17 043 554 304 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Rc7 2.Nd3 Ka2 3.Ne5 Kb3 4.Nd7 Kc4 5.Kg7 Kd5 6.Kf8 Ke6 7.Ke8 Rc8#
Themes: nocapture, nocheck

No. 382 KRvkqbb

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


160 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Ra8 2.Qb8 Ka2 3.Bb7 Kb3 4.Kg7 Kc4 5.Bd5+ Kxd5 6.Kf8 Ke6 7.Ke8 Rxb8#
Themes: pure, model, mirror, maslar

No. 383 KRvkqbp

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


855 positions of the 22 724 739 072 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Rh1 2.Qh2 Kb1 3.Bg2 Kc2 4.Kg7 Kd3 5.Be4+ Kxe4 6.Kh6 Kf5 7.Kh5 Rxh2#
Themes: pure, model, mirror, maslar

No. 384 KRvkqpp

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

346 positions of the 17 043 554 304 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 2 + 4

Solution: 1...Kb1 2.Qb7 Kxb2 3.Kh8 Kc3 4.b2 Kd4 5.b1=R Ke5 6.Rh1 Kf6 7.Rh7 Rf8#
Themes: pure, model, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

No. 385 KRvkqrn

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


188 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Rg2 2.Kh5 Rxc2 3.Kg4 Rc4+ 4.Kf3 Rxa4 5.Ke2 Kxb2 6.Kd1 Kc3 7.Kc1 Ra1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 386 KRvkrbb

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


19 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Ka1 2.Kg5 Re5 3.Kf4 Rxf5+ 4.Ke3 Kb1 5.Ke2 Kc2 6.Ke1+ Kd3 7.Kd1 Rf1#
Themes: set-play, pure, model, mirror, switchback, single-piece, single-piece:black

No. 387 KRvkrbn

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.


h#6.5 2 + 4

Solution: 1...Rd4+ 2.Ke5 Rc4 3.Nb5 Kb1 4.Ra2 Kc1 5.Ra6 Kd2 6.Re6 Ke3 7.Nd6 Rc5#

Themes: pure, model, ideal, self-block, nocapture

No. 388 KRvkrbp

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

37 positions of the 22 724 739 072 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.


h#6.5 2 + 4

Solution: 1...Rd4+ 2.Ke5 Rd6 3.Ke4+ Rxf6 4.Kd3 Ra6 5.Kc2 Kxa2 6.Kd1+ Kb3 7.Kc1 Ra1#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black

No. 389 KRvkrnp

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 22 724 739 072 indexed have a unique solution at h#6.5.


Note: the side to move is in check in the diagram.

h#6.5 2 + 4

Solution: 1...Ka1 2.Rc7 Kb2 3.Nc4+ Kc3 4.Ne5+ Kd4 5.Ng6 Ke4 6.Kh6 Kf5 7.Rh7 Rxg6#
Themes: self-block, indian

No. 390 KRvkrrb

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


84 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Ka2 2.Be7 Ra8 3.Bb4 Kb3 4.Rg7 Kc4 5.Rb8 Kd5 6.Kg8 Ke6 7.Kf8 Rxb8#
Themes: pure, model, self-block, nocheck, maslar

No. 391 KRvkrrn

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


9 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Ra7 2.Ra2+ Kxa2 3.Rb7 Ka3 4.Rf7 Kb4 5.Kg7 Kc5 6.Kf8 Kd6 7.Ke8 Ra8#
Themes: pure, model, self-block

No. 392 KRvkrrr

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


152 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

h#6.5 2 + 4

Solution: 1...Rb8 2.Kf5 Rxb6 3.Ke4 Rxb5 4.Kd3 Ra5 5.Kc2 Ka2 6.Kd1+ Kb3 7.Kc1 Ra1#
Themes: pure, model, ideal, single-piece, single-piece:black

No. 393 KQvkbbn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

352 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qxb4 2.Kg5 Qxa3 3.Kf4 Qf8+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#
Themes: single-piece, single-piece:black

No. 394 KQvkbbp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

131 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh7 Kxa2 2.a3 Kb3 3.Bb2 Kc4 4.Bg7 Kd5 5.Kg8 Ke6 6.Kf8 Qd8#
Themes: self-block, nocheck

No. 395 KQvkbnn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

310 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qxd1 2.Kg5 Qxd3 3.Kf4 Qf5+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#
Themes: single-piece, single-piece:black, kniest

No. 396 KQvkbnp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

171 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qxd4 2.Kg5 Qxd3 3.Kf4 Qf5+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#
Themes: single-piece, single-piece:black

No. 397 KQvkbpp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 17 043 554 304 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kg7 Ka2 2.Bh7 Kb3 3.c2 Kc3 4.c1=Q+ Kd4 5.Qc4+ Ke5 6.Qg8 Qf6#
Themes: pure, model, promotion, self-block, nocapture, umnov, promotions:q

No. 398 KQvknnn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

292 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qxc4 2.Kg5 Qxd3 3.Kf4 Qf5+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#
Themes: pure, model, mirror, single-piece, single-piece:black

No. 399 KQvknnp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 102 positions of the 22 724 739 072 indexed have a unique solution at h#6.


h#6 2 + 4

Solution: 1.c5 Kb8 2.c4 Kc7 3.c3 Kxd6 4.c2 Ke5 5.c1=R Kf4 6.Rh1 Qg3#

Themes: pure, model, promotion, underpromotion, excelsior, excelsior:black, self-block, single-piece, single-piece:black, nocheck, promotions:r

No. 400 KQvknpp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

163 positions of the 17 043 554 304 indexed have a unique solution at h#6.


h#6 2 + 4

Solution: 1.Nb4 Kb2 2.Nc6 Kc3 3.Nd8 Kd4 4.Kg8 Ke5 5.Nf7+ Kxe6 6.Kf8 Qxf7#

Themes: none detected

No. 401 KQvkppp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

35 positions of the 12 782 665 728 indexed have a unique solution at h#6.


h#6 2 + 4

Solution: 1.a4 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kxf5 6.Rh8 Qg6#

Themes: pure, model, promotion, underpromotion, self-block, single-piece, single-piece:black, promotions:r

No. 402 KQvkqbb

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 7 751 073 792 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 2 + 4

Solution: 1.Kh8 Qg4 2.Bg5+ Kb2 3.Qe7 Kc3 4.Kg7 Kd4 5.Kf6 Kd5 6.Qg7 Qe6#

Themes: self-block, nocapture

No. 403 KQvkqbn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

218 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qxa4 2.Kg5 Qxb3 3.Kf4 Qa2 4.Ke3 Kb2 5.Kd2 Kb3+ 6.Kc1 Qc2#
Themes: single-piece, single-piece:black

No. 404 KQvkqbp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

28 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh7 Ka2 2.Qb7 Kxa3 3.Qg7 Kb4 4.Kg8 Kc5 5.Kf8 Kd6 6.Qg8 Qe7#
Themes: pure, model, self-block, nocheck

No. 405 KQvkqnp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

605 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qe2 2.Kg5 Kb2 3.Kf4 Qxh2+ 4.Ke3 Qh7 5.Kd2 Kb3 6.Kc1 Qc2#
Themes: single-piece, single-piece:black

No. 406 KQvkqpp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

60 positions of the 17 043 554 304 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh6 Qxa4 2.Kg5 Qxb3 3.Kf4 Ka2 4.Ke3 Qe6+ 5.Kd2 Kb3 6.Kc1 Qe1#
Themes: pure, model, mirror, single-piece, single-piece:black

No. 407 KQvkqqb

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh8 Qg3 2.Qc7 Ka2 3.Qg6 Kb3 4.Qcf7+ Kc3 5.Kg7 Kd4 6.Kf6 Qe5#
Themes: pure, model, self-block, nocapture

No. 408 KQvkqqn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

36 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh7 Qd2 2.Qg6 Kb2 3.Nf4 Kc3 4.Kh6 Kd4 5.Kg5 Ke5 6.Qhh5 Qxf4#
Themes: switchback, self-block, nocheck, maslar

No. 409 KQvkqqp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh8 Qb6 2.Qb8 Kb2 3.Qh7 Kc3 4.c4 Kd4 5.Qbg8 Ke5 6.Kg7 Qf6#
Themes: pure, model, self-block, nocapture, nocheck

No. 410 KQvkqqq

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram.

h#6 2 + 4

Solution: 1.Kh8 Qd3 2.Qc2+ Kxc2 3.Qd2+ Kxd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Kh5 Qh7#
Themes: pure, model, mirror

No. 411 KRBvkqb

solve ↗



h#6, unique solution.

The class runs to h#10.5, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

273 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxc2+ Bc1 2.Kd3 Kb2 3.Ke2 Kc3 4.Qf1 Kd4 5.Ke1 Ke3 6.Bd1 Bd2#
Themes: pure, model, ideal, self-block, umnov

No. 412 KRBvkqq

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

21 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxg7 Kb1 2.Qe5 Kc2 3.Qh5 Kd3 4.Kh6 Ke4 5.Qh4+ Kf5 6.Qg7 Rxh4#
Themes: pure, model, ideal, self-block

No. 413 KRBvkqr

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

47 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxg5 Kb2 2.Qe8 Kc3 3.Rg8 Kd4 4.Qh5 Ke5 5.Kh6+ Kf6 6.Kh7 Rxh5#
Themes: pure, model, ideal, self-block

No. 414 KRBvkrr

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

21 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxg7 Kb1 2.Rd5 Kc2 3.Rh5 Kd3 4.Kh6 Ke4 5.Rh4+ Kf5 6.Rg7 Rxh4#
Themes: pure, model, ideal, self-block

No. 415 KRNvkqq

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Qxf3 Rg2 2.Kh3 Rxc2 3.Qf2 Kb2 4.Kg2 Kc3 5.Kf1 Kd3 6.Ke1 Rc1#
Themes: pure, model, ideal, self-block, nocheck

No. 416 KRRvkbb

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

72 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxh5 Rxc2 2.Kg4 Ra2 3.Kf3 Rxa3+ 4.Ke2 Kb2 5.Kd1 Kc3 6.Kc1 Ra1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 417 KRRvkbn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

74 positions of the 7 751 073 792 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxh5 Rb1 2.Kg4 Rb3 3.Kf3 Rxa3 4.Ke2 Kb2 5.Kd1 Kxc3 6.Kc1 Ra1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 418 KRRvkbp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

723 positions of the 22 724 739 072 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.


h#6 3 + 3

Solution: 1.Kh3 Kb7 2.Kxg2 Kc6 3.h3 Kd5 4.h2 Ke4 5.Kh3+ Kf4 6.Bg2 Rh5#

Themes: switchback, self-block

No. 419 KRRvknn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxg5 Rc1 2.Kf4 Rxc3 3.Ke3 Ka2 4.Kd2 Rxd3+ 5.Kc1 Kb3 6.Kb1 Rd1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 420 KRRvknp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 311 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxh5 Rb1 2.Kg4 Rb3 3.Kf3 Rxa3 4.Ke2 Kb2 5.Kd1 Kxc3 6.Kc1 Ra1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 421 KRRvkpp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

912 positions of the 17 043 554 304 indexed have a unique solution at h#6.

Note: the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxg2 Kb7 2.h3 Kc6 3.h2 Kd5 4.h1=R Ke4 5.Kh2 Kf3 6.Rg1 Rh4#

Themes: pure, model, promotion, underpromotion, self-block, nocheck, promotions:r

No. 422 KRRvkqb

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

140 positions of the 7 751 073 792 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxh5 Rh1+ 2.Kg4 Rh4+ 3.Kf3 Rxb4 4.Ke2 Kb2 5.Kd1 Kc3 6.Be2 Rb1#

Themes: pure, model, ideal, self-block

No. 423 KRRvkqn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

149 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxh4 Rc1 2.Qf2 Rc2 3.Kh3 Kb2 4.Kg2 Kc3 5.Kf1 Kd3 6.Ke1 Rc1#
Themes: pure, model, switchback, self-block, nocheck, umnov

No. 424 KRRvkqp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

453 positions of the 22 724 739 072 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxh5 Rxc2 2.Kg4 Ra2 3.Kf3 Rxa3+ 4.Ke2 Kb2 5.Kd1 Kc3 6.Kc1 Ra1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 425 KRRvkqq

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

498 positions of the 7 751 073 792 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxh5 Rb1 2.Kg4 Rxb3 3.Kf3 Kb2 4.Ke2 Rxe3+ 5.Kd1 Kc3 6.Kc1 Re1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 426 KRRvkqr

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

797 positions of the 7 751 073 792 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxe5 Rg4 2.Kd5 Rxg3 3.Kc4 Kb1 4.Kb3 Kc1 5.Ka2 Rxf3 6.Ka1 Ra3#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 427 KRRvkrb

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

388 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxh5 Rh1+ 2.Kg4 Rh6 3.Kf3 Rxb6 4.Ke2 Kb2 5.Kd1 Kc3 6.Be2 Rb1#
Themes: pure, model, ideal, self-block

No. 428 KRRvkrn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

166 positions of the 7 751 073 792 indexed have a unique solution at h#6.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6 3 + 3

Solution: 1.Kxh5 Rh1+ 2.Kg4 Ka2 3.Kf3 Ka3 4.Ke2 Kxb4 5.Kd1 Kc3 6.Kc1 Rxe1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 429 KRRvkrp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

797 positions of the 22 724 739 072 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxh5 Rf1 2.Kg4 Ka2 3.Kf3 Kxb3 4.Ke2 Rxf2+ 5.Kd1 Kc3 6.Kc1 Rf1#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black

No. 430 KRRvkrr

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

424 positions of the 7 751 073 792 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#6 3 + 3

Solution: 1.Kxe5 Rg4 2.Kd5 Rxg3 3.Kc4 Kb1 4.Kb3 Kc1 5.Ka2 Rxf3 6.Ka1 Ra3#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 431 KRvkbbb

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


408 positions of the 7 751 073 792 indexed have a unique solution at h#6.

h#6 2 + 4

Solution: 1.Kg5 Re5 2.Kf4 Rxf5+ 3.Ke3 Kb1 4.Ke2 Kc2 5.Ke1 Kd3 6.Kd1 Rf1#
Themes: single-piece, single-piece:black

No. 432 KRvkbbn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


1 232 positions of the 7 751 073 792 indexed have a unique solution at h#6.

h#6 2 + 4

Solution: 1.Kh5 Rd5 2.Kg4 Kb2 3.Kf3 Rxf5+ 4.Ke2 Kxc2 5.Ke1 Kd3 6.Kd1 Rf1#
Themes: pure, model, mirror, single-piece, single-piece:black

No. 433 KRvkbnn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


1 834 positions of the 7 751 073 792 indexed have a unique solution at h#6.

h#6 2 + 4

Solution: 1.Bb3 Rxd1 2.Kg4 Rd4+ 3.Kf3 Rxa4 4.Ke2 Kb2 5.Kd1 Kc3 6.Kc1 Ra1#
Themes: pure, model, mirror, switchback

No. 434 KRvknnp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


23 475 positions of the 22 724 739 072 indexed have a unique solution at h#6.

h#6 2 + 4

Solution: 1.Nd3 Rxg5+ 2.Kh4 Rh5+ 3.Kg3 Kb1 4.Kf2 Kc2 5.Ke1 Kxd3 6.Kd1 Rh1#
Themes: pure, model, mirror, umnov

No. 435 KRvkppp

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


8 358 positions of the 12 782 665 728 indexed have a unique solution at h#6.

h#6 2 + 4

Solution: 1.Kh2 Rg2+ 2.Kh1 Rxa2 3.Kg1 Kb1 4.Kf1 Kc2 5.Ke1 Kd3 6.Kd1 Ra1#
Themes: pure, model, mirror, single-piece, single-piece:black

No. 436 KRvkrnn

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


778 positions of the 7 751 073 792 indexed have a unique solution at h#6.

h#6 2 + 4

Solution: 1.Rd4 Re2 2.Kg4 Rxa2 3.Kf3 Rxa4 4.Ke2 Kb2 5.Kd1 Kc3 6.Kc1 Ra1#
Themes: pure, model, mirror, nocheck

No. 437 KQvkbbb

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


66 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.

h#5.5 2 + 4

Solution: 1...Qc2 2.Bb2+ Kb1 3.Bf6 Kc1 4.Kg6 Kd2 5.Kf5 Ke3 6.Ke5 Qxe4#
Themes: self-block

No. 438 KQvkqqr

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

84 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5.5 2 + 4

Solution: 1...Qxb1+ 2.Qdd3 Qe1 3.Qf7 Kb2 4.Qdg6 Kc3 5.Kg7 Kd4 6.Kf6 Qe5#
Themes: pure, model, ideal, self-block

No. 439 KQvkqrb

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

359 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.


Note: the side to move is in check in the diagram; the solution begins with a capture.

h#5.5 2 + 4

Solution: 1...Qxd1+ 2.Kg5 Qxb3 3.Kf4 Qa2 4.Ke3 Kb2 5.Kd2 Kb3+ 6.Kc1 Qc2#
Themes: single-piece, single-piece:black

No. 440 KQvkqrn

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 825 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.


Note: the solution begins with a capture.

h#5.5 2 + 4

Solution: 1...Qxa3 2.Kf5 Qxb3 3.Ke4 Qe6+ 4.Kd3 Ka2 5.Kd2 Kb3 6.Kc1 Qe1#
Themes: pure, model, mirror, single-piece, single-piece:black

No. 441 KQvkqrp

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 434 positions of the 22 724 739 072 indexed have a unique solution at h#5.5.

Note: the solution begins with a capture.


h#5.5 2 + 4

Solution: 1...Qxc1+ 2.Kh5 Qxc2 3.Kg4 Qa2 4.Kf3 Kb2 5.Ke2 Kc3+ 6.Kd1 Qd2#

Themes: single-piece, single-piece:black, indian

No. 442 KQvkrbb

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower.

93 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5.5 2 + 4

Solution: 1...Kxb1 2.Bf7 Kc2 3.Bg6+ Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Bh7 Qg5#

Themes: pure, model, self-block

No. 443 KQvkrbn

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

304 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.


Note: the solution begins with a capture.

h#5.5 2 + 4

Solution: 1...Qxc1+ 2.Kh5 Qxa3 3.Kg4 Qa2 4.Kf3 Kb2 5.Ke2 Kc3+ 6.Kd1 Qd2#
Themes: single-piece, single-piece:black

No. 444 KQvkrbp

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower.

369 positions of the 22 724 739 072 indexed have a unique solution at h#5.5.


Note: the solution begins with a capture.

h#5.5 2 + 4

Solution: 1...Qxa3 2.Kg5 Qxc3 3.Kf4 Qf6+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#
Themes: single-piece, single-piece:black

No. 445 KQvkrnn

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

329 positions of the 7 751 073 792 indexed have a unique solution at h#5.5.

Note: the solution begins with a capture.


h#5.5 2 + 4

Solution: 1...Qxa3 2.Kf5 Qxc3 3.Ke4 Qe1+ 4.Kd3 Ka2 5.Kc2 Ka3 6.Kb1 Qxd1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 446 KQvkrnp

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

390 positions of the 22 724 739 072 indexed have a unique solution at h#5.5.

Note: the solution begins with a capture.


h#5.5 2 + 4

Solution: 1...Qxc1+ 2.Kh5 Qxa3 3.Kg4 Qa2 4.Kf3 Kb2 5.Ke2 Kc3+ 6.Kd1 Qd2#

Themes: single-piece, single-piece:black

No. 447 KQvkrpp

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

75 positions of the 17 043 554 304 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#5.5 2 + 4

Solution: 1...Qxd1 2.Kf5 Qxb3 3.Ke4 Qe6+ 4.Kd3 Ka2 5.Kd2 Kb3 6.Kc1 Qe1#

Themes: pure, model, mirror, closed-walk, single-piece, single-piece:black

No. 448 KQvkqrr

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 7 751 073 792 indexed has a unique solution at h#5.

Note: the side to move is in check in the diagram.


h#5 2 + 4

Solution: 1.Kf1+ Qe2+ 2.Kg1 Qf2+ 3.Kh2 Qe2 4.Rg3 Kxc1 5.Kh3 Qh5#

Themes: pure, model, switchback, self-block

No. 449 KQvkrrb

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 7 751 073 792 indexed have a unique solution at h#5.


Note: the side to move is in check in the diagram.

h#5 2 + 4

Solution: 1.Kg4 Qb2 2.Bc4 Kb1 3.Kf3 Kc2 4.Ke2 Kc3+ 5.Kd1 Qd2#
Themes: nocapture, indian

No. 450 KQvkrrn

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

110 positions of the 7 751 073 792 indexed have a unique solution at h#5.


Note: the side to move is in check in the diagram.

h#5 2 + 4

Solution: 1.Kf4 Qb7 2.Re4 Kb2 3.Kf3 Kc3 4.Ke2 Qb2+ 5.Kd1 Qd2#
Themes: switchback, nocapture, klasinc

No. 451 KQvkrrp

solve ↗



h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 22 724 739 072 indexed have a unique solution at h#5.


Note: the side to move is in check in the diagram.

h#5 2 + 4

Solution: 1.Kg5 Qxc3 2.Kf4 Qxb2 3.Ke3 Qa3+ 4.Kd2 Kb1 5.Kd1 Qc1#
Themes: single-piece, single-piece:black

No. 452 KQvkrrr

solve ↗



h#4.5, unique solution.

The class runs to h#6, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

577 positions of the 7 751 073 792 indexed have a unique solution at h#4.5.

h#4.5 2 + 4

Solution: 1...Kd1 2.Kd5 Qd2+ 3.Kc4 Ke2 4.Kb3 Kd3 5.Ra4 Qc3#
Themes: self-block, nocapture

Index of material classes

Sorted by how deep a sound problem gets. *class max* is the longest helpmate in that material at any solution count.

material	men	sound	class max	gap	published by	page
KBvkbbp	6	**h#13**	h#16.5	7		125
KBvkrp	5	**h#13**	h#16.5	7		30
KBvkqbp	6	**h#12.5**	h#16.5	8		125
KBvkqqp	6	**h#12.5**	h#17.5	10		126
KBvkqrp	6	**h#12.5**	h#16.5	8		126
KBvkrpp	6	**h#12.5**	h#16.5	8		127
KBvkrrp	6	**h#12.5**	h#16.5	8		127
KPvkbpp	6	**h#12.5**	h#15.5	6		128
KBvkqp	5	**h#12**	h#17	10		30
KBvkrbp	6	**h#12**	h#16.5	9		128
KRBvkrp	6	**h#12**	h#17	10		129
KBvkbp	5	**h#11.5**	h#16	9		31
KBvkbpp	6	**h#11.5**	h#16	9		129
KBvkqnp	6	**h#11.5**	h#16.5	10		130
KBvkqpp	6	**h#11.5**	h#16.5	10		130
KBvkrnp	6	**h#11.5**	h#16.5	10		131
KPvkppp	6	**h#11.5**	h#16.5	10		131
KBBvkrp	6	**h#11**	h#17	12		132
KBvkppp	6	**h#11**	h#15.5	9		132
KBPvkp	5	**h#10.5**	h#16	11	Szentai (1958)	31
KBvkbnp	6	**h#10.5**	h#16.5	12		133
KBvknpp	6	**h#10.5**	h#14.5	8		133
KNvkqqp	6	**h#10.5**	h#12.5	4		134
KPvkbbp	6	**h#10.5**	h#15	9		134
KBBvkbp	6	**h#10**	h#16	12		135
KBBvkqp	6	**h#10**	h#17	14		135
KBvkbbn	6	**h#10**	h#12	4		136
KBvkqnn	6	**h#10**	h#13	6		136
KPvkpp	5	**h#10**	h#15.5	11	Ban (1967)	32
KRBvkbp	6	**h#10**	h#16.5	13		137
KRBvknp	6	**h#10**	h#15.5	11		137
KRBvkqn	6	**h#10**	h#13	6		138
KRBvkqp	6	**h#10**	h#17	14		138
KRBvkrn	6	**h#10**	h#13	6		139
KBBvknp	6	**h#9.5**	h#14.5	10		139
KBBvkpp	6	**h#9.5**	h#16	13		140
KBBvkqn	6	**h#9.5**	h#13	7		140

material	men	sound	class max	gap	published by	page
KBvkbnn	6	**h#9.5**	h#12.5	6		141
KBvknnn	6	**h#9.5**	h#12	5		141
KBvknnp	6	**h#9.5**	h#12.5	6		142
KBvknp	5	**h#9.5**	h#15.5	12		32
KBvkqbn	6	**h#9.5**	h#12.5	6		142
KBvkqn	5	**h#9.5**	h#13	7		33
KBvkqqn	6	**h#9.5**	h#12.5	6		143
KBvkqrn	6	**h#9.5**	h#12.5	6		143
KBvkrbn	6	**h#9.5**	h#12.5	6		144
KBvkrn	5	**h#9.5**	h#12.5	6		33
KBvkrnn	6	**h#9.5**	h#13	7		144
KBvkrrn	6	**h#9.5**	h#12.5	6		145
KNvkpp	5	**h#9.5**	h#11.5	4		34
KNvkppp	6	**h#9.5**	h#11.5	4		145
KNvkqb	5	**h#9.5**	h#11.5	4	Sheglow (1998)	34
KNvkqbb	6	**h#9.5**	h#11.5	4		146
KNvkqbn	6	**h#9.5**	h#11.5	4		146
KNvkqbp	6	**h#9.5**	h#10.5	2		147
KNvkqnp	6	**h#9.5**	h#11.5	4		147
KNvkqp	5	**h#9.5**	h#11.5	4		35
KNvkqpp	6	**h#9.5**	h#11.5	4		148
KNvkqqb	6	**h#9.5**	h#11.5	4		148
KNvkqrb	6	**h#9.5**	h#11.5	4		149
KNvkqrp	6	**h#9.5**	h#11.5	4		149
KNvkrpp	6	**h#9.5**	h#11.5	4		150
KPvkbnp	6	**h#9.5**	h#14.5	10		150
KPvkbp	5	**h#9.5**	h#14.5	10	Locker (1966)	35
KPvknnp	6	**h#9.5**	h#11.5	4		151
KPvknpp	6	**h#9.5**	h#15.5	12		151
KPvkqbp	6	**h#9.5**	h#14.5	10		152
KPvkqnp	6	**h#9.5**	h#11.5	4		152
KPvkqpp	6	**h#9.5**	h#15.5	12		153
KPvkrbp	6	**h#9.5**	h#15	11		153
KPvkrpp	6	**h#9.5**	h#15.5	12		154
KBBvkbn	6	**h#9**	h#12	6		154
KBBvkn	5	**h#9**	h#12	6		36
KBBvkp	5	**h#9**	h#16	14		37
KBBvkrn	6	**h#9**	h#13	8		155
KBvkbn	5	**h#9**	h#12	6		37
KBvknn	5	**h#9**	h#12.5	7		38
KBvkpp	5	**h#9**	h#16	14		38
KNPvkp	5	**h#9**	h#14	10		39
KNvkbpp	6	**h#9**	h#10.5	3		155
KNvknpp	6	**h#9**	h#10.5	3		156
KPvknp	5	**h#9**	h#14.5	11		39
KRBvkbn	6	**h#9**	h#12	6		156
KRBvknn	6	**h#9**	h#12	6		157
KRBvkpp	6	**h#9**	h#16	14		157
KRNvkqb	6	**h#9**	h#11	4		158
KRNvkqp	6	**h#9**	h#12	6		158

material	men	sound	class max	gap	published by	page
KBBvknn	6	**h#8.5**	h#13	9		159
KBvkbbb	6	**h#8.5**	h#10	3		159
KBvkqbb	6	**h#8.5**	h#10.5	4		160
KBvkrbb	6	**h#8.5**	h#9.5	2		160
KNvkbb	5	**h#8.5**	h#10.5	4		40
KNvkbbb	6	**h#8.5**	h#10.5	4		161
KNvkbbn	6	**h#8.5**	h#10.5	4		161
KNvkbbp	6	**h#8.5**	h#10.5	4		162
KNvkbnn	6	**h#8.5**	h#9.5	2		162
KNvkbnp	6	**h#8.5**	h#10	3		163
KNvkbp	5	**h#8.5**	h#10.5	4		40
KNvknn	5	**h#8.5**	h#9.5	2		41
KNvknnn	6	**h#8.5**	h#9.5	2		163
KNvknnp	6	**h#8.5**	h#10	3		164
KNvknp	5	**h#8.5**	h#10	3	Sheglow (1998)	41
KNvkqnn	6	**h#8.5**	h#9.5	2		164
KNvkqqn	6	**h#8.5**	h#9.5	2		165
KNvkqqr	6	**h#8.5**	h#9.5	2		165
KNvkqr	5	**h#8.5**	h#9.5	2		42
KNvkqrn	6	**h#8.5**	h#9.5	2		166
KNvkrbb	6	**h#8.5**	h#10.5	4		166
KNvkrbn	6	**h#8.5**	h#9.5	2		167
KNvkrbp	6	**h#8.5**	h#10.5	4		167
KNvkrn	5	**h#8.5**	h#10.5	4		42
KNvkrnn	6	**h#8.5**	h#9.5	2		168
KNvkrnp	6	**h#8.5**	h#10.5	4		168
KNvkrp	5	**h#8.5**	h#11.5	6		43
KNvkrr	5	**h#8.5**	h#9.5	2		43
KNvkrrn	6	**h#8.5**	h#9.5	2		169
KNvkrrp	6	**h#8.5**	h#9.5	2		169
KPPvkp	5	**h#8.5**	h#14.5	12		44
KPvkbbn	6	**h#8.5**	h#9.5	2		170
KPvkbnn	6	**h#8.5**	h#9.5	2		170
KPvknnn	6	**h#8.5**	h#9.5	2		171
KPvkp	4	**h#8.5**	h#14.5	12		7
KPvkqbn	6	**h#8.5**	h#11.5	6		171
KPvkqn	5	**h#8.5**	h#9.5	2		44
KPvkqnn	6	**h#8.5**	h#10.5	4		172
KPvkqp	5	**h#8.5**	h#14.5	12		45
KPvkqqn	6	**h#8.5**	h#9.5	2		172
KPvkqqp	6	**h#8.5**	h#10.5	4		173
KPvkqrn	6	**h#8.5**	h#9.5	2		173
KPvkqrp	6	**h#8.5**	h#12.5	8		174
KPvkrnp	6	**h#8.5**	h#12.5	8		174
KPvkrp	5	**h#8.5**	h#14.5	12		45
KPvkrrp	6	**h#8.5**	h#10.5	4		175
KBBvkbb	6	**h#8**	h#10	4		175
KBvkbb	5	**h#8**	h#10	4		46
KBvkn	4	**h#8**	h#12	8		7
KBvkp	4	**h#8**	h#16	16		8

material	men	sound	class max	gap	published by	page
KNvkb	4	**h#8**	h#10.5	5		8
KNvkbn	5	**h#8**	h#10	4		46
KNvkp	4	**h#8**	h#11.5	7		9
KNvkqn	5	**h#8**	h#10.5	5	Sheglow (1998)	47
KNvkqrr	6	**h#8**	h#9.5	3		176
KNvkr	4	**h#8**	h#9.5	3	Elkies (1995)	9
KPvkqbb	6	**h#8**	h#11.5	7		176
KPvkqqb	6	**h#8**	h#11.5	7		177
KPvkqqq	6	**h#8**	h#9.5	3		177
KQBvkn	5	**h#8**	h#12	8		48
KQNvkb	5	**h#8**	h#11	6		48
KQNvkn	5	**h#8**	h#10	4		49
KQNvkp	5	**h#8**	h#11	6		49
KQNvkr	5	**h#8**	h#10	4		50
KQPvkb	5	**h#8**	h#9	2		50
KQPvkn	5	**h#8**	h#9	2		51
KQPvkp	5	**h#8**	h#15	14		51
KRBvkbb	6	**h#8**	h#10	4		178
KRBvkn	5	**h#8**	h#12	8		52
KRNvkbb	6	**h#8**	h#10	4		178
KRNvkbp	6	**h#8**	h#10	4		179
KRNvkn	5	**h#8**	h#10	4		52
KRNvknp	6	**h#8**	h#10.5	5		179
KRNvkpp	6	**h#8**	h#11.5	7		180
KRNvkrp	6	**h#8**	h#11.5	7		180
KBBvkqb	6	**h#7.5**	h#10.5	6		181
KBNvkq	5	**h#7.5**	h#8.5	2		53
KBvkqqb	6	**h#7.5**	h#8.5	2		181
KBvkqrb	6	**h#7.5**	h#8.5	2		182
KBvkrrb	6	**h#7.5**	h#8.5	2		182
KNPvkb	5	**h#7.5**	h#11	7		53
KNPvkn	5	**h#7.5**	h#9	3	Paliulionis (2024)	54
KNPvkq	5	**h#7.5**	h#8.5	2		55
KNPvkr	5	**h#7.5**	h#9	3		55
KNvkn	4	**h#7.5**	h#10	5	Kotesovec (1987)	10
KNvkrb	5	**h#7.5**	h#10.5	6		56
KNvkrrb	6	**h#7.5**	h#8.5	2		183
KNvkrrr	6	**h#7.5**	h#9	3		183
KPPvkb	5	**h#7.5**	h#8.5	2		56
KPPvkn	5	**h#7.5**	h#8.5	2		57
KPPvkq	5	**h#7.5**	h#8.5	2		57
KPvkb	4	**h#7.5**	h#8.5	2		11
KPvkbb	5	**h#7.5**	h#9.5	4		58
KPvkbbb	6	**h#7.5**	h#9.5	4		184
KPvkbn	5	**h#7.5**	h#9.5	4		58
KPvkn	4	**h#7.5**	h#8.5	2		12
KPvknn	5	**h#7.5**	h#9.5	4		59
KPvkq	4	**h#7.5**	h#9	3		12
KPvkqb	5	**h#7.5**	h#11.5	8		59
KPvkqq	5	**h#7.5**	h#9.5	4		60

material	men	sound	class max	gap	published by	page
KPvkqqr	6	**h#7.5**	h#9.5	4		184
KPvkqr	5	**h#7.5**	h#8.5	2		60
KPvkqrb	6	**h#7.5**	h#11.5	8		185
KPvkqrr	6	**h#7.5**	h#8.5	2		185
KPvkr	4	**h#7.5**	h#8.5	2	Maslar	13
KPvkrb	5	**h#7.5**	h#8.5	2		61
KPvkrbb	6	**h#7.5**	h#9.5	4		186
KPvkrbn	6	**h#7.5**	h#9.5	4		186
KPvkrn	5	**h#7.5**	h#9.5	4		61
KPvkrnn	6	**h#7.5**	h#9.5	4		187
KPvkrrb	6	**h#7.5**	h#8.5	2		187
KPvkrrn	6	**h#7.5**	h#9.5	4		188
KPvkrrr	6	**h#7.5**	h#8.5	2		188
KBBBvk	5	**h#7**	h#8	2		62
KBBNvk	5	**h#7**	h#8	2		62
KBBPvk	5	**h#7**	h#9	4		63
KBBvkb	5	**h#7**	h#10.5	7		63
KBBvkrb	6	**h#7**	h#10.5	7		189
KBNPvk	5	**h#7**	h#8	2		64
KBNvkb	5	**h#7**	h#11	8		64
KBNvkn	5	**h#7**	h#12	10		65
KBNvkp	5	**h#7**	h#16	18		65
KBNvkr	5	**h#7**	h#9	4		66
KBPPvk	5	**h#7**	h#8	2		66
KBPvk	4	**h#7**	h#8	2	Elkies (2004)	13
KBPvkb	5	**h#7**	h#10	6		67
KBPvkn	5	**h#7**	h#12	10		67
KBPvkq	5	**h#7**	h#8.5	3		68
KBPvkr	5	**h#7**	h#8.5	3		68
KNNPvk	5	**h#7**	h#8	2		69
KNNvkp	5	**h#7**	h#11	8		69
KNNvkq	5	**h#7**	h#8.5	3	Sheglow (1998)	70
KNNvkr	5	**h#7**	h#10	6		70
KNPPvk	5	**h#7**	h#8.5	3		71
KNPvk	4	**h#7**	h#8.5	3	Elkies (2004)	14
KPPPvk	5	**h#7**	h#8	2		71
KPPvk	4	**h#7**	h#8	2	Salazar Lopez (1973)	15
KPvkrr	5	**h#7**	h#8.5	3		72
KQBBvk	5	**h#7**	h#8	2		72
KQBPvk	5	**h#7**	h#8	2		73
KQBvkb	5	**h#7**	h#10	6		73
KQBvkp	5	**h#7**	h#16	18		74
KQNNvk	5	**h#7**	h#8	2		74
KQNPvk	5	**h#7**	h#9	4		75
KQPPvk	5	**h#7**	h#8	2		75
KQPvk	4	**h#7**	h#8	2		16
KQPvkq	5	**h#7**	h#9	4		76
KQPvkr	5	**h#7**	h#9	4		76
KRBBvk	5	**h#7**	h#8	2		77
KRBPvk	5	**h#7**	h#8	2	Abdurahmanovic & Becker (2006)	77

material	men	sound	class max	gap	published by	page
KRBvkrb	6	**h#7**	h#8.5	3		189
KRNPvk	5	**h#7**	h#8	2		78
KRNvkbn	6	**h#7**	h#9.5	5		190
KRNvknn	6	**h#7**	h#9	4		190
KRNvkp	5	**h#7**	h#11.5	9		79
KRNvkqn	6	**h#7**	h#9	4		191
KRNvkqr	6	**h#7**	h#9.5	5		191
KRNvkr	5	**h#7**	h#10	6		79
KRNvkrb	6	**h#7**	h#10	6		192
KRNvkrn	6	**h#7**	h#9	4		192
KRNvkrr	6	**h#7**	h#9.5	5		193
KRPPvk	5	**h#7**	h#8	2		80
KRPvkb	5	**h#7**	h#8	2		80
KRPvkn	5	**h#7**	h#8.5	3		81
KRPvkp	5	**h#7**	h#14	14		81
KRPvkq	5	**h#7**	h#9	4		82
KRPvkr	5	**h#7**	h#8.5	3		82
KRvkqbn	6	**h#7**	h#8	2		193
KRvkqnn	6	**h#7**	h#8	2		194
KRvkqnp	6	**h#7**	h#8	2		194
KRvkqqb	6	**h#7**	h#9	4		195
KRvkqqn	6	**h#7**	h#8	2		195
KRvkqqp	6	**h#7**	h#8	2		196
KRvkqqq	6	**h#7**	h#8.5	3		196
KRvkqqr	6	**h#7**	h#8.5	3		197
KRvkqrb	6	**h#7**	h#8	2		197
KRvkqrp	6	**h#7**	h#8	2		198
KRvkqrr	6	**h#7**	h#8	2		198
KRvkrpp	6	**h#7**	h#7.5	1		199
KRvkrrp	6	**h#7**	h#8	2		199
KBBvk	4	**h#6.5**	h#8	3	Maslar (1978)	16
KBBvkq	5	**h#6.5**	h#7.5	2		83
KBBvkqq	6	**h#6.5**	h#7.5	2		200
KBBvkqr	6	**h#6.5**	h#7.5	2		200
KBBvkrr	6	**h#6.5**	h#7.5	2		201
KBNNvk	5	**h#6.5**	h#8	3	Sheglow (1998)	83
KBvkb	4	**h#6.5**	h#10	7		17
KBvkqb	5	**h#6.5**	h#9.5	6	Sheglow (1998)	84
KBvkrb	5	**h#6.5**	h#9.5	6		85
KNNvk	4	**h#6.5**	h#8	3	Bebesi (1910)	17
KNNvkb	5	**h#6.5**	h#10	7		86
KNNvkn	5	**h#6.5**	h#7.5	2		86
KNNvknn	6	**h#6.5**	h#8	3		201
KPPvkr	5	**h#6.5**	h#8.5	4		87
KPvk	3	**h#6.5**	h#8.5	4	Niemann (1947)	4
KQvkqnn	6	**h#6.5**	h#8	3		202
KRBvkq	5	**h#6.5**	h#7.5	2		87
KRvkbbp	6	**h#6.5**	h#7.5	2		202
KRvkbnp	6	**h#6.5**	h#7.5	2		203
KRvkbpp	6	**h#6.5**	h#8	3		203

material	men	sound	class max	gap	published by	page
KRvknnn	6	**h#6.5**	h#7.5	2		204
KRvknpp	6	**h#6.5**	h#7.5	2		204
KRvkqb	5	**h#6.5**	h#7.5	2	Sheglow (1998)	88
KRvkqbb	6	**h#6.5**	h#8	3		205
KRvkqbp	6	**h#6.5**	h#8	3		205
KRvkqp	5	**h#6.5**	h#7.5	2		88
KRvkqpp	6	**h#6.5**	h#7.5	2		206
KRvkqq	5	**h#6.5**	h#8	3		89
KRvkqr	5	**h#6.5**	h#8	3		89
KRvkqrn	6	**h#6.5**	h#8	3		206
KRvkrbb	6	**h#6.5**	h#7.5	2		207
KRvkrbn	6	**h#6.5**	h#8	3		207
KRvkrbp	6	**h#6.5**	h#7.5	2		208
KRvkrnp	6	**h#6.5**	h#8	3		208
KRvkrrb	6	**h#6.5**	h#8	3		209
KRvkrrn	6	**h#6.5**	h#8	3		209
KRvkrrr	6	**h#6.5**	h#8	3		210
KBBvkr	5	**h#6**	h#7.5	3		90
KBNvk	4	**h#6**	h#8	4		18
KNNNvk	5	**h#6**	h#8	4		90
KQBNvk	5	**h#6**	h#8	4		91
KQBvk	4	**h#6**	h#7	2		19
KQNvk	4	**h#6**	h#7	2		19
KQQPvk	5	**h#6**	h#7	2		91
KQQvk	4	**h#6**	h#7	2		20
KQQvkn	5	**h#6**	h#7	2		92
KQQvkp	5	**h#6**	h#7	2		92
KQRBvk	5	**h#6**	h#7	2		93
KQRPvk	5	**h#6**	h#7	2		93
KQRvk	4	**h#6**	h#7	2		20
KQRvkn	5	**h#6**	h#7	2		94
KQRvkp	5	**h#6**	h#7	2		94
KQRvkq	5	**h#6**	h#7	2		95
KQRvkr	5	**h#6**	h#7	2		95
KQvk	3	**h#6**	h#7	2	Csaszar (1945)	5
KQvkbbn	6	**h#6**	h#7.5	3		210
KQvkbbp	6	**h#6**	h#7	2		211
KQvkbn	5	**h#6**	h#7	2		96
KQvkbnn	6	**h#6**	h#7.5	3		211
KQvkbnp	6	**h#6**	h#7.5	3		212
KQvkbpp	6	**h#6**	h#7	2		212
KQvkn	4	**h#6**	h#7	2		21
KQvknn	5	**h#6**	h#7	2		96
KQvknnn	6	**h#6**	h#7.5	3		213
KQvknnp	6	**h#6**	h#7.5	3		213
KQvknp	5	**h#6**	h#7	2		97
KQvknpp	6	**h#6**	h#7	2		214
KQvkp	4	**h#6**	h#7	2		21
KQvkpp	5	**h#6**	h#7	2		97
KQvkppp	6	**h#6**	h#7	2		214

material	men	sound	class max	gap	published by	page
KQvkqbb	6	**h#6**	h#7	2		215
KQvkqbn	6	**h#6**	h#7.5	3		215
KQvkqbp	6	**h#6**	h#7.5	3		216
KQvkqn	5	**h#6**	h#7	2		98
KQvkqnp	6	**h#6**	h#7.5	3		216
KQvkqp	5	**h#6**	h#7	2		98
KQvkqpp	6	**h#6**	h#7.5	3		217
KQvkqqb	6	**h#6**	h#7	2		217
KQvkqqn	6	**h#6**	h#7.5	3		218
KQvkqqp	6	**h#6**	h#7.5	3		218
KQvkqqq	6	**h#6**	h#7	2		219
KRBNvk	5	**h#6**	h#8	4		99
KRBvk	4	**h#6**	h#7	2		22
KRBvkb	5	**h#6**	h#10	8		99
KRBvkp	5	**h#6**	h#16	20		100
KRBvkqb	6	**h#6**	h#10.5	9		219
KRBvkqq	6	**h#6**	h#8	4		220
KRBvkqr	6	**h#6**	h#8	4		220
KRBvkrr	6	**h#6**	h#7	2		221
KRNNvk	5	**h#6**	h#8	4		100
KRNvkb	5	**h#6**	h#10	8		101
KRNvkqq	6	**h#6**	h#8	4		221
KRPvk	4	**h#6**	h#8	4		22
KRRBvk	5	**h#6**	h#7	2		101
KRRPvk	5	**h#6**	h#7	2		102
KRRvkbb	6	**h#6**	h#7	2		222
KRRvkbn	6	**h#6**	h#7	2		222
KRRvkbp	6	**h#6**	h#7	2		223
KRRvknn	6	**h#6**	h#7	2		223
KRRvknp	6	**h#6**	h#7	2		224
KRRvkp	5	**h#6**	h#7	2		102
KRRvkpp	6	**h#6**	h#7	2		224
KRRvkqb	6	**h#6**	h#8	4		225
KRRvkqn	6	**h#6**	h#7	2		225
KRRvkqp	6	**h#6**	h#7.5	3		226
KRRvkqq	6	**h#6**	h#8	4		226
KRRvkqr	6	**h#6**	h#8	4		227
KRRvkr	5	**h#6**	h#7	2		103
KRRvkrb	6	**h#6**	h#7	2		227
KRRvkrn	6	**h#6**	h#7	2		228
KRRvkrp	6	**h#6**	h#7.5	3		228
KRRvkrr	6	**h#6**	h#8	4		229
KRvkbb	5	**h#6**	h#7	2		103
KRvkbbb	6	**h#6**	h#7.5	3		229
KRvkbbn	6	**h#6**	h#7.5	3		230
KRvkbn	5	**h#6**	h#7	2	Sheglow (1998)	104
KRvkbnn	6	**h#6**	h#7.5	3		230
KRvkbp	5	**h#6**	h#7	2		105
KRvknn	5	**h#6**	h#7	2		105
KRvknnp	6	**h#6**	h#7.5	3		231

material	men	sound	class max	gap	published by	page
KRvknp	5	**h#6**	h#7	2		106
KRvkp	4	**h#6**	h#7	2		23
KRvkpp	5	**h#6**	h#7	2		106
KRvkppp	6	**h#6**	h#7.5	3		231
KRvkqn	5	**h#6**	h#7.5	3		107
KRvkrb	5	**h#6**	h#7	2		107
KRvkrn	5	**h#6**	h#7.5	3		108
KRvkrnn	6	**h#6**	h#7.5	3		232
KRvkrp	5	**h#6**	h#7.5	3		108
KRvkrr	5	**h#6**	h#7.5	3		109
KQBvkq	5	**h#5.5**	h#7	3		109
KQNvkq	5	**h#5.5**	h#7	3		110
KQvkbb	5	**h#5.5**	h#7	3		110
KQvkbbb	6	**h#5.5**	h#7	3		232
KQvkbp	5	**h#5.5**	h#7	3		111
KQvkq	4	**h#5.5**	h#7	3	Sheglow (1998)	23
KQvkqb	5	**h#5.5**	h#7.5	4		111
KQvkqq	5	**h#5.5**	h#7.5	4		112
KQvkqqr	6	**h#5.5**	h#6.5	2		233
KQvkqr	5	**h#5.5**	h#6.5	2		112
KQvkqrb	6	**h#5.5**	h#6.5	2		233
KQvkqrn	6	**h#5.5**	h#7.5	4		234
KQvkqrp	6	**h#5.5**	h#7.5	4		234
KQvkrbb	6	**h#5.5**	h#6.5	2		235
KQvkrbn	6	**h#5.5**	h#7.5	4		235
KQvkrbp	6	**h#5.5**	h#6.5	2		236
KQvkrn	5	**h#5.5**	h#6.5	2		113
KQvkrnn	6	**h#5.5**	h#7.5	4		236
KQvkrnp	6	**h#5.5**	h#7.5	4		237
KQvkrpp	6	**h#5.5**	h#6.5	2		237
KRNvkq	5	**h#5.5**	h#7	3		113
KRvkq	4	**h#5.5**	h#7.5	4		24
KRvkr	4	**h#5.5**	h#7	3		25
KQBvkr	5	**h#5**	h#6	2		114
KQQvkb	5	**h#5**	h#6	2		114
KQQvkq	5	**h#5**	h#7	4		115
KQQvkr	5	**h#5**	h#6	2		115
KQRNvk	5	**h#5**	h#7	4		116
KQRvkb	5	**h#5**	h#7	4		116
KQvkb	4	**h#5**	h#6	2		25
KQvkqrr	6	**h#5**	h#6	2		238
KQvkr	4	**h#5**	h#6	2		26
KQvkrb	5	**h#5**	h#6.5	3		117
KQvkrp	5	**h#5**	h#6.5	3		117
KQvkrrb	6	**h#5**	h#6	2		238
KQvkrrn	6	**h#5**	h#6	2		239
KQvkrrp	6	**h#5**	h#6	2		239
KRBvkr	5	**h#5**	h#7	4		118
KRNvk	4	**h#5**	h#7	4	Maslar (1981)	26
KRRNvk	5	**h#5**	h#7	4		118

material	men	sound	class max	gap	published by	page
KRRvkb	5	**h#5**	h#7	4		119
KRRvkn	5	**h#5**	h#7	4		119
KRRvkq	5	**h#5**	h#7	4		120
KRvkb	4	**h#5**	h#7	4		27
KRvkn	4	**h#5**	h#7	4		28
KQvkrr	5	**h#4.5**	h#6	3		120
KQvkrrr	6	**h#4.5**	h#6	3		240
KRvk	3	**h#4.5**	h#7	5	Ban (1965)	6
KQQNvk	5	**h#4**	h#5	2		121
KRRvk	4	**h#4**	h#7	6		28
KQQBvk	5	**h#3**	h#4	2		121
KQQRvk	5	**h#3**	h#4	2		122
KQRRvk	5	**h#3**	h#5	4		122
KRRRvk	5	**h#3**	h#5	4		123
KQQQvk	5	**h#2**	h#3	2		123