
# Multistein3D

Multistein3D - Multiplayer game based on Wolfenstein3D.
Game does not require original Wolfenstein3D resource files.

Only Deathmatch modes available in current version.

Current version - 2.71

## Weapons

| Name | Sprite | Damage | Shots per second | Ammo type | Max ammo | Additional description |
|---|---|---|---|---|---|---|
| knife |  | 50 | 2 | - | - | Short distance |
| pistol |  | 8 | 2 | Pistol ammo | 250 | No bullet dispersion |
| mp40 |  | 8 | 6 | | | |
| chaingun |  | 8 | 12 | | | Bullets dispersion |
| rifle |  | 45 | 1 | Rifle ammo | 20 | Bullet can hit multiple targets in a row |
| flamethrower |  | 10 | 12 | Flamethrower ammo | 250 | No missile dispersion |
| panzerfaust |  | 90 | 1 | Panzerfaust ammo | 8 | Splash damage range: 2 cells |
| teslagun |  | 30 | 2 | Tesla ammo | 6 | Damage all players in the attacker's FOV. Max distance - 13 cells. |

# Items

| Name | Sprite | Map char | Respawn time* | Health | Armor | Pistol bullets** | Rifle bullets** | Flamethrower fuel** | panzerfaust missiles** | teslagun battery** | Weapon |
|---|---|---|---|---|---|---|---|---|---|---|---|
| body armor |  | 0 | 30 | | 50 | | | | | | |
| mp40 |  | 1 | 10 | | | 15 | | | | | mp40 |
| chaingun |  | 2 | 20 | | | 30 | | | | | chaingun |
| ammo clip |  | 3 | 10 | | | 5 | | | | | |
| ammo box |  | 4 | 20 | | | 50 | | | | | |
| dog food |  | 5 | 10 | 5 | | | | | | | |
| food |  | 6 | 15 | 10 | | | | | | | |
| first aid |  | 7 | 20 | 20 | | | | | | | |
| extra life |  | 8 | 30 | 100 | 50 | | | | | | |
| rifle |  | 9 | 10 | | | | 5 | | | | rifle |
| flamethrower |  | : | 20 | | | | | 30 | | | flamethrower |
| panzerfaust |  | = | 20 | | | | | | 4 | | panzerfaust |
| teslagun |  | + | 30 | | | | | | | 3 | teslagun |
| rifle bullets |  | % | 10 | | | | 5 | | | | |
| flamethrower fuel |  | $ | 20 | | | | | 30 | | | |
| panzerfaust missiles |  | * | 20 | | | | | | 4 | | |
| teslagun battery |  | ( | 30 | | | | | | | 3 | |
| Hans Grosse armory |  | ) | 90-120 | 100 | 100 | | | | | | Double chainguns and half damage for 30 seconds |

* - only when room have «Items Respawn» option.
** - if room have no «Items Respawn» option, then x4 multiplier will applied.

Maximum health and armor points - 100.
Armor absorbs 2/3 of damage.

# Executable files

Multistein3D.exe - game client.
Possible starting parameters:
-nosound 1 - run game w/o sound subsystem;
-render X – use specific renderer; X – renderer index or name from out.txt;

Multistein3D_ded.exe - game server.
Possible starting parameters:
-port <x> - UDP port; default UDP port - 35700;
-roomscfg <xxx> – rooms config file name; default config name - rooms.cfg;
-localadvertise <0-1> - toggle local network server advertisment;

# Rooms config format

| Parameter | Description |
|---|---|
| servername <xxx> | set server name |
| MaxUpdRate <1-3> | Set server max network update rate |
| maxrooms <1-32> | set rooms count |
| room <1-maxrooms> | set current room |
| copyfrom <1-maxrooms> | copy settings from previous configured room |
| roomname <xxx> | set room name |
| voteratio <0-100> | percentage of “yes” voted players required to pass the vote; default value is 50%; |
| maxplayers <2-128> | set max players |
| maxclients <2-128> | set max clients |
| flags <ITRWDMVOS> | room options(I - instagib, T – teams, R – itemsrespawn, W – weaponstay, D – teamdamage, M - random map, V – votes enabled, O – record demos, S – save scores) |
| teams <SMGO> | allowed teams in ‘teams’ game mode |
| timelimit <0-59> | set time limit(minutes) |
| fraglimit <0-32000> | set frag limit |
| Spreadlimit <0-32000> | Set spread limit |
| resettime <5-60> | scoreboard time(seconds) |
| deathtime <0-60> | auto respawn time(seconds) |
| bot_skill <1-100> | Bot skill level |
| bots_S <0-maxplayers> | set bot number(SS team) |
| bots_M <0-maxplayers> | set bot number(Mutants team) |
| bots_G <0-maxplayers> | set bot number(Guards team) |
| bots_O <0-maxplayers> | set bot number(Officers team) |
| maplistadd <xxx> | add map to map list |
| maplistclear | clear map list |

# Console commands

| Parameter | Description |
|---|---|
| showplayersid | switch showing players ID in scoreboard player list |
| showuihints | Toggle some UI hints in observer mode |
| say <string> | multiplayer chat |
| quit | quit the game |
| maplistshow | show rooms maplist |
| callvote <map xxx, mapnext, matchend, matchreset, pick> | run vote |
| yes | vote “yes” |
| no | vote “no” |
| **local botmatch commands** | |
| map <mapname> | change map |
| mapnext | |
| matchreset | reset players(frags, stats) |
| matchend | end match |
| botadd [1-100] [s,m,g,o] | add bot [skill] to [team] |
| botkickall | remove all bots |
| fraglimit <0-32000> | |
| Spreadlimit <0-32000> | |
| timelimit <0-59> | timelimit(minutes) |
| flags <ITRWDMVOS> | room options(I - instagib, T – teams, R – itemsrespawn, W – weaponstay, D – teamdamage, M – random, V – votes enabled, O – record demos, S – save scores) |
| teams <SMGO> | allowed teams in ‘teams’ game mode |
| resettime <5-60> | scoreboard time(seconds) |
| deathtime <0-60> | auto respawn time(seconds) |
| **commands for remote control** | |
| rcon_password <password> | login to server admin control |
| rcon roomname <new roomname> | |
| rcon maxplayers <2-128> | |
| rcon maxclients <2-128> | |
| rcon fraglimit <0-32000> | |
| rcon spreadlimit <0-32000> | |
| rcon timelimit <0-59> | timelimit(minutes) |
| rcon flags <ITRWDMVOS> | room options(I - instagib, T – teams, R – itemsrespawn, W – weaponstay, D – teamdamage, M – random, V – votes enabled, O – record demos, S – save scores) |
| rcon teams <SMGO> | allowed teams in ‘teams’ game mode |
| rcon botadd [1-100] [s,m,g,o] | add bot [skill] to [team] |
| rcon botkickall | |
| rcon resettime <5-60> | scoreboard time(seconds) |
| rcon deathtime <0-60> | auto respawn time(seconds) |
| rcon matchend | end match |
| rcon matchreset | reset players(frags, stats) |
| rcon map <mapname> | change map |
| rcon mapnext | |
| rcon maplistclear | clear room maplist |
| rcon maplistadd xxx yyy zzz … | add maps to room maplist |
| rcon banadd <playerID> | |
| rcon banshowall | show all bans |
| rcon banremove <banID> | |
| rcon kick <playerID> | |
| rcon voteratio <0-100> | percentage of “yes” voted players required to pass the vote; default value is 50% |