

Oral PrEP (Pre-Exposure Prophylaxis) Initiation Algorithm

How to start your clients on PrEP

START WITH AN
HIV TEST
FOLLOW HTS GUIDELINES

HIV Negative

HIV Positive

POST-TEST COUNSELLING

INITIATE IMMEDIATE ANTIRETROVIRAL THERAPY (HIV TREATMENT GUIDELINE)

COUNSEL FOR HIV PREVENTION

VMMC Condoms PEP Regular HIV testing ART for partners living with HIV STI management



PROVIDE INFORMATION ON PrEP TO ALL

PROVIDE COUNSELLING

IS THE CLIENT INTERESTED IN PrEP?

YES

ASSESS FOR ELIGIBILITY

Assess for PEP eligibility

SCREEN

- ☐ possible exposure to HIV within 72 hours, as per PEP guidelines

Assess for acute HIV infection

SCREEN

- ☐ physical examination

Adolescents and youth

SCREEN

- ☐ over 15 yrs old or
- ☐ weigh more than 30kg

Creatinine clearance **only** for persons at high risk in relation to:

SCREEN

- ☐ individuals regardless of age with co-morbidities (diabetes and/or hypertension)
- ☐ Persons aged 30 years or older
- ☐ All pregnant women

START CLIENT ON PrEP SAME DAY

PROVIDE 1 MONTH PrEP SUPPLY AND SCHEDULE NEXT APPOINTMENT
OFFER CONDOMS WITH PrEP TO ALL CLIENTS

Month 0: Initiation

After 1 month:
MONTH 1

- ☐ HIV Test
- ☐ STI Screening
- ☐ Counselling
 - Importance of taking oral PrEP pills as prescribed
 - Condom use
 - Contraception
 - Encourage clients to return for their next appointment

3 Month prescription for oral PrEP

Every
3 Months

- ☐ HIV Test
- ☐ STI Screening
- ☐ Counselling
 - Importance of taking oral PrEP pills as prescribed
 - Condom use
 - Contraception
 - Encourage clients to return for their next appointment

3 Month prescription for oral PrEP

PrEP IS CHOICE
#ICHOOSEME

Additional note: HepB

Screen for HepB: PrEP is not contraindicated for those with HBV. If the test is positive, start PrEP if eligible then refer to a doctor for liver function monitoring and further management of HepB.

Version: OralPrEPInitiationAlgorithm_Aug2024



www.myprep.co.za



@MyPrEPSouthAfrica



health

Department:
Health
REPUBLIC OF SOUTH AFRICA