



## Stochastic Variance-Reduced Policy Gradient

### Matteo Papini

Damiano Binaghi Giuseppe Canonaco Matteo Pirotta Marcello Restelli

35<sup>th</sup> International Conference on Machine Learning, Stockholm, Sweden

Outline

## Stochastic Variance-Reduced (Policy) Gradient

- SVRG for Reinforcement Learning
  - Motivation
  - Challenges
- SVRPG
  - Convergence Properties
  - Heuristics
  - Experiments

Policy Gradient <sup>3</sup>

An effective Reinforcement Learning (RL) solution to continuous control problems:



Robotics (Heess et al., 2017)



Video games (OpenAI, 2018)

Mostly based on **Stochastic Gradient Ascent** (Robbins and Monro, 1951)

**Full vs Stochastic Gradient** 

4

Plot: visualizing rates of convergence

Can we do something better?

#### A solution from finite-sum optimization:

- Unbiased
- Linear convergence
- More data-efficient than FG
- Easily applicable to Supervised Learning (SL)

Not trivial! There are three challenges:

- Non-concavity of  $J(\theta)$  (Allen-Zhu and Hazan, 2016; Reddi et al., 2016)
- Infinite dataset: we would need infinite samples to compute FG (Harikandeh et al., 2015; Bietti and Mairal, 2017)
- **3** Non-stationarity:  $\tau \sim p_{\theta}$  (new!)

RL so far: policy evaluation (Du et al., 2017) and off-policy control (Xu et al., 2017)

Our work: on-policy control

$$V J(\boldsymbol{\theta}) = \widehat{\nabla}_N J(\widetilde{\boldsymbol{\theta}}) + \widehat{\nabla}_B J(\boldsymbol{\theta}) - \underbrace{\omega(\boldsymbol{\theta}, \widetilde{\boldsymbol{\theta}})}_{\text{Importance weighting}}$$
to approximate FG to

- Unbiased
- More data-efficient than FG

Convergence to local optimum:

$$\mathbb{E}\left[\left\|\nabla J(\boldsymbol{\theta})\right\|^2\right] \leq \frac{J(\boldsymbol{\theta}^*) - J(\boldsymbol{\theta}_0)}{\psi T} + \underbrace{\frac{\zeta}{N}}_{\text{Infinite dataset}} + \underbrace{\frac{\xi}{B}}_{\text{Nonstationarity}}$$

■ Linear convergence + error

**Heuristics** 

### Meta-parameter selection

- Adaptive step size: two ADAM annealing schedules  $\alpha_{FG}$ ,  $\alpha_{SG}$
- Adaptive epoch size: take new snapshot when the effective step size becomes too small

$$\frac{\alpha_{SG}}{B} < \frac{\alpha_{FG}}{N} \implies$$
 snapshot

Results 10

Conclusions

12 Thank You

# Thank you for your attention

Link/QR Poster info Contact information

- Allen-Zhu, Z. and Hazan, E. (2016). Variance reduction for faster non-convex optimization. In *International Conference on Machine Learning*, pages 699–707.
- Bietti, A. and Mairal, J. (2017). Stochastic optimization with variance reduction for infinite datasets with finite sum structure. In *Advances in Neural Information Processing Systems*, pages 1622–1632.
- Du, S. S., Chen, J., Li, L., Xiao, L., and Zhou, D. (2017). Stochastic variance reduction methods for policy evaluation. In ICML, volume 70 of Proceedings of Machine Learning Research, pages 1049–1058. PMLR.
- Harikandeh, R., Ahmed, M. O., Virani, A., Schmidt, M., Konečný, J., and Sallinen, S. (2015). Stopwasting my gradients: Practical svrg. In *Advances in Neural Information Processing Systems*, pages 2251–2259.
- Heess, N., Sriram, S., Lemmon, J., Merel, J., Wayne, G., Tassa, Y., Erez, T., Wang, Z., Eslami, A., Riedmiller, M., et al. (2017). Emergence of locomotion behaviours in rich environments. arXiv preprint arXiv:1707.02286.
- OpenAl (2018). Openai five.
- Reddi, S. J., Hefny, A., Sra, S., Poczos, B., and Smola, A. (2016). Stochastic variance reduction for nonconvex optimization. In *International conference on machine learning*, pages 314–323.
- Robbins, H. and Monro, S. (1951). A stochastic approximation method. *The annals of mathematical statistics*, pages 400–407.
- Xu, T., Liu, Q., and Peng, J. (2017). Stochastic variance reduction for policy gradient estimation. CoRR, abs/1710.06034.

**Adaptive Step Size** 

14

Actor-Critic SVRPG

17