


1.1 Program 1: HelloWorld

Code

```
package lab05;

public class HelloWorld {
    public static void main(String[] args) {
        System.out.println("Hello, World!");
    }
}
```

Output



1.2 Program 2: FindPrime

Code

```
package lab05;
import java.util.Scanner;


public class FindPrime {
    public static void main(String args[]) {
        Scanner input = new Scanner(System.in);

        boolean isPrime;
        System.out.print("Enter a number: ");
        int num = input.nextInt();

        isPrime = num >= 2;
```

```
        for(int i=2; i <= num/i; i++) {  
            if((num % i) == 0) {  
                isPrime = false;  
                break;  
            }  
        }  
  
        if(isPrime) System.out.println("Prime");  
        else System.out.println("Not Prime");  
    }  
}
```

Output



The image shows two screenshots of an IDE's output console. The top screenshot shows the program running for the input 20, which is not prime. The bottom screenshot shows the program running for the input 23, which is prime. Both runs were successful.

```
Output - Lab05 (run) X  
run:  
Enter a number: 20  
Not Prime  
BUILD SUCCESSFUL (total time: 7 seconds)  
|  
  
Output - Lab05 (run) X  
run:  
Enter a number: 23  
Prime  
BUILD SUCCESSFUL (total time: 3 seconds)
```