
KOMPLEXE SELEKTOREN 02

STYLES VIA ATTRIBUT



```
22
23
                 <h1>
                     This is a Headline
24
25
                 </h1>
26
                 <h1 style="color: burlywood">
                     This is a colored Headline
27
28
                 </h1>
29
             </div>
30
31
                 <img src="correct.jpg" height="100" width="150" alt="CORRECT" >
32
33
                 <img src="this_does_not_exist.jpg" alt="ERROR">
             </div>
```

```
22
                 <h1>
                     This is a Headline
                 </h1>
                 <h1 style="color: burlywood">
26
                     This is a colored Headline
                 </h1>
28
             </div>
             <div>
32
                 <img src="correct.jpg" height="100" width="150" alt="CORRECT" >
33
                 <img src="this_does_not_exist.jpg" alt="ERROR">
             </div>
35
```



PSEUDOKLASSEN


- Strukturelle Pseudoklassen
- Dynamische Pseudoklassen


STRUKTURELLE PSEUDOKLASSEN


Strukturelle Pseudoklassen sind dafür gedacht, Elemente aufgrund ihrer Position zu selektieren.


- Wurzelelement:root
- Geschwisterelemente :nth-of-type(n)

- Kindelemente :nth-child(n)
- Geschwisterelemente :nth-of-type(n)











DYNAMISCHE PSEUDOKLASSEN

Dynamische Pseudoklassen selektieren Elemente aufgrund einer Benutzeraktion.

- Für Verweise :visited
- Ziele von Verweisen Formularelemente :target
- Maus-/Tastaturinteraktionen :hover
 - :checked








```
а
        padding: 10px;
        font-family: Helvetica, sans-serif;
        color: □ yellow;
        text-decoration: none;
a:visited
        color: ☐ white;
a:hover
        color: ■ orange;
a:visited:hover
        color: □ black;
```





```
а
        padding: 10px;
        font-family: Helvetica, sans-serif;
        color: □ yellow;
        text-decoration: none;
a:visited
        color: ☐ white;
a:hover
        color: ■ orange;
a:visited:hover
        color: □ black;
```



