TACEDGE

Shared Clarity.

For ground-engineering delivery.

Contents

The authoritative source of truth for the TACEDGE brand. The interactive edition lives in the brand repository; this document is its printable twin.

02	**Foundations**	3
03	**Messaging**	7
04	**Logo**	11
05	**Colour**	14
06	**Typography**	17
07	**Layout**	19
08	**Iconography**	21
09	**Graphic Language**	22
10	**Photography**	23
11	**Product Imagery**	24
12	**Digital UI**	25
13	**Applications**	26
16–24	**Templates**	28
14	**Downloads**	29
15	**Governance**	30

Section 01 (Overview) of the interactive edition corresponds to this contents page. Open decisions are marked **PROVISIONAL** and catalogued in docs/decisions-required.md (D1 to D10).

Name and promise

Shared Clarity.

For ground-engineering delivery.

The name

- **TACEDGE** is always written in uppercase in normal written use.
- Never TacEdge, Tacedge, TechEdge or Tech Edge.
- The legal company name may appear as **TACEDGE Limited** where required.

The promise

- The full stop is part of the primary hero treatment. Retain it unless a specific application makes punctuation inappropriate.
- Pair the promise with the category line wherever it leads: **“For ground-engineering delivery.”**

Mission, vision and the product model

	STATEMENT
Mission	**To bring shared clarity to the tactical edge.**
Vision	To make shared clarity the standard for field teams operating in dynamic, high-risk environments.
Positioning	Shared clarity is the capability. Better coordination is the result.
Core principle	One work item. One connected record.

The product model

1. **Configure the work.**
2. **Capture the record.**
3. **Confirm the evidence.**
4. **Release the report.**

Short form: **Configure. Capture. Confirm.** — Release is the outcome of Confirm. It is never a fourth stage.

The proposition

Set the project up once. Capture the work where it happens. Give your engineer a confirmed report they can trust.

No chasing. No data re-entry. No rebuilding the report.


Origin

The plan existed. Shared clarity did not.

The idea for TACEDGE emerged during the 2019 Whakaari / White Island recovery operation.

A complex multi-agency plan was drawn on a whiteboard and condensed into a single PowerPoint slide.

> What was missing was one shared system to configure the plan, capture field activity as it happened, maintain a current operational picture, and confirm a trusted record.



Whakaari / White Island, 2019

Telling the story

- **Express the origin factually and respectfully. Never sensationalise the event.**
- Name the event as “the 2019 Whakaari / White Island recovery operation”. Both names, in that order.
- The origin explains the mission. It is never promotional material and never a claim of credit.

Positioning and personality

TACEDGE IS

a field platform · an operational system · a connected-record platform · a way to reduce project overhead · a way to improve evidence integrity · a way to move project managers from clerical compilation back to quality assurance and judgement

TACEDGE IS NOT

merely a digital form · generic project-management software · a broad enterprise suite · a reporting dashboard · an AI company · a replacement for project managers · an overly militarised product · a futuristic concept

PERSONALITY

calm · clear · operational · credible · disciplined · restrained · technically capable · field-informed · commercially aware · practical · confident without exaggeration · premium without appearing luxurious · modern without appearing generic

NEVER

flashy · playful · loud · overly corporate · jargon-heavy · aggressively militaristic · generic SaaS · futuristic for its own sake · over-designed · defensive · desperate to prove legitimacy

THE BRAND BELONGS IN

A site office. A boardroom. An engineer's review meeting. A contractor's vehicle. A field operation. A technical report. A complex, high-risk operational environment.

Tone of voice

Use the fewest words required to preserve the full meaning.

PREFER

short sentences · concrete verbs · active voice · operational outcomes · familiar industry language · restrained confidence

AVOID

generic technology claims · inflated adjectives · long feature descriptions · vague transformation language · “revolutionary” · “seamless” unless genuinely necessary · “cutting-edge” · “game-changing” · “best-in-class” · unsupported claims · excessive references to innovation · empty SaaS language

CLAIMS Claim only what is true: TACEDGE is in production on anchoring and drilling work in New Zealand and Samoa. NZ spelling. No em dashes.

Message hierarchy

LEVEL	APPROVED COPY	USE
1. Promise	**Shared Clarity.**	Hero statements, covers, the opening of any brand document.
2. Category	**For ground-engineering delivery.**	Directly beneath the promise. Anchors the promise to the market.
3. Proposition	**Set the project up once. Capture the work where it happens. Give your engineer a confirmed report they can trust.**	First supporting copy. The whole product in three sentences.
4. Tagline	**No chasing. No data re-entry. No rebuilding the report.**	Reinforcement after the proposition. Names the pain it removes.
5. Workflow	**Configure. Capture. Confirm.**	The product model. Section headers, diagrams, leave-behinds.
6. Principle	**One work item. One connected record.**	Concluding statements, record diagrams, proof points.

Approved long-form copy

ELEVATOR DESCRIPTION

TACEDGE is a field platform for ground-engineering delivery. Set the project up once, capture the work where it happens, and give your engineer a confirmed report they can trust. One work item, one connected record, from setup to release.

COMPANY BOILERPLATE

TACEDGE brings shared clarity to ground-engineering delivery. The platform connects field capture, project oversight, quality assurance and reporting in one connected record, so project managers assure the work instead of assembling the report. TACEDGE is built in New Zealand and is in production on anchoring and drilling work in New Zealand and Samoa.

FOUNDER DESCRIPTION

TACEDGE was founded by Mike Coom and Dan McPherson. The idea emerged during the 2019 Whakaari / White Island recovery operation: the plan existed, but shared clarity did not. They built TACEDGE so field teams, project managers and engineers work from one shared system — configure the plan, capture activity as it happens, confirm a trusted record.

PRODUCT DESCRIPTION

TACEDGE is an operational system for field delivery. A project manager configures the work once: layout, sequence, testing and evidence requirements. Crews capture activity at the workface on simple, offline-first workflows with the project context already in place. Submitted records enter QA, where the project manager reviews evidence, resolves exceptions and confirms the record. The engineer or client receives a released report built from confirmed evidence, not reconstructed from fragments.

Writing in practice

Set the project up once. Capture the work where it happens.

DO — The good line is two concrete actions. The poor line is inflated, vague and claims nothing verifiable.

Our revolutionary platform seamlessly digitises your entire end-to-end field data collection journey.

DON'T — inflated, vague, claims nothing verifiable.

Submitted records enter QA before release to the engineer or client.

DO — The good line describes the actual mechanism. The poor line is empty SaaS language.

Best-in-class AI-powered workflows unlock game-changing reporting insights.

DON'T — inflated, vague, claims nothing verifiable.

Headline rules

- Lead with the outcome, not the feature.
- Headlines are decisive: one idea, few words, sentence case with a full stop.
- Two-line headline breaks are intentional. Break on meaning, not on measure.
- Never stack two superlatives. Never use a claim you cannot evidence.

CTA rules

- One primary action per page or document: “Arrange a demonstration”.
- Secondary actions point at content: “See the workflow”.
- CTAs are verbs. No “Learn more”, no “Get started”, no exclamation marks.
- Support the CTA with a low-pressure qualifier where useful: “Bring your engineer if useful.”

Terminology

TERM	RULE
TACEDGE	Always uppercase in written use. Never TacEdge, Tacedge, TechEdge or Tech Edge. Legal name: TACEDGE Limited where required.
ground-engineering	Hyphenated in narrative use (“ground-engineering delivery”).
workface	One word.
project manager	Use in ordinary copy.
PM	Compact interface or diagram copy only.
Record	The live, connected evidence associated with a work item or field activity.
Report	The confirmed output released to an engineer or client.
Evidence	Photos, measurements, tests, notes, records and required proof attached to the work.
Configure	Define what must be delivered.
Capture	Record what happens at the workface.
Confirm	Review evidence, resolve exceptions and approve the record.
Release	Provide the trusted report to the appropriate recipient. An action within Confirm, never a fourth stage.

NZ spelling throughout. No em dashes. Approved headline examples: Shared Clarity. · Field data becomes project overhead. · Configure. Capture. Confirm. · One workflow. Configured to the work. · The plan existed. Shared clarity did not. · See TACEDGE on your project.

The lockup and its variants









VARIANT	BACKGROUND	USE
Cream lockup	Primary Dark, dark photography	Headers, footers, dark covers
Forest lockup	Warm Cream, white, Sage Tint	Light documents, cards
Ink lockup	Light	Single-colour print, embossing
Sage brandmark	Primary Dark or Warm Cream	Small spaces, watermarks, app icon
Wordmark alone	As per lockup colours	Only where the brandmark appears nearby

PROVISIONAL The forest lockup's wordmark green is Logo Forest #2B4721, an artwork-only colour pending final approval (D1).

Clear space and minimum size



Clear space: **one peak unit** (the brandmark height) on all sides. Nothing enters this zone.

ASSET	MIN DIGITAL	MIN PRINT
Horizontal lockup	120 px wide	30 mm wide
Wordmark	96 px wide	24 mm wide
Brandmark	24 px wide	8 mm wide
App icon	16 px (favicon)	n/a

Never redraw

- The master SVGs in this repository are the only approved artwork. The brandmark's **softened geometric edges** are part of the mark.
- Never redraw, trace from a screenshot, approximate, regenerate, substitute an earlier sharp-edged version, alter proportions, or recreate the logo with text or CSS.
- Align the lockup to the grid by the brandmark's left edge. Below minimum lockup size, use the brandmark alone.

Incorrect use

DON'T — Never stretch or alter proportions

DON'T — Never recolour

DON'T — Never rotate

DON'T — No shadows or effects



DON'T — Not over visually noisy imagery

DON'T — Never rebuild with type or a redrawn mark

Placement, co-branding and physical reproduction

- **Placement:** top left of documents and interfaces; centred on covers and cards; bottom of leave-behinds beside contact details.
- **Co-branding:** hairline rule between marks, two peak units apart, optically matched heights. TACEDGE leads on TACEDGE-issued material.
- **Embossing:** ink artwork, single level, minimum 40 mm, proof the softened geometry. **Foil:** one colour, no metallic gradients.
- **Vehicles and signage:** flat brand surfaces, one lockup, doubled clear space at viewing distance. Conceptual until supplier-ready artwork exists (D8).

Brand palette

Forest green on warm cream is the brand. Do not add colours. CMYK values are indicative conversions: verify with the selected printer and stock.

Primary Dark
#112411 · rgb(17 36 17)
hsl(120 36 10) · cmyk(53 0 53 86)

Primary Dark Hover
#1A3219 · rgb(26 50 25)
hsl(118 33 15) · cmyk(48 0 50 80)

Utility Sage
#6E7D5C · rgb(110 125 92)
hsl(87 15 43) · cmyk(12 0 26 51)

Sage Edge
#AEB89C · rgb(174 184 156)
hsl(81 16 67) · cmyk(5 0 15 28)

Pale Sage
#B2B594 · rgb(178 181 148)
hsl(65 18 65) · cmyk(2 0 18 29)

Sage Tint
#E6EBD9 · rgb(230 235 217)
hsl(77 31 89) · cmyk(2 0 8 8)

Neutrals and ink

Warm Cream
#F7F5EC · rgb(247 245 236)
hsl(49 41 95) · cmyk(0 1 4 3)

Card Surface
#FFFFFF · rgb(255 255 255)
hsl(0 0 100) · cmyk(0 0 0 0)

Quiet Tint
#EFF1E4 · rgb(239 241 228)
hsl(69 32 92) · cmyk(1 0 5 5)

Stage
#DDE3D2 · rgb(221 227 210)
hsl(81 23 86) · cmyk(3 0 7 11)

Primary Text
#242A1F · rgb(36 42 31)
hsl(93 15 14) · cmyk(14 0 26 84)

Secondary Text
#5B6253 · rgb(91 98 83)
hsl(88 8 35) · cmyk(7 0 15 62)

Muted Text
#646A5A · rgb(100 106 90)
hsl(83 8 38) · cmyk(6 0 15 58)

Divider
#CBD2C9 · rgb(203 210 201)
hsl(107 9 81) · cmyk(3 0 4 18)

Status and special-purpose colour

Warning
#B07D2B · rgb(176 125 43)
hsl(37 61 43) · cmyk(0 29 76 31)

Warning Tint
#F5EBD4 · rgb(245 235 212)
hsl(42 62 90) · cmyk(0 4 13 4)

Error
#9E3B2E · rgb(158 59 46)
hsl(7 55 40) · cmyk(0 63 71 38)

Error Tint
#F3DDD6 · rgb(243 221 214)
hsl(14 55 90) · cmyk(0 9 12 5)

Border
#E7E2D6 · rgb(231 226 214)
hsl(42 26 87) · cmyk(0 2 7 9)

Border Strong
#D9D3C4 · rgb(217 211 196)
hsl(43 22 81) · cmyk(0 3 10 15)

Contour on Dark
#1B331A · rgb(27 51 26)
hsl(118 32 15) · cmyk(47 0 49 80)

Logo Forest *
#2B4721 · rgb(43 71 33)
hsl(104 37 20) · cmyk(39 0 54 72)

STATUS RULE Ochre and brick carry meaning in the product: caution and alert. They appear in marketing only inside authentic product imagery. Never decorative, never a marketing accent. Forest fill is the terminal-positive (success) state; TACEDGE has no separate bright green and no blue.

* Logo Forest #2B4721 exists only inside logo artwork and the app-icon tile — provisional, see decisions-required D1.

Alpha hairlines

TOKEN	VALUE	ROLE
cream-line	rgba(247, 245, 236, 0.16)	Hairline on primary-dark surfaces
sage-line	rgba(178, 181, 148, 0.5)	Icon ring on primary-dark surfaces
olive-line	rgba(110, 125, 92, 0.28)	Hairline on sage-tint panels

Approved combinations and contrast

FOREGROUND	BACKGROUND	RATIO	LEVEL	USE
Primary Text	Warm Cream	13.48:1	AAA	Body copy
Primary Text	Card Surface	14.73:1	AAA	Card copy
Secondary Text	Warm Cream	5.80:1	AA	Supporting copy
Muted Text	Warm Cream	5.13:1	AA	Utility labels, captions
Muted Text	Sage Tint	4.60:1	AA	Labels on tinted panels
Warm Cream	Primary Dark	14.97:1	AAA	Text and buttons on dark
Pale Sage	Primary Dark	7.73:1	AA (AAA large)	Utility labels on dark
Sage Tint	Primary Dark	13.43:1	AAA	Lead copy on dark
Primary Dark	Warm Cream	14.97:1	AAA	Links, button text
Utility Sage	Warm Cream	4.05:1	AA large only	Icons and large text only
Warning	Card Surface	3.61:1	AA large only	Status icons and badges
Error	Card Surface	6.73:1	AA	Error text
Error	Error Tint	5.17:1	AA	Error badges
Focus	Warm Cream	14.97:1	Non-text ≥3:1	Focus outlines

- **Cream is the paper;** white belongs to cards sitting on it. Forest is for decisive brand moments and primary actions.
- Green deepens with progress: sage-tint (planned), olive-edged (active), forest-filled (confirmed).
- Utility Sage and warning ochre are large-text and icon colours only.

Typefaces

AaBb 0123

Play
Display · 400, 700

AaBb 0123

Be Vietnam Pro
UI and body · 400 to 700

AaBb 0123

JetBrains Mono
Utility · 400, 500, 700

PLAY 700 · DISPLAY

Reporting your engineer trusts on sight.

BE VIETNAM PRO 400 · BODY

Set the project up once. Capture the work where it happens. Give your engineer a confirmed report they can trust.

JETBRAINS MONO 500 · UTILITY

CONFIGURE · CAPTURE · CONFIRM

- All three families are Google Fonts under the SIL Open Font Licence 1.1. **Self-host woff2 in every property**; never load from a CDN. Fonts are not distributed with the brand assets.
- Fallbacks: system-ui stacks (display and UI), ui-monospace (utility). Print substitution where embedding is impossible: Arial for body; Play only via supplied artwork.

Type roles


ROLE	FAMILY / WEIGHT	SIZE	LH	CASE	PRINT MIN
hero-h1	display 700	clamp(52px, 6.3vw, 92px)	1.05	title	36pt
section-h2	display 700	clamp(33px, 4vw, 48px)	1.08	sentence	20pt
callout-h3	display 700	clamp(24px, 2.5vw, 34px)	1.22	sentence	14pt
card-title	display 700	26px	1.2	sentence	12pt
lead	ui 400	clamp(18px, 1.5vw, 21px)	1.6	sentence	11pt
body	ui 400	18px	1.6	sentence	9.5pt
card-body	ui 400	16px	1.6	sentence	9pt
utility-label	mono 500	13px	1.5	uppercase	7pt
caption	ui 400	14px	1.5	sentence	8pt
footer	ui 400	14px	1.6	sentence	7.5pt
interface-label	ui 600	15px	1.45	sentence	9pt
numerical-data	mono 500	15px	1.45	as-entered	8pt

- **Do not overuse all caps**: uppercase belongs to utility labels and short chips, always tracked 0.16em in JetBrains Mono.
- Headlines are sentence case with a full stop, broken on meaning. Body measure 62ch maximum.
- Monospace is a utility voice, never a body voice. Numerals in tables use JetBrains Mono, tabular.

Grid, spacing and rhythm

TOKEN	VALUE	ROLE
content-max	1200px	Maximum content width, centred
gutter	clamp(20px, 3.4vw, 32px)	Horizontal padding
section	clamp(64px, 9vw, 120px)	Standard section rhythm
section-tight	clamp(56px, 7vw, 96px)	Compact section rhythm

Spacing scale



Print

- A4 documents: 12 to 13 mm margins. Business cards: 90 × 55 mm trim, 3 mm bleed, 5 mm safe zone.
- Use the scale; one-off values are not brand spacing. Body measure 62ch; supporting copy 42 to 48ch.

Breakpoints, shape and elevation


BREAKPOINT	VALUE	TYPICAL CHANGE
`wide`	1080px	Hero grid stacks; two-line headlines release
`desktop`	980px	Workflow columns stack; 4-up grids become 2-up
`tablet`	880px	Split sections stack; navigation condenses
`tablet-narrow`	720px	Two-up cards stack
`mobile`	640px	Process strips go vertical; buttons full-width
`mobile-narrow`	420px	Compact grids single column

Shape and elevation

TOKEN	VALUE	USE
`r-card / r-img`	16px / 14px	Standard cards and content images
`r-panel / r-panel-lg`	20px / 24px	Tinted callout panels
`r-button / r-pill`	12px / 999px	Buttons; chips and status pills
`border`	1px hairline	All card and component borders
`shadow sm / md / lg`	ink-tinted, soft	Cards; hover lift; overlays
`shadow device`	0 18px 40px rgba(0,0,0,.32)	Device frames only

- Soft and disciplined, not bubbly: one soft shadow family, no glows, no glassmorphism.
- Six approved composition types: brand-led hero, left-aligned editorial, centred workflow, split text-and-image, compact technical diagram, one-page leave-behind.

Icons and arrows



Rules


- **Stroke 1.6, round caps and joins, no fills.** 24px grid for general icons, 32px for work types. Scale proportionally, never restroke.
- Four treatments only: informational (48px sage-tint circle, forest line icon), work-type (standalone), workflow/status (small, inside a state component), numbered marker (Play 700 in a sage-tint pill, reserved for Configure, Capture, Confirm).
- One arrow: straight shaft, open head, 1.6 stroke, in Utility Sage or forest. Process, button, downward-navigation and status-progression arrows are the same arrow doing four jobs. Never mix arrowhead styles.
- Minimal detail, technical not decorative. Do not invent custom icons where a suitable existing icon exists (the product uses the Lucide family).

Topographic linework and brandmark crops


Thin strokes, low opacity, never over body text.

- **One source pattern**, two variants. Dark: stroke #1B331A at 1.1px, opacity 0.45, on Primary Dark only. Light: stroke forest at 5.5 to 7 percent on tinted panels.
- Behind dark bars, hero panels and callout panels only. Never behind body text, never on white cards, never a full-page texture. Keep native scale; regenerate, never hand-edit.
- **Brandmark crops:** softened peaks from the master artwork may frame imagery or sign a composition. Flat brand colours or low opacity over photographs; one crop per composition; never overpowering.
- **Process diagrams:** direct and linear, one icon style, one arrow style, single-word labels, forest fill only on the terminal-positive stage.
- **Data graphics:** operational and legible; real product imagery wherever possible; fake technical diagrams are prohibited.


Direction



CONFIGURE · OFFICE




CAPTURE · WORKFACE



CONFIRM · REVIEW

- **Real, field-based, documentary.** Real crews, genuine environments, field equipment, evidence capture, complex terrain, the field-to-office connection.
- **Never:** corporate handshakes, stock office teams, blue technology overlays, staged smiles, exaggerated danger, military styling, disaster imagery as promotion.
- Natural light, muted grade, moderate contrast, restrained saturation. Subjects off-centre and working; correct PPE; consent always.
- Captions factual and small. Alt text always: describe the work, the role and the setting.
- **The Whakaari image** is used respectfully and factually, in the origin context only, always captioned “Whakaari / White Island, 2019”.

Real screens in quiet hardware



- **Real screens only**, high resolution, native proportions. Never invent interfaces, never distort, never materially crop important UI, no excessive perspective.
- Graphite frames: monitor (16px radius bezel, camera dot, neck, base) and phone (34px radius, speaker, side button). No browser chrome. Device shadow only.
- Backgrounds: Stage #DDE3D2, a flat brand surface, or the forest hero. Desktop and mobile may overlap, but never cover the selected record, evidence panel or approval controls.
- Third-party names replaced with generic role labels before capture. Caption real screens factually.


Principles and components

- **Field usability first:** 44px minimum touch targets (48px primary), minimal operator decisions, role-specific views.
- **Clear status:** every work item wears its state. Forest fill = confirmed; ochre = caution; brick = alert.
- **Evidence hierarchy:** photos, measurements and results lead; chrome recedes. Offline confidence: capture never blocks; sync state is visible and truthful.


Component language

COMPONENT	STANDARD
Buttons	48px min height, 12px radius, 600 weight, 140ms transitions; forest primary, hairline secondary, ghost tertiary
Cards	White, 1px hairline border, 16px radius, one soft shadow; hover lifts 1px
Pills / chips	Sage-tint, mono uppercase, pill radius
Status states	Planned (sage-tint) · Active (olive-edged) · Submitted (ochre-tint) · Confirmed (forest) · Issue (brick-tint)
Forms	48px fields, hairline borders, forest focus ring, labels above
Navigation	Forest bar, cream lockup, sage underline on the active item
Tables	Hairline rules, quiet-tint alternating rows, mono numerals
Alerts	Tint field + status-colour icon + one factual sentence
Maps	Muted basemap; forest and olive overlays; status colours only for status
Empty states	One line of what belongs here and one action
Mobile controls	Bottom-anchored primary actions, thumb-reachable, one decision per screen

Reference applications



Business card: 90 × 55 mm trim, 3 mm bleed. Forest front, cream lockup at 49 mm; cream back, contact block left, tonal brandmark bleed.



The Hunter Civil leave-behind: the message hierarchy on one A4 page.

Application standards

APPLICATION	STANDARD	MATURITY
Website	Reference implementation of this system	Production
V2 product interface	Digital UI principles; legacy theme migration scheduled (D5)	Production
Business cards	90 × 55 mm + 3 mm bleed; titles Co-Founder (D2)	Print-ready spec
Leave-behinds	A4, 12 to 13 mm margins, hierarchy top to bottom	Print-ready spec
Reports	Cream body; forest cover with lockup and contour; confirmed-record footer	Print-ready spec
Decks	Forest title slides, cream content slides, one idea per slide	Conceptual
Email signature	Name, role, TACEDGE, phone, tacedge.co.nz; no images	Print-ready spec
Letterhead	A4 cream, forest lockup top left at 42 mm	Conceptual
Social graphics	Flat brand surfaces, one statement, lockup at minimum size	Conceptual
Vehicle (Land Rover concept)	Primary Dark wrap, cream lockup 60 to 80 percent of panel	Conceptual (D8)
Apparel	Forest or ink garments, left-chest brandmark 70 to 90 mm	Conceptual (D8)
App icon / favicon	Supplied rounded-square tile, 16 to 512 px	Production

Contact

GENERAL

info@tacedge.co.nz
tacedge.co.nz · New Zealand

CARD EXAMPLE

Mike Coom
Co-Founder · +64 27 224 5342 · mike@tacedge.co.nz

CARD EXAMPLE

Dan McPherson
Co-Founder · +64 27 444 2483 · dan@tacedge.co.nz

PROVISIONAL Generated mockups are conceptual examples, not master production artwork. Confirm approved email addresses and titles before final card artwork (D2); physical applications need print-tested colour (D3).

The template system

Approved starting points for consistent TACEDGE communication. Use these templates rather than creating documents from a blank file; each applies the approved typography, spacing, colour, logo and information hierarchy. The interactive edition carries full usage guidance, previews and downloads for every template.

TEMPLATE	FORMAT	USE	STATUS
Presentation deck	PPTX 16:9, 22 layouts	Pitches, briefings, reviews, conferences	Provisional (D10)
Meeting minutes	DOCX	Decisions and actions, never transcripts	Provisional (D10)
Pilot proposal (+ summary)	DOCX	A narrow, jointly defined validation	Provisional (D10)
Technical / pilot report	DOCX	Findings labelled fact, feedback, inference, recommendation	Provisional (D10)
Letterhead	DOCX	Formal correspondence, printer-safe	Provisional (D10)
Legal document	DOCX	Formatting only; never replaces legal review	Provisional (D10)
One-page collateral	HTML + PDF	Leave-behinds with word-count limits and QR rules	Provisional (D10)
Email signature	HTML + TXT	Five lines of contact information	Provisional (D10)

- **The exported files are the product.** Previews are rendered from the actual editable files. Sources are masters; PDFs and previews are regenerated, never edited.
- Filename convention: **TACEDGE_[Template_Name]_v[1.0].[ext]**. Customer copies add [Customer]_[YYYY-MM-DD] and live outside the brand repository.
- Versions, status and owners live in templates/manifest.json. Only Approved templates are primary downloads.
- Fonts are referenced by name, never distributed: install Play, Be Vietnam Pro and JetBrains Mono from Google Fonts; office files fall back to Arial and Consolas.

Assets and design tokens

PACKAGE	CONTENTS	LOCATION
Logo package	SVG masters (lockups, wordmarks, brandmark, app icon) + PNG exports at 1200/2400w and 512/1024w	assets/logos/
Icons	Six work-type icons, SVG, 32px, stroke 1.6	assets/icons/
Patterns	Contour motif: dark, light and currentColor variants	assets/patterns/
Photography	Approved workflow set + Whakaari origin image	assets/photography/
Product imagery	Approved V2 prototype captures	assets/product-imagery/
Application examples	Business card + Hunter Civil leave-behind (HTML, PDF, PNG)	assets/application-examples/
Design tokens	colors, typography, spacing, radii, shadows, breakpoints (JSON) + tokens.css + tokens.ts	tokens/
Documents	This PDF and the one-page style tile	exports/

- **Consuming tokens:** import tokens.css (or copy verbatim) and build on the custom properties, or import tokens.ts in TypeScript. Collateral consumes tokens; it never re-declares them.
- **Fonts are not distributed.** Play, Be Vietnam Pro, JetBrains Mono: Google Fonts, SIL OFL 1.1. Self-host in each property.
- Every asset's status and provenance: assets/asset-manifest.md. Provisional items reference an open decision (D1 to D8).

Authority, change control and accessibility

```
TACEDGE Brand System → Website → Product interfaces → Documents and physical applications
```

ASPECT	RULE
Approval	Brand changes approved by the TACEDGE founders. No exceptions for colour, logo, promise or terminology.
Asset status	Every asset is approved or provisional in the manifest; provisional items carry a decision reference.
Versioning	Semantic: major for identity changes, minor for new sections or assets, patch for corrections. PDF and site always state the same version.
Deprecation	Superseded assets leave the library and are recorded in the changelog. Generation 1 (old greens, glass theme, mixed-case TacEdge) is deprecated.
Contractors	Start with the style tile; this PDF is the contract; assets from Downloads only; anything uncovered is a question: info@tacedge.co.nz.

Accessibility standard

- WCAG 2.1 AA minimum: 4.5:1 text, 3:1 large text and non-text UI, using the approved combinations table.
- Semantic headings, keyboard support, visible focus (forest on light, cream on dark), meaningful alt text, decorative graphics hidden.
- Respect reduced-motion. Touch targets 44px minimum. Text never lives only inside images. Layouts survive 200 percent zoom.



Shared clarity for ground-engineering delivery.

TACEDGE LIMITED · INFO@TACEDGE.CO.NZ · TACEDGE.CO.NZ · NEW ZEALAND